





Small Engine - Power Equipment Engines

	XTREME START™	STANDARD STANDARD ESTANDAR	LOW PROFILE COURTE PERFIL BAJO	GAP ÉNCARTMENT ESPACIO		XTREME START™	STANDARD STANDARD ESTANDAR	LOW PROFILE COURTE PERFIL BAJO	GAP ÉNCARTMENT ESPACIO
ACME MOTORI					BRIGGS & STRATTON (Cont'd)				
Gasoline					Single Cylinder "L" Head (Cont'd)				
14mm Heads	AP425 ⁸²⁴⁹	425	2656	.030	94500 Series	XST458	458	258	.030
18mm Heads	----	386	----	.030	3.5 h.p.				
Kerosene					90700 Series	XST458	458	258	.030
14mm Heads	AP425 ⁸²⁴⁹	425	2656	.030	91700 Series	XST458	458	258	.030
18mm Heads	----	388	----	.030	91200 Series	XST458	458	258	.030
OHC					92200 Series	XST458	458	258	.030
ACT280 w/9 h.p.Engs. .	XST3924	3924	----	.030	92900 Series	XST458	458	258	.030
ACT340 w/11 h.p.Engs.	XST3924	3924	----	.030	93200 Series	XST458	458	258	.030
BCS					93400 w/Top Tank	XST3926	3926	----	.030
5.0 h.p.					93440 w/No Tank	XST458	458	258	.030
All Models	AP425 ⁸²⁴⁹	425	2656	.030	93900 Series	XST458	458	258	.030
BLUE MAX					95900 Series	XST458	458	258	.030
4-Cycle OHV					96500 Series	XST458	458	258	.030
5.5 h.p.					100700 Series	XST458	458	258	.030
03162	XS63 ⁸²⁵²	4263 ⁸²⁴⁸	----	.030	121000 Series	XST458	458	258	.030
6.5 h.p.					128000 Series	XST458	458	258	.030
03163	XS63 ⁸²⁵²	4263 ⁸²⁴⁸	----	.030	3.75 h.p.				
BRIGGS & STRATTON					96900 Series	XST458	458	258	.030
300-600 Series					98900 Series	XST458	458	258	.030
4.5 h.p.....	XST458	458	258	.030	3.8 h.p.				
4.75 h.p.....	XST458	458	258	.030	9C900 Series	XST458	458	258	.030
5.0 h.p.....	XST458	458	258	.030	9D900 Series	XST458	458	258	.030
5.25 h.p.....	XST458	458	258	.030	4.0 h.p.				
5.5 h.p.....	XST458	458	258	.030	10A900 Series	XST458	458	258	.030
6.25 h.p.....	XST458	458	258	.030	10B900 Series	XST458	458	258	.030
6.5 h.p.....	XST458	458	258	.030	100200 Series	XST458	458	258	.030
6.75 h.p.....	XST458	458	258	.030	100900 Series	XST458	458	258	.030
700-1600 Series					110000 Series	XST458	458	258	.030
7.0 h.p.....	XST3924	3924	----	.020	111000 Series	XST458	458	258	.030
8.0 h.p.....	XST3924	3924	----	.020	112000 Series	XST458	458	258	.030
8.25 h.p.....	XST3924	3924	----	.020	113000 Series	XST458	458	258	.030
8.5 h.p.....	XST3924	3924	----	.020	114000 Series	XST458	458	258	.030
8.75 h.p.....	XST3924	3924	----	.020	12E000 Series	XST458	458	258	.030
9.0 h.p.....	XST3924	3924	----	.020	12T000 Series	XST458	458	258	.030
11.0 h.p.....	XST3924	3924	----	.020	122000 Series	XST458	458	258	.030
11.5 h.p.....	XST3924	3924	----	.020	123000 Series	XST458	458	258	.030
13.5 h.p.....	XST3924	3924	----	.020	4.5 h.p.				
14.5 h.p.....	XST3924	3924	----	.020	12L000 Series	XST458	458	258	.030
15.5 h.p.....	XST3924	3924	----	.020	4.75 h.p.				
16.5 h.p.....	XST3924	3924	----	.020	12A000 Series	XST458	458	258	.030
400-900 Series Intek					12D000 Series	XST458	458	258	.030
4.75 h.p.....	XST3924	3924	----	.020	5.0 h.p.				
5.25 h.p.....	XST3924	3924	----	.020	99700 Series	XST458	458	258	.030
8.0 h.p.....	XST3924	3924	----	.020	12F000 Series	XST458	458	258	.030
9.0 h.p.....	XST3924	3924	----	.020	12G000 Series	XST458	458	258	.030
1350-2100 Series Intek					12U000 Series	XST458	458	258	.030
13.5 h.p.....	XST3924	3924	----	.020	124000 Series	XST458	458	258	.030
14.5 h.p.....	XST3924	3924	----	.020	125000 Series	XST458	458	258	.030
15.5 h.p.....	XST3924	3924	----	.020	126000 Series	XST458	458	258	.030
16.5 h.p.....	XST3924	3924	----	.020	130000 Series	XST458	458	258	.030
20.0 h.p.....	XST3924	3924	----	.020	131000 Series	XST458	458	258	.030
21.0 h.p.....	XST3924	3924	----	.020	132000 Series	XST458	458	258	.030
Single Cylinder "L" Head					133200 Series	XST458	458	258	.030
2.0 h.p.					133400 Series	XST458	458	258	.030
60100 Series	XST458	458	258	.030	135200 Series	XST458	458	258	.030
3.0, 3.5 h.p.					136200 Series	XST458	458	258	.030
80000 Series	XST458	458	258	.030	5.25 h.p.				
3.0 h.p.					12B000 Series	XST458	458	258	.030
90100 Series	XST458	458	258	.030	12C000 Series	XST458	458	258	.030
90200 Series	XST458	458	258	.030	5.5 h.p.				
92500 Series	XST458	458	258	.030	12M000 Series	XST458	458	258	.030



Se Section 9 pour les remarques en français en bas de page. Ver Seccion 9 para las páginas de notas de pie de página en español. ⁸²⁴⁸ Tapered electrode design ⁸²⁴⁹ Single Platinum ⁸²⁵² Xtreme Sport

Small Engine - Power Equipment Engines

	XTREME START™	STANDARD STANDARD ESTANDAR	LOW PROFILE COURTE PERFIL BAJO	GAP ENCARTMENT ESPACIO		XTREME START™	STANDARD STANDARD ESTANDAR	LOW PROFILE COURTE PERFIL BAJO	GAP ENCARTMENT ESPACIO
BRIGGS & STRATTON (Cont'd)					BRIGGS & STRATTON (Cont'd)				
Single Cylinder "L" Head (Cont'd)					Single Cylinder "L" Head (Cont'd)				
129000 Series	XST458	458	258	.030	11.5 h.p.				
134400 Series	XST458	458	258	.030	259700 Series	XST458	458	258	.030
137000 Series	XST458	458	258	.030	28D700 Series	XST458	458	258	.030
6.0 h.p.					12.0 h.p.				
12H000 Series	XST458	458	258	.030	280700 Series	XST458	458	258	.030
12J000 Series	XST458	458	258	.030	281700 Series	XST458	458	258	.030
12V000 Series	XST458	458	258	.030	282700 Series	XST458	458	258	.030
12W000 Series	XST458	458	258	.030	283700 Series	XST458	458	258	.030
133700 Series	XST458	458	258	.030	284700 Series	XST458	458	258	.030
135700 Series	XST458	458	258	.030	300400 Series	XST458	458	258	.030
6.5 h.p.					301400 Series	XST458	458	258	.030
170700 Series	XST458	458	258	.030	12.5 h.p.				
6.75 h.p.					285700 Series	XST458	458	258	.030
170700 Series	XST458	458	258	.030	286700 Series	XST458	458	258	.030
7.0 h.p.					288700 Series	XST458	458	258	.030
170400 Series	XST458	458	258	.030	289700 Series	XST458	458	258	.030
171400 Series	XST458	458	258	.030	13.0 h.p.				
176400 Series	XST458	458	258	.030	28F700 Series	XST458	458	258	.030
8.0 h.p.					28M700 Series	XST458	458	258	.030
190400 Series	XST458	458	258	.030	302400 Series	XST458	458	258	.030
190700 Series	XST458	458	258	.030	13.5 h.p.				
191700 Series	XST458	458	258	.030	28R700 Series	XST458	458	258	.030
192400 Series	XST458	458	258	.030	14.0 h.p.				
193700 Series	XST458	458	258	.030	320400 Series	XST458	458	258	.030
194000 Series	XST458	458	258	.030	15.0 h.p.				
195000 Series	XST458	458	258	.030	325400 Series	XST458	458	258	.030
196400 Series	XST458	458	258	.030	16.0 h.p.				
197400 Series	XST458	458	258	.030	326400 Series	XST458	458	258	.030
200400 Series	XST458	458	258	.030	Opposed Twin Cylinder "L" Head				
202400 Series	XST458	458	258	.030	12.5 h.p.				
8.5 h.p.					404400 Series	XST458	458	258	.030
196700 Series	XST458	458	258	.030	404700 Series	XST458	458	258	.030
197700 Series	XST458	458	258	.030	14.0 h.p.				
9.0 h.p.					400400 Series	XST458	458	258	.030
19A400 Series	XST3926	3926	----	.030	400700 Series	XST458	458	258	.030
19B400 Series	XST3926	3926	----	.030	16.0 h.p.				
19C400 Series	XST3926	3926	----	.030	401400 Series	XST458	458	258	.030
231400 Series	XST458	458	258	.030	401700 Series	XST458	458	258	.030
233400 Series	XST458	458	258	.030	402400 Series	XST458	458	258	.030
10.0 h.p.					402700 Series	XST458	458	258	.030
19E400 Series	XST3926	3926	----	.030	42B700 Series	XST458	458	258	.030
19F400 Series	XST3926	3926	----	.030	16.5 h.p.				
19G400 Series	XST3926	3926	----	.030	40A700 Series	XST458	458	258	.030
221400 Series	XST458	458	258	.030	17.0 h.p.				
222400 Series	XST458	458	258	.030	42C700 Series	XST458	458	258	.030
226400 Series	XST458	458	258	.030	18.0 h.p.				
243400 Series	XST458	458	258	.030	421400 Series	XST458	458	258	.030
254700 Series	XST458	458	258	.030	421700 Series	XST458	458	258	.030
255700 Series	XST458	458	258	.030	422400 Series	XST458	458	258	.030
256700 Series	XST458	458	258	.030	422700 Series	XST458	458	258	.030
28A700 Series	XST458	458	258	.030	18.5 h.p.				
10.5 h.p.					42D700 Series	XST458	458	258	.030
257700 Series	XST458	458	258	.030	19.0 h.p.				
28B700 Series	XST458	458	258	.030	42A700 Series	XST458	458	258	.030
11.0 h.p.					19.5 h.p.				
250400 Series	XST458	458	258	.030	42E700 Series	XST458	458	258	.030
251400 Series	XST458	458	258	.030	20.0 h.p.				
251700 Series	XST458	458	258	.030	460700 Series	XST458	458	258	.030
252000 Series	XST458	458	258	.030	20.5 h.p.				
253000 Series	XST458	458	258	.030	461700 Series	XST458	458	258	.030
254400 Series	XST458	458	258	.030					
255400 Series	XST458	458	258	.030					
256400 Series	XST458	458	258	.030					
258700 Series	XST458	458	258	.030					
259700 Series	XST458	458	258	.030					
28C700 Series	XST458	458	258	.030					



Se Section 9 pour les remarques en français en bas de page. Ver Seccion 9 para las páginas de notas de pie de página en español.

Small Engine - Power Equipment Engines

	XTREME START™	STANDARD STANDARD ESTANDAR	LOW PROFILE COURTE PERFIL BAJO	GAP ENCARTMENT ESPACIO		XTREME START™	STANDARD STANDARD ESTANDAR	LOW PROFILE COURTE PERFIL BAJO	GAP ENCARTMENT ESPACIO
BRIGGS & STRATTON (Cont'd)					BRIGGS & STRATTON (Cont'd)				
Single Cylinder OHV					Clean Tek Pro Single Cylinder OHV (Cont'd)				
5.5 h.p.					6.5 h.p.	XST3924	3924	---	.020
461700 Series	XST3924	3924	---	.020	6.75 h.p.	XST3924	3924	---	.020
6.0 h.p.					8.0 h.p.	XST3924	3924	---	.030
97700 Series	XST3924	3924	---	.020	10.0 h.p.	XST3924	3924	---	.030
99700 Series	XST3924	3924	---	.020	15.5 h.p.	XST3924	3924	---	.030
6.5 h.p.					17.5 h.p.	XST3924	3924	---	.030
99700 Series	XST3924	3924	---	.020	Commercial Turf Series V-Twin OHV				
8.0 h.p.					23.0 h.p.	XST3924	3924	---	.030
99700 Series	XST3924	3924	---	.030	24.0 h.p.	XST3924	3924	---	.030
8.5 h.p.					26.0 h.p.	XST3924	3924	---	.030
99700 Series	XST3924	3924	---	.030	27.0 h.p.	XST3924	3924	---	.030
10.0 h.p.					28.0 h.p.	XST3924	3924	---	.030
99700 Series	XST3924	3924	---	.030	30.0 h.p.	XST3924	3924	---	.030
10.5 h.p.					CP Series Single Cylinder OHV				
99700 Series	XST3924	3924	---	.030	5.5 h.p.	XST3924	3924	---	.020
11.0 h.p.					6.5 h.p.	XST3924	3924	---	.020
99700 Series	XST3924	3924	---	.030	8.0 h.p.	XST3924	3924	---	.030
11.5 h.p.					10.0 h.p.	XST3924	3924	---	.030
99700 Series	XST3924	3924	---	.030	ELS Single Cylinder OHV				
12.0 h.p.					16.0 h.p.				
99700 Series	XST3924	3924	---	.030	28CH00 Series	XST3924	3924	---	.030
12.5 h.p.					16.5 h.p.				
99700 Series	XST3924	3924	---	.030	315700 Series	XST3924	3924	---	.030
13.0 h.p.					17.0 h.p.				
99700 Series	XST3924	3924	---	.030	31L700 Series	XST3924	3924	---	.030
13.5 h.p.					17.5 h.p.				
99700 Series	XST3924	3924	---	.030	31L700 Series	XST3924	3924	---	.030
14.0 h.p.					18.0 h.p.				
28E700 Series	XST3924	3924	---	.030	31L700 Series	XST3924	3924	---	.030
14.5 h.p.					18.5 h.p.				
287700 Series	XST3924	3924	---	.030	31Q700 Series	XST3924	3924	---	.030
15.0 h.p.					ELS V-Twin OHV				
287700 Series	XST3924	3924	---	.030	18.0 h.p.				
15.5 h.p.					656 Series	XST3924	3924	---	.030
28N700 Series	XST3924	3924	---	.030	19.0 h.p.				
16.0 h.p.					656 Series	XST3924	3924	---	.030
28U700 Series	XST3924	3924	---	.030	20.0 h.p.				
16.5 h.p.					656 Series	XST3924	3924	---	.030
28W700 Series	XST3924	3924	---	.030	21.0 h.p.				
17.0 h.p.					656 Series	XST3924	3924	---	.030
XST3924	3924	---	.030	22.0 h.p.					
17.5 h.p.					40H700 Series	XST3924	3924	---	.030
XST3924	3924	---	.030	23.0 h.p.					
18.0 h.p.					725 Series	XST3924	3924	---	.030
XST3924	3924	---	.030	24.0 h.p.	XST3924	3924	---	.030	
18.5 h.p.					25.0 h.p.	XST3924	3924	---	.030
XST3924	3924	---	.030	26.0 h.p.					
V-Twin OHV					446700 Series	XST3924	3924	---	.030
18.0 h.p.	XST3924	3924	---	.030	Extended Life Series Single Cylinder OHV				
18.5 h.p.	XST3924	3924	---	.030	17.5 h.p.	XST3924	3924	---	.030
20.0 h.p.	XST3924	3924	---	.030	18.5 h.p.	XST3924	3924	---	.030
21.0 h.p.	XST3924	3924	---	.030	19.5 h.p.	XST3924	3924	---	.030
22.0 h.p.	XST3924	3924	---	.030	20.0 h.p.	XST3924	3924	---	.030
Clean Power Single Cylinder OHV					21.0 h.p.	XST3924	3924	---	.030
5.5 h.p.	XST3924	3924	---	.020	Extended Life Series Intek V-Twin OHV				
6.0 h.p.	XST3924	3924	---	.020	20.0 h.p.	XST3924	3924	---	.030
6.5 h.p.	XST3924	3924	---	.020	22.0 h.p.	XST3924	3924	---	.030
8.0 h.p.	XST3924	3924	---	.030	23.0 h.p.	XST3924	3924	---	.030
10.0 h.p.	XST3924	3924	---	.030	24.0 h.p.	XST3924	3924	---	.030
11.0 h.p.	XST3924	3924	---	.030	26.0 h.p.	XST3924	3924	---	.030
Clean Tek Single Cylinder OHV					27.0 h.p.	XST3924	3924	---	.030
5.5 h.p.	XST3924	3924	---	.020	28.0 h.p.	XST3924	3924	---	.030
6.0 h.p.	XST3924	3924	---	.020					
6.5 h.p.	XST3924	3924	---	.020					
6.75 h.p.	XST3924	3924	---	.020					
8.0 h.p.	XST3924	3924	---	.030					
10.0 h.p.	XST3924	3924	---	.030					
11.0 h.p.	XST3924	3924	---	.030					
Clean Tek Pro Single Cylinder OHV									
5.5 h.p.	XST3924	3924	---	.020					
6.0 h.p.	XST3924	3924	---	.020					



Se Section 9 pour les remarques en français en bas de page. Ver Seccion 9 para las páginas de notas de pie de página en español.

Small Engine - Power Equipment Engines

	XTREME START™	STANDARD STANDARD ESTANDAR	LOW PROFILE COURTE PERFIL BAJO	GAP ENCARTMENT ESPACIO		XTREME START™	STANDARD STANDARD ESTANDAR	LOW PROFILE COURTE PERFIL BAJO	GAP ENCARTMENT ESPACIO
BRIGGS & STRATTON (Cont'd)					BRIGGS & STRATTON (Cont'd)				
Extended Life Series Intek V-Twin OHV (Cont'd)					Intek Single Cylinder OHV (Cont'd)				
30.0 h.p.	XST3924	3924	---	.030	Series	XST3924	3924	---	.020
Force (Four-Cycle)					6.0 h.p.				
0.75 h.p.	XST2554	2554	---	.030	110400-111400-113400				
Gen Power Single Cylinder OHV					Series				
2.5 h.p.	XST3924	3924	---	.020	XST3924	3924	---	.020	
4.0 h.p.	XST3924	3924	---	.020	110600-111600 Series	XST3924	3924	---	.020
5.5 h.p.	XST3924	3924	---	.020	120400-121400 Series	XST3924	3924	---	.020
6.0 h.p.	XST3924	3924	---	.020	120600-121600-122600				
6.5 h.p.	XST3924	3924	---	.020	Series	XST3924	3924	---	.020
8.0 h.p.	XST3924	3924	---	.030	6.75 h.p.				
10.0 h.p.	XST3924	3924	---	.030	120600-121600-122600				
11.0 h.p.	XST3924	3924	---	.030	Series	XST3924	3924	---	.030
12.0 h.p.	XST3924	3924	---	.030	7.0 h.p.				
12.5 h.p.	XST3924	3924	---	.030	120600-121600-122600				
Gentek Single Cylinder OHV					Series				
5.5 h.p.	XST3924	3924	---	.020	XST3924	3924	---	.030	
6.0 h.p.	XST3924	3924	---	.020	8.0 h.p.				
6.5 h.p.	XST3924	3924	---	.020	120600-121600-122600				
6.75 h.p.	XST3924	3924	---	.020	Series	XST3924	3924	---	.030
8.0 h.p.	XST3924	3924	---	.030	8.5 h.p.				
8.5 h.p.	XST3924	3924	---	.030	120600-121600-122600				
10.0 h.p.	XST3924	3924	---	.030	Series	XST3924	3924	---	.030
10.5 h.p.	XST3924	3924	---	.030	9.0 h.p.				
11.0 h.p.	XST3924	3924	---	.030	212900 Series	XST3924	3924	---	.030
12.5 h.p.	XST3924	3924	---	.030	10.0 h.p.				
13.0 h.p.	XST3924	3924	---	.030	204400-205400 Series	XST3924	3924	---	.030
Gentek Pro Single Cylinder OHV					10.5 h.p.				
5.5 h.p.	XST3924	3924	---	.020	215900 Series	XST3924	3924	---	.030
6.0 h.p.	XST3924	3924	---	.020	11.0 h.p.				
6.5 h.p.	XST3924	3924	---	.020	216900 Series	XST3924	3924	---	.030
6.75 h.p.	XST3924	3924	---	.020	11.5 h.p.				
8.0 h.p.	XST3924	3924	---	.030	217900 Series	XST3924	3924	---	.030
10.0 h.p.	XST3924	3924	---	.030	12.5 h.p.				
13.0 h.p.	XST3924	3924	---	.030	217900 Series	XST3924	3924	---	.030
15.0 h.p.	XST3924	3924	---	.030	13.0 h.p.				
15.5 h.p.	XST3924	3924	---	.030	217900 Series	XST3924	3924	---	.030
17.0 h.p.	XST3924	3924	---	.030	13.5 h.p.				
17.5 h.p.	XST3924	3924	---	.030	217900 Series	XST3924	3924	---	.030
18.0 h.p.	XST3924	3924	---	.030	14.5 h.p.				
Gentek Pro V-Twin OHV					Series				
18.0 h.p.	XST3924	3924	---	.030	217900 Series	XST3924	3924	---	.030
19.0 h.p.	XST3924	3924	---	.030	15.0 h.p.				
20.0 h.p.	XST3924	3924	---	.030	217900 Series	XST3924	3924	---	.030
22.0 h.p.	XST3924	3924	---	.030	15.5 h.p.				
25.0 h.p.	XST3924	3924	---	.030	285H00 Series	XST3924	3924	---	.030
Intek Edge Single Cylinder OHV					Series				
6.0 h.p.	XST3924	3924	---	.020	310700 Series	XST3924	3924	---	.030
6.5 h.p.	XST3924	3924	---	.020	17.0 h.p.				
6.75 h.p.	XST3924	3924	---	.020	311700-312700 Series	XST3924	3924	---	.030
Intek Pro Single Cylinder OHV					17.5 h.p.				
5.5 h.p.	XST3924	3924	---	.020	31G700 Series	XST3924	3924	---	.030
6.0 h.p.	XST3924	3924	---	.020	18.0 h.p.				
6.5 h.p.					31G700 Series	XST3924	3924	---	.030
123400 Series	XST3924	3924	---	.020	18.5 h.p.				
6.75 h.p.					31N700 Series	XST3924	3924	---	.030
123400 Series	XST3924	3924	---	.020	19.5 h.p.				
7.0 h.p.					31N700 Series	XST3924	3924	---	.030
123400 Series	XST3924	3924	---	.020	20.0 h.p.				
8.0 h.p.					31N700 Series	XST3924	3924	---	.030
203400 Series	XST3924	3924	---	.030	21.0 h.p.				
10.0 h.p.					31N700 Series	XST3924	3924	---	.030
206400 Series	XST3924	3924	---	.030					
11.0 h.p.	XST3924	3924	---	.030					
Intek Single Cylinder OHV									
5.5 h.p.									
110400-111400-113400									



Se Section 9 pour les remarques en français en bas de page. Ver Seccion 9 para las páginas de notas de pie de página en español.

Small Engine - Power Equipment Engines

	XTREME START™	STANDARD STANDARD ESTANDAR	LOW PROFILE COURTE PERFIL BAJO	GAP ÉNCARTMENT ESPACIO		XTREME START™	STANDARD STANDARD ESTANDAR	LOW PROFILE COURTE PERFIL BAJO	GAP ÉNCARTMENT ESPACIO
BRIGGS & STRATTON (Cont'd)					BRIGGS & STRATTON (Cont'd)				
Intek V-Twin OHV					Snow Series 4-Cycle (Cont'd)				
18.0 h.p.					6.5 h.p.				
405700 Series	XST3924	3924	---	.030	650	XST458	458	258	.030
20.0 h.p.					Snow Series, Max OHV				
406700 Series	XST3924	3924	---	.030	8.0 h.p.				
21.0 h.p.	XST3924	3924	---	.030	800	XST3924	3924	---	.030
22.0 h.p.					8.5 h.p.				
407500 Series	XST3924	3924	---	.030	850	XST3924	3924	---	.030
23.0 h.p.	XST3924	3924	---	.030	9.0 h.p.				
24.0 h.p.	XST3924	3924	---	.030	900	XST3924	3924	---	.030
25.0 h.p.					11.0 h.p.				
445700 Series	XST3924	3924	---	.030	1100	XST3924	3924	---	.030
26.0 h.p.	XST3924	3924	---	.030	11.5 h.p.				
27.0 h.p.	XST3924	3924	---	.030	1150	XST3924	3924	---	.030
Intek Snow Single Cylinder OHV					13.5 h.p.				
6.5 h.p.	XST3924	3924	---	.020	1350	XST3924	3924	---	.030
7.5 h.p.					14.5 h.p.				
12D300 Series	XST3924	3924	---	.020	1450	XST3924	3924	---	.030
9.0 h.p.					15.5 h.p.				
20A400 Series	XST3924	3924	---	.030	1550	XST3924	3924	---	.030
10.0 h.p.					16.5 h.p.				
20D400 Series	XST3924	3924	---	.030	1650	XST3924	3924	---	.030
11.0 h.p.					Vanguard Single Cylinder OHV				
20F400 Series	XST3924	3924	---	.030	2.4 h.p.				
13.0 h.p.					1650	XST3924	3924	---	.030
20F400 Series	XST3924	3924	---	.030	4.0 h.p.				
Professional Series Single Cylinder OHV					86400 Series	XST3924	3924	---	.030
7.75 h.p.					5.5 h.p.				
20F400 Series	XST3924	3924	---	.030	104700 Series	XST3924	3924	---	.020
8.5 h.p.					115400 Series	XST3924	3924	---	.020
20F400 Series	XST3924	3924	---	.030	6.0 h.p.				
8.75 h.p.					118400 Series	XST3924	3924	---	.020
20F400 Series	XST3924	3924	---	.030	6.5 h.p.	XST3924	3924	---	.020
17.5 h.p.					7.5 h.p.				
20F400 Series	XST3924	3924	---	.030	138400 Series	XST3924	3924	---	.020
18.5 h.p.					8.0 h.p.				
20F400 Series	XST3924	3924	---	.030	201400 Series	XST3924	3924	---	.030
19.5 h.p.					9.0 h.p.				
20F400 Series	XST3924	3924	---	.030	161400 Series	XST3924	3924	---	.030
20.0 h.p.					185400 Series	XST3924	3924	---	.030
20F400 Series	XST3924	3924	---	.030	10.0 h.p.	XST3924	3924	---	.030
21.0 h.p.					11.0 h.p.				
20F400 Series	XST3924	3924	---	.030	210400 Series	XST3924	3924	---	.030
Professional Series V-Twin OHV					12.5 h.p.				
20.0 h.p.					260700 Series	XST3924	3924	---	.030
20F400 Series	XST3924	3924	---	.030	13.0 h.p.				
22.0 h.p.					245400 Series	XST3924	3924	---	.030
20F400 Series	XST3924	3924	---	.030	14.0 h.p.				
23.0 h.p.					261700 Series	XST3924	3924	---	.030
20F400 Series	XST3924	3924	---	.030	28P700 Series	XST3924	3924	---	.030
24.0 h.p.					15.0 h.p.	XST3924	3924	---	.030
20F400 Series	XST3924	3924	---	.030	15.5 h.p.				
26.0 h.p.					28S700 Series	XST3924	3924	---	.030
20F400 Series	XST3924	3924	---	.030	16.0 h.p.				
27.0 h.p.					28Q700 Series	XST3924	3924	---	.030
20F400 Series	XST3924	3924	---	.030	17.0 h.p.				
28.0 h.p.					312700 Series	XST3924	3924	---	.030
20F400 Series	XST3924	3924	---	.030	Vanguard V-Twin OHV				
30.0 h.p.					12.5 h.p.				
20F400 Series	XST3924	3924	---	.030	290400 Series	XST3926	3926	---	.030
Snow Series 2-Cycle					290700 Series	XST3926	3926	---	.030
6.0 h.p.	XST458	458	258	.030	14.0 h.p.				
6.5 h.p.	XST458	458	258	.030	294400 Series	XST3926	3926	---	.030
Snow Series 4-Cycle									
5.25 h.p.									
525	XST458	458	258	.030					



Se Section 9 pour les remarques en français en bas de page. Ver Seccion 9 para las páginas de notas de pie de página en español.

Small Engine - Power Equipment Engines

	XTREME START™	STANDARD STANDARD ESTANDAR	LOW PROFILE COURTE PERFIL BAJO	GAP ENCARTMENT ESPACIO		XTREME START™	STANDARD STANDARD ESTANDAR	LOW PROFILE COURTE PERFIL BAJO	GAP ENCARTMENT ESPACIO
BRIGGS & STRATTON (Cont'd)					BRIGGS & STRATTON (Cont'd)				
Vanguard V-Twin OHV (Cont'd)					XRD Series Intek Single Cylinder OHV (Cont'd)				
294700 Series	XST3926	3926	---	.030	11.5 h.p.				
16.0 h.p.					DMG954G	XST3924	3924	---	.030
303400 Series	XST3926	3926	---	.030	12.5 h.p.				
303700 Series	XST3926	3926	---	.030	DMG954G	XST3924	3924	---	.030
18.0 h.p.					13.5 h.p.				
350400 Series	XST3926	3926	---	.030	DMG954G	XST3924	3924	---	.030
350700 Series	XST3926	3926	---	.030	15.5 h.p.				
20.0 h.p.					DMG954G	XST3924	3924	---	.030
351400 Series	XST3926	3926	---	.030	16.5 h.p.				
351700 Series	XST3926	3926	---	.030	DMG954G	XST3924	3924	---	.030
21.0 h.p.					17.5 h.p.				
381400-381700 Series	XST3926	3926	---	.030	DMG954G	XST3924	3924	---	.030
23.0 h.p.					18.5 h.p.				
380400-380700 Series	XST3926	3926	---	.030	DMG954G	XST3924	3924	---	.030
Vanguard V-Twin OHV Big Block					XRD Series Intek V-Twin OHV				
25.0 h.p.	XST3926	3926	---	.030	18.0 h.p.	XST3924	3924	---	.030
27.0 h.p.	XST3926	3926	---	.030	20.0 h.p.	XST3924	3924	---	.030
28.0 h.p.	XST3926	3926	---	.030	22.0 h.p.	XST3924	3924	---	.030
29.0 h.p.	XST3926	3926	---	.030	23.0 h.p.	XST3924	3924	---	.030
30.0 h.p.	XST3926	3926	---	.030	24.0 h.p.	XST3924	3924	---	.030
31.0 h.p.					26.0 h.p.	XST3924	3924	---	.030
543400 Series	XST3926	3926	---	.030	27.0 h.p.	XST3924	3924	---	.030
32.0 h.p.	XST3926	3926	---	.030	Two Cycle Single Cylinder				
33.0 h.p.	XST3926	3926	---	.030	3.0 h.p.				
34.0 h.p.	XST3926	3926	---	.030	62000 Series	XST458	458	258	.030
35.0 h.p.					5.0 h.p.				
613400 Series	XST3926	3926	---	.030	95700 Series	XST458	458	258	.030
36.0 h.p.					96700 Series	XST458	458	258	.030
613700 Series	XST3926	3926	---	.030	Older Models				
Vanguard Liquid Cooled V-Twin OHV Big Block					14mm Heads	XST458	458	258	.030
25.0 h.p.	XST3924	3924	---	.030	18mm Heads	---	386	---	.030
27.0 h.p.					CHRYSLER POWER BEE				
473177 Series	XST3924	3924	---	.030	2.0 h.p.				
28.0 h.p.	XST3924	3924	---	.030	50056	XST255	---	255	.030
29.0 h.p.	XST3924	3924	---	.030	3.0 h.p.				
31.0 h.p.	XST3924	3924	---	.030	51001	XST458	458	258	.030
33.0 h.p.	XST3924	3924	---	.030	51005, 51007	---	306	---	.040
35.0 h.p.	XST3924	3924	---	.030	51009, 51011	---	306	---	.040
Vanguard Liquid Cooled Three Cylinder					3.3 h.p.				
18.0 h.p.					50052, 50054	XST255	---	255	.030
DM700G	XST3924	3924	---	.030	4.0 h.p.				
DM700P (LPG)	XST3924	3924	---	.020	58011	---	216	---	.030
23.5 h.p.					58021	XST458	458	258	.030
DM850G	XST3924	3924	---	.030	58023, 58041	---	306	---	.040
24.5 h.p.					58029, 58031, 58033	---	306	---	.040
430400 Series					58035, 58039, 58043	---	306	---	.040
DM700G	XST3924	3924	---	.030	58037	XST458	458	258	.030
25.0 h.p.					58045, 58047, 58049	---	306	---	.040
DM950P (Natural Gas)	XST3924	3924	---	.020	58051, 58053	---	306	---	.040
25.5 H.P.					4.25 h.p.				
DM950P	XST3924	3924	---	.030	50000, 50002, 50004	XST255	---	255	.030
26.5 h.p.					50006, 50012, 50014	XST255	---	255	.030
DM950G	XST3924	3924	---	.030	4.7 h.p.				
27.0 h.p.					61010	XS4093 ⁸²⁵²	4093 ⁸²⁴⁸	---	.030
DM950P (LPG)	XST3924	3924	---	.020	5.0 h.p.				
31.0 h.p.					70019, 70033, 70037	---	306	---	.040
580400 Series					70039, 70041	---	306	---	.040
DM950G	XST3924	3924	---	.020	XRD Series Intek Single Cylinder OHV				
34.0 h.p.					10.5 h.p.				
DM954G Turbo	XST3924	3924	---	.020	DMG954G	XST3924	3924	---	.030
DMG950GH (EFI)	XST3924	3924	---	.020					
DMG954G	XST3924	3924	---	.020					

Se Section 9 pour les remarques en français en bas de page. Ver Seccion 9 para las páginas de notas de pie de página en español. ⁸²⁴⁸ Tapered electrode design ⁸²⁵² Xtreme Sport

Small Engine - Power Equipment Engines



	XTREME START™	STANDARD STANDARD ESTANDAR	LOW PROFILE COURTE PERFIL BAJO	GAP ÉNCARTMENT ESPACIO		XTREME START™	STANDARD STANDARD ESTANDAR	LOW PROFILE COURTE PERFIL BAJO	GAP ÉNCARTMENT ESPACIO
CHRYSLER POWER BEE (Cont'd)					DUCAR				
5.5 h.p.					2-Cycle				
61005, 61006	AP425 ⁸²⁴⁹	425	2656	.030	1.5 h.p.				
6.2 h.p.					DJ1E36F				
82005, 82009, 82017 ..	AP425 ⁸²⁴⁹	425	2656	.030	XST255	---	255	.030	
82006	XS4093 ⁸²⁵²	4093 ⁸²⁴⁸	---	.030	1.8 h.p.				
82019, 82021, 82023 ..	AP425 ⁸²⁴⁹	425	2656	.030	DJ1E45F-1				
6.5 h.p.					DJ1E45F-2				
82008, 82010	AP425 ⁸²⁴⁹	425	2656	.030	DJ1E45F-3				
6.7 h.p.					2.2 h.p.				
82007, 82011, 82029 ...	AP425 ⁸²⁴⁹	425	2656	.030	DJ1E40F				
82031	AP425 ⁸²⁴⁹	425	2656	.030	2.5 h.p.				
7.0 h.p.					DJ1E45F				
82003	XS4093 ⁸²⁵²	4093 ⁸²⁴⁸	---	.030	4-Cycle OHV				
82026, 82027	AP425 ⁸²⁴⁹	425	2656	.030	1.5 h.p.				
82030	AP425 ⁸²⁴⁹	425	2656	.030	DJ139F				
82032, 82033, 82034 ..	AP425 ⁸²⁴⁹	425	2656	.030	---				
82036	AP425 ⁸²⁴⁹	425	2656	.030	4194				
7.5 h.p.					2.0 h.p.				
61001, 61002	XS4093 ⁸²⁵²	4093 ⁸²⁴⁸	---	.030	DJ152-2				
8.0 h.p.					XST2974				
61012	XS4093 ⁸²⁵²	4093 ⁸²⁴⁸	---	.030	---				
10.0 h.p.					2.5 h.p.				
82001, 82002	XS4093 ⁸²⁵²	4093 ⁸²⁴⁸	---	.030	DJ152F				
82038, 82039	XS4093 ⁸²⁵²	4093 ⁸²⁴⁸	---	.030	XST2974				
CLINTON					3.0 h.p.				
A-200, AVS-400,	---	216	---	.025	DJ156F				
CVS-400	---	216	---	.025	5.0 h.p.				
A-300, C-700, D-700,	---	216	---	.025	DJ1P64-B				
VS-900	XST458	458	258	.025	DJ1P64F				
AVS-200, 2100, 4190 ..	---	216	---	.025	XS63 ⁸²⁵²				
BVS-400, 400, 401, 402,	---	216	---	.025	XS63 ⁸²⁵²				
403, 404	---	216	---	.025	63				
E-65	XST255	---	255	.025	---				
V-1000, VS-1000,	---	216	---	.025	6.5 h.p.				
V-1100	XST458	458	258	.025	DJ168F				
VS-200, A-400, VS-400,	---	216	---	.025	XST4055				
500, 501	XST258	308	258	.025	4055 ⁸²⁴⁸				
VS-1100, 1200, A-1200,	---	216	---	.025	8.0 h.p.				
V-1200	XST458	458	258	.025	DJ173F				
VS-1200, B-1290,	---	216	---	.025	XST4055				
VS-300	XST458	458	258	.025	4055 ⁸²⁴⁸				
VS-3100, AVS-3100,	---	216	---	.025	9.0 h.p.				
3190, 4100	---	216	---	.025	DJ177F				
VS-4100, AVS-4100 ...	---	216	---	.025	XST4055				
100, V-100, VS-100,	---	216	---	.025	4055 ⁸²⁴⁸				
190, 200	---	216	---	.025	11.0 h.p.				
405, 406, 407, 408, 409,	---	216	---	.025	DJ182F				
410, 411	---	216	---	.025	XST4055				
412, 413, 492, 494, 498,	---	216	---	.025	4055 ⁸²⁴⁸				
499 (3/8")	XST458	458	258	.025	13.0 h.p.				
412, 414, 415, 416, 418	---	216	---	.025	DJ188F				
(7/16")	---	216	---	.025	XST4055				
416 Shielded	---	2245	---	.025	4055 ⁸²⁴⁸				
419, 420, 422, 424, 426,	---	216	---	.025	EASTERN TOOLS				
429	---	216	---	.025	4-Cycle				
431, 435, 437, 1600,	---	216	---	.025	5.5 h.p.				
A-1600	---	216	---	.025	ETQ168F				
502, 503	XST255	---	255	.025	XST4265				
1690, A-2100, VS-2100,	---	216	---	.025	65				
2190	---	216	---	.025	6.5 h.p.				
2500, A-2500, B-2500,	---	216	---	.025	ETQ200				
2590	---	216	---	.025	XST4265				
2790, 3100, V-3100,	---	216	---	.025	65				
AV-3100	---	216	---	.025	11.0 h.p.				
					ETQ340				
					XST4265				
					65				
					13.0 h.p.				
					ETQ390				
					XST4265				
					65				
					EVER CHIEF INDUSTRIES				
					ECF-26 (26cc)				

					4194				

					.025				
					GENERAC				
					Single Cylinder OHV				
					7.8 h.p.				
					GSH-220, GSV-220				
					XST3924	3924	---	.020	
					14.0 h.p.				
					GSH-410, GSV-410				
					XST3924	3924	---	.030	
					V-Twin OHV				
					18.0 h.p.				
					GTH-530, GTV-530				
					XST3924	3924	---	.030	
					XST3924	3924	---	.030	
					XST3924	3924	---	.030	



Se Section 9 pour les remarques en français en bas de page. Ver Section 9 para las páginas de notas de pie de página en español. ⁸²⁴⁸ Tapered electrode design ⁸²⁴⁹ Single Platinum ⁸²⁵² Xtreme Sport

Small Engine - Power Equipment Engines

	XTREME START™	STANDARD STANDARD ESTANDAR	LOW PROFILE COURTE PERFIL BAJO	GAP ENCARTMENT ESPACIO		XTREME START™	STANDARD STANDARD ESTANDAR	LOW PROFILE COURTE PERFIL BAJO	GAP ENCARTMENT ESPACIO
GENERAC (Cont'd)					HONDA (Cont'd)				
V-Twin OHV (Cont'd)					Mini 4-Stroke OHC (Cont'd)				
27.0 h.p. GTH-760, GTV-760	XST3924	3924	---	.030	GX25	---	4194	---	.030
30.0 h.p.	XST3924	3924	---	.030	1.5 h.p. GX35	---	4194	---	.030
33.0 h.p. GTH-990, GTV-990	XST3924	3924	---	.030	GX31	---	4194	---	.030
Guardian Engines					2.0 h.p.				
w/Generac 24 h.p. OHV (V-Twin)	XST3926	3926	---	.030	GX57	---	4194	---	.030
w/Generac 27 h.p. OHV (V-Twin)	XST3926	3926	---	.030	2.5 h.p. GXH50, GXV50	---	4194	---	.030
w/Generac 30 h.p. OHV (V-Twin)	XST3926	3926	---	.030	OHC Horizontal				
w/Generac 32 h.p. OHV (V-Twin)	XST3926	3926	---	.030	4.0 h.p. GC135	XST4265	4265 ⁸²⁴⁸	---	.030
					5.0 h.p. GC160	XST4265	4265 ⁸²⁴⁸	---	.030
					6.0 h.p. GC190	XS63 ⁸²⁵²	4263	---	.030
					GS190	XS63 ⁸²⁵²	4263	---	.030
GREYHOUND					OHC Vertical				
OHV Horizontal					4.5 h.p.				
2.5 h.p. 97964	---	4123 ⁸²⁴⁸	---	.030	GCV135	XST4265	4265 ⁸²⁴⁸	---	.030
6.5 h.p. 66014, 66015	XS63 ⁸²⁵²	63	---	.030	5.5 h.p. GCV160	XST4265	4265 ⁸²⁴⁸	---	.030
11.0 h.p. 66492, 66524	XS63 ⁸²⁵²	63	---	.030	6.5 h.p. GCV190	XS63 ⁸²⁵²	4263	---	.030
13.0 h.p. 66525, 66555	XS63 ⁸²⁵²	63	---	.030	GSV190	XS63 ⁸²⁵²	4263	---	.030
OHV Vertical					14.0 h.p.				
5.5 h.p. 96156	AP425 ⁸²⁴⁹	425	2656	.030	GCV520 (V-Twin)	XP64 ⁸²⁵⁰	64	---	.030
					16.0 h.p. GCV530 (V-Twin)	XP64 ⁸²⁵⁰	64	---	.030
HONDA					OHV Horizontal				
General Purpose Engines					3.0 h.p.				
B25	---	4173 ⁸²⁴⁸	---	.030	GX100	---	4194	---	.030
F28, F400	AP425 ⁸²⁴⁹	425	2656	.030	3.5 h.p. GX110	XST4265	4265 ⁸²⁴⁸	---	.030
G25, G28	---	4194	---	.030	4.0 h.p. GX120	XST4265	4265 ⁸²⁴⁸	---	.030
2.2 h.p. G100	XST258	---	258	.030	5.0 h.p. GX140	XST4265	4265 ⁸²⁴⁸	---	.030
2.5 h.p. G100K1	XST258	---	258	.030	5.5 h.p. GX160	XST4265	4265 ⁸²⁴⁸	---	.030
3.5 h.p. G30, G35, GV35	---	4194	---	.030	6.5 h.p. GX200	XST4265	4265 ⁸²⁴⁸	---	.030
G150	AP425 ⁸²⁴⁹	425	2656	.030	8.0 h.p. GX240	XST4265	4265 ⁸²⁴⁸	---	.030
GV150 > 2029058 (CDI)	---	4123 ⁸²⁴⁸	---	.030	9.0 h.p. GX270	XST4265	4265 ⁸²⁴⁸	---	.030
GV150 > 2029058 (Mag.)	AP425 ⁸²⁴⁹	425	2656	.030	11.0 h.p. GX340	XST4265	4265 ⁸²⁴⁸	---	.030
GV150 2029059 > (CDI)	XST2976	---	2976	.030	iGX340	XST4265	4265 ⁸²⁴⁸	---	.030
GV150 2029059 > (Mag.)	XST255	---	255	.030	13.0 h.p. GX360 (Liquid)	---	275	---	.030
4.0 h.p. G40, G41, G42	AP425 ⁸²⁴⁹	425	2656	.030	GX390	XST4265	4265 ⁸²⁴⁸	---	.030
GV200	XST2976	---	2976	.030	iGX390	XST4265	4265 ⁸²⁴⁸	---	.030
5.0 h.p. G200	AP425 ⁸²⁴⁹	425	2656	.030	15.0 h.p. iGX440	XS3922 ⁸²⁵²	3922	---	.030
6.5 h.p. G65, GS65, G80	AP425 ⁸²⁴⁹	425	2656	.030	18.0 h.p. GX610K1 (V-Twin)	XST4265	4265 ⁸²⁴⁸	---	.030
8.0 h.p. G300	---	275	---	.030	20.0 h.p. GX620K1 (V-Twin)	XST4265	4265 ⁸²⁴⁸	---	.030
10.0 h.p. G400	---	275	---	.030	GX630 (V-Twin)	XST4265	4265 ⁸²⁴⁸	---	.030
11.0 h.p. GV400	XST2976	---	2976	.030	GX640 (V-Twin)	XST4265	4265 ⁸²⁴⁸	---	.030
Mini 4-Stroke OHC					21.0 h.p.				
1.0 h.p. GX22	---	4194	---	.030	GX660 (V-Twin)	XST4265	4265 ⁸²⁴⁸	---	.030



Se Section 9 pour les remarques en français en bas de page. Ver Seccion 9 para las páginas de notas de pie de página en español. ⁸²⁴⁸ Tapered electrode design ⁸²⁴⁹ Single Platinum ⁸²⁵⁰ Xtreme Performance ⁸²⁵² Xtreme Sport

Small Engine - Power Equipment Engines

	XTREME START™	STANDARD STANDARD ESTANDAR	LOW PROFILE COURTE PERFIL BAJO	GAP ENCARTMENT ESPACIO		XTREME START™	STANDARD STANDARD ESTANDAR	LOW PROFILE COURTE PERFIL BAJO	GAP ENCARTMENT ESPACIO
KAWASAKI (Cont'd)					KAWASAKI (Cont'd)				
Two-Cycle (Cont'd)					OHV Horizontal 4-Cycle (Cont'd)				
7.5 h.p. FG300D	----	275	----	.025	27.0 h.p. FD750D (Liquid V-Twin)	AP66 ⁸²⁴⁹	66	----	.025
8.1 h.p. KF81	XST458	458	258	.030	28.0 h.p. FH770D KAI (V-Twin)	XST4265	4265 ⁸²⁴⁸	----	.025
8.2 h.p. KF82	AP425 ⁸²⁴⁹	425	2656	.025	FH770D (V-Twin)	XST4265	4265 ⁸²⁴⁸	----	.025
10.0 h.p. KF100D	AP425 ⁸²⁴⁹	425	2656	.025	29.0 h.p. FD791D-DFI (Liquid V-Twin)	XST4265	4265 ⁸²⁴⁸	----	.025
14.0 h.p. KF150	AP425 ⁸²⁴⁹	425	2656	.025	31.0 h.p. FD851D-DFI (Liquid V-Twin)	XST4265	4265 ⁸²⁴⁸	----	.025
20.0 h.p. KF200	AP425 ⁸²⁴⁹	425	2656	.025	OHV Vertical 4-Cycle				
Side Valve 4-Cycle					5.0 h.p. FC150V	XST4265	4265 ⁸²⁴⁸	----	.025
1.7 h.p. FA76D	XST255	----	255	.025	6.0 h.p. FC180V	XST4265	4265 ⁸²⁴⁸	----	.025
3.1 h.p. FA130D	XST255	----	255	.025	FJ180V	XP64 ⁸²⁵⁰	64	----	.030
5.2 h.p. FA210D, R	XST255	----	255	.025	FJ180V KAI	XP64 ⁸²⁵⁰	64	----	.030
FA210V	XST255	----	255	.025	9.0 h.p. FC290V	XST4265	4265 ⁸²⁴⁸	----	.030
12.5 h.p. FB460V	XST255	----	255	.025	11.9 h.p. FH411V KAI (V-Twin)	XST2976	----	2976	.025
OHV Horizontal 4-Cycle					12.5 h.p. FB460V	XST258	----	258	.025
3.0 h.p. FJ100D	XS4093 ⁸²⁵²	4093 ⁸²⁴⁸	----	.025	13.0 h.p. FC400V	XST4265	4265 ⁸²⁴⁸	----	.030
4.0 h.p. FE120D	XST4265	4265 ⁸²⁴⁸	----	.025	FC401V	XST4265	4265 ⁸²⁴⁸	----	.030
5.5 h.p. FE170D	XST4265	4265 ⁸²⁴⁸	----	.025	FH381V (V-Twin)	XST2976	----	2976	.025
8.0 h.p. FE250D	XST4265	4265 ⁸²⁴⁸	----	.030	FH381V KAI (V-Twin)	XST2976	----	2976	.025
9.5 h.p. FE290D	XST4265	4265 ⁸²⁴⁸	----	.030	13.6 h.p. FH480V (V-Twin)	XST2976	----	2976	.025
11.5 h.p. FE350D	XST4265	4265 ⁸²⁴⁸	----	.030	FH480V KAI (V-Twin)	XST2976	----	2976	.025
13.0 h.p. FE400D	XP64 ⁸²⁵⁰	64	----	.030	14.0 h.p. FC420V	XST4265	4265 ⁸²⁴⁸	----	.030
FJ400D	XP64 ⁸²⁵⁰	64	----	.030	FH411V KAI (V-Twin)	XST2976	----	2976	.025
16.0 h.p. FD501D (Liquid V-Twin)	XST258	----	258	.025	14.5 h.p. FD440V (Liquid V-Twin)	XST258	----	258	.025
19.0 h.p. FH601D (V-Twin)	XST4265	4265 ⁸²⁴⁸	----	.025	15.0 h.p. FH430V (V-Twin)	XST2976	----	2976	.025
20.0 h.p. FD620D (Liquid V-Twin)	XST258	----	258	.040	FH430V KAI (V-Twin)	XST2976	----	2976	.025
21.0 h.p. FH641D (V-Twin)	XST4265	4265 ⁸²⁴⁸	----	.025	FH451V (V-Twin)	XST2976	----	2976	.025
22.0 h.p. FD661D (Liquid V-Twin)	XST258	----	258	.025	16.0 h.p. FH480V KAI (V-Twin)	XST2976	----	2976	.025
FD791D EFI (Liquid V-Twin)	XST255	----	255	.025	FH480V (V-Twin)	XST2976	----	2976	.025
22.5 h.p. FH741D KAI (V-Twin)	XP64 ⁸²⁵⁰	64	----	.030	FS481V (V-Twin)	XST4265	4265 ⁸²⁴⁸	----	.025
23.0 h.p. FD671D (Liquid V-Twin)	AP66 ⁸²⁴⁹	66	----	.025	FX481V (V-Twin)	XST4265	4265 ⁸²⁴⁸	----	.025
FH671D (V-Twin)	AP66 ⁸²⁴⁹	66	----	.025	FD501V (Liquid V-Twin)	XST4265	4265 ⁸²⁴⁸	----	.025
FH680D (V-Twin)	XST4265	4265 ⁸²⁴⁸	----	.025	1999 & Up	XST4265	4265 ⁸²⁴⁸	----	.025
24.0 h.p. FX691D (V-Twin)	XST4265	4265 ⁸²⁴⁸	----	.025	FD501V (Liquid V-Twin) Thru 1998	XST258	----	258	.025
23.5 h.p. FH770D KAI (V-Twin)	XST4265	4265 ⁸²⁴⁸	----	.025	17.0 h.p. FC540V	XST4265	4265 ⁸²⁴⁸	----	.025
25.0 h.p. FD711D (Liquid V-Twin)	AP66 ⁸²⁴⁹	66	----	.025	FH500V (V-Twin)	XST2976	----	2976	.030
FH721D (V-Twin)	XST4265	4265 ⁸²⁴⁸	----	.025	FH541V (V-Twin)	XST2976	----	2976	.025
26.0 h.p. FH741D KAI (V-Twin)	XP64 ⁸²⁵⁰	64	----	.030	FH541V KAI (V-Twin)	XST2976	----	2976	.025
					17.5 h.p. FD601V (Liquid V-Twin)	XST4265	4265 ⁸²⁴⁸	----	.025
					18.0 h.p. FD590V (Liquid V-Twin)	XST258	----	258	.025
					FH531V (V-Twin)	XST2976	----	2976	.025
					FR541V (V-Twin)	XST4265	4265 ⁸²⁴⁸	----	.025



Se Section 9 pour les remarques en français en bas de page. Ver Section 9 para las páginas de notas de pie de página en español. ⁸²⁴⁸ Tapered electrode design ⁸²⁴⁹ Single Platinum ⁸²⁵⁰ Xtreme Performance ⁸²⁵² Xtreme Sport

Small Engine - Power Equipment Engines

	XTREME START™	STANDARD STANDARD ESTANDAR	LOW PROFILE COURTE PERFIL BAJO	GAP ENCARTMENT ESPACIO		XTREME START™	STANDARD STANDARD ESTANDAR	LOW PROFILE COURTE PERFIL BAJO	GAP ENCARTMENT ESPACIO
KAWASAKI (Cont'd)					KIORITZ (Cont'd)				
OHV Vertical 4-Cycle (Cont'd)					24cc XST2974 ---- 2974 .030				
FS541V (V-Twin)	XST4265	4265 ⁸²⁴⁸	----	.025	28cc XST2976 ---- 2976 .030				
FX541V (V-Twin)	XST4265	4265 ⁸²⁴⁸	----	.025	30cc, 31cc, 33cc, 35cc . XST255 ---- 255 .030				
19.0 h.p.					30.1cc, 30.8cc, 35.2cc . XST255 ---- 255 .030				
FH580V (V-Twin)	XST2976	----	2976	.025	39.7cc, 44.3cc XST255 ---- 255 .030				
FH580V KAI (V-Twin) ..	XST2976	----	2976	.025	40cc XST2976 ---- 2976 .030				
FH601V (V-Twin)	XST4265	4265 ⁸²⁴⁸	----	.025	44cc XST255 ---- 255 .030				
19.5 h.p.					49.9cc, 50cc XST2976 ---- 2976 .030				
FD641V (Liquid V-Twin)					55cc XST2974 ---- 2974 .030				
.....	XST4265	4265 ⁸²⁴⁸	----	.025	60cc (1980-76) XST2976 ---- 2976 .030				
20.0 h.p.					60cc (1975-70) XST255 ---- 255 .030				
FD611V (Liquid V-Twin)					62cc XST255 ---- 255 .030				
.....	XST255	----	255	.025	64cc, 71cc, 79cc, 92cc, 100cc XST2974 ---- 2974 .030				
FR600V (V-Twin)	XST4265	4265 ⁸²⁴⁸	----	.025	78.6cc XST2974 ---- 2974 .030				
FS600V (V-Twin)	XST4265	4265 ⁸²⁴⁸	----	.025	102cc XST254 303 254 .030				
FX600V (V-Twin)	XST4265	4265 ⁸²⁴⁸	----	.025					
20.5 h.p.									
FD601V (Liquid V-Twin)									
.....	XST4265	4265 ⁸²⁴⁸	----	.025					
21.0 h.p.									
FH641V (V-Twin)	XST4265	4265 ⁸²⁴⁸	----	.025					
FD680V (Liquid V-Twin)									
.....	AP66 ⁸²⁴⁹	66	----	.025					
22.0 h.p.									
FR651V (V-Twin)	XST4265	4265 ⁸²⁴⁸	----	.025					
FS651V (V-Twin)	XST4265	4265 ⁸²⁴⁸	----	.025					
FX651V (V-Twin)	XST4265	4265 ⁸²⁴⁸	----	.025					
22.5 h.p.									
FD641V (Liquid V-Twin)									
.....	XST4265	4265 ⁸²⁴⁸	----	.025					
FD731V (Liquid V-Twin)									
.....	XST4265	4265 ⁸²⁴⁸	----	.025					
23.0 h.p.									
FH680V (V-Twin)	XST4265	4265 ⁸²⁴⁸	----	.025					
24.0 h.p.									
FR691V (V-Twin)	XST4265	4265 ⁸²⁴⁸	----	.025					
FS691V (V-Twin)	XST4265	4265 ⁸²⁴⁸	----	.025					
FX691V (V-Twin)	XST4265	4265 ⁸²⁴⁸	----	.025					
24.5 h.p.									
FD680V (Liquid V-Twin)									
.....	AP66 ⁸²⁴⁹	66	----	.025					
25.0 h.p.									
FD721V (Liquid V-Twin)									
.....	XST4265	4265 ⁸²⁴⁸	----	.025					
FH721V (V-Twin)	XST4265	4265 ⁸²⁴⁸	----	.025					
26.0 h.p.									
FR730V (V-Twin)	XST4265	4265 ⁸²⁴⁸	----	.025					
FS730V (V-Twin)	XST4265	4265 ⁸²⁴⁸	----	.025					
FX730V (V-Twin)	XST4265	4265 ⁸²⁴⁸	----	.025					
FD731V (Liquid V-Twin)									
.....	XST4265	4265 ⁸²⁴⁸	----	.025					
27.0 h.p.									
FX751V (V-Twin)	XST4265	4265 ⁸²⁴⁸	----	.030					
27.5 h.p.									
FD751V-DFI (V-Twin) ..	XST4265	4265 ⁸²⁴⁸	----	.030					
FX751V-DFI (V-Twin) ..	XST4265	4265 ⁸²⁴⁸	----	.030					
29.0 h.p.									
FX801V (V-Twin)	XST4265	4265 ⁸²⁴⁸	----	.030					
31.0 h.p.									
FX850V (V-Twin)	XST4265	4265 ⁸²⁴⁸	----	.030					
34.0 h.p.									
FX921V-DFI (V-Twin) ..	XP64 ⁸²⁵⁰	64	----	.030					
FX921V (V-Twin)	XP64 ⁸²⁵⁰	64	----	.030					
37.0 h.p.									
FX1000V (V-Twin)	XP64 ⁸²⁵⁰	64	----	.030					
FX1000V-DFI (V-Twin) .	XP64 ⁸²⁵⁰	64	----	.030					
KIORITZ					13.8cc, 20.1cc, 21.2cc . XST255 ---- 255 .030				
					14cc, 16cc, 20cc, 21cc . XST255 ---- 255 .030				



Se Section 9 pour les remarques en français en bas de page. Ver Seccion 9 para las páginas de notas de pie de página en español. ⁸²⁴⁸ Tapered electrode design ⁸²⁴⁹ Single Platinum ⁸²⁵⁰ Xtreme Performance ⁸²⁵² Xtreme Sport

Small Engine - Power Equipment Engines

	XTREME START™	STANDARD STANDARD ESTANDAR	LOW PROFILE COURTE PERFIL BAJO	GAP ENCARTMENT ESPACIO		XTREME START™	STANDARD STANDARD ESTANDAR	LOW PROFILE COURTE PERFIL BAJO	GAP ENCARTMENT ESPACIO
KOHLER (Cont'd)					KOHLER (Cont'd)				
Command OHV (Cont'd)					Command Pro OHV (Cont'd)				
15.0 h.p.					24.0 h.p.				
CH15, CV15	XST3924	3924	---	.040	CH24 EFI (V-Twin)	XST3924	3924	---	.040
16.0 h.p.					25.0 h.p.				
CV16	XST3924	3924	---	.030	CH25, CV25 (V-Twin) ..	XST3924	3924	---	.040
CV460	XST3924	3924	---	.030	CH730, CV730				
17.0 h.p.					(V-Twin)	XST3924	3924	---	.040
CV17 (V-Twin)	XST3924	3924	---	.030	26.0 h.p.				
CV490	XST3924	3924	---	.030	CH26, CV26 EFI				
18.0 h.p.					(V-Twin)	XST3924	3924	---	.040
CH18, CV18 (V-Twin) ..	XST3924	3924	---	.030	CH735, CV735 EFI				
CV492	XST3924	3924	---	.030	(V-Twin)	XST3924	3924	---	.040
20.0 h.p.					27.0 h.p.				
CH20, CV20 (V-Twin) ..	XST3924	3924	---	.030	CH740, CV740				
CH20 (LPG) (V-Twin) ..	XST3924	3924	---	.020	(V-Twin)	XST3924	3924	---	.040
22.0 h.p.					28.0 h.p.				
CH22, CV22 (V-Twin) ..	XST3924	3924	---	.030	CH745, CV745 EFI				
23.0 h.p.					(V-Twin)	XST3924	3924	---	.040
CH23, CV23 (V-Twin) ..	XST3924	3924	---	.030	30.0 h.p.				
25.0 h.p.					CH750, CV750				
CH25, CV25 (V-Twin) ..	XST3924	3924	---	.030	(V-Twin)	XST3924	3924	---	.040
CH730, CV730	XST3924	3924	---	.030	34.0 h.p.				
27.0 h.p.					CH940, CV940				
CH740, CV740	XST3924	3924	---	.030	(V-Twin)	XST3924	3924	---	.040
Command Pro OHV					36.0 h.p.				
6.0 h.p.					CH960, CV960				
CH6	XST3924	3924	---	.040	(V-Twin)	XST3924	3924	---	.040
CH260	XST3924	3924	---	.040	38.0 h.p.				
7.0 h.p.					CH980, CV980				
CH270	XST3924	3924	---	.040	(V-Twin)	XST3924	3924	---	.040
8.5 h.p.					40.0 h.p.				
CH385	XST3924	3924	---	.040	CH1000, CV1000				
9.5 h.p.					(V-Twin)	XST3924	3924	---	.040
CH395	XST3924	3924	---	.040	Command Pro Closed-Loop OHV				
11.0 h.p.					19.0 h.p.				
CH11	XST3924	3924	---	.040	ECH630, ECV630 EFI				
CH410	XST3924	3924	---	.040	(V-Twin)	XST3924	3924	---	.040
12.0 h.p.					21.0 h.p.				
CH420	XST3924	3924	---	.040	ECH650, ECV650 EFI				
13.0 h.p.					(V-Twin)	XST3924	3924	---	.040
CH13, CV13	XST3924	3924	---	.040	23.0 h.p.				
CH430, CV430	XST3924	3924	---	.040	ECH680, ECV680 EFI				
14.0 h.p.					(V-Twin)	XST3924	3924	---	.040
CH440	XST3924	3924	---	.040	25.0 h.p.				
15.0 h.p.					ECH730, ECV730 EFI				
CH15, CV15	XST3924	3924	---	.040	(V-Twin)	XST3924	3924	---	.040
CH450, CV450	XST3924	3924	---	.040	27.0 h.p.				
16.0 h.p.					ECH740, ECV740 EFI				
CV16	XST3924	3924	---	.040	(V-Twin)	XST3924	3924	---	.040
17.0 h.p.					29.0 h.p.				
CV17 (V-Twin)	XST3924	3924	---	.040	ECH749, ECV749 EFI				
18.0 h.p.					(V-Twin)	XST3924	3924	---	.040
CH18, CV18 (V-Twin) ..	XST3924	3924	---	.040	Command Pro CS OHV				
CH620, CV620					4.0 h.p.				
(V-Twin)	XST3924	3924	---	.040	CS4	XST4265	4265 ⁸²⁴⁸	---	.040
CV493	XST3924	3924	---	.040	6.0 h.p.				
20.0 h.p.					CS6	XST4265	4265 ⁸²⁴⁸	---	.040
CH20, CV20 (V-Twin) ..	XST3924	3924	---	.040	8.5 h.p.				
CH640, CV640					CS8.5	XST4265	4265 ⁸²⁴⁸	---	.040
(V-Twin)	XST3924	3924	---	.040	10.0 h.p.				
22.0 h.p.					CS10	XST4265	4265 ⁸²⁴⁸	---	.040
CH22, CV22 (V-Twin) ..	XST3924	3924	---	.040	12.0 h.p.				
23.0 h.p.					CS12	XST4265	4265 ⁸²⁴⁸	---	.040
CH23, CV23 (V-Twin) ..	XST3924	3924	---	.040					
CH680, CV680									
(V-Twin)	XST3924	3924	---	.040					



Se Section 9 pour les remarques en français en bas de page. Ver Seccion 9 para las páginas de notas de pie de página en español. ⁸²⁴⁸ Tapered electrode design

Small Engine - Power Equipment Engines

	XTREME START™	STANDARD STANDARD ESTANDAR	LOW PROFILE COURTE PERFIL BAJO	GAP ENCARTMENT ESPACIO		XTREME START™	STANDARD STANDARD ESTANDAR	LOW PROFILE COURTE PERFIL BAJO	GAP ENCARTMENT ESPACIO
KOHLER (Cont'd)					KOHLER (Cont'd)				
Command Pro CS OHV (Cont'd)					K-Series (Cont'd)				
12.75 h.p.					5.0 h.p.				
CS12.75	XST3924	3924	---	.040	K121	XST458	458	258	.025
Courage DOHC					6.25 h.p.				
15.0 h.p.					K141	XST458	458	258	.025
SV470	XST3924	3924	---	.030	7.0 h.p.				
16.0 h.p.					K161, L161	XST458	458	258	.025
SV480	XST3924	3924	---	.030	8.0 h.p.				
17.0 h.p.					K181, L181	XST458	458	258	.025
SV530	XST3924	3924	---	.030	10.0 h.p.				
18.0 h.p.					K241	---	216	---	.030
SV540	XST3924	3924	---	.030	12.0 h.p.				
19.0 h.p.					K301	---	216	---	.030
SV590	XST3924	3924	---	.030	12.5 h.p.				
20.0 h.p.					K330, K331	XST458	458	258	.030
SV600	XST3924	3924	---	.030	14.0 h.p.				
21.0 h.p.					K321	---	216	---	.030
SV610	XST3924	3924	---	.030	16.0 h.p.				
22.0 h.p.					K341	---	216	---	.030
SV620	XST3924	3924	---	.030	17.0 h.p.				
Courage OHV					KT17 (Twin)				
5.5 h.p.					XP26 ⁸²⁵⁰	26	---	---	.025
SH255	XST3924	3924	---	.030	18.0 h.p.				
6.5 h.p.					K361	---	216	---	.030
SH265	XST3924	3924	---	.030	K482 (Twin)	---	216	---	.030
8.0 h.p.					19.0 h.p.				
SH380	XST3924	3924	---	.030	KT19 (Twin)	XP26 ⁸²⁵⁰	26	---	.025
9.0 h.p.					20.0 h.p.				
SH390	XST3924	3924	---	.030	K532 (Twin)	---	216	---	.030
11.0 h.p.					21.0 h.p.				
SH410	XST3924	3924	---	.030	KT21 (Twin)	XP26 ⁸²⁵⁰	26	---	.025
13.0 h.p.					23.0 h.p.				
SH430	XST3924	3924	---	.030	K582 (Twin)	---	216	---	.030
20.0 h.p.					24.0 h.p.				
SV710 (V-Twin)	XST3924	3924	---	.030	K660	XST458	458	258	.030
22.0 h.p.					K662 (Twin)	XST458	458	258	.030
SV715 (V-Twin)	XST3924	3924	---	.030	Magnum				
23.0 h.p.					8.0 h.p.				
SV720 (V-Twin)	XST3924	3924	---	.030	M8	XST255	---	255	.025
24.0 h.p.					M8 (Extended Idle)	XST458	458	258	.025
SV725 (V-Twin)	XST3924	3924	---	.030	10.0 h.p.				
25.0 h.p.					M10	---	216	---	.030
SV730 (V-Twin)	XST3924	3924	---	.030	12.0 h.p.				
26.0 h.p.					M12	---	216	---	.030
SV735 (V-Twin)	XST3924	3924	---	.030	14.0 h.p.				
27.0 h.p.					M14	---	216	---	.030
SV740 (V-Twin)	XST3924	3924	---	.030	16.0 h.p.				
Courage Pro DOHC OHV					M16				
20.0 h.p.					XP26 ⁸²⁵⁰	26	---	---	.025
SV810 (V-Twin)	XST3924	3924	---	.030	18.0 h.p.				
23.0 h.p.					M18, MV18 (Twin)	XP26 ⁸²⁵⁰	26	---	.025
SV820 (V-Twin)	XST3924	3924	---	.030	20.0 h.p.				
25.0 h.p.					M20, MV20 (Twin)	XP26 ⁸²⁵⁰	26	---	.025
SV830 (V-Twin)	XST3924	3924	---	.030	Triad OHC				
27.0 h.p.					16.0 h.p.				
SV840 (V-Twin)	XST3924	3924	---	.030	TH520 (V-Twin)	XST3924	3924	---	.040
Courage XT-Series OHV					18.0 h.p.				
3.8 h.p.					TH575(V-Twin)	XST3924	3924	---	.040
XT-6, XTR-6	XS4164 ⁸²⁵²	4164 ⁸²⁴⁸	---	.030	20.0 h.p.				
4.8 h.p.					TH650 (V-Twin)	XST3924	3924	---	.040
XT-7, XTR-7	XST3924	3924	---	.030	K-Series				
2.7 h.p.					2.7 h.p.				
K7	XST258	308	258	.025	4.0 h.p.				
4.0 h.p.					K12				
K12	XST258	308	258	.025	K90, K91				
K90, K91	XST458	458	258	.025					



Se Section 9 pour les remarques en français en bas de page. Ver Seccion 9 para las páginas de notas de pie de página en español. ⁸²⁴⁸ Tapered electrode design ⁸²⁵⁰ Xtreme Performance ⁸²⁵² Xtreme Sport

Small Engine - Power Equipment Engines

	XTREME START™	STANDARD STANDARD ESTANDAR	LOW PROFILE COURTE PERFIL BAJO	GAP ENCARTMENT ESPACIO		XTREME START™	STANDARD STANDARD ESTANDAR	LOW PROFILE COURTE PERFIL BAJO	GAP ENCARTMENT ESPACIO
KOMATSU ZENOAU					LAUSON (Cont'd)				
G1A, G1A6 14,9cc	XST255	----	255	.025	(Kerosene)	----	388	----	.030
G1E 17.2cc	XST255	----	255	.025	7/8" Heads	----	3076	----	.030
G2A 22.5cc	XST255	----	255	.025	LCT				
G2C, G2D, G2D30,					Horizontal				
G2A16 22.5cc	XST254	----	254	.025	6.5 h.p.				
G2E 25.4cc	XST255	----	255	.025	CMXX 208	XS63 ⁸²⁵²	63	----	.030
G3C, G3C76 31.7cc	AP425 ⁸²⁴⁹	425	2656	.025	Maxx 208	XS63 ⁸²⁵²	63	----	.030
G3D10, G3D20 31.7cc	XST2976	----	2976	.025	Maxx 208 Gen	XS63 ⁸²⁵²	63	----	.030
G4C, G4C63, G4C76					StormForce 208	XS63 ⁸²⁵²	63	----	.030
37.4cc	AP425 ⁸²⁴⁹	425	2656	.025	10.0 h.p.				
G5C 52.5cc	XST458	458	258	.025	CMXX 291	XS63 ⁸²⁵²	63	----	.030
G5E, G5E2 52.5cc	AP425 ⁸²⁴⁹	425	2656	.025	Maxx 291	XS63 ⁸²⁵²	63	----	.030
KUBOTA					13.0 h.p.				
21.0 h.p.					CMXX 414	XS63 ⁸²⁵²	63	----	.030
WG600-B	XST3924	3924	----	.030	Maxx 414 Gen	XS63 ⁸²⁵²	63	----	.030
22.0 h.p.					StormForce 291	XS63 ⁸²⁵²	63	----	.030
DF752-E (LPG)	XST3926	3926	----	.020	LIFAN				
WG752-E (LPG)	XST3926	3926	----	.020	OHV 4-Cycle				
23.0 h.p.					1.5 h.p.				
DF752-E	XST3926	3926	----	.030	139F	----	4194	----	.030
WG752-E	XST3926	3926	----	.030	2.5 h.p.				
24.5 h.p.					152F	XST2974	----	2974	.030
WG750-B	XST3924	3924	----	.030	3.0 h.p.				
29.5 h.p.					1E45F-1A, 1E45F-B	----	275	----	.030
DF1005-E (LPG)	XST3926	3926	----	.020	5.0 h.p.				
WG1005-E (LPG)	XST3926	3926	----	.020	1P64FV	XS63 ⁸²⁵²	63	----	.030
DF972 (LPG)	XST3926	3926	----	.020	5.5 h.p.				
31.0 h.p.					168F, 168F-2K, 168F-L,				
DF972	XST3926	3926	----	.030	168F-2L	XST4055	4055 ⁸²⁴⁸	----	.030
DF1005-E	XST3926	3926	----	.030	168F-N, 168F-R, 168F-				
WG972	XST3926	3926	----	.030	2R, 168FD, 1P68FV	XST4055	4055 ⁸²⁴⁸	----	.030
WG1005-E	XST3926	3926	----	.030	6.5 h.p.				
32.5 h.p.					168F-2, 168F-2D,				
DF972	XST3926	3926	----	.030	168F-2L	XST4055	4055 ⁸²⁴⁸	----	.030
WG972 Carb./EFI	XST3926	3926	----	.030	8.0 h.p.				
LAUNTOP					173F, 173FD, 173F-L	XST4055	4055 ⁸²⁴⁸	----	.030
OHV Horizontal					9.0 h.p.				
2.4 h.p.					177F, 177FD, 177F-L	XST4055	4055 ⁸²⁴⁸	----	.030
LT154	----	275	----	.030	11.0 h.p.				
5.5 h.p.					182F, 182F-A, 182FD,				
LT160	XS63 ⁸²⁵²	63	----	.030	182F-L	XST4055	4055 ⁸²⁴⁸	----	.030
6.5 h.p.					13.0 h.p.				
LT200	XS63 ⁸²⁵²	63	----	.030	188F, 188F-A, 188FD,				
8.0 h.p.					188F-L	XST4055	4055 ⁸²⁴⁸	----	.030
LT240	XS63 ⁸²⁵²	63	----	.030	LINAMAR				
9.0 h.p.					Horizontal				
LT270	XS63 ⁸²⁵²	63	----	.030	5.5 h.p.				
11.0 h.p.					ZX Series	----	275	----	.035
LT340	XS63 ⁸²⁵²	63	----	.030	9.0 h.p.				
13.0 h.p.					ZX Series	----	275	----	.035
LT390	XS63 ⁸²⁵²	63	----	.030	11.0 h.p.				
LAUSON					ZX Series	XS63 ⁸²⁵²	4263 ⁸²⁴⁸	----	.035
HH130, HH140, HH150,					14.0 h.p.				
HH160	----	414	----	.030	ZX Series	----	275	----	.035
All Other 14mm Heads					LINAMAR				
(Gas)	XST458	458	258	.030	Horizontal				
All Other 14mm Heads					5.5 h.p.				
(LPG)	XST458	458	258	.015	ZX Series	----	275	----	.035
All Other 14mm Heads					9.0 h.p.				
(Kerosene)	XST258	308	258	.030	ZX Series	----	275	----	.035
18mm Heads					14.0 h.p.				
(Gasoline)	----	386	----	.030	ZX Series	----	275	----	.035
18mm Heads					LINAMAR				



Se Section 9 pour les remarques en français en bas de page. Ver Section 9 para las páginas de notas de pie de página en español. ⁸²⁴⁸ Tapered electrode design ⁸²⁴⁹ Single Platinum ⁸²⁵² Xtreme Sport

Small Engine - Power Equipment Engines

	XTREME START™	STANDARD STANDARD ESTANDAR	LOW PROFILE COURTE PERFIL BAJO	GAP ÉNCARTMENT ESPACIO		XTREME START™	STANDARD STANDARD ESTANDAR	LOW PROFILE COURTE PERFIL BAJO	GAP ÉNCARTMENT ESPACIO
LINAMAR (Cont'd)					MITSUBISHI (Cont'd)				
Horizontal (Cont'd)					General Purpose Engines (Cont'd)				
16.0 h.p.					1.4 h.p.				
LX Series	AP106 ⁸²⁴⁹	106	---	.025	T140	XST255	---	255	.030
18.0 h.p.					1.7 h.p.				
LX Series	AP106 ⁸²⁴⁹	106	---	.025	T170	XST255	---	255	.030
20.0 h.p.					TLE43	XST2974	---	2974	.030
LX Series	AP106 ⁸²⁴⁹	106	---	.025	TLE43FD	XST2974	---	2974	.030
24.0 h.p.					TM33	XST255	---	255	.030
LX Series	AP106 ⁸²⁴⁹	106	---	.025	1.8 h.p.				
Vertical					T180	XST255	---	255	.030
14.0 h.p.					2.0 h.p.				
ZXV Series	---	275	---	.035	T200	XST255	---	255	.030
16.0 h.p.					2.2 h.p.				
LXV Series	AP106 ⁸²⁴⁹	106	---	.025	G221	XST255	---	255	.030
18.0 h.p.					2.4 h.p.				
LXV Series	AP106 ⁸²⁴⁹	106	---	.025	T240	XST255	---	255	.030
20.0 h.p.					2.7 h.p.				
LXV Series	AP106 ⁸²⁴⁹	106	---	.025	G270	XST255	---	255	.030
					G271	XST255	---	255	.030
					2.8 h.p.				
					T280	XST255	---	255	.030
					3.4 h.p.				
					T340	XST255	---	255	.030
					3.5 h.p.				
					T350	XST255	---	255	.030
					G351	XST255	---	255	.030
					4.0 h.p.				
					G400	XST255	---	255	.030
					T400	XST2974	---	2974	.030
					4.3 h.p.				
					T430	XST255	---	255	.030
					5.0 h.p.				
					G510	---	4123 ⁸²⁴⁸	---	.030
					G511	XST255	---	255	.030
					5.7 h.p.				
					G711A	XST255	---	255	.030
					7.0 h.p.				
					G710	XST458	295	255	.030
					G711	XST255	---	255	.030
					9.0 h.p.				
					G910	XST4265	4265 ⁸²⁴⁸	---	.030
					G911	XST255	---	255	.030
					G1050A	XST255	---	255	.030
					10.5 h.p.				
					G1050	XST255	---	255	.030
					12.0 h.p.				
					G1200	XST255	---	255	.030
					15.0 h.p.				
					G1500	XST255	---	255	.030
					OHV				
					2.4 h.p.				
					GM82	---	4123 ⁸²⁴⁸	---	.030
					2.7 h.p.				
					GM90	XST4265	4265 ⁸²⁴⁸	---	.030
					GM91	XST4265	4265 ⁸²⁴⁸	---	.030
					4.0 h.p.				
					GM130	XST4265	4265 ⁸²⁴⁸	---	.030
					GM131	XST4265	4265 ⁸²⁴⁸	---	.030
					GM132P	XST4265	4265 ⁸²⁴⁸	---	.030
					4.5 h.p.				
					GM150V	XST4265	4265 ⁸²⁴⁸	---	.030



Se Section 9 pour les remarques en français en bas de page. Ver Section 9 para las páginas de notas de pie de página en español. ⁸²⁴⁸ Tapered electrode design ⁸²⁴⁹ Single Platinum ⁸²⁵² Xtreme Sport

Small Engine - Power Equipment Engines

	XTREME START™	STANDARD STANDARD ESTANDAR	LOW PROFILE COURTE PERFIL BAJO	GAP ENCARTMENT ESPACIO		XTREME START™	STANDARD STANDARD ESTANDAR	LOW PROFILE COURTE PERFIL BAJO	GAP ENCARTMENT ESPACIO
mitsubishi (Cont'd)					ONAN (Cont'd)				
OHV (Cont'd)					Performer (Cont'd)				
6.0 h.p.					20.0 h.p.				
GM180	XST4265	4265 ⁸²⁴⁸	---	.030	P220G, P220V (Twin) ..	AP106 ⁸²⁴⁹	106	---	.025
GM181	XST4265	4265 ⁸²⁴⁸	---	.030	P240V (Twin) ..	AP106 ⁸²⁴⁹	106	---	.025
GM182P	XST4265	4265 ⁸²⁴⁸	---	.030	24.0 h.p.				
8.0 h.p.					P224G (Twin) ..				
GM290	XST4265	4265 ⁸²⁴⁸	---	.030	26.0 h.p.				
GM291, GM291PN	XST4265	4265 ⁸²⁴⁸	---	.030	P226G (Twin) ..				
10.0 h.p.					O & R				
GM300	XST4265	4265 ⁸²⁴⁸	---	.030	Compact I, II, III ..	---	3136	---	.030
GM301, GM301PN	XST4265	4265 ⁸²⁴⁸	---	.030	13A, 13B ..	XST258	---	258	.030
13.0 h.p.					13A, 13B (Severe Service) ..				
GM400	XST4265	4265 ⁸²⁴⁸	---	.030	20A ..	XST255	---	255	.030
GM401	XST4265	4265 ⁸²⁴⁸	---	.030	20A (Severe Service) ..	XST254	---	254	.030
OHV 4-Stroke					20S ..				
10.0 h.p.					POWER BEE (U.S. MOTOR POWER)				
GT1000	XP64 ⁸²⁵⁰	64	---	.030	4.0 h.p.				
13.0 h.p.					Series 580 ..				
GT1300	XP64 ⁸²⁵⁰	64	---	.030	Series 700 ..				
MOTO MORINI					6.25 to 8 h.p.				
MO, M1, MO3	XST4055	4055 ⁸²⁴⁸	---	.030	Series 820 ..				
MO4, M101	XST4055	4055 ⁸²⁴⁸	---	.030	POWERHORSE				
S5, 4M, 6M, FM6M	AP425 ⁸²⁴⁹	425	2656	.030	6.0 h.p.				
ONAN					208cc OHV ..				
General Purpose Engines					12.0 h.p.				
0.3TL-212R/1A	XST458	456	255	.025	414cc OHV ..				
1B, CW, HC, HK, HN, HQ	---	386	---	.025	POWERPRO				
AAE, AH, AK, BH, CK, EL, LK-LKB	---	216	---	.025	2.5 h.p.				
ACK, VB, MJC, OFA	---	2224	---	.025	XS63 ⁸²⁵² 63				
B43G, B48G, B48E	AP106 ⁸²⁴⁹	106	---	.030	5.5 h.p.				
B43M, B48M	---	437	---	.030	HY160 ..				
CUA, KKA	---	216	---	.035	6.5 h.p.				
EC, ED, EF	AP45 ⁸²⁴⁹	45	---	.025	HY200 ..				
GO, MGO, MUK, WIB	XST458	458	258	.025	9.0 h.p.				
HR, JT, MTK, V45, W4A	---	386	---	.025	HY270 ..				
IC, KA, KB, KR, MPG, OTC	XST254	303	254	.025	13.0 h.p.				
J30, JA, J60, JB	---	216	---	.025	HY390 ..				
J120, JC	---	216	---	.025	POWER PRODUCTS				
5JB, 10JC, 15JC	---	216	---	.025	AH36 Type 70 ..				
MH	---	216	---	.030	AH44, AH48, AH49 ..				
N-52M	AP106 ⁸²⁴⁹	106	---	.030	AH47, AH51, AH52, AH58, AH81 ..				
NHA-MS, NHB-MS	---	405	---	.030	AV51 ..				
NB	---	216	---	.030	AH75, AV75 ..				
NHC-MS (Early)	---	405	---	.030	AH81 ..				
NHC-MS (Late '79-On)	AP106 ⁸²⁴⁹	106	---	.025	All Mowers & Snowblowers ..				
NHP	---	405	---	.030	XST255				
NHP (LPG)	---	405	---	.015	---				
RCCK-MS	---	4316 ⁸²⁴⁸	---	.030	---				
T260	AP106 ⁸²⁴⁹	106	---	.025	---				
Elite					POWER TRAIN				
12.5 h.p.					2.4 h.p.				
E125H, E125V (OHV) ..	---	275	---	.035	PT240 ..				
14.0 h.p.					4.0 h.p.				
E140H, E140V (OHV) ..	---	275	---	.035	PT400 ..				
Performer									
16.0 h.p.									
P216G (Twin) ..	AP106 ⁸²⁴⁹	106	---	.025					
18.0 h.p.									
P218G, P218V (Twin) ..	AP106 ⁸²⁴⁹	106	---	.025					



Se Section 9 pour les remarques en français en bas de page. Ver Seccion 9 para las páginas de notas de pie de página en español. ⁸²⁴⁸ Tapered electrode design ⁸²⁴⁹ Single Platinum ⁸²⁵⁰ Xtreme Performance ⁸²⁵² Xtreme Sport

Small Engine - Power Equipment Engines

	XTREME START™	STANDARD STANDARD ESTANDAR	LOW PROFILE COURTE PERFIL BAJO	GAP ÉNCARTMENT ESPACIO		XTREME START™	STANDARD STANDARD ESTANDAR	LOW PROFILE COURTE PERFIL BAJO	GAP ÉNCARTMENT ESPACIO
POWER TRAIN (Cont'd)					SUBARU ROBIN (Cont'd)				
5.5 h.p.					4-Cycle Side Valve (Cont'd)				
PT550	XST3924	3924	---	.030	EY20V	AP425 ⁸²⁴⁹	425	2656	.025
6.5 h.p.					EY23	---	275	---	.025
PT650E	XST3924	3924	---	.030	6.5 h.p.				
9.0 h.p.					EY28K (Kerosene)	AP425 ⁸²⁴⁹	425	2656	.020
PT900, PT900E	XST3924	3924	---	.030	7.5 h.p.				
13.0 h.p.					EY28	AP425 ⁸²⁴⁹	425	2656	.025
PT1300, PT1300E	XST3924	3924	---	.030	EY35K (Kerosene)	---	275	---	.020
SACHS					7.8 h.p.				
504 Series	AP425 ⁸²⁴⁹	425	2656	.030	EY44	AP425 ⁸²⁴⁹	425	2656	.025
505 Series	AP425 ⁸²⁴⁹	425	2656	.030	8.5 h.p.				
508 Series	AP425 ⁸²⁴⁹	425	2656	.030	EY35B, EY35D	---	275	---	.025
ST-96, SB151, ST151 ..	XS4093 ⁸²⁵²	4093 ⁸²⁴⁸	---	.020	EY40K (Kerosene)	---	275	---	.020
SB130, SB140	XST458	458	258	.030	8.9 h.p.				
ST-204, ST251, ST282 ..	---	373	---	.020	EY45V	XST2976	---	2976	.025
SUBARU ROBIN					11.0 h.p.				
2-Cycle					EY40B, EY40D				
0.9 h.p.					---				
EC02ER	XST255	---	255	.025	16.0 h.p.				
1.0 h.p.					EY21 (Twin)	AP425 ⁸²⁴⁹	425	2656	.025
EC022GR	XST255	---	255	.025	EY10, EY13, EY13-2 ...	AP425 ⁸²⁴⁹	425	2656	.025
1.1 h.p.					EY13-2K	AP425 ⁸²⁴⁹	425	2656	.025
EC02EHR	XST255	---	255	.025	EY14, EY18, EY18-2 ...	AP425 ⁸²⁴⁹	425	2656	.025
1.2 h.p.					EY18W, EY12W	AP425 ⁸²⁴⁹	425	2656	.025
EC025GR	XST255	---	255	.025	EY-33-2K	AP425 ⁸²⁴⁹	425	2656	.025
1.8 h.p.					EY25W (Gasoline)	AP425 ⁸²⁴⁹	425	2656	.025
EC03ER	XS4093 ⁸²⁵²	4093 ⁸²⁴⁸	---	.025	EY25W (Kerosene)	AP425 ⁸²⁴⁹	425	2656	.020
2.0 h.p.					EY27W	AP425 ⁸²⁴⁹	425	2656	.025
EC04ER, EC04ERV ...	XS4093 ⁸²⁵²	4093 ⁸²⁴⁸	---	.025	4-Cycle OHC				
2.5 h.p.					4.5 h.p.				
EC06	AP425 ⁸²⁴⁹	425	2656	.025	EX13	XS4093 ⁸²⁵²	4093 ⁸²⁴⁸	---	.025
3.3 h.p.					5.7 h.p.				
EC08B, EC08D	XS4093 ⁸²⁵²	4093 ⁸²⁴⁸	---	.025	SP170	XS4093 ⁸²⁵²	4093 ⁸²⁴⁸	---	.025
4.0 h.p.					6.0 h.p.				
EC10B, EC10D, EC10V	XST258	308	258	.025	EX17	XS4093 ⁸²⁵²	4093 ⁸²⁴⁸	---	.025
4.2 h.p.					7.0 h.p.				
EC13V	XST255	---	255	.025	EX21, EX21 F.I.	XS4093 ⁸²⁵²	4093 ⁸²⁴⁸	---	.025
4.5 h.p.					SP210	XS4093 ⁸²⁵²	4093 ⁸²⁴⁸	---	.025
EC12D	XST255	---	255	.025	9.0 h.p.				
4.6 h.p.					EX27	XS4093 ⁸²⁵²	4093 ⁸²⁴⁸	---	.025
EC20V	XST255	---	255	.025	10.0 h.p.				
6.5 h.p.					EX30	XS4093 ⁸²⁵²	4093 ⁸²⁴⁸	---	.025
EC17	AP425 ⁸²⁴⁹	425	2656	.025	12.0 h.p.				
12.0 h.p.					EX35	XS4093 ⁸²⁵²	4093 ⁸²⁴⁸	---	.025
EC25-2D	---	275	---	.025	14.0 h.p.				
EC05-2, EC07, EC07-2 ..	AP425 ⁸²⁴⁹	425	2656	.025	EX40	XS4093 ⁸²⁵²	4093 ⁸²⁴⁸	---	.025
EC10T	XST458	458	258	.025	4-Cycle OHC Snow Power				
EC16	AP425 ⁸²⁴⁹	425	2656	.025	5.7 h.p.				
EC25, EC37-3	AP425 ⁸²⁴⁹	425	2656	.025	SX17	AP425 ⁸²⁴⁹	425	2656	.025
KB31B, KB41A	XST258	308	258	.025	7.0 h.p.				
4-Cycle Side Valve					SX21				
2.0 h.p.					AP425 ⁸²⁴⁹				
EY08D, EY08BN	XST258	---	258	.025	425				
3.3 h.p.					2656				
EY15K (Kerosene)	AP425 ⁸²⁴⁹	425	2656	.020	2656				
3.5 h.p.					2656				
EY15-2B, EY15V	AP425 ⁸²⁴⁹	425	2656	.025	425				
EY15-3D	XS4093 ⁸²⁵²	4093 ⁸²⁴⁸	---	.025	2656				
4.3 h.p.					2656				
EY20K (Kerosene)	AP425 ⁸²⁴⁹	425	2656	.020	425				
5.0 h.p.					2656				
EY20-2B	AP425 ⁸²⁴⁹	425	2656	.025	2656				
EY20-3D	XS4093 ⁸²⁵²	4093 ⁸²⁴⁸	---	.025	2656				



Se Section 9 pour les remarques en français en bas de page. Ver Seccion 9 para las páginas de notas de pie de página en español. ⁸²⁴⁸ Tapered electrode design ⁸²⁴⁹ Single Platinum ⁸²⁵² Xtreme Sport

Small Engine - Power Equipment Engines

	XTREME START™	STANDARD STANDARD ESTANDAR	LOW PROFILE COURTE PERFIL BAJO	GAP ENCARTMENT ESPACIO		XTREME START™	STANDARD STANDARD ESTANDAR	LOW PROFILE COURTE PERFIL BAJO	GAP ENCARTMENT ESPACIO
SUBARU ROBIN (Cont'd)					TAS (Cont'd)				
4-Cycle OHV					1.6 h.p.				
2.5 h.p.					30cc, 31cc	XST254	----	254	.030
EH09	XST255	----	255	.030	2.0 h.p.				
3.5 h.p.					37cc	XST254	----	254	.030
EH12-2	XST4055	4055 ⁸²⁴⁸	----	.025	J37, RE11, D50G	XST254	303	254	.030
4.0 h.p.					Q22, QC22	XST255	----	255	.030
EH12	XST4055	4055 ⁸²⁴⁸	----	.025	QE3300, T23, T30, T50	XST255	----	255	.030
6.0 h.p.					<hr/>				
EH17	----	4123 ⁸²⁴⁸	----	.025	TECUMSEH				
EH17-2	----	4123 ⁸²⁴⁸	----	.025	NOTE: Engine model and specification numbers are located on the blower housing				
EH18-VX, EH18-VX-2	AP425 ⁸²⁴⁹	425	2656	.025	Vertical 2-Cycle				
8.5 h.p.					AV520				
EH25-2	----	4123 ⁸²⁴⁸	----	.025	3.0 h.p.	XST458	456	255	.030
EH25	----	4123 ⁸²⁴⁸	----	.025	AV600				
9.0 h.p.					3.5 h.p.	XST458	456	255	.030
EH30, EH30V	XS63 ⁸²⁵²	4263	----	.025	TC200				
11.0 h.p.					1.6 h.p.	XST2976	----	2976	.030
EH34, EH34V	XS63 ⁸²⁵²	4263	----	.025	TC300				
11.5 h.p.					2.0 h.p.	XST2976	----	2976	.030
EH36	XS63 ⁸²⁵²	4263	----	.025	TM049XA				
13.0 h.p.					2.0 h.p.	XST2976	----	2976	.030
EH43V	XS63 ⁸²⁵²	4263	----	.025	TV085XA				
13.5 h.p.					3.0 h.p.	XST458	456	255	.030
EH41	XS63 ⁸²⁵²	4263	----	.025	TVS600				
18.0 h.p.					3.5 h.p.	XST458	456	255	.030
EH63, EH63V (V-Twin)	XST4265	4265 ⁸²⁴⁸	----	.025	TVS840				
20.5 h.p.					4.0 h.p.	XST458	458	258	.030
EH64 (V-Twin)	XST4265	4265 ⁸²⁴⁸	----	.025	TVXL840				
22.0 h.p.					5.0 h.p.	XST458	458	258	.030
EH65, EH65V (V-Twin)	XST4265	4265 ⁸²⁴⁸	----	.025	Horizontal 2-Cycle				
25.0 h.p.					AH520				
EH72 (V-Twin)	XST4265	4265 ⁸²⁴⁸	----	.025	5.0 h.p.	XST2976	----	2976	.030
28.0 h.p.					AH600				
EH72 (V-Twin) EFI	XST4265	4265 ⁸²⁴⁸	----	.025	3.0 h.p.	XST2976	----	2976	.030
4-Cycle OHV Low Profile					HXL840				
25.0 h.p.					4.5 h.p.	XST2976	----	2976	.030
UTV25 (V-Twin)	XST4265	4265 ⁸²⁴⁸	----	.025	TCH200				
28.0 h.p.					1.6 h.p.	XST2976	----	2976	.030
UTV28 (V-Twin)	XST4265	4265 ⁸²⁴⁸	----	.025	TCH300				
4-Cycle OHV LPG/CNG					2.0 h.p.	XST2974	----	2974	.030
18.0 h.p.					Vertical 4-Cycle				
EH63, EH63V (V-Twin)	XST4265	4265 ⁸²⁴⁸	----	.020	ECV100				
EH65 (V-Twin)	XST4265	4265 ⁸²⁴⁸	----	.020	3.9 h.p.	XST458	458	258	.030
20.0 h.p.					ECV105				
EH72 (V-Twin)	XST4265	4265 ⁸²⁴⁸	----	.020	3.9 h.p.	XST458	458	258	.030
<hr/>					ECV110				
TANAKA					ECV120				
Pure Fire Engines					LAV25				
1.4 h.p.					2.5 h.p.	XST458	295	255	.030
PF-2600 (26cc)	XST2974	----	2974	.030	LAV30				
1.6 h.p.					3.0 h.p.	XST458	295	255	.030
PF-3300 (32cc)	XST2974	----	2974	.030	LAV35				
2.2 h.p.					3.5 h.p.	XST458	295	255	.030
PF-4000 (40cc)	XST2974	----	2974	.030	LAV40				
General Purpose Engines					4.0 h.p.	XST458	295	255	.030
2.8 h.p.					<hr/>				
TC-47R (47cc)	XST2974	----	2974	.030	TAS				
TC-355 (34cc)	XST2974	----	2974	.030	0.8 h.p.				
2.4 h.p.					16cc	XST254	----	254	.030
TC-4700 (47cc)	XST2976	----	2976	.030	1.2 h.p.				
<hr/>					23cc	XST254	----	254	.030



Se Section 9 pour les remarques en français en bas de page. Ver Seccion 9 para las páginas de notas de pie de página en español. ⁸²⁴⁸ Tapered electrode design ⁸²⁴⁹ Single Platinum ⁸²⁵² Xtreme Sport

Small Engine - Power Equipment Engines

	XTREME START™	STANDARD STANDARD ESTANDAR	LOW PROFILE COURTE PERFIL BAJO	GAP ENCARTMENT ESPACIO		XTREME START™	STANDARD STANDARD ESTANDAR	LOW PROFILE COURTE PERFIL BAJO	GAP ENCARTMENT ESPACIO
TECUMSEH (Cont'd)					TECUMSEH (Cont'd)				
Vertical 4-Cycle (Cont'd)					Vertical 4-Cycle OHV (Cont'd)				
LAV50 5.0 h.p.	XST458	295	255	.030	OHV180 18.0 h.p.	XST4055	4055 ⁸²⁴⁸	---	.030
LEV80 5.0 h.p.	XST458	458	258	.030	OV195EA 7.0 h.p. Enduro XL	XST4055	4055 ⁸²⁴⁸	---	.030
LEV90	XST458	458	258	.030	7.0 h.p. Formula	XST4055	4055 ⁸²⁴⁸	---	.030
LEV100 3.5, 3.8, 4.0, 4.5 h.p. ...	XST458	458	258	.030	OV195XA 7.0 h.p. Enduro XL	XST4055	4055 ⁸²⁴⁸	---	.030
LEV115 5, 5.5, 6.0 h.p.	XST458	458	258	.030	7.0 h.p. Formula	XST4055	4055 ⁸²⁴⁸	---	.030
LEV120 6.0 h.p.	XST458	458	258	.030	OV358EA 10.0 - 13.0 h.p. Formula	XST4055	4055 ⁸²⁴⁸	---	.030
LV148EA 3.5-4.25 h.p. Formula ..	XST458	458	258	.030	11.0 - 13.5 h.p. Enduro	XST4055	4055 ⁸²⁴⁸	---	.030
4.0 h.p. Formula	XST458	458	258	.030	XL	XST4055	4055 ⁸²⁴⁸	---	.030
LV156EA 4.0 h.p. Formula	XST458	458	258	.030	OV490EA 14.0 - 17.5 h.p. Formula	XST4055	4055 ⁸²⁴⁸	---	.030
LV156XA 4.0 h.p. Formula	XST458	458	258	.030	15.0 - 18.0 h.p. Enduro	XST4055	4055 ⁸²⁴⁸	---	.030
LV195EA 6.0 h.p. Enduro XL	XST458	458	258	.030	XL	XST4055	4055 ⁸²⁴⁸	---	.030
6.0 h.p. Formula	XST458	458	258	.030	OV691EA 18.0 - 21.0 h.p. (V-Twin)	XST4055	4055 ⁸²⁴⁸	---	.030
LV195XA 6.0 h.p. Enduro XL	XST458	458	258	.030	Formula	XST4055	4055 ⁸²⁴⁸	---	.030
6.0 h.p. Formula	XST458	458	258	.030	18.0 - 22.0 h.p. (V-Twin)	XST4055	4055 ⁸²⁴⁸	---	.030
Vertical 4-Cycle OHV					Enduro XL	XST4055	4055 ⁸²⁴⁸	---	.030
OHV60T 6.0 h.p. GEOTEC	XST4055	4055 ⁸²⁴⁸	---	.030	OV691EP 23.0 - 25.0 h.p. (V-Twin)	XST4055	4055 ⁸²⁴⁸	---	.030
OHV65T 6.5 h.p. GEOTEC	XST4055	4055 ⁸²⁴⁸	---	.030	Enduro XL	XST4055	4055 ⁸²⁴⁸	---	.030
OHV110 11.0 h.p.	XST4055	4055 ⁸²⁴⁸	---	.030	25.0 h.p. (V-Twin)	XST4055	4055 ⁸²⁴⁸	---	.030
OHV115 11.5 h.p.	XST4055	4055 ⁸²⁴⁸	---	.030	Sterling	XST4055	4055 ⁸²⁴⁸	---	.030
OHV120 12.0 h.p.	XST4055	4055 ⁸²⁴⁸	---	.030	OVM120 12 h.p.	AP425 ⁸²⁴⁹	425	2656	.030
OHV125 12.5 h.p.	XST4055	4055 ⁸²⁴⁸	---	.030	OVRM40 4.0 h.p.	XST4055	4055 ⁸²⁴⁸	---	.030
OHV13 13.0 h.p.	XST4055	4055 ⁸²⁴⁸	---	.030	OVRM50 5.0 h.p.	XST4055	4055 ⁸²⁴⁸	---	.030
OHV130 13.0 h.p.	XST4055	4055 ⁸²⁴⁸	---	.030	OVRM55 5.5 h.p.	XST4055	4055 ⁸²⁴⁸	---	.030
OHV135 13.5 h.p.	XST4055	4055 ⁸²⁴⁸	---	.030	OVRM60 6.0 h.p.	XST4055	4055 ⁸²⁴⁸	---	.030
OHV14 14.0 h.p.	XST4055	4055 ⁸²⁴⁸	---	.030	OVRM65 6.5 h.p.	XST4055	4055 ⁸²⁴⁸	---	.030
OHV140 14.0 h.p.	XST4055	4055 ⁸²⁴⁸	---	.030	OVRM105 10.5 h.p.	XST4055	4055 ⁸²⁴⁸	---	.030
OHV145 14.5 h.p.	XST4055	4055 ⁸²⁴⁸	---	.030	OVRM120 12.0 h.p.	XST4055	4055 ⁸²⁴⁸	---	.030
OHV15 15.0 h.p.	XST4055	4055 ⁸²⁴⁸	---	.030	OVRM905 4.5 h.p.	XST4055	4055 ⁸²⁴⁸	---	.030
OHV150 15.0 h.p.	XST4055	4055 ⁸²⁴⁸	---	.030	OVXL120 12.0 h.p. Spec. #202700	AP425 ⁸²⁴⁹	425	2656	.030
OHV155 15.5 h.p.	XST4055	4055 ⁸²⁴⁸	---	.030	& below	XST4055	4055 ⁸²⁴⁸	---	.030
OHV16 16.0 h.p.	XST4055	4055 ⁸²⁴⁸	---	.030	12.0 h.p. Spec. #202701	XST4055	4055 ⁸²⁴⁸	---	.030
OHV160 16.0 h.p.	XST4055	4055 ⁸²⁴⁸	---	.030	& up	XST4055	4055 ⁸²⁴⁸	---	.030
OHV165 16.5 h.p.	XST4055	4055 ⁸²⁴⁸	---	.030	OVXL/C120 12.0 h.p. Spec. #202700	AP425 ⁸²⁴⁹	425	2656	.030
OHV170 17.0 h.p.	XST4055	4055 ⁸²⁴⁸	---	.030	& below	XST4055	4055 ⁸²⁴⁸	---	.030
OHV175 17.5 h.p.	XST4055	4055 ⁸²⁴⁸	---	.030	12.0 h.p. Spec. #202701	XST4055	4055 ⁸²⁴⁸	---	.030
OHV17 17.0 h.p.	XST4055	4055 ⁸²⁴⁸	---	.030	& up	XST4055	4055 ⁸²⁴⁸	---	.030



Se Section 9 pour les remarques en français en bas de page. Ver Seccion 9 para las páginas de notas de pie de página en español. ⁸²⁴⁸ Tapered electrode design ⁸²⁴⁹ Single Platinum

Small Engine - Power Equipment Engines

	XTREME START™	STANDARD STANDARD ESTANDAR	LOW PROFILE COURTE PERFIL BAJO	GAP ÉNCARTMENT ESPACIO		XTREME START™	STANDARD STANDARD ESTANDAR	LOW PROFILE COURTE PERFIL BAJO	GAP ÉNCARTMENT ESPACIO
TECUMSEH (Cont'd)					TECUMSEH (Cont'd)				
Vertical 4-Cycle OHV (Cont'd)					Vertical 4-Cycle (Cont'd)				
TVT691 (V-Twin)	XST4055	4055 ⁸²⁴⁸	---	.030	VLV55 5.5 h.p.	XST458	458	258	.030
VTX691 (V-Twin)	XST4055	4055 ⁸²⁴⁸	---	.030	VLV60 6.0 h.p.	XST458	458	258	.030
Vertical 4-Cycle					Horizontal 4-Cycle				
TNT100 3.9 h.p.	XST458	458	258	.030	H22 2.2 h.p.	XST458	295	255	.030
TNT120 3.9 h.p.	XST458	458	258	.030	H25 2.5 h.p.	XST458	295	255	.030
TVM125 5.0 h.p.	XST458	295	255	.030	H30 3.0 h.p. Formula, Compact	XST458	458	258	.030
TVM140 6.0 h.p.	XST458	295	255	.030	H35 3.5 h.p. Formula, Compact	XST458	458	258	.030
TVM170 7.0 h.p.	XST458	295	255	.030	3.5 h.p. Power Sport, Compact	XST458	458	258	.030
TVM195 8.0, 8.5, 9.0 h.p.	XST458	456	255	.030	H40 4.0 h.p. Formula, Compact	XST458	458	258	.030
TVM220 9.5, 10.0, 10.5 h.p.	XST458	456	255	.030	4.0 h.p. Power Sport, Compact	XST458	458	258	.030
TVS75 3.0 h.p.	XST458	458	258	.030	H50 5.0 h.p.	XST458	456	255	.030
TVS90 3.5, 3.8, 4.0 h.p.	XST458	458	258	.030	H60 6.0 h.p.	XST458	456	255	.030
TVS100 3.9 h.p.	XST458	458	258	.030	H70 7.0 h.p.	XST458	456	255	.030
TVS105 4.0 h.p.	XST458	458	258	.030	H80 8.0 h.p.	XST458	456	255	.030
TVS115 4.0, 4.5, 5.0, 5.5 h.p.	XST458	458	258	.030	HH40 4.0 h.p.	XST458	295	255	.030
TVS120 5.5, 6.0 h.p.	XST458	458	258	.030	HH50 5.0 h.p.	XST458	295	255	.030
TVXL105 4.0 h.p.	XST458	458	258	.030	HH60 6.0 h.p.	XST458	295	255	.030
TVXL115 5.0 h.p.	XST458	458	258	.030	HH70 7.0 h.p.	XST458	295	255	.030
TVXL170 7.0 h.p.	XST458	295	255	.030	HH80 8.0 h.p.	XST458	295	255	.030
TVXL195 8.0 h.p.	XST458	295	255	.030	HH100 10.0 h.p.	XST458	295	255	.030
TVXL220 10.0 h.p.	XST458	295	255	.030	HH120 12.0 h.p.	XST458	295	255	.030
V40 4.0 h.p.	XST458	295	255	.030	HH130 13.0 h.p.	XS4093 ⁸²⁵²	4093 ⁸²⁴⁸	---	.030
V50 5.0 h.p.	XST458	295	255	.030					
V60 6.0 h.p.	XST458	295	255	.030					
V70 7.0 h.p.	XST458	295	255	.030					
V80 8.0 h.p.	XST458	295	255	.030					
VH40 4.0 h.p.	XST458	295	255	.030					
VH50 5.0 h.p.	XST458	295	255	.030					
VH60 6.0 h.p.	XST458	295	255	.030					
VH70 7.0 h.p.	XST458	295	255	.030					
VH80 8.0 h.p.	XST458	295	255	.030					
VH100 10.0 h.p.	XST458	295	255	.030					
VLV40 4.0 h.p.	XST458	458	258	.030					
VLV50 5.0 h.p.	XST458	458	258	.030					



Se Section 9 pour les remarques en français en bas de page. Ver Seccion 9 para las páginas de notas de pie de página en español. ⁸²⁴⁸ Tapered electrode design ⁸²⁵² Xtreme Sport

Small Engine - Power Equipment Engines

	XTREME START™	STANDARD STANDARD ESTANDAR	LOW PROFILE COURTE PERFIL BAJO	GAP ENCARTMENT ESPACIO		XTREME START™	STANDARD STANDARD ESTANDAR	LOW PROFILE COURTE PERFIL BAJO	GAP ENCARTMENT ESPACIO
TECUMSEH (Cont'd)					TECUMSEH (Cont'd)				
Horizontal 4-Cycle (Cont'd)					Horizontal 4-Cycle OHV (Cont'd)				
HH140 14.0 h.p.	XS4093 ⁸²⁵²	4093 ⁸²⁴⁸	---	.030	OHH50 5.0 h.p. Power Sport ...	XST4055	4055 ⁸²⁴⁸	---	.030
HH150 15.0 h.p.	XS4093 ⁸²⁵²	4093 ⁸²⁴⁸	---	.030	OHH55 5.5 h.p. Power Sport ...	XST4055	4055 ⁸²⁴⁸	---	.030
HH160 16.0 h.p.	XS4093 ⁸²⁵²	4093 ⁸²⁴⁸	---	.030	OHH60 6.0 h.p. Power Sport ...	XST4055	4055 ⁸²⁴⁸	---	.030
HHM80 8.0 h.p.	XST458	295	255	.030	OHH65 6.5 h.p. Power Sport ...	XST4055	4055 ⁸²⁴⁸	---	.030
HM70 7.0 h.p.	XST458	456	255	.030	OHM90 9.0 h.p.	XST4055	4055 ⁸²⁴⁸	---	.030
HM80 8.0 h.p. Formula	XST458	458	258	.030	OHM110 11.0 h.p. Power Sport ..	XST4055	4055 ⁸²⁴⁸	---	.030
8.0 h.p. Power Sport ...	XST458	458	258	.030	OHM120 12.0 h.p. Spec. #220000 to 223999	AP425 ⁸²⁴⁹	425	2656	.030
HM85 8.5 h.p.	XST458	456	255	.030	12.0 h.p. Spec. #224000 & Up Power Sport	XST4055	4055 ⁸²⁴⁸	---	.030
HM90 9.0 h.p. Formula	XST458	458	258	.030	OHV50G 5.0 h.p. GEOTEC	XST4055	4055 ⁸²⁴⁸	---	.030
9.0 h.p. Power Sport ...	XST458	458	258	.030	OHV60G 6.0 h.p. GEOTEC	XST4055	4055 ⁸²⁴⁸	---	.030
HM100 10.0 h.p. Formula	XST458	458	258	.030	Motorsport 4-Cycle OHV				
10.0 h.p. Power Sport ...	XST458	458	258	.030	SBH-9992 10.0 h.p. Star	XST458	458	258	.030
HMXL70 7.0 h.p.	XST458	295	255	.030	SBH-9995 12.0 h.p. Stock	XST4055	4055 ⁸²⁴⁸	---	.030
HS40 4.0 h.p.	XST458	456	255	.030	SBH-9999 12.0 h.p. Stage I	XST4055	4055 ⁸²⁴⁸	---	.030
HS50 5.0 h.p.	XST458	456	255	.030	SBH-9997 12.0 h.p. Stage II	XST4055	4055 ⁸²⁴⁸	---	.030
HT30 3.0 h.p.	XST458	295	255	.030	SNOW KING 2-Cycle				
HT35 3.5 h.p.	XST458	295	255	.030	HSK600 3.0 h.p.	XST2976	---	2976	.030
HXL35 3.5 h.p.	XST458	295	255	.030	HSK635 3.0 h.p.	XST2976	---	2976	.030
Horizontal 4-Cycle OHV					HSK840 4.0 h.p.	XST2976	---	2976	.030
OH120 12.0 h.p.	XS4093 ⁸²⁵²	4093 ⁸²⁴⁸	---	.030	HSK845 4.5 h.p.	XST2976	---	2976	.030
OH140 14.0 h.p.	XS4093 ⁸²⁵²	4093 ⁸²⁴⁸	---	.030	HSK850 5.0 h.p.	XST2976	---	2976	.030
OH160 16.0 h.p.	XS4093 ⁸²⁵²	4093 ⁸²⁴⁸	---	.030	HSK860 6.0 h.p.	XST2976	---	2976	.030
OH180 18.0 h.p.	XST4055	4055 ⁸²⁴⁸	---	.030	HSK870 7.0 h.p.	XST2976	---	2976	.030
OH195EA 5.0 - 6.0 h.p. Enduro XL	XST4055	4055 ⁸²⁴⁸	---	.030	TH098SA 3.0 h.p.	XST2976	---	2976	.030
5.0 - 6.0 h.p. Formula ..	XST4055	4055 ⁸²⁴⁸	---	.030	TH139SA 4.5 - 6.5 h.p.	XST2976	---	2976	.030
5.0, 5.5 & 6.0 h.p. Power Sport	XST4055	4055 ⁸²⁴⁸	---	.030	5.0 h.p.	XST2976	---	2976	.030
OH195EP 6.5 h.p. Enduro XL	XST4055	4055 ⁸²⁴⁸	---	.030	TH139SP 7.0 h.p.	XST2976	---	2976	.030
6.5 h.p. Formula	XST4055	4055 ⁸²⁴⁸	---	.030	SNOW KING 4-Cycle				
6.5 h.p. Power Sport ...	XST4055	4055 ⁸²⁴⁸	---	.030	HMSK70 7.0 h.p.	XST458	458	258	.030
OH195XA 5.0 - 6.0 h.p. Enduro XL	XST4055	4055 ⁸²⁴⁸	---	.030	HMSK80 8.0 h.p.	XST458	458	258	.030
5.0 - 6.0 h.p. Formula ..	XST4055	4055 ⁸²⁴⁸	---	.030	HMSK85 8.5 h.p.	XST458	458	258	.030
OH195XP 6.5 h.p. Enduro XL	XST4055	4055 ⁸²⁴⁸	---	.030	HMSK90 9.0 h.p.	XST458	458	258	.030
6.5 h.p. Formula	XST4055	4055 ⁸²⁴⁸	---	.030					
OH318EA 9.0 - 11.0 h.p. Enduro XL	XST4055	4055 ⁸²⁴⁸	---	.030					
9.0 - 11.0 h.p. Formula ..	XST4055	4055 ⁸²⁴⁸	---	.030					
9.0 - 11.0 h.p. Power Sport	XST4055	4055 ⁸²⁴⁸	---	.030					
OHH45 4.5 h.p.	XST4055	4055 ⁸²⁴⁸	---	.030					



Se Section 9 pour les remarques en français en bas de page. Ver Seccion 9 para las páginas de notas de pie de página en español. ⁸²⁴⁸ Tapered electrode design ⁸²⁴⁹ Single Platinum ⁸²⁵² Xtreme Sport

Small Engine - Power Equipment Engines

	XTREME START™	STANDARD STANDARD ESTANDAR	LOW PROFILE COURTE PERFIL BAJO	GAP ENCARTMENT ESPACIO		XTREME START™	STANDARD STANDARD ESTANDAR	LOW PROFILE COURTE PERFIL BAJO	GAP ENCARTMENT ESPACIO
TECUMSEH (Cont'd)					TECUMSEH (Cont'd)				
SNOW KING 4-Cycle (Cont'd)					SNOW KING 4-Cycle OHV (Cont'd)				
HMSK100 10.0 h.p.	XST458	458	258	.030	OHSK75 7.5 h.p.	XST4055	4055 ⁸²⁴⁸	----	.030
HMSK105 10.5 h.p.	XST458	458	258	.030	OHSK80 8.0 h.p.	XST4055	4055 ⁸²⁴⁸	----	.030
HMSK110 11.0 h.p.	XST458	458	258	.030	OHSK90 9.0 h.p.	XST4055	4055 ⁸²⁴⁸	----	.030
HSK30 3.0 h.p.	XST458	458	258	.030	OHSK100 10.0 h.p.	XST4055	4055 ⁸²⁴⁸	----	.030
HSK35 3.5 h.p.	XST458	458	258	.030	OHSK110 11.0 h.p. Spec. #222999 & Below	AP425 ⁸²⁴⁹	425	2656	.030
HSK40 4.0 h.p.	XST458	458	258	.030	11.0 h.p. Spec. #223000 & Up	XST4055	4055 ⁸²⁴⁸	----	.030
HSK50 5.0 h.p.	XST458	458	258	.030	OHSK120 12.0 h.p. Spec. #222999 & Below	AP425 ⁸²⁴⁹	425	2656	.030
HSK60 6.0 h.p.	XST458	458	258	.030	12.0 h.p. Spec. #223000 & Up	XST4055	4055 ⁸²⁴⁸	----	.030
HSK70 7.0 h.p.	XST458	458	258	.030	OHSK125 12.5 h.p.	XST4055	4055 ⁸²⁴⁸	----	.030
HSSK40 4.0 h.p.	XST458	295	255	.030	OHSK130 13.0 h.p. Spec. #222999 & Below	AP425 ⁸²⁴⁹	425	2656	.030
HSSK50 5.0 h.p.	XST458	295	255	.030	13.0 h.p. Spec. #223000 & Up	XST4055	4055 ⁸²⁴⁸	----	.030
HSSK55 5.5 h.p.	XST458	295	255	.030	U.S. ENGINES				
LH195SA 5.0 h.p.	XST458	295	255	.030	21/25 Series	XST2974	----	2974	.030
LH195SP 5.5 h.p.	XST458	295	255	.030	35/41 Series	XST2976	----	2976	.030
LH318SA 8.0 - 9.0 h.p. Formula ..	XST458	295	255	.030	US MARINE (See Chrysler Power Bee)				
LH318XA 8.0 - 9.0 h.p. Formula ..	XST458	295	255	.030	VIGOR				
LH318XA 8.0 - 9.0 h.p. Power Sport	XST458	295	255	.030	2-Cycle				
LH358EA 10.0 h.p. Formula	XST458	295	255	.030	VG1E36F	XST255	----	255	.030
LH358EA 10.0 h.p. Power Sport ..	XST458	295	255	.030	2.5 h.p.				
LH358SA 10.0 h.p.	XST458	295	255	.030	VG1E40F-B	----	275	----	.030
LH358XA 10.0 h.p. Formula	XST458	295	255	.030	VG1E40F-C	----	275	----	.030
LH358XA 10.0 h.p. Power Sport ..	XST458	295	255	.030	2.8 h.p.				
LV148SA	XST458	458	258	.030	VG1E43F	----	275	----	.030
VSK90	XST458	458	258	.030	VG1E43F-C	----	275	----	.030
SNOW KING 4-Cycle OHV					3.0 h.p.				
OH195SA 5.5 - 7.0 h.p.	XST4055	4055 ⁸²⁴⁸	----	.030	VG1E45F	----	275	----	.030
OH195SP 7.5 h.p.	XST4055	4055 ⁸²⁴⁸	----	.030	VG1E45F-C	----	275	----	.030
OH318EA 9.0 - 11.0 h.p. Enduro XL	XST4055	4055 ⁸²⁴⁸	----	.030	4-Cycle Side Valve				
OH318SA 8.0 - 11.0 h.p.	XST4055	4055 ⁸²⁴⁸	----	.030	2.5 h.p.				
OH358SA 12.0 - 13.0 h.p.	XST4055	4055 ⁸²⁴⁸	----	.030	VG-152F	XST2974	----	2974	.030
OHSK50 5.0 h.p.	XST4055	4055 ⁸²⁴⁸	----	.030	4-Cycle OHV				
OHSK55 5.5 h.p.	XST4055	4055 ⁸²⁴⁸	----	.030	1.5 h.p.				
OHSK60 6.0 h.p.	XST4055	4055 ⁸²⁴⁸	----	.030	VG-139F	----	4194	----	.030
OHSK65 6.5 h.p.	XST4055	4055 ⁸²⁴⁸	----	.030	5.5 h.p.				
OHSK70 7.0 h.p.	XST4055	4055 ⁸²⁴⁸	----	.030	VG168F-A	XST4055	4055 ⁸²⁴⁸	----	.030
					VG168F(1/2C)-A	XST4055	4055 ⁸²⁴⁸	----	.030
					VG168F(1/2R)-A	XST4055	4055 ⁸²⁴⁸	----	.030
					6.5 h.p.				
					VG168F--1-A	XST4055	4055 ⁸²⁴⁸	----	.030
					VG168F--1(1/2C)-A	XST4055	4055 ⁸²⁴⁸	----	.030
					VG168F--1(1/2R)-A	XST4055	4055 ⁸²⁴⁸	----	.030
					5.0 h.p.				
					VG1P64FV	XS63 ⁸²⁵²	63	----	.030



Se Section 9 pour les remarques en français en bas de page. Ver Section 9 para las páginas de notas de pie de página en español. ⁸²⁴⁸ Tapered electrode design ⁸²⁴⁹ Single Platinum ⁸²⁵² Xtreme Sport

Small Engine - Power Equipment Engines

		XTREME START™	STANDARD STANDARD ESTANDAR	LOW PROFILE COURTE PERFIL BAJO	GAP ÉNCARTMENT ESPACIO			XTREME START™	STANDARD STANDARD ESTANDAR	LOW PROFILE COURTE PERFIL BAJO	GAP ÉNCARTMENT ESPACIO
VIGOR (Cont'd)						WIS-CON TOTAL POWER (Cont'd)					
4-Cycle OHV (Cont'd)						Wisconsin HDI Series					
8.0 h.p.						3.0 h.p.					
VG173F-A XST4055 4055 ⁸²⁴⁸ --- .030						WE 130 AP425 ⁸²⁴⁹ 425 2656 .025					
VG173FD-A XST4055 4055 ⁸²⁴⁸ --- .030						5.0 h.p.					
9.0 h.p.						WE 180 AP425 ⁸²⁴⁹ 425 2656 .025					
VG177F-A XST4055 4055 ⁸²⁴⁸ --- .030						8.0 h.p.					
VG177FD-A XST4055 4055 ⁸²⁴⁸ --- .030						WE 270 AP425 ⁸²⁴⁹ 425 2656 .025					
11.0 h.p.						11.0 h.p.					
VG182F-A XST4055 4055 ⁸²⁴⁸ --- .030						WE 400 --- 275 --- .025					
VG182FD-A XST4055 4055 ⁸²⁴⁸ --- .030						WE 350					
13.0 h.p.						WE 400 --- 275 --- .025					
VG188F-A XST4055 4055 ⁸²⁴⁸ --- .030						Continental "R" Series					
VG188FD-A XST4055 4055 ⁸²⁴⁸ --- .030						35.0 h.p.					
						R11 --- 4123 ⁸²⁴⁸ --- .025					
						47.0 h.p.					
						R14 --- 4123 ⁸²⁴⁸ --- .025					
						Continental "TM/TMD" Series					
						33.7 h.p.					
						TM13 XS63 ⁸²⁵² 4263 --- .025					
						53.5 h.p.					
						TM20 XS63 ⁸²⁵² 4263 --- .025					
						TM20 (LPG & Nat. Gas) --- 4252 ⁸²⁴⁸ --- .015					
						72.0 h.p.					
						TM27 XS63 ⁸²⁵² 4263 --- .025					
						72.5 h.p.					
						TM27 (LPG & Nat. Gas) --- 4252 ⁸²⁴⁸ --- .015					
WIS-CON TOTAL POWER						WISCONSIN-ROBIN					
Wisconsin Series						Horizontal Shaft					
6.0 h.p.						1.8 h.p.					
ACN --- 386 --- .025						W1-080 --- 4123 ⁸²⁴⁸ --- .025					
7.0 h.p.						3.5 h.p.					
BKN, HS-7D --- 386 --- .025						W1-145 AP425 ⁸²⁴⁹ 425 2656 .025					
7.25 h.p.						W1-150 --- 4123 ⁸²⁴⁸ --- .025					
S-7D --- 386 --- .025						4.6 h.p.					
8.0 h.p.						W1-185 AP425 ⁸²⁴⁹ 425 2656 .025					
HS-8D --- 386 --- .025						EY18-3W (Gasoline) ... AP425 ⁸²⁴⁹ 425 2656 .025					
8.25 h.p.						EY18-3W (Kerosene) .. AP425 ⁸²⁴⁹ 425 2656 .025					
S-8D --- 386 --- .025						5.5 h.p.					
9.0 h.p.						W1-230 --- 275 --- .025					
AENLD --- 386 --- .025						7.5 h.p.					
9.2 h.p.						W1-280 --- 4123 ⁸²⁴⁸ --- .025					
AENL --- 386 --- .025						9.0 h.p.					
10.0 h.p.						W1-340 --- 386 --- .025					
TRA-10D --- 386 --- .025						10.5 h.p.					
10.5 h.p.						EY44W AP425 ⁸²⁴⁹ 425 2656 .025					
S-10D --- 386 --- .025						11.0 h.p.					
12.0 h.p.						W1-390 --- 275 --- .025					
TRA-12D --- 386 --- .025						16.2 h.p.					
12.5 h.p.						EY21W XST458 458 258 .025					
S-12D --- 386 --- .025						Vertical Shaft					
AGND --- 388 --- .025						4.0 h.p.					
14.0 h.p.						WT1-125V AP425 ⁸²⁴⁹ 425 2656 .025					
S-14D --- 386 --- .025						W1-145V AP425 ⁸²⁴⁹ 425 2656 .025					
18.0 h.p.						5.0 h.p.					
THD, THDM, TJD --- 386 --- .025						W1-185V AP425 ⁸²⁴⁹ 425 2656 .025					
18.2 h.p.						12.0 h.p.					
TJD --- 386 --- .025						W1-450V AP425 ⁸²⁴⁹ 425 2656 .025					
20.0 h.p.											
W2-880 --- 386 --- .025											
21.5 h.p.											
VE4D --- 386 --- .025											
25.0 h.p.											
VF4D --- 386 --- .025											
26.0 h.p.											
W2-1250 --- 386 --- .025											
30.0 h.p.											
VH4D, VH4DM --- 386 --- .025											
35.0 h.p.											
W4-1770 --- 386 --- .025											
37.0 h.p.											
VG4D --- 386 --- .025											
60.5 h.p.											
V-461D XST4265 65 --- .025											
65.0 h.p.											
V-465D XST4265 65 --- .025											
65.9 h.p.											
V-468D XST4265 65 --- .025											
AEN, AENS, AFH --- 386 --- .025											
AGH, AHH --- 386 --- .025											



Se Section 9 pour les remarques en français en bas de page. Ver Section 9 para las páginas de notas de pie de página en español. ⁸²⁴⁸ Tapered electrode design ⁸²⁴⁹ Single Platinum ⁸²⁵² Xtreme Sport

Small Engine - Power Equipment Engines

	XTREME START™	STANDARD STANDARD ESTANDAR	LOW PROFILE COURTE PERFIL BAJO	GAP ÉNCARTMENT ESPACIO		XTREME START™	STANDARD STANDARD ESTANDAR	LOW PROFILE COURTE PERFIL BAJO	GAP ÉNCARTMENT ESPACIO
WISCONSIN-ROBIN (Cont'd)									
OHV Sovereign Series									
3.3 h.p.									
WO1-115	AP425 ⁸²⁴⁹	425	2656	.025					
4.8 h.p.									
WO1-150	AP425 ⁸²⁴⁹	425	2656	.025					
7.0 h.p.									
WO1-210	AP425 ⁸²⁴⁹	425	2656	.025					
9.0 h.p.									
WO1-300	AP425 ⁸²⁴⁹	425	2656	.025					
WO1-300V	AP425 ⁸²⁴⁹	425	2656	.025					
11.0 h.p.									
WO1-340	AP425 ⁸²⁴⁹	425	2656	.025					
WO1-340V	AP425 ⁸²⁴⁹	425	2656	.025					
13.5 h.p.									
WO1-430V	AP425 ⁸²⁴⁹	425	2656	.025					
16.0 h.p.									
WO2-510	AP425 ⁸²⁴⁹	425	2656	.025					
18.0 h.p.									
WO1-560	AP425 ⁸²⁴⁹	425	2656	.025					
Liquid-Cooled									
24.0 h.p.									
WL2-670	----	386	----	.025					
33.0 h.p.									
WL3-1000	----	386	----	.025					
YAMAHA									
MF150S	----	4123 ⁸²⁴⁸	----	.028					
MF180A, MF180AR	XS4093 ⁸²⁵²	4093 ⁸²⁴⁸	----	.028					
MF180K, MF180AK	----	4123 ⁸²⁴⁸	----	.028					
MF180S, MF180SR	XS4093 ⁸²⁵²	4093 ⁸²⁴⁸	----	.028					
MF180SK	----	4123 ⁸²⁴⁸	----	.028					
MF260A, MF260AR	----	4123 ⁸²⁴⁸	----	.028					
MF260K, MF260AK	----	4123 ⁸²⁴⁸	----	.028					
MFS260, MFS260R	----	4123 ⁸²⁴⁸	----	.028					
MFS260K	----	4123 ⁸²⁴⁸	----	.028					
MF410, MF410S, MF410SR	----	4123 ⁸²⁴⁸	----	.028					
MF410SK	XS4093 ⁸²⁵²	4093 ⁸²⁴⁸	----	.028					
MT110AA, MT110AR, MT110VL	XS4093 ⁸²⁵²	4093 ⁸²⁴⁸	----	.028					
MZ125, MZ125R	XST4265	4265 ⁸²⁴⁸	----	.028					
MZ150A, MF150S	XS4093 ⁸²⁵²	4093 ⁸²⁴⁸	----	.028					
MZ175, MZ175R	XST4265	4265 ⁸²⁴⁸	----	.028					
MZ250	XST4265	4265 ⁸²⁴⁸	----	.028					
MZ300	XST4265	4265 ⁸²⁴⁸	----	.028					
MZ360	XST4265	4265 ⁸²⁴⁸	----	.028					
YP10G	XS4093 ⁸²⁵²	4093 ⁸²⁴⁸	----	.028					
ZENOAH									
14.9cc G1A, G1A6	XST255	----	255	.030					
17.2cc G1E	XST255	----	255	.030					
22.5cc G2A16, G2C, G2D	XST254	----	254	.030					
22.5cc G2A, G2D30	XST255	----	255	.030					
25.4cc G2E, G3E	XST255	----	255	.030					
25.4cc GZ25N	----	4194	----	.030					
29.5cc GZ30N	----	4194	----	.030					
31.7cc G3C, G3C76	XS4093 ⁸²⁵²	4093 ⁸²⁴⁸	----	.030					
31.7cc G3D10, G3D20	XST2976	----	2976	.030					
34cc	XST2974	----	2974	.030					
37.4cc G4C, G4C63, G4C76	XS4093 ⁸²⁵²	4093 ⁸²⁴⁸	----	.030					
52.5cc G5E, G5E2	XS4093 ⁸²⁵²	4093 ⁸²⁴⁸	----	.030					
52.5cc G5C	XST458	295	255	.030					



Se Section 9 pour les remarques en français en bas de page. Ver Seccion 9 para las páginas de notas de pie de página en español. ⁸²⁴⁸ Tapered electrode design ⁸²⁴⁹ Single Platinum ⁸²⁵² Xtreme Sport

Small Engine - Lawn & Garden Equipment

	XTRME START™	STANDARD STANDARD ESTANDAR	GAP ENCARTMENT ESPACIO		XTRME START™	STANDARD STANDARD ESTANDAR	GAP ENCARTMENT ESPACIO
AA-TACH				AGGRESSOR			
Sweepers				Trimmers			
w/Wisc.-Robin EY21	XST458	295	.025	w/Echo Engs.	XST255	255	.030
w/Robin 20 & 22 h.p. (V-Twin)	XST4265	4265 ⁸²⁴⁸	.025				
ACE				AGRICAT			
Riding Mowers & Tillers				Garden Tractors			
w/B&S 3, 5 & 8 h.p.	XST458	458	.030	All Models	----	386	.025
w/B&S 10.5, 12 & 18 h.p.	XST458	458	.030				
ACME				AGRI-FAB			
Garden Tractors				Aerators, Chipper/Shredders, Mowers, Tillers, Tractors & Vacuums			
w/Clinton Engs.	XST458	295	.030	w/B&S 5, 8, 10, 10.5, 12 & 12.5 h.p. .	XST458	458	.030
				w/B&S 5, 8, 10.5, 11, 12.5 & 14.5 h.p.			
				OHV	XST3924	3924	.030
				w/B&S 5.5 & 6.5 h.p. Intek OHV	XST3924	3924	.030
				w/B&S 800 Series Intek OHV	XST3924	3924	.030
				w/Kohler 8 h.p. (K181)	XST458	458	.030
				w/Kohler 12 h.p.	----	216	.030
				w/Tec. 5 & 8 h.p.	XST458	458	.030
				Vacuums			
				w/B&S 5 h.p.	XST458	458	.030
				w/B&S 5 h.p. Intek OHV	XST3924	3924	.030
				w/Tec. 8 h.p.	XST458	458	.030
ACR EASE				AGRIMETAL			
Wing Mowers				Blowers, Mulchers, Rakes & Vacuums			
w/B&S 8 & 12 h.p.	XST458	458	.030	w/B&S 13 h.p.	XST458	458	.030
w/B&S 12.5 h.p. OHV	XST3924	3924	.030	w/B&S 18 h.p. (Twin)	XST458	458	.030
w/B&S 13, 17 & 17.5 h.p. Intek OHV .	XST3924	3924	.030	w/B&S 6, 7.5 & 9 h.p. Vanguard			
w/B&S 22 & 23 h.p. Intek V-Twin	XST3926	3926	.030	OHV	XST3924	3924	.030
w/B&S 23 h.p. Vanguard V-Twin	XST3926	3926	.030	w/B&S 18 h.p. Vanguard (V-Twin) ...	XST3926	3926	.030
w/Honda 13 & 18 h.p. OHV	XST4265	4265 ⁸²⁴⁸	.030	w/Honda 3 h.p. OHV	----	4194	.030
w/Kohler 12.5, 14, 15 & 18 h.p. OHV	XST3924	3924	.040	w/Honda 5.5, 9, 11 & 13 h.p. OHV ...	XST4265	4265 ⁸²⁴⁸	.030
w/Kohler 18 h.p. Command Pro				w/Honda 20 h.p. (V-Twin)	XST4265	4265 ⁸²⁴⁸	.030
OHV	XST3924	3924	.040	w/Kawasaki 23 h.p. (V-Twin)	XST4265	4265 ⁸²⁴⁸	.025
w/Kohler 20 h.p. Command OHV				w/Kohler 18 h.p. (Twin)	XP26 ⁸²⁵⁰	26	.025
(V-Twin)	XST3924	3924	.040				
w/Tec. 12.5, 13 & 17 h.p. OHV	XST4055	4055 ⁸²⁴⁸	.030	AGROMATIC			
				Mulchers			
				w/B&S Engs.	XST458	458	.030
				w/Honda OHV Engs.	XST4265	4265 ⁸²⁴⁸	.030
AEBI				AG-TRAC			
Flail Mowers & Sickle Bars				Riding Mowers			
HC44 w/Acme ACT340 11 h.p. OHV .	XST3924	3924	.030	w/B&S Engs.	XST458	458	.030
				AGWAY			
AERA-VATOR				Riding Tractors & Mowers			
Aerators				w/B&S "L" Head Engs.	XST458	458	.030
w/B&S 8 h.p.	XST458	458	.030	w/B&S 14.5 h.p. OHV	XST3924	3924	.030
w/B&S 21 h.p. Vanguard (V-Twin) ...	XST3926	3926	.030	w/B&S 18 h.p. Vanguard (V-Twin) ...	XST3926	3926	.030
w/Honda 8 & 11 h.p. OHV	XST4265	4265 ⁸²⁴⁸	.030	w/B&S 18.5 h.p. (Twin)	XST458	458	.030
				w/Kohler 15 & 16 h.p. OHV	XST3924	3924	.030
				w/Kohler 20 h.p. (V-Twin)	XST3924	3924	.030
				w/Tec. 12, 12.5, 13, 16 & 17 h.p.			
				OHV	XST4055	4055 ⁸²⁴⁸	.030
				Tillers			
				w/B&S "L" Head Engs.	XST458	458	.030
				w/Tec. 1.6 h.p.	XST2976	2976	.030
AGCO				AIR-BROOMS			
Riding Mowers				Blowers			
w/B&S 20, 22, 23 & 24 h.p. Vanguard					XST255	255	.030
(V-Twin)	XST3926	3926	.030				
w/Kohler 25 & 27 h.p. (V-Twin)	XST3924	3924	.040				
w/Kawasaki 27 h.p. (Liquid V-Twin) .	AP66 ⁸²⁴⁹	66	.025				
				AGCO-ALLIS			
				Chipper/Vacs, Mowers & Riding Tractors			
w/B&S "L" Head Engs.	XST458	458	.030	w/B&S 13, 14, 15.5 & 17 h.p.			
w/B&S 14.5 h.p. OHV	XST3924	3924	.030	Vanguard OHV	XST3924	3924	.030
w/B&S 16, 18 & 20 h.p. Vanguard				(V-Twin)	XST3926	3926	.030
(V-Twin)	XST3926	3926	.030	w/Kawasaki 17 h.p. OHV	XST4265	4265 ⁸²⁴⁸	.025
w/Kawasaki 17 h.p. OHV	XST4265	4265 ⁸²⁴⁸	.025	w/Kawasaki 20 h.p. (Liquid V-Twin) .	XST255	255	.025
w/Kawasaki 20 h.p. (Liquid V-Twin) .	XST255	255	.025	w/Kohler 12.5, 14, 15 & 16 h.p.	XST3924	3924	.030
w/Kohler 12.5, 14, 15 & 16 h.p.	XST3924	3924	.030	w/Kohler 20 & 25 h.p. (V-Twin)	XST3924	3924	.040
w/Kohler 20 & 25 h.p. (V-Twin)	XST3924	3924	.040	w/Kohler 23 h.p. (V-Twin)	----	216	.040
w/Kohler 23 h.p. (V-Twin)	----	216	.040	w/Tec. Engs.	XST458	458	.030
w/Tec. Engs.	XST458	458	.030				
				AGCO-ALLIS			
				Tillers			
w/B&S "L" Head Engs.	XST458	458	.030				
w/B&S 5.5 & 6.5 h.p. Intek OHV	XST3924	3924	.030				



Se Section 9 pour les remarques en français en bas de page. Ver Sección 9 para las páginas de notas de pie de página en español. ⁸²⁴⁸ Tapered electrode design ⁸²⁴⁹ Single Platinum ⁸²⁵⁰ Xtreme Performance

Small Engine - Lawn & Garden Equipment

	XTREME START™	STANDARD STANDARD ESTANDAR	GAP ENCARTMENT ESPACIO		XTREME START™	STANDARD STANDARD ESTANDAR	GAP ENCARTMENT ESPACIO
AIR RAKE				AMERIQUIP			
Vacuums				Mulchers			
w/B&S 5 h.p.	XST458	458	.030	w/B&S 16 h.p. Vanguard (V-Twin) ...	XST3926	3926	.030
ALAMO				AMF			
Flail Mowers				Edgers, Sweepers, Tillers & Tractors			
w/B&S 8 & 10 h.p.	XST458	458	.030	w/B&S Engs.	XST458	458	.030
w/Honda 8 & 11 h.p.	XST4265	4265 ⁸²⁴⁸	.030	w/Tec. Engs.	XST458	458	.030
ALDENS				ANTONIO CARRARO			
Tillers & Tractors				Aerators			
All Models	XST458	456	.030	w/Honda 13 h.p. OHV	XST4265	4265 ⁸²⁴⁸	.030
ALLEN				AQUA MULCHER			
Dethatchers				w/B&S 18 h.p. (Twin) XST458 458 .030			
w/Honda 5.5 h.p. OHV	XST4265	4265 ⁸²⁴⁸	.030	w/B&S 16, 18 & 20 h.p. Vanguard (V-Twin)	XST3926	3926	.030
Golf Bunker Edgers				w/Honda 13 h.p. OHV XST4265 4265 ⁸²⁴⁸ .030			
w/Redmax 34cc Engs.	XST2976	2976	.025	w/Honda 20 h.p. (V-Twin)	XST4265	4265 ⁸²⁴⁸	.030
ALLIS-CHALMERS				w/Kohler 18 h.p. (Twin) XP26 ⁸²⁵⁰ 26 .025			
Turf Equipment				w/Kohler 18, 20 & 25 h.p. (V-Twin) .. XST3924 3924 .030			
w/B&S "L" Head Engs.	XST458	458	.030	ARCTIC CAT			
w/B&S (Twin)	XST458	458	.030	Utility Vehicles			
w/Kohler Engs.	----	216	.030	Prowler XTX 700 H1 LE 4x4			
w/Kohler (Twin)	XP26 ⁸²⁵⁰	26	.025	Automatic SOHC 4-Stroke XS4303 8252 4303 .028			
w/Onan Engs.	----	216	.030	Prowler 650 4x4 Automatic, M4, XT			
w/Tec. Engs.	XST458	458	.030	SOHC 4-Stroke XS4303 8252 4303 .028			
AL-KO				ARIENS			
Shredders				Blowers, Edgers, Log Splitters, Mowers, Tillers, Tractors, Trimmers & Vacuums			
w/B&S Engs.	XST458	458	.030	w/B&S "L" Head Engs.	XST458	458	.030
w/Tec. Engs.	XST458	458	.030	w/B&S 6.5, 10, 10.5, 12, 13.5 & 14 h.p. Intek OHV	XST3924	3924	.030
ALL AMERICAN				w/B&S 14, 15, 16.5, 17, 18.5 & 21 h.p. Intek OHV XST3924 3924 .030			
Turf Equipment				w/B&S 14.5, 15, 16 & 18 h.p. OHV .. XST3924 3924 .030			
w/B&S 5, 8 & 11 h.p.	XST458	458	.030	w/B&S 15 h.p. Vanguard	XST3924	3924	.030
w/Kohler 8 h.p.	XST458	458	.025	w/B&S 14 h.p. Vanguard (V-Twin) ...	XST3926	3926	.030
w/Kohler 16, 18 & 20 h.p. (Twin)	XP26 ⁸²⁵⁰	26	.025	w/B&S 16, 18 & 25 h.p. Vanguard (V-Twin)	XST3926	3926	.030
w/Kohler 20 & 25 h.p. (V-Twin)	XST3924	3924	.030	w/B&S 18, 20 & 22 h.p. Intek V-Twin .	XST3926	3926	.030
ALL SEASONS EQUIPMENT				w/B&S 20 & 22 h.p. OHV (V-Twin) ...			
Sweepers				XST3924 3924 .030			
w/Honda 5.5 & 9 h.p. OHV	XST4265	4265 ⁸²⁴⁸	.030	w/B&S 18, 23, 24 & 26 h.p. ELS OHV (V-Twin)	XST3924	3924	.030
ALPINA				w/Clinton Engs. ---- 216 .025			
Brushcutters & Trimmers				w/Kawasaki 5 & 6 h.p. OHV XST4265 4265 ⁸²⁴⁸ .030			
VIP21, 25, 30, 34, 34D	XST2974	2974	.030	w/Kawasaki 19 h.p. KAI (V-Twin)	XST2976	2976	.025
VIP34F, 42, 42D, 42F, 52	XST2974	2974	.030	w/Kawasaki 16, 22, 24, 26 & 27 h.p. OHV (V-Twin)	XST4265	4265 ⁸²⁴⁸	.030
VIP52D, 52F, 56T, 66T	XST2974	2974	.030	w/Kohler 8 h.p.	XST458	458	.030
Hedge Trimmers, Sickle Bars & Tillers				w/Kohler 15, 17, 18, 19 & 20 h.p. Courage XST3924 3924 .030			
Elite 402	XST458	295	.030	w/Kohler 15, 17, 18, 19 & 20 h.p. Courage	XST3924	3924	.030
550.K, 550.M	XST2974	2974	.030	w/Kohler 20, 22, 23 & 25 h.p. Courage (V-Twin)	XST3924	3924	.030
AMERICAN				w/Kohler 16 & 17 h.p. (Twin) XP26 ⁸²⁵⁰ 26 .025			
Garden Tractors				w/Kohler 18 & 20 h.p. (Twin) XP26 ⁸²⁵⁰ 26 .025			
General	XST254	303	.025	w/Kohler 19, 20, 21, 22, 23 & 25 h.p. (V-Twin)	XST3924	3924	.040
AMERIND-MACKISSIC				w/other Kohler K-Series & Magnum Engs. ---- 216 .030			
Blowers, Sprayers, Sweepers & Tillers				w/Lauson Engs. XST458 295 .020			
All Models	XST255	255	.030				
Log Splitters	XST458	295	.030				



Se Section 9 pour les remarques en français en bas de page. Ver Seccion 9 para las páginas de notas de pie de página en español. ⁸²⁴⁸ Tapered electrode design ⁸²⁵⁰ Xtreme Performance

Small Engine - Lawn & Garden Equipment

	XTREME START™	STANDARD STANDARD ESTANDAR	GAP ENCARTMENT ESPACIO		XTREME START™	STANDARD STANDARD ESTANDAR	GAP ENCARTMENT ESPACIO
ARIENS (Cont'd) Blowers, Edgers, Log Splitters, Mowers, Tillers, Tractors, Trimmers & Vacuums (Cont'd)				ATOM Edgers & Tillers			
w/Mitsubishi Encls.	XST2974	2974	.025	w/Red Max 34cc Encls.	XST2974	2974	.030
w/Robin 6 h.p. OHV	AP425 ⁸²⁴⁹	2656	.030	w/Ryobi Encls.	XST2974	2974	.030
w/Robin 6 h.p. OHC	XS4093 ⁸²⁵²	4093 ⁸²⁴⁸	.025	ATWATER-STRONG Lawn Sweepers & Blowers			
w/Robin 13.5 h.p. OHV	XS63 ⁸²⁵²	4263	.025	w/B&S 5, 8 & 16 h.p.	XST458	458	.030
w/Tec. Side Valve Encls.	XST458	458	.030	w/B&S 9 h.p. Vanguard	XST3924	3924	.030
w/Tec. 13, 16 & 16.5 h.p. OHV	XST4055	4055 ⁸²⁴⁸	.030	w/Kohler 8 & 14 h.p.	----	216	.030
w/Wisc. Encls.	----	386	.030	w/Tec. Encls.	XST458	458	.030
BC350, BC400, BC460, LT210, LT210e	XST2974	2974	.025	w/Wisc. S-8 Encls.	----	386	.030
LE500, TB220, TB220e, TB260	XST2974	2974	.025	AUGER MASTER Augers			
ST522, ST622	XST458	458	.030	w/Honda 18 h.p. (V-Twin)	XST4265	4265 ⁸²⁴⁸	.030
Power Brush				AUTO-AUGER Earth Drill			
PB28 w/Robin 6 h.p. OHC	XS4093 ⁸²⁵²	4093 ⁸²⁴⁸	.025	w/Tec. 3 h.p.	XST458	458	.030
PB36 w/Robin 9 h.p. OHC	XS4093 ⁸²⁵²	4093 ⁸²⁴⁸	.025	AUTO-HOE Tillers			
936PB w/Tec. 9 h.p. OHV	XST4055	4055 ⁸²⁴⁸	.030	w/B&S Encls.	XST458	458	.030
ARMADILLO Debris Haulers, Sweepers & Vacuums				w/Kohler 4 h.p.	XST458	458	.030
SW[9]XT w/112 cid Toyota Encls.	AP66 ⁸²⁴⁹	66	.030	w/Lauson Encls.	XST458	295	.030
ARTICULATOR Articulating Mowers				w/Wisc. Encls.	----	3076	.025
w/B&S 35 h.p. (V-Twin)	XST3924	3924	.030	AUTO HOME			
w/Generac 26 & 32 h.p. OHV (V-Twin)	XST3926	3926	.030	34, 35, 36	XST255	255	.025
w/Kawasaki 29 h.p. (Liquid V-Twin) DFI	XST2976	2976	.025	36-C	XST458	456	.025
w/Kohler 22, 25, 26, 27 & 28 h.p. (V-Twin)	XST3924	3924	.030	BACHTOLD BROS. Hi-Wheel Weed/Brush Cutters, Log Splitters & Tillers			
ASPLUNDH				w/B&S "L" Head Encls.	XST458	458	.030
Model JEX w/Ford 172 cid Encls.	----	216	.030	w/B&S 6 & 8 h.p. Intek OHV	XST3924	3924	.030
Model JFX w/Ford 330 cid Encls.	AP124 ⁸²⁴⁹	124	.030	w/Honda 5, 5.5, 8 & 9 h.p. OHV	XST4265	4265 ⁸²⁴⁸	.030
Model JFZ w/Ford 300 cid Encls.	AP124 ⁸²⁴⁹	124	.030	w/Kohler 8 h.p. OHV	XST458	458	.030
ASTRON Blowers				w/Wisc. 7 & 8 h.p.	----	386	.025
KB-22	XST258	258	.030	Log Splitters			
KB-55, KB-80, KB-602	XST458	295	.030	w/B&S "L" Head Encls.	XST458	458	.030
Brushcutters				w/Honda 5.5 & 8 h.p. OHV	XST4265	4265 ⁸²⁴⁸	.030
HT767, HT838	XST255	255	.030	BAD BOY Riding Mowers			
KFS4-12AD, KSF4-22, KFS4-24DX, KFS4T-25, KFS4T-25G	XST255	255	.030	w/B&S 21 h.p. Intek OHV	XST3924	3924	.030
PK2500F, PK2860G, PK3330G	XST255	255	.030	w/B&S 25 & 26 h.p. V-Twin Intek	XST3924	3924	.030
PS35302	XST2974	2974	.030	w/B&S 23, 24, 26, 27, 31, 32 & 35 h.p. Vanguard (V-Twin)	XST3924	3924	.030
Pro 750E, Super 100, 150	XST255	255	.030	w/B&S 26 h.p. Vanguard ELS (V- Twin)	XST3924	3924	.030
Super 160, 200, 250, S160ED, S256E	XST255	255	.030	w/B&S 26 h.p. Professional Series (V-Twin)	XST3924	3924	.030
Hedge Trimmers				w/B&S 27, 31, 32 & 35 h.p. Vanguard (Liquid Cooled)	XST3924	3924	.030
E-202, E-203, E-203D, HT-470, HT- 766, HT-767T, HT-830	XST255	255	.030	w/B&S 32 h.p. Vanguard (V-Twin) LPG	XST3924	3924	.020
Replacement Engines				w/Kawasaki 26 h.p. (Liquid V-Twin) .	XST4265	4265 ⁸²⁴⁸	.025
AS-110	AP425 ⁸²⁴⁹	425	.030	w/Kawasaki 27 h.p. (Liquid V-Twin) .	AP66 ⁸²⁴⁹	66	.025
ATLAS Edger/Trimmers, Riding Mowers, Shredders & Tillers				w/Kawasaki 29 h.p. (Liquid V-Twin) DFI	XST4265	4265 ⁸²⁴⁸	.025
w/B&S Encls.	XST458	458	.030	w/Kawasaki 31 h.p. (V-Twin)	XST4265	4265 ⁸²⁴⁸	.025
w/Lauson Encls.	XST458	295	.030	w/Kohler 26 h.p. (Liquid V-Twin)	XST3926	3926	.040
w/Tec. 1.6 h.p.	XST2976	2976	.030				



Se Section 9 pour les remarques en français en bas de page. Ver Seccion 9 para las páginas de notas de pie de página en español. ⁸²⁴⁸ Tapered electrode design ⁸²⁴⁹ Single Platinum ⁸²⁵² Xtreme Sport

Small Engine - Lawn & Garden Equipment

	XTREME START™	STANDARD STANDARD ESTANDAR	GAP ENCARTMENT ESPACIO		XTREME START™	STANDARD STANDARD ESTANDAR	GAP ENCARTMENT ESPACIO
BAD BOY (Cont'd)				BCS AMERICA (Cont'd)			
Riding Mowers (Cont'd)				Chipper/Shredders, Mowers, Sickle Bars, Tillers & Tractors (Cont'd)			
w/Kohler 27 & 30 h.p. (V-Twin)	XST3924	3924	.030	718 w/Honda 6.5 h.p. OHV	XST4265	4265 ⁸²⁴⁸	.030
w/Kohler Courage 27 h.p. (V-Twin)	XST3924	3924	.030	722 w/Honda 8 h.p. OHV	XST4265	4265 ⁸²⁴⁸	.030
BADGER				730 w/B&S 9 h.p. Vanguard			
Earth Augers				730 w/Kohler 8.5 h.p. OHV			
Models 80 & 81	XST2974	2974	.030	732 w/Honda 11 h.p. OHV	XST4265	4265 ⁸²⁴⁸	.030
Tillers				737 w/B&S Vanguard Eng.			
w/B&S 4 & 5.5 h.p.	XST458	458	.030	830 & 850 w/B&S 12.5 & 14 h.p. Vanguard (V-Twin)	XST3926	3926	.030
w/Tec. 5.5 h.p. OHV	XST4055	4055 ⁸²⁴⁸	.030	830 & 850 w/B&S 9 h.p. Vanguard	XST3924	3924	.030
BAKER				830 & 850 w/Kohler 8 h.p.			
Chipper/Shredders & Mulchers				830 w/Kohler 8.5 h.p. OHV			
w/B&S Eng.	XST458	458	.030	850 w/Kohler 12 h.p. OHV	XST3924	3924	.030
w/Kohler 20 h.p. (Twin)	XP26 ⁸²⁵⁰	26	.025	852, 853 & 948 w/Honda 13 h.p. OHV	XST4265	4265 ⁸²⁴⁸	.030
w/Kohler 23 h.p. (V-Twin)	----	216	.030	945 w/Kohler 14 h.p.	----	216	.030
w/Tec. 5.5 h.p. OHV	XST4055	4055 ⁸²⁴⁸	.030	946 w/B&S 14 h.p. Vanguard	XST3924	3924	.030
w/Tec. 8 & 10 h.p.	XST458	458	.030	BIO 80, BIO 100	XST458	458	.030
BANDIT				Crusader 705, Gardner 710			
Chippers				Gardner Plus 716, Harvester			
w/Ford LSG-423 (140 cid)	XP104 ⁸²⁵⁰	104	.035	Harvester Plus, Hercules 945	----	216	.030
w/Ford CSG-649 (300 cid)	AP124 ⁸²⁴⁹	124	.030	w/Acme Motori 6, 8, 10 & 16 h.p.	AP425 ⁸²⁴⁹	425	.030
w/Herc. G-1600 & G-2300	XST254	303	.025	w/B&S "L" Head Eng.	XST458	458	.030
w/Honda 20 h.p. (V-Twin)	XST4265	4265 ⁸²⁴⁸	.030	w/B&S 5.5 & 6.5 h.p. Intek OHV	XST3924	3924	.030
w/Kohler 20 h.p. (Twin)	XP26 ⁸²⁵⁰	26	.025	w/B&S 9 h.p. Vanguard	XST3924	3924	.030
w/Kohler 23 h.p. (V-Twin)	----	216	.030	w/B&S 12.5 & 14 h.p. Vanguard (V-Twin)	XST3926	3926	.030
w/Kohler 25 h.p. (V-Twin)	XST3924	3924	.030	w/Honda 5.5, 6.5, 8, 11 & 13 h.p. OHV	XST4265	4265 ⁸²⁴⁸	.030
w/Onan 20 & 24 h.p. (Twin)	AP106 ⁸²⁴⁹	106	.025	w/Kohler 8, 10, 14 & 16 h.p.	----	216	.030
w/Wisc. VH4DI 30 h.p.	----	386	.030	w/Kohler 8.5 h.p. Command Pro CS OHV	XST4265	4265 ⁸²⁴⁸	.040
w/Wisc. VG4D 37 h.p.	----	386	.030	BEACHY			
BANTAM				Garden Tractors			
All Models	XST458	456	.025	All Models	XST458	456	.025
BARK BUSTER				BEAIRD-POULAN			
Log Splitters				Blowers 940, 960			
w/B&S Eng.	XST458	458	.030	Blower 1500	XST254	303	.030
BARKER INDUSTRIES				Line Trimmers 770, 800, 900			
w/Chry. 50006, 50010	XST255	255	.030	Line Trimmers 2600, 2610, 2620 (350cc)	XST258	258	.025
BARRETO				Logsplitters 19-7, 26-10, 26-10R			
Log Splitters, Tillers & Trenchers				BEAMAN			
w/B&S 6, 9 & 16 h.p. Vanguard	XST3924	3924	.030	Garden Tractors			
w/Honda 5.5, 9 & 13 h.p.	XST4265	4265 ⁸²⁴⁸	.030	w/18mm Heads	----	386	.025
w/Honda 18 h.p. (V-Twin)	XST4265	4265 ⁸²⁴⁸	.030	w/7/8"-18 Heads	----	3076	.025
w/Kohler 23 h.p. (V-Twin)	XST3924	3924	.030	w/1/2"-14 Pipe Heads	----	3095	.030
w/Robin 6 h.p. OHV	----	4123 ⁸²⁴⁸	.025	BEAR CAT			
w/Robin 9 h.p. OHC	XS4093 ⁸²⁵²	4093 ⁸²⁴⁸	.025	Chippers, Loaders, Shredders, Stump Grinders, Tractors, Trimmers & Vacuums			
w/Robin 9 & 13 h.p. OHV	XS63 ⁸²⁵²	4263	.025	w/B&S "L" Head Eng.	XST458	458	.030
BCS AMERICA				w/B&S 5.5, 6 & 8 h.p. Intek OHV			
Chipper/Shredders, Mowers, Sickle Bars, Tillers & Tractors				w/B&S 11 & 12 h.p. OHV			
201, 203, 205, 602	AP425 ⁸²⁴⁹	425	.030	w/B&S 35 h.p. (V-Twin)	XST3926	3926	.030
604, 605, 725, 735	AP425 ⁸²⁴⁹	425	.030	w/Ford 1.1 & 1.3 liter Eng.	XP103 ⁸²⁵⁰	103	.035
710, 712 w/Honda 5.5 h.p. OHV	XST4265	4265 ⁸²⁴⁸	.030	w/Honda 5, 5.5, 8, 11 & 13 h.p. OHV	XST4265	4265 ⁸²⁴⁸	.030
710, 716 w/B&S Intek OHV	XST3924	3924	.030	w/Honda 5.5 h.p. OHC	XST4265	4265 ⁸²⁴⁸	.030
710, 716, 720 w/B&S "L" Head Eng.	XST458	458	.030	w/Honda 20 & 24 h.p. (V-Twin)	XST4265	4265 ⁸²⁴⁸	.030
715, 730, 737, 745 w/Kohler Eng.	----	216	.030	w/Kawasaki 6 h.p. OHV	XST4265	4265 ⁸²⁴⁸	.030



Se Section 9 pour les remarques en français en bas de page. Ver Section 9 para las páginas de notas de pie de página en español. ⁸²⁴⁸ Tapered electrode design ⁸²⁴⁹ Single Platinum ⁸²⁵⁰ Xtreme Performance ⁸²⁵² Xtreme Sport

Small Engine - Lawn & Garden Equipment

	XTREME START™	STANDARD STANDARD ESTANDAR	GAP ENCARTMENT ESPACIO		XTREME START™	STANDARD STANDARD ESTANDAR	GAP ENCARTMENT ESPACIO
BEAR CAT (Cont'd) Chippers, Loaders, Shredders, Stump Grinders, Tractors, Trimmers & Vacuums (Cont'd)				BERCO ATV Log Loaders			
w/Kohler 14 h.p. OHV	XST3924	3924	.040	w/Kohler 6 h.p. OHV	XST3924	3924	.040
w/Kohler 20 & 25 h.p. (V-Twin)	XST3924	3924	.030	BETTER			
w/Tec. 8 h.p.	XST458	295	.030	Mowers			
w/Wisc. 35 h.p.	----	386	.025	w/B&S 11.5 h.p. OHV	XST3924	3924	.030
18mm Heads	----	386	.025	w/B&S 13, 13.5 & 14.5 h.p. Intek OHV	XST3924	3924	.030
7/8"-18 Heads	----	3076	.025	w/B&S 16 h.p. ELS Eng. s.	XST3924	3924	.030
1/2"-14 Pipe Heads	----	3095	.030	w/B&S 16 h.p. Vanguard (V-Twin)	XST3926	3926	.030
Trimmers				w/Kawasaki 15 & 16 h.p. KAI (V-Twin)	XST2976	2976	.025
w/B&S 3.75, 4, 5 & 6 h.p.	XST458	458	.030	w/Kohler 16 h.p. Courage DOHC	XST3924	3924	.030
w/Honda 5 h.p. OHV	XST4265	4265 ⁸²⁴⁸	.030	BFB			
w/Honda 5.5 h.p. OHC	XST4265	4265 ⁸²⁴⁸	.030	Riding Mowers			
BEAVER Garden Tractors				w/B&S 12.5 & 15.5 h.p. OHV	XST3924	3924	.040
All Models	----	386	.025	w/B&S 16, 18 & 20 h.p. Vanguard (V-Twin)	XST3926	3926	.030
BEAZLEY Mowers				BIG 'C' (See Magna)			
14mm Heads	XST458	295	.025	BIG DOG MOWERS			
18mm Heads	----	386	.025	Riding Mowers			
BED EDGER Edgers				w/B&S 17.5 & 21 h.p. Intek OHV	XST3924	3924	.030
w/Honda 6.5, 8 & 9 h.p. OHV	XST4265	4265 ⁸²⁴⁸	.030	w/B&S 26 h.p. ELS OHV (V-Twin)	XST3924	3924	.030
BED SHAPER				w/Kawasaki 24 & 26 h.p. (V-Twin)	XST4265	4265 ⁸²⁴⁸	.030
w/B&S 10.5 h.p.	XST458	458	.030	w/Kohler 22 & 24 h.p. (V-Twin) Courage	XST3924	3924	.030
w/Honda 13 h.p. OHV	XST4265	4265 ⁸²⁴⁸	.030	w/Kohler 25 & 27 h.p. (V-Twin) Command	XST3924	3924	.030
w/Kawasaki 9 & 14 h.p. OHV	XST4265	4265 ⁸²⁴⁸	.030	BIG-GIANT			
BEELINE MOWERS Riding Mowers				Log Splitters			
w/Kohler 25, 27 & 28 h.p. (V-Twin) Command	XST3924	3924	.040	w/B&S 5, 8, 10 & 11 h.p.	XST458	458	.030
BEE LINE Stump Grinders				w/Kohler 8 h.p. (K181)	XST458	458	.030
w/B&S 13 h.p. Vanguard OHV	XST3924	3924	.030	w/Kohler 10, 14 & 16 h.p.	----	216	.030
w/B&S 20 h.p. Vanguard (V-Twin)	XST3926	3926	.030	BIG-PRO			
w/Kohler 12 h.p. OHV Command Pro CS	XST4265	4265 ⁸²⁴⁸	.040	Riding Mowers			
w/Kohler 20 & 25 h.p. (V-Twin) Command Pro	XST3924	3924	.040	w/Kohler 18 & 20 h.p. (Twin)	XP26 ⁸²⁵⁰	26	.025
w/Kohler 20 & 25 h.p. (V-Twin)	XST3924	3924	.030	BIG SNAPPER			
w/Honda 14 h.p. OHV	XST4265	4265 ⁸²⁴⁸	.030	Mowers			
w/Honda 20 & 24 h.p. (V-Twin)	XST4265	4265 ⁸²⁴⁸	.030	All Models	----	386	.030
BEFCO Rear Deck Mowers				BIG WHEEL			
w/B&S 10.5 h.p.	XST458	458	.030	w/B&S Eng. s.	XST458	458	.030
w/Kohler 8 h.p.	----	216	.030	BILLY GOAT			
BE PRESSURE SUPPLY Drain Cleaners				Aerators, Blowers, Brush Cutters, Hedge Trimmers, Mowers, Overseeders, Power Rakes, Shredders, Sloters, Sod Cutters, Vacuums & Wire Brushes			
w/Honda 11 & 13 h.p. OHV	XST4265	4265 ⁸²⁴⁸	.030	KS410 Blower	XST254	254	.025
w/Honda 24 h.p. (V-Twin)	XST4265	4265 ⁸²⁴⁸	.030	w/B&S 3.5, 4, 5, 5.5, 8, 8.5, 10.5 & 11 h.p.	XST458	458	.030
BE PRESSURE SUPPLY Drain Cleaners				w/B&S 5.5, 6, 6.5, 10, 12.5 & 13 h.p. Intek OHV	XST3924	3924	.030
w/Honda 11 & 13 h.p. OHV	XST4265	4265 ⁸²⁴⁸	.030	w/B&S 5.5 h.p. OHV Vanguard	XST3924	3924	.020
w/Honda 24 h.p. (V-Twin)	XST4265	4265 ⁸²⁴⁸	.030	w/B&S 16, 18 & 20 h.p. Vanguard (V-Twin)	XST3926	3926	.030



Se Section 9 pour les remarques en français en bas de page. Ver Seccion 9 para las páginas de notas de pie de página en español. ⁸²⁴⁸ Tapered electrode design ⁸²⁵⁰ Xtreme Performance

Small Engine - Lawn & Garden Equipment

	XTREME START™	STANDARD STANDARD ESTANDAR	GAP ÉNCARTMENT ESPACIO		XTREME START™	STANDARD STANDARD ESTANDAR	GAP ÉNCARTMENT ESPACIO
BILLY GOAT (Cont'd) Aerators, Blowers, Brush Cutters, Hedge Trimmers, Mowers, Overseeders, Power Rakes, Shredders, Slotters, Sod Cutters, Vacuums & Wire Brushes (Cont'd)				BOBCAT Mowers			
w/Honda 4, 5, 5.5, 6.5, 8, 9, 11 & 13 h.p. OHV	XST4265	4265 ⁸²⁴⁸	.030	w/B&S 3, 3.5 & 5 h.p.	XST458	458	.030
w/Kawasaki 7.5 h.p.	----	275	.030	w/B&S 6.5 & 12.5 h.p. Intek OHV	XST3924	3924	.030
w/Kohler Engs.	XST458	458	.030	w/B&S 7, 10, 11 & 12 h.p.	XST458	458	.030
w/Kohler 16 h.p.	----	216	.030	w/B&S 5.5 & 6 h.p. Vanguard	XST3924	3924	.030
w/Kohler 23 h.p. (V-Twin)	XST3924	3924	.040	w/B&S 13.5 h.p. Intek OHV	XST3924	3924	.030
w/LCT 13 h.p.	XS63 ⁸²⁵²	4263	.030	w/B&S 15 h.p. ELS OHV	XST3924	3924	.030
w/Robin 6 h.p. OHC	XS4093 ⁸²⁵²	4093 ⁸²⁴⁸	.025	w/B&S 16, 21 & 23 h.p. Vanguard (V-Twin)	XST3926	3926	.030
w/Robin 9 h.p. OHV	XS63 ⁸²⁵²	4263	.025	w/B&S 18, 20, 21 & 25 h.p. Intek (V-Twin)	XST3924	3924	.030
w/Robin 25 h.p. (V-Twin)	XS63 ⁸²⁵²	4263	.025	w/B&S 17.5 h.p. ELS OHV	XST3924	3924	.030
w/Tec. 5.5 h.p.	XST458	458	.030	w/B&S 22 & 26 h.p. ELS (V-Twin)	XST3924	3924	.030
BLACK HAWK Garden Tractors				Utility Vehicles			
All Models	----	386	.025	w/B&S 31 h.p. Vanguard (Liquid Cooled)	XST3924	3924	.030
BLACK ROCK Blowers & Mowers				w/Cushman 327 33 h.p.			
w/B&S 8 & 11 h.p.	XST458	458	.030	w/Generac 26 & 33 h.p. OHV (V-Twin)	XST3926	3926	.030
w/B&S 12.5 h.p. Vanguard	XST3924	3924	.030	w/Generac 30 h.p. OHV (V-Twin) LPG	XST3926	3926	.020
w/Kawasaki 2.4 h.p.	XST255	255	.030	w/Honda 4, 5.5 & 8 h.p. OHV	XST4265	4265 ⁸²⁴⁸	.030
w/Kawasaki 14 h.p. OHV	XST4265	4265 ⁸²⁴⁸	.030	w/Honda 20 h.p. (V-Twin)	XST4265	4265 ⁸²⁴⁸	.030
w/Kawasaki 17 h.p. (V-Twin)	XST4265	4265 ⁸²⁴⁸	.030	w/Kawasaki 7 h.p.	XST458	295	.030
w/Kohler 22 h.p. (V-Twin)	XST3924	3924	.030	w/Kawasaki 8, 13 & 14 h.p. OHV	XST4265	4265 ⁸²⁴⁸	.030
BLEC Seeders				w/Kawasaki 13.5, 15, 17 & 18 h.p. (V-Twin)			
w/Honda 5.5 h.p. OHV	XST4265	4265 ⁸²⁴⁸	.030	w/Kawasaki 15, 17 & 19 h.p. KAI (V-Twin)	XST2976	2976	.030
BLOWMITE Blower/Sprayer/Duster				w/Kawasaki 16, 18, 19, 21, 20, 22, 23, 24, 25, 26, 27 & 29 h.p. (V-Twin)			
	XST254	303	.030	w/Kawasaki 34 & 37 h.p. (V-Twin)	XP64 ⁸²⁵⁰	64	.030
BLUE BIRD Lawn Aerators, Chipper/Shredders, Combers, Seeders, Sod Cutters, Stump Grinders & Vacuums				w/Kohler 8 & 12 h.p.			
w/B&S 3, 3.5, 5, 7 & 8 h.p.	XST458	458	.030	w/Kohler 11, 14 & 15 h.p. OHV	XST3924	3924	.040
w/B&S 5.5 h.p. Intek OHV	XST3924	3924	.030	w/Kohler 18, 20, 22, 25, 26 & 27 h.p. (V-Twin)	XST3924	3924	.040
w/Honda 4, 5.5, 8, 9 & 11 h.p. OHV	XST4265	4265 ⁸²⁴⁸	.030	w/Kohler 18 h.p. (Twin)	XP26 ⁸²⁵⁰	26	.025
w/Kohler 6 h.p. OHV	XST3924	3924	.030	w/Kohler 23 h.p. (Liquid V-Twin)	XST3926	3926	.040
w/Tec. 3.5 h.p.	XST458	456	.030	w/Kohler 26, 27 & 28 h.p. EFI Command Pro (V-Twin)	XST3924	3924	.040
BLUE BIRD (ITALY) Augers				w/Power Prod. Engs.			
NEA52E	XST2974	2974	.030	w/Tec. 11 & 13 h.p.	XST4055	4055 ⁸²⁴⁸	.030
Brushcutter/Trimmers				w/Wisc. 7 h.p.			
M27, ZM34	XST254	254	.025		----	386	.025
K25, K29, M34	XST255	255	.030	Edgers, Mulchers & Tillers			
M41, ZM47, M54	XST2974	2974	.030	w/B&S "L" Head Engs.	XST458	458	.030
Hedge Trimmers				w/B&S 6 & 15.5 h.p. OHV			
H23E, H27E	XST254	254	.025	w/Lauson Engs.	XST458	295	.030
Riding Mowers				w/Tec. Engs.			
w/B&S 12.5 h.p.	XST458	458	.030	w/B&S "L" Head Engs.	XST458	458	.030
w/B&S 16 h.p. Vanguard (V-Twin)	XST3926	3926	.030	w/B&S 15, 15.5 & 17 h.p. Vanguard OHV	XST3924	3924	.030
Wheelbarrows				w/B&S 20 & 21 h.p. Vanguard (V-Twin)			
w/Honda 5 h.p. OHV	XST4265	4265 ⁸²⁴⁸	.030	w/Kohler 12.5 h.p.	XST458	458	.030
				w/Kohler 16, 18 & 20 h.p.			
				w/Kohler 17 (Twin)			
				w/Kohler 19 & 23 h.p. (Twin)			



Se Section 9 pour les remarques en français en bas de page. Ver Seccion 9 para las páginas de notas de pie de página en español. ⁸²⁴⁸ Tapered electrode design ⁸²⁵⁰ Xtreme Performance ⁸²⁵² Xtreme Sport

Small Engine - Lawn & Garden Equipment

	XTREME START™	STANDARD STANDARD ESTANDAR	GAP ENCARTMENT ESPACIO		XTREME START™	STANDARD STANDARD ESTANDAR	GAP ENCARTMENT ESPACIO
BOLENS (Cont'd)				BROUWER			
Garden Tractors (Cont'd)				Turf Equipment			
w/Onan BF Engs.	----	437	.025	w/Honda 5, 5.5, 11 h.p. OHV	XST4265	4265 ⁸²⁴⁸	.030
w/Tec. 14 & 16 h.p.	XS4093 ⁸²⁵²	4093 ⁸²⁴⁸	.030	w/Kawasaki 1.2 h.p.	XST255	255	.030
All other Tec. Engs.	XST458	458	.030	w/Kohler 15 h.p. OHV	XST3924	3924	.030
w/Wisc. Engs.	----	386	.030	w/Mitsubishi Engs.	XST255	255	.030
Trimmers				BROYHILL			
BL100, BL150, BL250	XST2554	2554	.030	Sprayers	XST255	255	.030
BORDERLINE				BRUSHKING			
Curb Makers, Sod Cutters & Trenchers				Brushcutters & Trimmers			
w/B&S 3.5 h.p.	XST458	458	.030	BK32, BK32LT	XST2976	2976	.030
w/Honda 2.2 & 2.5 h.p.	XST258	258	.030	BK49	XST2974	2974	.030
w/Honda 3 h.p. OHV	----	4194	.030	BK85, BK100	XST458	456	.030
w/Honda 4 h.p. OHV	XST4265	4265 ⁸²⁴⁸	.030	BRUSHMASTER			
BORDER MAGIC				Mowers			
Curb Makers				w/Honda 13 h.p. OHV	XST4265	4265 ⁸²⁴⁸	.030
w/Honda 5.5 h.p.	XST4265	4265 ⁸²⁴⁸	.030	BRUSH OX			
BOXER				Brushcutters			
Power Barrows				w/Honda 13 h.p. OHV	XST4265	4265 ⁸²⁴⁸	.030
w/Honda 5.5 h.p.	XST4265	4265 ⁸²⁴⁸	.030	BRUTE			
Trenchers				Lawn Tractor			
w/Kohler 18 h.p. (V-Twin) Command Pro	XST3924	3924	.040	w/B&S 21 h.p. Intek OHV	XST3924	3924	.030
BRADLEY				BRUTUS POWER ROLLERS			
Garden Tractors, Log Splitters & Mowers				Rollers			
w/B&S "L" Head Engs.	XST458	458	.030	w/B&S 3.5 & 5 h.p.	XST458	458	.030
w/B&S 10.5 h.p. OHV	XST3924	3924	.030	w/B&S 5.5 h.p. Intek OHV	XST3924	3924	.030
w/B&S 18 & 23 h.p. Vanguard (V-Twin)	XST3926	3926	.030	w/Honda 5.5 h.p. OHV	XST4265	4265 ⁸²⁴⁸	.030
w/B&S 6.75 h.p. Intek OHV	XST3924	3924	.030	BUFFALO SONIC			
w/B&S 23 h.p. Intek (V-Twin)	XST3924	3924	.030	Sprayers			
w/Honda 18 h.p. (V-Twin)	XST4265	4265 ⁸²⁴⁸	.030	AP425 ⁸²⁴⁹	425	.030
w/Kawasaki 12.5 h.p. OHV	XST258	258	.025	BUFFALO TURBINE			
w/Kawasaki 26 h.p. (Liquid V-Twin) ..	XST4265	4265 ⁸²⁴⁸	.025	Debris Blowers			
w/Kohler 13 & 15 h.p. Command Pro ..	XST3924	3924	.040	w/Honda 20 h.p. (V-Twin)	XST4265	4265 ⁸²⁴⁸	.030
w/Kohler 15 & 18 h.p. (V-Twin)	XST3924	3924	.040	w/Kohler 4 & 6 h.p. CS OHV	XST4265	4265 ⁸²⁴⁸	.030
BRAID				w/Kohler 20, 23 & 25 h.p. (V-Twin) ..	XST3924	3924	.030
Log Splitters				w/Wisc. 36 h.p.	----	386	.025
w/B&S Engs.	XST458	458	.030	BUICAT			
BRAVE				Garden Tractors			
Blowers, Chippers, Log Splitters & Shredders				All Models	XST458	456	.025
w/B&S 3.75, 5, 5.5 & 8 h.p.	XST458	458	.030	BUILT-RITE			
w/B&S 9 h.p. Vanguard	XST3924	3924	.030	Log Splitters			
w/Honda 5.5 & 8 h.p. OHV	XST4265	4265 ⁸²⁴⁸	.030	w/Honda 18 h.p. (V-Twin)	XST4265	4265 ⁸²⁴⁸	.030
w/Kohler 11 h.p. OHV	XST3924	3924	.040	BUNDY			
w/Tec. 3.5 & 3.8 h.p.	XST458	458	.030	Aer-Eze			
w/Tec. 5.5 h.p. OHV	XST4055	4055 ⁸²⁴⁸	.030	XST255	255	.030
w/Tec. 8 h.p.	XST458	458	.030	BUNTON			
BREADY				Garden Tractors & Rakes			
14mm Heads	XST458	295	.030	w/B&S "L" Head Engs.	XST458	458	.030
18mm Heads	----	386	.030	w/B&S 6.5 h.p. Intek OHV	XST3924	3924	.030
BRINLY-HARDY				w/B&S 6.5 h.p. Intek Pro OHV	XST3924	3924	.030
Tillers	XST458	295	.030				



Se Section 9 pour les remarques en français en bas de page. Ver Sección 9 para las páginas de notas de pie de página en español. ⁸²⁴⁸ Tapered electrode design ⁸²⁴⁹ Single Platinum ⁸²⁵² Xtreme Sport

Small Engine - Lawn & Garden Equipment

	XTREME START™	STANDARD ESTANDAR	GAP ENCARTMENT ESPACIO		XTREME START™	STANDARD ESTANDAR	GAP ENCARTMENT ESPACIO
BUNTON (Cont'd)				BUSH HOG (Cont'd)			
Garden Tractors & Rakes (Cont'd)				Mowers (Cont'd)			
w/B&S 17.5 h.p. ELS OHV	XST3924	3924	.030	w/Kohler 18, 20, 22, 23, 25, 26, 27, 28 & 30 h.p. (V-Twin)	XST3924	3924	.030
w/B&S 18, 20, 21 & 25 h.p. Intek OHV (V-Twin)	XST3924	3924	.030	w/Kohler 20 & 23 h.p. Courage (V-Twin)	XST3924	3924	.030
w/B&S 14, 16, 18 & 20 h.p. Vanguard (V-Twin)	XST3926	3926	.030	w/Kohler 23 h.p. (Liquid V-Twin)	XST3926	3926	.040
w/B&S 31 h.p. Vanguard (Liquid Cooled)	XST3924	3924	.030	w/Tec. Encls.	XST458	458	.030
w/Clinton Encls.	XST258	308	.030	w/Wisc. Encls.	---	386	.030
w/Generac 26 & 33 h.p. OHV (V-Twin)	XST3926	3926	.030	Utility Vehicles			
w/Honda 11 & 13 h.p. OHV	XST4265	4265 ⁸²⁴⁸	.030	w/B&S 16 h.p. Vanguard (V-Twin)	XST3926	3926	.030
w/JLO Encls.	AP425 ⁸²⁴⁹	425	.030	w/Honda 20 & 24 h.p. (V-Twin)	XST4265	4265 ⁸²⁴⁸	.030
w/Kawasaki 12.5 h.p. OHV	XST258	258	.025	BUSY BUZZER			
w/Kawasaki 14 h.p. OHV	XST4265	4265 ⁸²⁴⁸	.030	Fertilizer Spreaders			
w/Kawasaki 14.5 h.p. (Liquid V-Twin)	XST258	258	.030	w/Honda 5.5 h.p. OHV	XST4265	4265 ⁸²⁴⁸	.030
w/Kawasaki 15 & 17 h.p. (V-Twin)	XST2976	2976	.030	BYERS			
w/Kawasaki 18 & 20 h.p. (Liquid V-Twin)	XST258	258	.030	w/B&S 14 & 18 h.p. Vanguard (V-Twin)	XST3926	3926	.030
w/Kawasaki 19, 21, 23 & 25 h.p. (V-Twin)	XST4265	4265 ⁸²⁴⁸	.030	w/Kawasaki 14 h.p. OHV	XST4265	4265 ⁸²⁴⁸	.030
w/Kawasaki 26 h.p. (Liquid V-Twin)	XST4265	4265 ⁸²⁴⁸	.030	w/Kohler 14 h.p. OHV	XST3924	3924	.040
w/Kawasaki 37 h.p. (V-Twin)	XP64 ⁸²⁵⁰	64	.030	w/Kohler 18, 20 & 25 h.p. (V-Twin)	XST3924	3924	.040
w/Kohler 12.5, 14 & 15 h.p. OHV	XST3924	3924	.040	w/Tec. 14 h.p. OHV	XS4093 ⁸²⁵²	4093 ⁸²⁴⁸	.030
w/Kohler 17, 18, 20, 22, 25 & 27 h.p. (V-Twin)	XST3924	3924	.030	BYHO			
w/Kohler 23 h.p. (Liquid V-Twin)	XST3926	3926	.030	Sandtrap & Lawn Edgers			
w/Kohler 26 & 28 h.p. EFI (V-Twin)	XST3924	3924	.030	w/B&S 3.5 h.p.	XST458	458	.030
w/Onan 12.5 & 14 h.p. OHV	---	275	.035	w/Honda 2.5 h.p.	XST258	258	.030
w/Onan 18 & 20 h.p. (Twin)	AP106 ⁸²⁴⁹	106	.030	C & S TURF CARE			
w/Robin Encls.	AP425 ⁸²⁴⁹	425	.025	Aerators, Lawn Tractors, Spraying Equipment & Spreaders			
w/Tec. OHV Encls.	XST4055	4055 ⁸²⁴⁸	.030	w/Honda 2.2 h.p.	XST258	258	.030
w/Tec. Side Valve Encls.	XST458	458	.030	w/B&S 3, 3.5, 5, 5.5 & 8 h.p.	XST458	458	.030
w/Wisc. Encls.	---	386	.025	w/B&S 6.5 & 11.5 h.p. OHV	XST3924	3924	.030
Edgers, Trimmers	XST255	255	.030	w/B&S 9 h.p. Vanguard	XST3924	3924	.030
Trimmers				w/Honda 4, 5, 5.5, 8, 9, 11 & 13 h.p.	XST4265	4265 ⁸²⁴⁸	.030
LBF-18K, LBF-18KT, LBS-24K, LBS-24KT	XST255	255	.030	w/Honda 20 h.p. (V-Twin)	XST4265	4265 ⁸²⁴⁸	.030
LBS-33K, LBS-33KT	XST255	255	.030	w/Kohler 13 & 15 h.p. OHV	XST3924	3924	.040
BURKEEN				w/Kohler 20 h.p. (V-Twin)	XST3924	3924	.030
Trenchers				CAGLE			
w/Honda 13 h.p. OHV	XST4265	4265 ⁸²⁴⁸	.030	Sprayers			
w/Onan 16 h.p. (Twin)	AP106 ⁸²⁴⁹	106	.030	w/B&S Encls.	XST458	458	.030
BURNS (See Gilson)				w/Kohler 8 h.p.	---	216	.025
BUSH HOG				CAJUN CUTTER			
Mowers				Mowers			
w/B&S "L" Head Encls.	XST458	458	.030	w/B&S 6.5, 6.75 & 8 h.p. Intek OHV	XST3924	3924	.030
w/B&S 17, 17.5 & 18 h.p. Intek OHV	XST3924	3924	.030	CAMPBELL-HAUSFELD			
w/B&S 18 h.p. Vanguard (V-Twin)	XST3926	3926	.030	Sprayers			
w/B&S 20 & 22 h.p. ELS (V-Twin)	XST3924	3924	.030	w/B&S Encls.	XST458	458	.030
w/Honda 11 h.p. 2-Cycle	XST2976	2976	.030	CANADIANA (Brute)			
w/Honda 11 & 13 h.p. OHV	XST4265	4265 ⁸²⁴⁸	.030	Garden Tractors & Tillers			
w/Honda 20 h.p. (V-Twin)	XST4265	4265 ⁸²⁴⁸	.030	w/Tec. Encls.	XST458	458	.030
w/Kawasaki 12.5 h.p.	XST255	255	.025	CANYCOM			
w/Kawasaki 14 h.p. OHV	XST4265	4265 ⁸²⁴⁸	.030	Brush Cutters			
w/Kawasaki 21 h.p. (V-Twin)	XST4265	4265 ⁸²⁴⁸	.025	w/Kawasaki 23 hp. (V-Twin)	XST4265	4265 ⁸²⁴⁸	.025
w/Kawasaki 20, 22 & 25 h.p. Horizontal (Liquid V-Twin)	XST258	258	.025				
w/Kawasaki 25 h.p. Vertical (Liquid V-Twin)	XST4265	4265 ⁸²⁴⁸	.025				



Se Section 9 pour les remarques en français en bas de page. Ver Seccion 9 para las páginas de notas de pie de página en español. ⁸²⁴⁸ Tapered electrode design ⁸²⁴⁹ Single Platinum ⁸²⁵⁰ Xtreme Performance ⁸²⁵² Xtreme Sport

Small Engine - Lawn & Garden Equipment

	XTREME START™	STANDARD STANDARD ESTANDAR	GAP ENCARTMENT ESPACIO		XTREME START™	STANDARD STANDARD ESTANDAR	GAP ENCARTMENT ESPACIO
CANYCOM (Cont'd)				CENTAUR			
Concrete Buggys				Garden Tractors			
w/Robin 22 h.p. (V-twin)	XST4265	4265 ⁸²⁴⁸	.025	18mm Heads	----	386	.025
Riding Mowers				7/8"-18 Heads			
w/B&S 18 & 21 h.p. Vanguard (V-Twin)	XST3926	3926	.030				
Rubber Tracked Carriers				CENTRAL HYDRAULICS			
w/Mitsubishi 4 & 6 h.p.	XST255	255	.030	Log Splitters			
				w/B&S 5 h.p.			
				w/Honda 5.5 h.p.			
				XST458 458 .030			
				XST4265 4265 ⁸²⁴⁸ .030			
CARLSON				CENTRAL PARK			
Earth Drills & Trenchers				Riding Mowers			
w/B&S 5 h.p.	XST458	458	.030	w/B&S Engs.	XST458	458	.030
w/Honda 5.5 h.p.	XST4265	4265 ⁸²⁴⁸	.030	w/B&S Vanguard (V-Twin)	XST3926	3926	.030
w/Robin 4.5 h.p.	----	275	.025				
CARMEC				CHAIN-TRED			
Chipper/Shredders, Log Splitters & Mowers				Garden Tractors			
w/B&S 3.5, 5 & 8 h.p.	XST458	458	.030	14mm Heads	XST458	295	.025
w/B&S 5.5 h.p. Vanguard	XST3924	3924	.030	18mm Heads	----	386	.025
w/B&S 18 h.p. Vanguard (V-Twin) ...	XST3926	3926	.030				
w/Koppl GS200 Engs.	XST4265	4265 ⁸²⁴⁸	.030	CHALLENGE			
Brushcutter/Trimmers				1/2"-14 Pipe Heads			
M27	XST254	254	.025	----			
M34, ZM41, M45, M47	XST255	255	.030	3095 .025			
M41	XST2974	2974	.030	CHARLES (See Ditch Witch)			
Hedge Trimmers				CHARTERHOUSE			
H27E	XST254	254	.025	Aerators & Scarifiers			
				w/Honda 5.5 h.p. OHV			
				XST4265 4265 ⁸²⁴⁸ .030			
CAROLINA				CHEMICAL CONTAINERS			
Tillers & Plows				Sprayers			
w/B&S Engs.	XST458	458	.030	w/Honda 5.5, 8 & 13 h.p. OHV	XST4265	4265 ⁸²⁴⁸	.030
w/Clinton Engs.	XST458	295	.030	w/Honda 18 h.p. (V-Twin)	XST4265	4265 ⁸²⁴⁸	.030
CARTER				CHIP-IT			
Row Buster	XST255	255	.030	Chippers & Stump Grinders			
CARRAROSPRAY				w/Kohler 12 h.p.			
Sprayers				w/Kohler 18 h.p. (Twin)			
w/B&S 9 h.p. Vanguard	XST3924	3924	.030	----			
				XP26 ⁸²⁵⁰ 26 .030			
CASE				CHIPPIT			
Turf Equipment				800G, Chippit II			
w/B&S Engs.	XST458	458	.030	XST458 458 .030			
w/Kohler 7 h.p.	XST458	458	.030	CHOREMASTER (See Magna)			
w/Kohler 10, 12 & 14 h.p.	----	216	.030	Garden Tractors			
w/Onan 16 & 18 h.p. (Twin)	AP106 ⁸²⁴⁹	106	.025	Tillers			
w/Onan B48M Engs.	----	437	.025	XST458 295 .030			
w/Onan BF, B43M	----	437	.025	XST458 458 .030			
w/Onan CCKA Engs.	----	216	.030				
w/Onan NHC Engs.	AP404 ⁸²⁴⁹	404	.030	CHUCK WAGON			
w/Tec. 7, 10 & 12 h.p.	XST458	458	.030	Utility Vehicles			
				w/Honda 11 h.p. OHV			
				XST4265 4265 ⁸²⁴⁸ .030			
CASTEL GARDEN				CLARK			
Riding Mowers				830, 850, 855 Tillers			
w/B&S 12.5, 15 & 16 h.p.	XST458	458	.030	XST255 255 .030			
w/B&S 16 & 18 h.p. Vanguard (V-Twin)	XST3926	3926	.030	CLARKE			
				Log Splitters			
				w/B&S 3.75 & 4 h.p.			
				XST458 458 .030			
C-B TOOL CO.							
w/Chry. 50006, 50010	XST255	255	.025				



Se Section 9 pour les remarques en français en bas de page. Ver Sección 9 para las páginas de notas de pie de página en español. ⁸²⁴⁸ Tapered electrode design ⁸²⁴⁹ Single Platinum ⁸²⁵⁰ Xtreme Performance

Small Engine - Lawn & Garden Equipment

	XTREME START™	STANDARD STANDARD ESTANDAR	GAP ENCARTMENT ESPACIO		XTREME START™	STANDARD STANDARD ESTANDAR	GAP ENCARTMENT ESPACIO
CLARKE DELCO				CLIPPER CHIPPER			
Litter Vacs				Beaver w/Wisc. Engs. --- 386 .030			
w/Tec. 6 h.p.	XST458	458	.030	Chipmunk w/B&S Engs.	XST458	458	.030
Sweepers				CLIPPER ELITE			
w/Tec. 4 & 6 h.p.	XST458	458	.030	Mowers			
CLASSEN				w/Kohler 20 h.p. (V-Twin) XST3924 3924 .030			
Aerators				w/Kubota 24.5 h.p. XST3924 3924 .030			
CA-18 w/B&S 3.5 h.p.	XST458	458	.030	CLUB CAR			
CA-18 w/Honda 4 h.p. OHV	XST4265	4265 ⁸²⁴⁸	.030	Utility Vehicles			
SA-25 w/Honda 13 h.p. OHV	XST4265	4265 ⁸²⁴⁸	.030	w/B&S 14 h.p. Vanguard (V-Twin) ...	XST3924	3924	.030
TA-15 w/B&S 3.5 h.p.	XST458	458	.030	w/Kawasaki 8.2 h.p. (2-Cycle)	AP425 ⁸²⁴⁹	425	.030
TA-15 w/Honda 4 h.p. OHV	XST4265	4265 ⁸²⁴⁸	.030	w/Kawasaki 9, 9.5, 11, 11.5 & 13 h.p.			
TA-17D w/Honda 4 h.p. OHV	XST4265	4265 ⁸²⁴⁸	.030	OHV	XST4265	4265 ⁸²⁴⁸	.030
TA-19, TA-19D w/Honda 4 h.p. OHV .	XST4265	4265 ⁸²⁴⁸	.030	w/Kawasaki 23 h.p. (V-Twin)	XST4265	4265 ⁸²⁴⁸	.030
TA-25D w/Honda 4 h.p. OHV	XST4265	4265 ⁸²⁴⁸	.030	CO-OP			
TA-26, TA-26D w/Honda 4 h.p. OHV .	XST4265	4265 ⁸²⁴⁸	.030	w/B&S Engs.	XST458	458	.030
TS-20 w/B&S 5 h.p.	XST458	458	.030	COATES			
TS-20 w/Honda 5.5 h.p. OHV	XST4265	4265 ⁸²⁴⁸	.030	Little Giant XST458 295 .030			
Seeders				COLDWELL			
DS-20 w/Honda 5 h.p. OHV	XS63 ⁸²⁵²	4263 ⁸²⁴⁸	.030	w/B&S Engs.	XST458	458	.030
DS-20 w/Honda 8 h.p. OHV	XST4265	4265 ⁸²⁴⁸	.030	w/Clinton Engs.	XST458	295	.025
RS-36 w/Honda 5.5 h.p. OHV	XST4265	4265 ⁸²⁴⁸	.030	7/8"-18 Heads	---	3076	.025
TS-20 w/B&S 5.5 h.p. Intek OHV	XST3924	3924	.030	1/2"-14 Pipe Heads	---	3095	.025
TS-20B, TS-20H w/B&S 5.5 h.p. Intek				COLEMAN			
OHV	XST3924	3924	.030	Garden Plows			
TS-20B, TS-20H w/ Honda 5.5 & 8				w/B&S 3 h.p.	XST458	458	.030
h.p. OHV	XST4265	4265 ⁸²⁴⁸	.030	COLT			
TSS-20 w/B&S 5.5 h.p. Intek OHV ..	XST3924	3924	.030	w/Kohler 7 h.p.	XST458	458	.025
TSS-20 w/B&S 5.5 h.p. Intek OHV ..	XST4265	4265 ⁸²⁴⁸	.030	w/Kohler 10 & 12 h.p.	---	216	.025
TSS-20B, TSS-20H w/B&S 5.5 h.p.				w/Tec. Engs.	XST458	458	.030
Intek OHV	XST3924	3924	.030	COLUMBIA			
TSS-20B, TSS-20H w/ Honda 5.5 & 8				Shredders, Tillers & Tractors			
h.p. OHV	XST4265	4265 ⁸²⁴⁸	.030	w/B&S Engs.	XST458	458	.030
Sod Cutters				w/Tec. Engs. XST458 456 .030			
SC-12 w/Honda 5.5 & 8 h.p. OHV ...	XST4265	4265 ⁸²⁴⁸	.030	COLUMBIA PARCAR			
SC-18 w/Honda 5.5 & 8 h.p. OHV ...	XST4265	4265 ⁸²⁴⁸	.030	Utility Vehicles			
SC-20 w/Honda 5.5 & 8 h.p. OHV ...	XST4265	4265 ⁸²⁴⁸	.030	w/B&S "L" Head Engs.	XST458	458	.030
SC-24 w/Honda 5.5 & 8 h.p. OHV ...	XST4265	4265 ⁸²⁴⁸	.030	w/B&S 9 & 13 h.p. Vanguard	XST3924	3924	.030
SCH-12 w/Honda 5.5 h.p. OHV	XST4265	4265 ⁸²⁴⁸	.030	w/1/2" Reach Heads	---	275	.030
SCH-18 w/Honda 5.5 & 8 h.p. OHV ...	XST4265	4265 ⁸²⁴⁸	.030	COMMERCIAL CLIPPER			
SCHV-18 w/Honda 5.5 h.p. OHV	XST4265	4265 ⁸²⁴⁸	.030	Riding Mowers			
SCH-20 w/Honda 8 h.p. OHV	XST4265	4265 ⁸²⁴⁸	.030	w/Kohler 18 & 20 h.p. (Twin)	XP26 ⁸²⁵⁰	26	.025
SCH-24 w/Honda 8 h.p. OHV	XST4265	4265 ⁸²⁴⁸	.030	w/Kohler 22 & 25 h.p. (V-Twin)	XST3924	3924	.030
Turf Rakes				CONTREE			
TR-20 w/B&S 5.5 h.p. Intek OHV ...	XST3924	3924	.030	Sprayers			
TR-20B w/B&S 5.5 h.p. Intek OHV ..	XST3924	3924	.030	w/B&S "L" Head Engs.	XST458	458	.030
TR-20B w/Honda 5 h.p. OHV	XS63 ⁸²⁵²	4263 ⁸²⁴⁸	.030	w/Honda 5 h.p. OHV	XST4265	4265 ⁸²⁴⁸	.030
TR-20H w/B&S 5.5 h.p. Intek OHV ...	XST3924	3924	.030	w/Other Honda OHV Engs.	XST4265	4265 ⁸²⁴⁸	.030
TR-20H w/Honda 5.5 h.p. OHV	XST4265	4265 ⁸²⁴⁸	.030	CLINTON			
TRC-20 w/B&S 5.5 h.p. Intek OHV ..	XST3924	3924	.030	Sprayers XST258 308 .030			
TRC-20 w/Honda 5.5 h.p. OHV	XST4265	4265 ⁸²⁴⁸	.030	Edgers, Tillers XST258 308 .030			
TRC-20B, TRS-20H w/B&S 5.5 h.p.							
Intek OHV	XST3924	3924	.030				
TRC-20B, TRC-20H w/Honda 5.5 h.p.							
OHV	XST4265	4265 ⁸²⁴⁸	.030				
TRS-20 w/B&S 5.5 h.p. Intek OHV ..	XST3924	3924	.030				
TRS-20 w/Honda 5.5 h.p. OHV	XST4265	4265 ⁸²⁴⁸	.030				
TRS-20B, TRS-20H w/B&S 5.5 h.p.							
Intek OHV	XST3924	3924	.030				
TRS-20B, TRS-20H w/Honda 5.5 h.p.							
OHV	XST4265	4265 ⁸²⁴⁸	.030				



Se Section 9 pour les remarques en français en bas de page. Ver Seccion 9 para las páginas de notas de pie de página en español. ⁸²⁴⁸ Tapered electrode design ⁸²⁴⁹ Single Platinum ⁸²⁵⁰ Xtreme Performance ⁸²⁵² Xtreme Sport

Small Engine - Lawn & Garden Equipment

	XTREME START™	STANDARD STANDARD ESTANDAR	GAP ENCARTMENT ESPACIO		XTREME START™	STANDARD STANDARD ESTANDAR	GAP ENCARTMENT ESPACIO
CONVERTIBLE (See Rich)				CRAFTSMAN (Cont'd)			
Mowers				Blowers (Cont'd)			
w/Kawasaki 17 h.p. OHV	XST4265	4265 ⁸²⁴⁸	.030	79718, 79734, 79755, 358.79712,			
w/Kawasaki 17 h.p. (V-Twin)	XST2976	2976	.030	358-797130	XST2974	2974	.030
w/Kawasaki 19 & 25 h.p. (V-Twin)	XST4265	4265 ⁸²⁴⁸	.030	w/Fuji Eng. 79691	XS4093 ⁸²⁵²	4093 ⁸²⁴⁸	.030
w/Kohler 17, 20, 22, 23, 25, 28 & 30 h.p. Command (V-Twin)	XST3924	3924	.030	Brushcutters			
				271.281514	XST255	255	.030
				610.281514	XST255	255	.030
CONVEYORS PLUS				Composters, Chipper/Shredders, Sprayers & Vacuums			
w/B&S 5 h.p.	XST458	458	.030	GT16 w/Tec. Eng.	XS4093 ⁸²⁵²	4093 ⁸²⁴⁸	.030
COOPER-PEGLER				GT18 w/Onan B48M	----	437	.030
Sprayers				GT19.9 w/Onan N52M	AP106 ⁸²⁴⁹	106	.025
w/B&S 3.5 & 5 h.p.	XST458	458	.030	77011, 77588	XST458	458	.030
w/Honda 3.5 & 5 h.p. OHV	XST4265	4265 ⁸²⁴⁸	.030	w/B&S "L" Head Eng.	XST458	458	.030
				w/B&S OHV Eng.	XST3924	3924	.030
				w/Craftsman Eng.	XST255	255	.030
				w/Tec. Eng.	XST458	458	.030
CORNELL				Earth Drills			
Log Splitters	XST255	255	.030	72103, 72108, 72109, 72126	XST458	456	.035
				72128	----	414	.025
				w/Tec. Eng.	XST458	456	.030
COSCO				Edgers, Sweepers & Tillers			
Edgers	XST255	255	.025	w/B&S "L" Head Eng.	XST458	458	.030
Trimmer	XST2956	2956	.025	w/B&S OHV Eng.	XST3924	3924	.030
				w/B&S 6 & 6.5 h.p. Intek OHV	XST3924	3924	.030
				w/B&S 700-800 Series OHV	XST3924	3924	.020
				w/Craftsman Eng.	XST255	255	.030
				w/Tec. 1.6 h.p.	XST2976	2976	.030
				w/Tec. 2 h.p.	XST2974	2974	.030
				w/Tec. 3 & 3.5 h.p.	XST458	456	.030
				w/All Other Tec. Eng.	XST458	458	.030
COUGAR				Hedge Trimmers			
Blower/Vacuums & Chipper/Shredders				79572, 79574, 79578	XST2974	2974	.030
w/B&S 5 h.p.	XST458	458	.030	Log Splitters			
w/Tec. 5 h.p.	XST458	458	.030	w/B&S "L" Head Eng.	XST458	458	.030
				Riding Equipment			
				w/B&S "L" Head Eng.	XST458	458	.030
				w/B&S Eng. OHV	XST3924	3924	.030
				w/B&S 18, 19.5 & 20.5 h.p. (Twin)	XST458	458	.030
				w/B&S Intek Eng. OHV	XST3924	3924	.030
				w/B&S Intek Eng. (V-Twin)	XST3924	3924	.030
				w/B&S Vanguard Eng. (V-Twin)	XST3926	3926	.030
				w/B&S ELS Eng. (V-Twin)	XST3924	3924	.030
				w/Honda 16.5 h.p. OHC (V-Twin)	XP64 ⁸²⁵⁰	64	.030
				w/Kohler 18 & 20 h.p. (Twin)	XP26 ⁸²⁵⁰	26	.025
				w/Kohler Command Eng. OHV	XST3924	3924	.030
				w/Kohler Command Eng. (V-Twin)	XST3924	3924	.030
				w/Kohler Command Pro Eng.			
				(V-Twin)	XST3924	3924	.040
				w/Kohler Courage Eng. DOHC	XST3924	3924	.040
				w/Onan 16 h.p.	----	216	.025
				w/Onan 20 h.p. (Twin)	AP106 ⁸²⁴⁹	106	.025
				w/Tec. 5, 8, 10 & 12 h.p.	XST458	458	.030
				w/Tec. 12 h.p. OHV	AP425 ⁸²⁴⁹	425	.030
				w/Tec. 16 h.p. OHV	XS4093 ⁸²⁵²	4093 ⁸²⁴⁸	.030
COUNTRY CLIPPER				Sprayers			
Riding Mowers				All Models	XST254	303	.025
w/B&S 11 & 12.5 h.p.	XST458	458	.030	Tillers			
w/B&S 14, 16, 18 & 20 h.p. (Twin)	XST458	458	.030	29148, 29248, 29348, 29427, 29448	XST3924	3924	.030
w/B&S 15.5, 18 & 18.5 h.p. ELS OHV	XST3924	3924	.030	29252, 29258	XST458	458	.030
w/B&S 20, 22 & 26 h.p. ELS OHV (V-Twin)	XST3924	3924	.030	29425	XST4265	4265 ⁸²⁴⁸	.030
w/B&S 20 h.p. Professional Series (V-Twin)	XST3924	3924	.030	21A-144R401 Cultivator/Edger	XST2974	2974	.030
w/B&S 20 & 23 h.p. Vanguard (V-Twin)	XST3924	3924	.030	21AS122R799			
w/Kawasaki 14 h.p.	XST4265	4265 ⁸²⁴⁸	.030	Mini-Tiller/Cultivator/Edger	XST2974	2974	.030
w/Kawasaki 15 & 17 h.p. (V-Twin)	XST2976	2976	.030	w/B&S 5.5, 6.5 & 7 h.p. Intek OHV	XST3924	3924	.030
w/Kawasaki 19, 21, 22, 23 & 26 h.p. (V-Twin)		4265 ⁸²⁴⁸	.030	w/Honda 5 h.p. OHV	XST4265	4265 ⁸²⁴⁸	.030
w/Kawasaki 25 h.p. (V-Twin)	AP66 ⁸²⁴⁹	66	.030	w/Tec. 2 h.p.	XST458	458	.030
w/Kawasaki 26 h.p. (Liquid V-Twin)	XST4265	4265 ⁸²⁴⁸	.025				
w/Kawasaki 31 h.p. (V-Twin)	XST4265	4265 ⁸²⁴⁸	.030				
w/Kawasaki 37 h.p. (V-Twin)	XP64 ⁸²⁵⁰	64	.030				
w/Kohler 16 & 17 h.p. OHV	XST3924	3924	.030				
w/Kohler 16 & 17 h.p. Courage DOHC	XST3924	3924	.030				
w/Kohler 18, 20, 22, 23, 25, 26, 27 & 28 h.p. (V-Twin)	XST3924	3924	.030				
w/Kohler 23 h.p. Courage (V-Twin)	XST3924	3924	.030				
w/Kohler 23, 24 & 27 h.p. Courage Pro (V-Twin)	XST3924	3924	.030				
w/Kohler 27 & 30 h.p. Command Pro (V-Twin)	XST3924	3924	.030				
CRAFTSMAN				Blowers			
79692	XST255	255	.030				
79720, 79730, 79734, 79756	XST2976	2976	.030				



Se Section 9 pour les remarques en français en bas de page. Ver Seccion 9 para las páginas de notas de pie de página en español. ⁸²⁴⁸ Tapered electrode design ⁸²⁴⁹ Single Platinum ⁸²⁵⁰ Xtreme Performance ⁸²⁵² Xtreme Sport

Small Engine - Lawn & Garden Equipment

	XTREME START™	STANDARD ESTANDAR	GAP ENCARTMENT ESPACIO		XTREME START™	STANDARD ESTANDAR	GAP ENCARTMENT ESPACIO
CRAFTSMAN (Cont'd)				CUB CADET (Cont'd)			
Trimmers				Log Splitters (Cont'd)			
79211, 79212 (Propane)	XST2974	2974	.020	w/B&S 6.5 h.p. OHV	XST3924	3924	.030
79512	XST2976	2976	.030	w/Honda 5.5 h.p. OHV	XST4265	4265 ⁸²⁴⁸	.030
79612	XST2554	2554	.030	w/Kohler 8.5 h.p. CS OHV	XST4265	4265 ⁸²⁴⁸	.040
358-79559, 358-795510	XST2974	2974	.030	w/Tec. Eng.	XST458	458	.030
77351, 77370, 77375	XST458	458	.030	Mowers, Riding Equipment			
74550, 79101, 79103, 79104, 79105	XST2974	2974	.030	55, 55 Rider, 75, 76, 76 Lawn Tractor	XST255	255	.030
79107, 79137, 79151, 79198, 79512	XST2974	2974	.030	60, 70, 71, 72, 73, 86	XST458	295	.030
79158, 79154, 79157, 79182, 79186, 79190, 79192	XST2974	2974	.030	Cadet 80, 80, 80 Lawn Tractor, Cadet 81, 81	XST255	255	.030
79520, 79554, 79555, 79556, 79580, 79582, 79612	XST2974	2974	.030	85, 85 Riding Mower, 85 Special, 87, 111	XST255	255	.030
795410, 795420, 795430	XST258	258	.030	100, 102, 104, 105, 106, 107	----	216	.030
795451, 795453	XS4093 ⁸²⁵²	4093 ⁸²⁴⁸	.030	108, 109, 122, 123, 124, 125	----	216	.030
795490, 795510, 795340	XST258	258	.030	126, 127, 128, 129, 147, 149	----	216	.030
795520, 796131	XST258	258	.030	182, 182 Cadet, 192 Cadet	XST458	458	.030
7958, 7959, 79681, 79691, 89641 ..	XST255	255	.030	282, 282 Cadet, 282H, 282H Cadet, 283 Hydro Cadet	XST458	458	.030
795800, 795900, 795440	XST255	255	.030	364	XST3924	3924	.030
79623, 79624	XS4093 ⁸²⁵²	4093 ⁸²⁴⁸	.030	365	XST3924	3924	.030
79716, 79726, 79715, 79716, 79726, 79727	XST258	258	.030	365L	XST4265	4265 ⁸²⁴⁸	.030
79826, 79827, 79845, 79846, 79847, 79925, 79926	XST258	258	.030	382, 382 Cadet, 383H, 383H Cadet, 445, 445 Cadet, 482, 482 Cadet	XST458	458	.030
CRAMER TECHNIK				482 Cub Cadet, 511, 514, 518			
Chipper/Mulchers				580, 580 Cadet, 582, 582 Cadet, 582 Cub Cadet			
w/B&S 4, 5.5 & 6.75 h.p.	XST458	458	.030	582 Cub Cadet, Special	XST458	458	.030
CREATIVE CURB				6x4 Big Country Utility Vehicle			
Asphalt/Concrete Borders, Mixers, Sod Cutters & Trenchers				682, 682 Cadet, 682 Cub Cadet			
w/Honda 2.2 & 2.5 h.p. OHC	XST258	258	.030	782, 782 Cadet, 782 Cub Cadet, 784, 784 Cadet	XP26 ⁸²⁵⁰	26	.030
w/Honda 5.5, 6.5, 8 & 13 h.p. OHV ..	XST4265	4265 ⁸²⁴⁸	.030	680, 680 Cadet, 800, Cub Cadet 800	----	216	.030
w/Honda 20 h.p. (V-Twin)	XST4265	4265 ⁸²⁴⁸	.030	800	AP106 ⁸²⁴⁹	106	.025
w/Kohler 14 h.p.	----	216	.030	982, 982 Cadet, 982 Cub Cadet	AP106 ⁸²⁴⁹	106	.025
w/Kohler 18 h.p. Magnum (Twin)	XP26 ⁸²⁵⁰	26	.025	984, 984 Cadet, 986, 986 Cadet	----	216	.030
CRITERION				802, 804, 805, 833E, 833R, 1002, 1015, 1015LT, 1020			
Riding Mowers				1000, Cub Cadet 1000, 1050, 1100			
w/B&S 20 h.p. Vanguard (V-Twin) ...	XST3926	3926	.030	1020LT, 1027, 1028, 1030, 1105, 1106, 1110, 1111	XST458	458	.030
CROSS				1170			
Composters				1180, 1212			
Composters	XST255	255	.030	1200, Cub Cadet 1200, 1204, 1204GT, 1208	----	216	.030
CUB CADET				1210, 1210GT, 1211, 1211GT			
Blowers & Vacuums				1215, 1215LT, 1220, 1220LT, 1225, 1238			
BB40, BB45, BB60, BP226	XST2974	2974	.030	1250, Cub Cadet 1250, 1282, 1450, Cub Cadet 1450	----	216	.030
HB26, HB226, HB425	XST2974	2974	.030	1315, 1320, 1340	XST458	458	.030
JS 1150	XS63 ⁸²⁵²	4263 ⁸²⁴⁸	.030	1325, 1330, 1440, 1641	XST3926	3926	.030
w/B&S "L" Head Eng.	XST458	458	.030	1405, 1415, 1415LT, 1420, 1420LT ..	----	216	.030
w/B&S Intek OHV Eng.	XST3924	3924	.030	1430, 1710, 1711, 1712	XP26 ⁸²⁵⁰	26	.030
w/Honda OHV Eng.	XST4265	4265 ⁸²⁴⁸	.030	1512, 1535, 1541, 1600, 1615, 1620	XST3924	3924	.030
Chipper/Shredder/Vacuums				1515, 1517			
CS 2210, CS 3210	XS63 ⁸²⁵²	4263 ⁸²⁴⁸	.030	1525, 1527	XST3924	3924	.040
w/B&S "L" Head Eng.	XST458	458	.030	1604, 1605, 1606, 1610	XST2976	2976	.030
w/Tec. Eng.	XST458	458	.030	1650, Cub Cadet 1650	XST3926	3926	.030
w/Tec. 5.5 & 6.5 h.p. OHV	XST4055	4055 ⁸²⁴⁸	.030	1715, 1715LT, 1720, 1720LT, 1730 ..	----	216	.030
Hedge Trimmers				1715, 1715LT, 1720, 1720LT, 1730 ..			
19EHC, 24HC, 30HC, 40HC	XST2974	2974	.030	1800, 1806, 1806GT, 1810, 1810GT ..	XP26 ⁸²⁵⁰	26	.030
CC 25HT	XST2974	2974	.030	1811, 1811GT, 1812, 1812GT	XST3924	3924	.030
Log Splitters				1860, 1863, 1864, 1872, 1872GT ...			
w/B&S "L" Head Eng.	XST458	458	.030	1861, 1862, 1882, 2082	XST3924	3924	.030
				1912, 1914			
				AP106 ⁸²⁴⁹			



Se Section 9 pour les remarques en français en bas de page. Ver Seccion 9 para las páginas de notas de pie de página en español. ⁸²⁴⁸ Tapered electrode design ⁸²⁴⁹ Single Platinum ⁸²⁵⁰ Xtreme Performance ⁸²⁵² Xtreme Sport

Small Engine - Lawn & Garden Equipment

	XTREME START™	STANDARD STANDARD ESTANDAR	GAP ENCARTMENT ESPACIO		XTREME START™	STANDARD STANDARD ESTANDAR	GAP ENCARTMENT ESPACIO
CUB CADET (Cont'd)				CUB CADET (Cont'd)			
Mowers, Riding Equipment (Cont'd)				Mowers, Riding Equipment (Cont'd)			
2072, 2072GT, 2084, 2086, 2164, 2166, 2176	XST3924	3924	.030	SLT 1054, SLT 1550, SLT 1554	XST3924	3924	.030
2182, 2186, 2206, 2284, 2518	XST3924	3924	.030	SLTX 1050, SLTX 1054	XST3924	3924	.030
3165, 3185, 3186	XST3926	3926	.030	The Enforcer w/Kawasaki 19, 21 & 23 h.p. (V-Twin)	XST4265	4265 ⁸²⁴⁸	.030
3184, 3204, 3206, 3208, 3225, 3235, 3240, 3435	XST3924	3924	.030	The Enforcer w/Kohler 20, 22 & 23 h.p. (V-Twin)	XST3924	3924	.030
3205	XST258	258	.030	The Recon w/Kohler 23 & 25 h.p. (V-Twin)	XST3924	3924	.030
3648	XST2976	2976	.030	The Tank w/Kohler 25 & 27 h.p. (V-Twin)	XST3924	3924	.030
3654, 3660	XST3924	3924	.030	The Tank w/Kawasaki 31 h.p. (V-Twin)	XST4265	4265 ⁸²⁴⁸	.030
Grizzly 4016	XST3926	3926	.030	The Tank w/Kawasaki 31 h.p. (V- Twin) LPG	XST4265	4265 ⁸²⁴⁸	.020
4814R	---	216	.030	The Tank w/Kawasaki 37 h.p. (V-Twin)	XP64 ⁸²⁵⁰	64	.030
4815F	XST3924	3924	.040	The Tank w/Kawasaki 37 h.p. (V- Twin) LPG	XP64 ⁸²⁵⁰	64	.020
4816F, 5416R, 5418F	XST3926	3926	.030	Trimmer/Mowers w/B&S Eng.	XST458	458	.030
5252, 5252E W	XST3924	3924	.030	Yard Bug	XST458	458	.030
5254	AP66 ⁸²⁴⁹	66	.025	Z42, Z48, Z54	XST3924	3924	.030
5521	XST4265	4265 ⁸²⁴⁸	.030	Z48L, Z54L	XST4265	4265 ⁸²⁴⁸	.030
7252, 7254	AP66 ⁸²⁴⁹	66	.025	ZZT42, ZZT46, ZZT50	XST3924	3924	.030
7254	XST4265	4265 ⁸²⁴⁸	.030	Z-Force 42, Z-Force 44, Z-Force 48, Z-Force 50, Z-Force 54	XST3924	3924	.030
AGS2130, HDS2135, AGS2150	XST3924	3924	.040	Z-Force 60 w/Kawasaki 23 h.p. (V-Twin)	XST4265	4265 ⁸²⁴⁸	.030
AGS2140, HDS2145	---	275	.035	Z-Force 60 w/Kohler 23 h.p. (V-Twin)	XST3924	3924	.030
AGS2155, HDS2155, HDS2164	XST3924	3924	.040	Z-Force S 46, Z-Force S 48, Z-Force S 54	XST3924	3924	.030
AGS2160, HDS2165, HDS2185	XST3926	3926	.030	Z-Force S 48, Z-Force S 60 w/ Kawasaki Eng.	XST4265	4265 ⁸²⁴⁸	.030
CC 760 ES, CC 999 ES	XST3924	3924	.030	Z-Force S 48 w/Kohler 22 h.p. Command (V-Twin)	XST3924	3924	.030
G1236	XST3924	3924	.030	Z-Force S 48, Z-Force S 60 (LPG) w/Kawasaki Eng.	XST4265	4265 ⁸²⁴⁸	.020
G1332, G1432, G1436, G1752	XST4265	4265 ⁸²⁴⁸	.030	Z-Force S 60 w/Kohler 25 h.p. Command (V-Twin)	XST3924	3924	.030
G1336, G1548, G1748	XST2976	2976	.030	Z-Force S 60 w/Kohler 26 h.p. Courage (V-Twin)	XST3924	3924	.030
GMT080, GMT125, GMT150	XST458	458	.030	Z-Wing 48	XST3924	3924	.030
GT 1054, GT 1222, GT 1554, GT 2042, GT 2186, GT 2523, GT 2542, GT 2544	XST3924	3924	.030	w/B&S "L" Head Eng.	XST458	458	.030
GT 1554VT	XST3926	3926	.030	w/B&S Two-Cyl. Eng.	XST458	458	.030
GT 2550, GT 2554, GT 3100, GT 3200, GT 3204, GT 3235	XST3924	3924	.030	w/B&S 17 & 18.5 h.p. Intek OHV	XST3924	3924	.030
GTX 2000, GTX 2100	XST3924	3924	.030	w/B&S 18 & 18.5 h.p. ELS OHV	XST3924	3924	.030
HDS2185	XST3924	3924	.040	w/B&S 20 & 22 h.p. Intek OHV (V-Twin)	XST3924	3924	.030
H1536, H1548	XST2976	2976	.030	w/B&S 22 & 24 h.p. ELS OHV (V-Twin)	XST3924	3924	.030
H1748, H1952, HF1748, HFF1748, HF1954	XST4265	4265 ⁸²⁴⁸	.030	w/B&S Vanguard Eng. OHV	XST3924	3924	.030
i1000 Series	XST3924	3924	.030	w/B&S Vanguard Eng. (V-Twin)	XST3926	3926	.030
LT 1018, LT 1022, LT 1024, LT1040, LT 1042	XST3924	3924	.030	w/Generac 33 h.p. (V-Twin)	XST3924	3924	.030
LT 1045, LT 1046, LT 1050, LT 2042, LT 2138	XST3924	3924	.030	w/Honda 20 & 24 h.p. (V-Twin)	XST4265	4265 ⁸²⁴⁸	.030
LT 2180, GT 2521	XST3926	3926	.030	w/Kawasaki SRX95	XST258	258	.030
LTX1040, LTX1042, LTX1045	XST3924	3924	.030	w/Kawasaki 3.7, 5.5, 7.9 & 9 h.p. OHV	XST4265	4265 ⁸²⁴⁸	.030
LTX1046 w/Kawasaki 20 h.p. (V-Twin)	XST4265	4265 ⁸²⁴⁸	.030	w/Kawasaki 5.2 h.p.	XST255	255	.030
LTX1046 w/Kohler 23 h.p. Courage (V-Twin)	XST3924	3924	.030	w/Kawasaki 11 & 13 h.p. OHV	XST4265	4265 ⁸²⁴⁸	.030
LTX1046VT, LTX1050VT	XST3926	3926	.030	w/Kawasaki 12.5 h.p.	XST255	255	.030
LTX1050 w/Kawasaki 22 h.p. (V-Twin)	XST4265	4265 ⁸²⁴⁸	.030	w/Kawasaki 14 & 17 h.p. OHV	XST4265	4265 ⁸²⁴⁸	.030
LTX1050 w/Kohler 24 h.p. Courage (V-Twin)	XST3924	3924	.030	w/Kawasaki 13, 15, 17 & 18 h.p. (V-Twin)	XST2976	2976	.030
M48-KH, M48-KHS	XST3924	3924	.030	w/Kawasaki 19, 21, 22, 23, 25 & 26 h.p. (V-Twin)	XST4265	4265 ⁸²⁴⁸	.030
M48-HN, M48-KW	XST4265	4265 ⁸²⁴⁸	.030				
M50-KHS, M54-KH	XST3924	3924	.030				
M54-HN, M54-KW	XST4265	4265 ⁸²⁴⁸	.030				
M60-KH	XST3924	3924	.030				
M60-KW, ROPS	XST4265	4265 ⁸²⁴⁸	.030				
M60-KH EFI	XST3924	3924	.030				
M60-KW LC, DFI	XST4265	4265 ⁸²⁴⁸	.025				
M72-GN33	XST3924	3924	.030				
M72-KW DFI LC	XST4265	4265 ⁸²⁴⁸	.025				
RZT 17, RZT 22, RZT 42, RZT 50VT RZT 50, RZT 54	XST3924	3924	.030				
	XST4265	4265 ⁸²⁴⁸	.025				



Se Section 9 pour les remarques en français en bas de page. Ver Sección 9 para las páginas de notas de pie de página en español. ⁸²⁴⁸ Tapered electrode design ⁸²⁴⁹ Single Platinum ⁸²⁵⁰ Xtreme Performance

Small Engine - Lawn & Garden Equipment

	XTREME START™	STANDARD ESTANDAR	GAP ENCARTMENT ESPACIO		XTREME START™	STANDARD ESTANDAR	GAP ENCARTMENT ESPACIO
CUB CADET (Cont'd)				CUB CADET (Cont'd)			
Mowers, Riding Equipment (Cont'd)				Utility Vehicles (Cont'd)			
w/Kawasaki 22 & 26 h.p. (V-Twin) LPG	XST4265	4265 ⁸²⁴⁸	.020	6x4 Fire & Rescue w/Kohler 20 h.p. (V-Twin)	XST3924	3924	.030
w/Kawasaki 20 h.p. (Liquid V-Twin)	XST258	258	.030	Big Country 4x2 w/9.5 h.p. Kawasaki OHV	XST4265	4265 ⁸²⁴⁸	.030
w/Kawasaki 25 h.p. (Liquid V-Twin)	AP66 ⁸²⁴⁹	66	.025	Big Country 6x4 w/Honda 20 h.p. (V-Twin)	XST4265	4265 ⁸²⁴⁸	.030
w/Kawasaki 29 h.p. (Liquid V-Twin)	XST4265	4265 ⁸²⁴⁸	.025	4x2 Volunteer w/Kohler 18 h.p. (V-Twin)	XST3924	3924	.030
w/Kawasaki 31 h.p. (V-Twin)	XST4265	4265 ⁸²⁴⁸	.030	4x2 Volunteer FSI w/Kohler 20 h.p. (V-Twin)	XST3924	3924	.030
w/Kawasaki 31 h.p. (V-Twin) LPG	XST4265	4265 ⁸²⁴⁸	.020	4x4 Volunteer w/Kohler 20 h.p. (V-Twin)	XST3924	3924	.030
w/Kawasaki 37 h.p. (V-Twin)	XP64 ⁸²⁵⁰	64	.030	4x4 Volunteer w/Kohler 31 h.p. EFI (Liquid V-Twin)	XST3926	3926	.040
w/Kawasaki 37 h.p. (V-Twin) LPG	XP64 ⁸²⁵⁰	64	.020				
w/Kohler 8 h.p. (K181)	XST458	458	.030				
w/Kohler 12.5, 13, 15, 16 & 17 h.p. OHV	XST3924	3924	.040				
w/Kohler 10, 12, 14, 16 & 20 h.p.	---	216	.030				
w/Kohler 17 h.p. (Twin)	XP26 ⁸²⁵⁰	26	.025				
w/Kohler 17, 18, 20, 21, 22, 23, 24, 25 & 27 h.p. (V-Twin)	XST3924	3924	.030				
w/Kohler 17, 18, 19 & 20 h.p. DOHC Courage	XST3924	3924	.030				
w/Kohler 22 & 25 h.p. OHV Courage	XST3924	3924	.030				
w/Kohler 20, 22, 23, 25, 26 & 27 h.p. Courage (V-Twin)	XST3924	3924	.030				
w/Kohler 28 h.p. EFI (V-Twin)	XST3924	3924	.030				
w/Kubota 21 h.p.	XST3924	3924	.030				
w/Onan 14 h.p. Elite E140H	---	275	.035				
w/Onan 316, 318, 420	AP106 ⁸²⁴⁹	106	.025				
w/Tec. Engs.	XST458	458	.030				
w/Yanmar 322	XS63 ⁸²⁵²	4263 ⁸²⁴⁸	.025				
Pole Saws				CULTILLER			
HB26, PS26	XST2974	2974	.030	All Models	XST458	295	.025
Sprayers & Spreaders				CULTIVETTE			
w/Kawasaki 6, 8 & 17 h.p. OHV	XST4265	4265 ⁸²⁴⁸	.030	Garden Tractors			
String Trimmers				All Models	XST458	456	.025
CC 2000, CC 2025, CC 3000, CC 3075	XST2974	2974	.030	CUNNINGHAM			
CC 4025, CC 4065SS, 4075, CC 4090 (4-Cycle)	---	5438	.025	14mm Heads	XST458	295	.030
CC 4105, CC 4125, CC 4165, CC 4175 (4-Cycle)	---	5438	.025	18mm Heads	---	386	.030
CC 5075, CC 5075SS, CC 5090, CC 5090BC (4-Cycle)	---	5438	.025	CURB APPEAL USA			
ST23, SE26, ST26, ST35	XST2974	2974	.030	Concrete Buggys			
ST23-C, SE26-C, ST26-C, ST35-C	XST2974	2974	.030	w/Honda OHV Engs.	XST4265	4265 ⁸²⁴⁸	.030
ST226, ST432	XST2974	2974	.030	Curb Makers			
Tillers & Edgers				w/B&S 4.5 h.p. Eng.	XST458	295	.030
w/B&S "L" Head Engs.	XST458	458	.030	w/B&S 23, 26.5 & 34 h.p. Vanguard (Liquid Cooled)	XST3924	3924	.030
w/B&S 5.5 & 6.5 h.p. Intek OHV	XST3924	3924	.030	Edger/Trenchers			
FT 24, RT65	XS63 ⁸²⁵²	4263 ⁸²⁴⁸	.030	w/Honda 9 h.p. OHV	XST4265	4265 ⁸²⁴⁸	.030
w/Honda 5 h.p. OHV	XST4265	4265 ⁸²⁴⁸	.030	CURB-KING			
w/Honda 6 h.p. OHC	XS63 ⁸²⁵²	4263 ⁸²⁴⁸	.030	Curb Makers			
w/Kohler 8 h.p. (K181)	---	216	.030	w/Honda 2.5 h.p. OHC	---	4194	.030
w/Tec. Engs.	XST458	458	.030	w/Honda 3 h.p. OHV	---	4194	.030
Utility Vehicles				Cement Mixers			
4x2 w/9 h.p. Kawasaki OHV	XST4265	4265 ⁸²⁴⁸	.030	w/Honda 11 h.p. OHV	XST4265	4265 ⁸²⁴⁸	.030
4x2 Std./Camo. w/Honda 18 h.p. (V-Twin)	XST4265	4265 ⁸²⁴⁸	.030	CURBMAKER			
4x2 Std./Camo, SE. w/Kohler 18 h.p. (V-Twin)	XST3924	3924	.030	Curb Makers & Turf Cutters			
4x2 Std./Camo w/Kohler 20 h.p. (V-Twin)	XST3924	3924	.030	w/Honda 4 h.p. OHV	XST4265	4265 ⁸²⁴⁸	.030
6x4 Std./Camo. w/Honda 20 h.p. (V-Twin)	XST4265	4265 ⁸²⁴⁸	.030	CURBMATE			
6x4 Std./Camo. w/Kohler 20 h.p. (V-Twin)	XST3924	3924	.030	Curb Makers			
6x4 Fire & Rescue w/Honda 20 h.p. (V-Twin)	XST4265	4265 ⁸²⁴⁸	.030	w/Honda 3 h.p. OHV	---	4194	.030
				Cement Mixer			
				w/Honda 4 h.p. OHV	XST4265	4265 ⁸²⁴⁸	.030
				CURB-TEC			
				Curb Makers			
				w/Kohler 13 h.p. OHV	XST3924	3924	.040
				w/Kohler 20 & 25 h.p. (V-Twin)	XST3924	3924	.030



Se Section 9 pour les remarques en français en bas de page. Ver Seccion 9 para las páginas de notas de pie de página en español. ⁸²⁴⁸ Tapered electrode design ⁸²⁴⁹ Single Platinum ⁸²⁵⁰ Xtreme Performance ⁸²⁵² Xtreme Sport

Small Engine - Lawn & Garden Equipment

	XTREME START™	STANDARD STANDARD ESTANDAR	GAP ENCARTMENT ESPACIO		XTREME START™	STANDARD STANDARD ESTANDAR	GAP ENCARTMENT ESPACIO
CURTIS				CUSHMAN (Cont'd)			
Salt & Sand Spreaders				Utility Vehicles (Cont'd)			
w/B&S 3.75 & 5 h.p.	XST458	458	.030	1982-68 Truckster/Haulster (14mm Threads)	XST255	255	.030
w/Tec. 5 h.p.	XST458	458	.030	Turf-Trackster 18 h.p. (V-Twin)	XST3924	3924	.030
CUSHMAN				Turf-Trackster 20 h.p. (Liquid V-Twin)			
Turf Equipment				Turf-Trackster 22 h.p.			
100, 200	AP46 8249	46	.025	Turf-Trackster 27 h.p.	XST4265	4265 ⁸²⁴⁸	.032
1980 Mower	AP45 ⁸²⁴⁹	45	.030	Turf-Trackster 32 h.p.	XS4163 ⁸²⁵²	4163 ⁸²⁴⁸	.030
1980-68 w/Kohler 12 h.p.	----	216	.030	Turf-Trackster 34 h.p.	XP64 ⁸²⁵⁰	64	.030
1982 Runabout w/OMC 18 h.p.	AP45 ⁸²⁴⁹	45	.030	Turf-Trackster 36 h.p.	XS4164 ⁸²⁵²	4164 ⁸²⁴⁸	.030
1982 w/Kohler 7 h.p.	XST458	458	.030	UTV-Max, UTV-Maxim	XST3926	3926	.030
1982-81 w/Kohler 8 h.p.	XST458	458	.030	CYCLE COUNTRY			
898611 w/Mits. 49 h.p.	XS63 ⁸²⁵²	4263 ⁸²⁴⁸	.030	ATV Lawnmowers & Sprayers			
All 1/2" Pipe Threads	----	3095	.025	w/B&S 3.5 & 8.5 h.p.	XST458	458	.030
All 1/2" Reach	----	216	.025	w/B&S 10.5 & 12.5 h.p.	XST458	458	.030
Cub "R" Series & Other 7/8" Threads	----	3076	.025	w/Honda 11 h.p.	XST4265	4265 ⁸²⁴⁸	.030
Envirojet 160	XST3924	3924	.030	CYCLO ACTION			
GA 60 Aerator 27 h.p.	XST4265	4265 ⁸²⁴⁸	.032	Chippers & Shredders			
GT-1 8.5 h.p.	XST4265	4265 ⁸²⁴⁸	.030	w/B&S 5 & 8 h.p.	XST458	458	.030
GT-1 14 h.p.	XST3926	3926	.030	w/Tec. 3.5 h.p.	XST458	458	.030
M Series (1959-56)	AP46 8249	46	.025	CYGNET TURF & EQUIPMENT			
M Series (Thru 1955)	----	386	.025	Sod Installers			
Range Cat 775	XST3924	3924	.030	w/Honda 5 h.p. OHV	XST4265	4265 ⁸²⁴⁸	.030
Spray Tek DS175	XS4163 ⁸²⁵²	4163 ⁸²⁴⁸	.030	w/Wisc. 18 h.p.	----	386	.025
Spray Tek DS300	XP64 ⁸²⁵⁰	64	.030	DAIEM			
Sprinter	XST4265	4265 ⁸²⁴⁸	.030	316W8, 316W10 w/B&S Eng.	XST458	458	.030
Vac Master	XST3926	3926	.030	316W12 w/Kohler Eng.	----	216	.025
w/B&S 14, 16 & 18 h.p. Vanguard (V-Twin)	XST3926	3926	.030	DAIHATSU			
w/Cushman 8.5 h.p. 272cc Eng.	XST4265	4265 ⁸²⁴⁸	.030	Off-Road Utility Vehicles			
w/Cushman 22 h.p. 222 Eng.	XP25 ⁸²⁵⁰	25	.025	Hijet w/547cc 30 h.p. Eng.	XS63 ⁸²⁵²	4263 ⁸²⁴⁸	.035
w/Cushman 27 h.p. 327 Eng.	XST4265	4265 ⁸²⁴⁸	.032	DANUSER			
w/Cushman 32 h.p.	XS4163 ⁸²⁵²	4163 ⁸²⁴⁸	.030	Chipper/Mulchers			
w/Cushman 34 h.p.	XP64 ⁸²⁵⁰	64	.030	w/Kohler 25 h.p. (V-Twin)	XST3924	3924	.030
w/Daihatsu 3-Cyl Eng.	AP66 ⁸²⁴⁹	66	.030	DASCO			
w/Kawasaki 20 h.p. (Liquid V-Twin) ..	XST258	258	.025	Log Splitters			
w/Kohler 18 & 25 h.p. (V-Twin)	XST3924	3924	.030	w/B&S Eng.	XST458	458	.030
w/Kohler 8 h.p. (K181)	XST458	458	.030	DAVID BRADLEY			
w/Mitsubishi 1060cc 49 h.p.	XS63 ⁸²⁵²	4263 ⁸²⁴⁸	.030	Garden Tractors			
w/OMC 218 Eng.	AP45 ⁸²⁴⁹	45	.030	14mm Heads	XST458	295	.030
w/Robin 11 h.p. OHV	XS63 ⁸²⁵²	4263	.025	18mm Heads	----	386	.030
w/Suzuki 32 h.p. OHV	XS4163 ⁸²⁵²	4163 ⁸²⁴⁸	.030	Sprayers			
w/Suzuki 34 h.p. OHV	XP64 ⁸²⁵⁰	64	.030	All Models	XST458	295	.025
w/Suzuki 36 h.p. OHV	XS4164 ⁸²⁵²	4164 ⁸²⁴⁸	.030	DAVIS			
Utility Vehicles				Commando			
Classic Turf-Truck	XST3924	3924	.030	XST255	255	.030	
Commander 280 SEG	XST4265	4265 ⁸²⁴⁸	.030	DAYTON			
Commander 2200 SEG w/B&S 16 h.p. Vanguard (V-Twin)	XST3926	3926	.030	Edgers, Trimmers, Lawn Rakes	XST255	255	.030
Commander 2200 SEG w/Robin 11 h.p. OHV	XS63 ⁸²⁵²	4263	.025	Shredders w/Tec. Eng.	XST458	458	.030
Commander 4800 w/B&S 16 h.p. (V-Twin)	XST3924	3924	.030	Tillers w/B&S Eng.	XST458	458	.030
Groom Master 16 h.p.	XST3926	3926	.030	Tillers w/Tec. Eng.	XST458	458	.030
Haulster Flatbed 18 h.p. (V-Twin) ...	XST3924	3924	.030	Tractors w/B&S Eng.	XST458	458	.030
Haulster Flatbed 22 h.p.	XP25 ⁸²⁵⁰	25	.025	Se Section 9 pour les remarques en français en bas de page. Ver Seccion 9 para las páginas de notas de pie de página en español.			
Haulster Flatbed 27 h.p.	XST4265	4265 ⁸²⁴⁸	.032	8248 Tapered electrode design 8249 Single Platinum 8250 Xtreme Performance 8252 Xtreme Sport			
Haulster LH 18 h.p. (V-Twin)	XST3924	3924	.030				
Hawk, Hawk II	XST3924	3924	.040				
Jr. Turf-Truckster 18 h.p. (V-Twin) ...	XST3924	3924	.030				
1961-53 Truckster	AP45 ⁸²⁴⁹	45	.030				
1968-67 Truckster/Haulster	XST458	295	.030				
1982-61 Truckster/Haulster (18mm Threads)	AP45 ⁸²⁴⁹	45	.030				



Se Section 9 pour les remarques en français en bas de page. Ver Seccion 9 para las páginas de notas de pie de página en español. 8248 Tapered electrode design 8249 Single Platinum 8250 Xtreme Performance 8252 Xtreme Sport

Small Engine - Lawn & Garden Equipment

	XTREME START™	STANDARD ESTANDAR	GAP ENCARTMENT ESPACIO		XTREME START™	STANDARD ESTANDAR	GAP ENCARTMENT ESPACIO
DEBRIS				DINGO			
Blowers				Digging Systems			
w/B&S Encls.	XST458	458	.030	w/Honda 20 h.p. (V-Twin)	XST4265	4265 ⁸²⁴⁸	.030
w/Kawasaki 7.5 h.p.	----	275	.030	w/Kohler 20 h.p. (V-Twin)	XST3924	3924	.030
DECORATIVE CURBMAKING MACHINES				DITCH DEVIL			
Concrete Borders				Trenchers			
w/Honda 6.5 & 11 h.p. OHV	XST4265	4265 ⁸²⁴⁸	.030	w/B&S 3.5, 5 & 8 h.p.	XST458	458	.030
w/Robin 6 h.p.	AP425 ⁸²⁴⁹	425	.030	w/Honda 5.5 & 8 h.p. OHV	XST4265	4265 ⁸²⁴⁸	.030
w/Robin 11 h.p.	XS63 ⁸²⁵²	4263 ⁸²⁴⁸	.030	w/Robin 6 & 7.5 h.p.	----	275	.030
DEEP ROCK				DITCHER SAW			
Augers				w/Homelite Super XL 3 h.p.	XST2974	2974	.025
w/B&S 8 h.p.	XST458	458	.030	w/Homelite XL98C 5 h.p.	XST254	254	.025
w/Honda 5 h.p. OHV	XST4265	4265 ⁸²⁴⁸	.030				
w/Tec. 4 h.p.	XST458	458	.030	DITCH WITCH			
DEINES				Directional Boring, Lawn Plows & Trenchers			
Turf Equipment				The Zahn w/Honda 15 h.p. OHV	XST4265	4265 ⁸²⁴⁸	.030
w/Honda 11 h.p. OHV	XST4265	4265 ⁸²⁴⁸	.030	The Zahn w/Kohler 23 & 30 h.p. (V-Twin)	XST3924	3924	.040
w/Kohler 18 & 20 h.p. (Twin)	XP26 ⁸²⁵⁰	26	.025	w/B&S "L" Head Encls.	XST458	458	.030
w/Tec. 14 h.p.	XS4093 ⁸²⁵²	4093 ⁸²⁴⁸	.030	w/B&S 16 h.p. Vanguard (V-Twin) ...	XST3926	3926	.030
DEMCO				w/Cont. F-163	----	386	.030
Sprayers				w/Ford 192 cid Encls.	----	216	.025
w/B&S 3.5, 5 & 8 h.p.	XST458	458	.030	w/Honda 11, 13 & 15 h.p. OHV	XST4265	4265 ⁸²⁴⁸	.030
w/Honda 4, 5, 5.5 & 8 h.p. OHV	XST4265	4265 ⁸²⁴⁸	.030	w/Honda 15 h.p. iGX440	XS3922 ⁸²⁵²	3922	.030
DERBY				w/Honda 18, 22 & 24 h.p. (V-Twin) ..	XST4265	4265 ⁸²⁴⁸	.030
Riding Mowers				w/Kohler 14 & 18 h.p.	----	216	.030
w/B&S 13 h.p. OHV	XST3924	3924	.030	w/Kohler 11 & 12.5 h.p. OHV	XST3924	3924	.030
w/B&S 20 & 25 h.p. Vanguard (V-Twin)	XST3926	3926	.030	w/Kohler 18 h.p. (V-Twin)	XST3924	3924	.030
w/Kohler 14 h.p. OHV	XST3924	3924	.040	w/Kohler 23 & 30 h.p. (V-Twin)	XST3924	3924	.040
w/Kohler 23 h.p. (V-Twin)	XST3924	3924	.040	w/Onan NHC	AP404 ⁸²⁴⁹	404	.025
DEUTZ ALLIS				w/Onan NHC-MS (Prior to 1979)	AP404 ⁸²⁴⁹	404	.030
Riding Mowers & Turf Equipment				w/Onan NHC-MS (1979 & Up)	AP106 ⁸²⁴⁹	106	.030
w/B&S "L" Head Encls.	XST458	458	.030	w/Onan P224G 24 h.p. (Twin)	AP106 ⁸²⁴⁹	106	.025
w/B&S 14 & 16 h.p. (Twin)	XST458	458	.030	w/Perkins G4-203	XST4265	4265 ⁸²⁴⁸	.030
w/B&S 16 h.p. Vanguard (V-Twin) ...	XST3926	3926	.030	w/Wisc. 7, 9.2 & 18 h.p.	----	386	.025
w/Kohler 14 & 16 h.p.	----	216	.030	w/Wisc. 9 & 12.5 h.p.	----	386	.025
w/Kohler 12.5 h.p. OHV	XST3924	3924	.040	w/Wisc 30, 35 & 37 h.p.	----	386	.025
w/Kohler 17, 18 & 20 h.p. (Twin)	XP26 ⁸²⁵⁰	26	.025	w/Wisc. 60.5 & 65 h.p.	XST4265	4265 ⁸²⁴⁸	.025
DEWEZE				w/Wisc.-Robin 4.6 h.p.	AP425 ⁸²⁴⁹	425	.025
Garden Tractors				DIXIE CHOPPER			
w/Kohler 20 h.p. (Twin)	XP26 ⁸²⁵⁰	26	.025	Mowers & Vacuums			
w/Kohler 25 h.p. (V-Twin)	XST3924	3924	.030	w/B&S 5 h.p.	XST458	458	.030
w/Onan 20 h.p. (Twin)	AP106 ⁸²⁴⁹	106	.025	w/B&S 18 h.p. (Twin)	XST458	458	.030
Straw Blowers				w/B&S 27 h.p. Vanguard (Liquid V-Twin)	XST3926	3926	.030
w/Honda 13 h.p. OHV	XST4265	4265 ⁸²⁴⁸	.030	w/Generac 22, 25 & 33 h.p. (V-Twin)	XST3924	3924	.030
DIADEM				w/Generac 24, 27, 30 & 32 h.p. (V-Twin)	XST3926	3926	.030
Mulchers				w/Generac 30 h.p. (V-Twin) LPG	XST3926	3926	.020
w/B&S Encls.	XST458	458	.030	w/Honda 24 h.p. (V-Twin)	XST4265	4265 ⁸²⁴⁸	.030
w/Kohler 12 & 16 h.p.	----	216	.030	w/Kawasaki 19, 23, & 25 h.p. (V-Twin)	XST4265	4265 ⁸²⁴⁸	.030
DIDIER				w/Kohler 6 h.p. OHV	XST3924	3924	.030
Log Splitters				w/Kohler 16 h.p.	XP26 ⁸²⁵⁰	26	.025
w/B&S Encls.	XST458	458	.030	w/Kohler 18 & 20 h.p. (Twin)	XP26 ⁸²⁵⁰	26	.025
				w/Kohler 23 h.p. (Twin)	----	216	.030
				w/Kohler Command (V-Twin) Encls. .	XST3924	3924	.030
				w/Kohler Command Pro (V-Twin) Encls.	XST3924	3924	.040
				w/Onan 24 h.p. (Twin)	AP106 ⁸²⁴⁹	106	.030



Se Section 9 pour les remarques en français en bas de page. Ver Seccion 9 para las páginas de notas de pie de página en español. ⁸²⁴⁸ Tapered electrode design ⁸²⁴⁹ Single Platinum ⁸²⁵⁰ Xtreme Performance ⁸²⁵² Xtreme Sport

Small Engine - Lawn & Garden Equipment

	XTRME START™	STANDARD STANDARD ESTANDAR	GAP ENCARTMENT ESPACIO		XTRME START™	STANDARD STANDARD ESTANDAR	GAP ENCARTMENT ESPACIO
DIXON				DOSKO (Cont'd)			
Turf Equipment				Chipper/Mulchers & Stump Grinders (Cont'd)			
w/B&S "L" Head Engs.	XST458	458	.030	w/Onan 20 & 24 h.p. (Twin)	AP106 ⁸²⁴⁹	106	.025
w/B&S 13.5 & 15.5 h.p. Intek OHV ..	XST3924	3924	.030	w/Robin 11 h.p. OHV	XS63 ⁸²⁵²	4263 ⁸²⁴⁸	.025
w/B&S 14 & 14.5 h.p. OHV	XST3924	3924	.030	DOWNEASTER			
w/B&S 14 h.p. Vanguard (V-Twin) ...	XST3926	3926	.030	Sand Spreaders			
w/B&S 14.5, 15.5 & 16 h.p. Vanguard	XST3924	3924	.030	w/B&S 15 h.p.	XST458	458	.030
w/B&S 18 & 20 h.p. Intek OHV	XST3926	3926	.030	DR			
w/B&S 17 & 20 h.p. Intek (V-Twin) ...	XST3924	3924	.030	Chipper/Shredders, Cultivators, Field/Brush Mowers, Mulchers, Power Wagons, Riding Mowers, Stump Grinders, Tillers, Trimmer Mowers & Vacuums			
w/B&S 20 h.p. ELS (V-Twin)	XST3924	3924	.030	w/B&S "L" Head Engs.	XST458	458	.030
w/Kawasaki 12.5 h.p.	XST255	255	.025	w/B&S 10, 11 & 12 h.p. OHV	XST3924	3924	.030
w/Kawasaki 14 h.p.	AP425 ⁸²⁴⁹	2656	.025	w/B&S 4, 6, 6.5, 6.75, 7, 8, 9, 10, 12 & 13 h.p. Intek OHV	XST3924	3924	.030
w/Kawasaki 19 h.p. (V-Twin)	XST4265	4265 ⁸²⁴⁸	.025	w/B&S 18 h.p. (Twin)	XST458	458	.030
w/Kawasaki 27 h.p. (Liquid V-Twin) ..	AP66 ⁸²⁴⁹	66	.025	w/B&S 16 & 18 h.p. Vanguard (V-Twin)	XST3926	3926	.030
w/Kohler 14, 15 & 16 h.p. OHV	XST3924	3924	.040	w/Kawasaki 5 & 14 h.p. OHV	XST4265	4265 ⁸²⁴⁸	.030
w/Kohler 20 h.p. (Twin)	XP26 ⁸²⁵⁰	26	.025	w/Kawasaki 15 h.p. (V-Twin)	XST2976	2976	.025
w/Kohler 18, 20, 22, 23 & 25 h.p. (V-Twin)	XST3924	3924	.030	w/Kawasaki 17h.p. (V-Twin)	XST2976	2976	.030
w/Kohler 18 & 25 h.p. Command Pro (V-Twin)	XST3924	3924	.040	w/Kohler 17 h.p. (V-Twin)	XST3924	3924	.030
w/Onan Engs.	AP106 ⁸²⁴⁹	106	.025	w/Robin 1.2 h.p.	XST255	255	.025
DOBBINS				DSI			
Sprayers				Power Coring Rig			
w/B&S Engs.	XST458	458	.030	DS-40	XST2974	2974	.030
w/Tec. Engs.	XST458	458	.030	DUB-L-TIL (See Magna)			
DOLMAR				DUCAR			
Blowers, Drills & Pressure Washers				Tillers			
BC25, BC330	XST2554	2554	.030	DWG60	XS63 ⁸²⁵²	63	.030
HP450	XST2974	2974	.030	DWG90, DWG105, DWG120	XST4055	4055 ⁸²⁴⁸	.030
PB500R	XST2974	2974	.030	DUERR			
PB250.4, PB251.4	----	4194	.030	Log Splitters, Shredders & Vacuums			
PB7600.4, PB7601.4	----	4194	.030	w/B&S Engs.	XST458	458	.030
Blowers	XST2974	2974	.030	w/Tec. Engs.	XST458	458	.030
Earth Drill 311	XST2974	2974	.030	w/Wisc. 12 h.p.	----	386	.025
Brushcutters, Edgers & Trimmers				DYNA DIGGR			
BC210, LT210	XST2956	2956	.030	Powered Shovels			
BC330, BC400	XST2974	2974	.030	w/Tec. 1.6 h.p.	XST2976	2976	.030
LT16	XST255	255	.025	w/Tec. 2 h.p.	XST2974	2974	.030
LT30, LT210	XST2974	2974	.030	DYNA-FOG			
LT250, MS2501	XST2554	2554	.030	Foggers			
MS20C, MS22, MS22C, MS30, MS30C, MS30U	XST2974	2974	.030	DH50, 70, 90, 180	XST458	458	.035
MS230, MS230C, MS260, MS260C, MS260U, MS340	XST2974	2974	.030	DHR440	XST458	458	.035
MS251.4	----	4194	.030	DYNAMARK			
MS330C, MS330U, MS2501, MS251.4, MS2810	XST2974	2974	.030	Garden Tractors & Tillers			
MS3200, MS3210, MS3300, MS3310, MS3400	XST2974	2974	.030	w/B&S "L" Head Engs.	XST458	458	.030
MS4000, MS4010, MS4500, MS4510	XST2974	2974	.030	w/B&S Engs. (Twin)	XST458	458	.030
PE250	XST2554	2554	.030	w/Kawasaki 20 h.p (Liquid V-Twin) ..	XST258	258	.025
Hedge Trimmers				w/Tec. Engs.			
HT245, HT255	XST2974	2974	.025	XST458			
HT2145D, HT2162E	XST2974	2974	.025	458			
HT2960, HT2975	XST2974	2974	.025	.030			
DOSKO				DOSKO (Cont'd)			
Chipper/Mulchers & Stump Grinders				Chipper/Mulchers & Stump Grinders (Cont'd)			
w/Honda 11 & 13 h.p. OHV	XST4265	4265 ⁸²⁴⁸	.030	w/Onan 20 & 24 h.p. (Twin)	AP106 ⁸²⁴⁹	106	.025
w/Honda 18 & 20 h.p. (V-Twin)	XST4265	4265 ⁸²⁴⁸	.030	w/Robin 11 h.p. OHV	XS63 ⁸²⁵²	4263 ⁸²⁴⁸	.025
w/Kohler 20, 25, 30 & 38 h.p. (V-Twin)	XST3924	3924	.040	DOWNEASTER			



Se Section 9 pour les remarques en français en bas de page. Ver Section 9 para las páginas de notas de pie de página en español. ⁸²⁴⁸ Tapered electrode design ⁸²⁴⁹ Single Platinum ⁸²⁵⁰ Xtreme Performance ⁸²⁵² Xtreme Sport

Small Engine - Lawn & Garden Equipment

	XTREME START™	STANDARD ESTANDAR	GAP ENCARTMENT ESPACIO		XTREME START™	STANDARD ESTANDAR	GAP ENCARTMENT ESPACIO
DYNA MOW				EARTHQUAKE (Cont'd)			
w/Ford 1.1 & 1.3 liter Engs.	XP103 ⁸²⁵⁰	103	.035	Log Splitters (Cont'd)			
w/Kawasaki 20 h.p (Liquid V-Twin) ..	XST258	258	.025	W1265B	XST3924	3924	.030
w/Kawasaki 23 h.p. (V-Twin)	XST4265	4265 ⁸²⁴⁸	.025	W2813V	XS63 ⁸²⁵²	63	.030
w/Kawasaki 29 h.p. DFI (Liquid V-Twin)	XST4265	4265 ⁸²⁴⁸	.025	W2813V	XS63 ⁸²⁵²	63	.030
w/Kohler 25 h.p. (V-Twin)	XST3924	3924	.030	Mini Cultivators			
DYNAPAC				MC43, MC43E			
Plate Compactors				XST255			
w/Honda 3 h.p. OHV	----	4194	.030	Tillers			
w/Honda 4 h.p. OHV	XST4265	4265 ⁸²⁴⁸	.030	3100 w/Tec. 5.5 h.p. 4-Stroke	XST458	458	.030
EAGLESTAR				3200 w/B&S 5.5 h.p.			
Turf Equipment				XST458			
w/B&S 12 h.p.	XST458	458	.030	3201 w/B&S 4 h.p.	XST458	458	.030
w/B&S 16 h.p. Vanguard (V-Twin) ...	XST3926	3926	.030	3310V w/Viper 173cc Engs.	XS63 ⁸²⁵²	63	.030
w/B&S 18 h.p. (Twin)	XST458	458	.030	3365 w/B&S 5.5 h.p.	XST458	458	.030
w/Kawasaki 12.5 h.p.	XST255	255	.030	3365B, 3365C, 3365PS w/B&S 6.5 h.p.	XST458	458	.030
w/Kawasaki 14 h.p OHV	XST4265	4265 ⁸²⁴⁸	.030	3365PSCE w/B&S 8.5 h.p.	XST458	458	.030
EARTH KING				3515 w/Tec. 3.5 h.p.			
Power Augers				XST458			
w/B&S Engs.	XST458	458	.030	5020, 5020E w/B&S 3.5, 5 & 8 h.p. ...	XST458	458	.030
w/Tec. Engs	XST458	458	.030	5030T w/Tec. 5 h.p. OHV	XST4055	4055 ⁸²⁴⁸	.030
EARTHMASTER				5030T w/B&S 5 h.p.			
R	XST458	295	.030	5040 w/B&S 8.5 h.p. Intek OHV	XST3924	3924	.030
S, SRR	----	386	.030	5050, 5070, 7050 w/Tec. 5 h.p. OHV	XST4055	4055 ⁸²⁴⁸	.030
EARTHQUAKE				5055 w/B&S 5.5 h.p.			
Brooms				XST458			
8086 w/B&S 8 h.p.	XST458	458	.030	5055 w/B&S 6 h.p. Intek OHV	XST3924	3924	.030
Chipper/Shredders				5055C w/B&S 8.5 h.p.			
1692331 w/Tec. 8 h.p.	XST458	295	.030	5060 w/Tec. 6 h.p. OHV	XST4055	4055 ⁸²⁴⁸	.030
9010200 w/Tec. 10 h.p.	XST458	295	.030	6014V	XS63 ⁸²⁵²	63	.030
9060200 w/Tec. 6 h.p.	XST458	456	.030	6040E	XS63 ⁸²⁵²	63	.030
9050300 w/Viper 196cc Engs.	XS63 ⁸²⁵²	63	.030	6065VEC w/B&S Engs.	XST458	458	.030
9060300 w/B&S Intek OHV Engs.	XST3924	3924	.030	7040 w/B&S 8.5 h.p. Intek OHV	XST3924	3924	.030
9080300 w/B&S Intek OHV Engs.	XST3924	3924	.030	7055 w/B&S 5.5 h.p.	XST458	458	.030
9010300 w/B&S Intek OHV Engs.	XST3924	3924	.030	7055, 7155 w/B&S 6 h.p. Intek OHV ..	XST3924	3924	.030
9010400 w/B&S Intek OHV Engs.	XST3924	3924	.030	7060 w/Tec. 6 h.p. OHV	XST4055	4055 ⁸²⁴⁸	.030
Crawling Dumpsters				8070 w/B&S 8 h.p.			
350H w/Honda 5 h.p. OHV	XST4265	4265 ⁸²⁴⁸	.030	8082 w/B&S 8 h.p.	XST458	458	.030
507H w/Honda 9 h.p. OHV	XST4265	4265 ⁸²⁴⁸	.030	R3355H w/Honda 5.5 h.p. OHV	XST4265	4265 ⁸²⁴⁸	.030
Earth Augers				R3365 w/B&S 6.5 h.p.			
5020 w/B&S 5 h.p.	XST458	458	.030	R3365C w/B&S 6 h.p.	XST458	458	.030
8900E & 8902 w/Tec. 2 h.p.	XST2974	2974	.030	R3365H Badger Pro w/Honda 5.5 h.p. OHV	XST4265	4265 ⁸²⁴⁸	.030
Woodchuck 8900 w/Tec. 2 h.p.	XST2974	2974	.030	R5055C w/B&S 6 h.p.	XST458	458	.030
9000, 9000E & 9200 w/Tec. 3 h.p. ...	XST458	456	.030	R5055H w/Honda 5.5 h.p. OHV	XST4265	4265 ⁸²⁴⁸	.030
9800 w/Tec. 3.8 h.p.	XST458	458	.030	R7055C w/B&S 6 h.p.	XST458	458	.030
9800B w/B&S OHV Engs.	XST3924	3924	.030	R7055H w/Honda 5.5 h.p. OHV	XST4265	4265 ⁸²⁴⁸	.030
9800H w/Honda 5.5 h.p. OHV	XST4265	4265 ⁸²⁴⁸	.030	EARTH & TURF			
E43	XST255	255	.028	Top Dressers			
w/Tec. 8 h.p. Engs.	XST458	458	.030	w/B&S 8.75 & 10.5 h.p. OHV	XST3924	3924	.030
Edgers				w/Kohle 4.5 h.p. Courage XT-7 OHV			
K286B, K226B w/B&S 3.5 h.p.	XST458	458	.030	XST3924	3924	.030	
WE43, WE43E	XST255	255	.028	EARTH WAY			
Drills				Spreaders			
8900WC Woodchuck w/ Tec. 2 h.p. ...	XST2976	2976	.030	M34SS w/Honda 1.5 h.p. 4-Stroke ..	----	4194	.030
Log Splitters				EASTMAN			
w/B&S "L" Head Engs.	XST458	458	.030	Turf Mowers			
w/B&S 8 h.p. Intek OHV	XST3924	3924	.030	w/B&S 5.5 h.p. Intek OHV	XST3924	3924	.030
w/Honda 5.5 & 8 h.p. OHV	XST4265	4265 ⁸²⁴⁸	.030	w/Honda 2 h.p. OHC (4-Stroke)	----	4194	.030
EASY AUGER				w/Honda 4, 5 & 5.5 h.p. OHV			
Posthole Diggers				XST4265			
w/B&S 8 h.p.	XST458	458	.030	EASY AUGER			
w/B&S 9 h.p. Vanguard	XST3924	3924	.030	Posthole Diggers			
w/Honda 8 h.p. OHV	XST4265	4265 ⁸²⁴⁸	.030	w/B&S 8 h.p.	XST458	458	.030
SE				w/B&S 9 h.p. Vanguard			
Section 9				w/Honda 8 h.p. OHV			



Se Section 9 pour les remarques en français en bas de page. Ver Seccion 9 para las páginas de notas de pie de página en español. ⁸²⁴⁸ Tapered electrode design ⁸²⁵⁰ Xtreme Performance ⁸²⁵² Xtreme Sport

Small Engine - Lawn & Garden Equipment

	XTRME START™	STANDARD STANDARD ESTANDAR	GAP ENCARTMENT ESPACIO		XTRME START™	STANDARD STANDARD ESTANDAR	GAP ENCARTMENT ESPACIO
EASY LAWN				ECHO (Cont'd)			
Seed & Straw Blowers				Brushcutters, Edgers & Trimmers (Cont'd)			
w/B&S 5 & 8 h.p.	XST458	458	.030	CLS4600	XST2976	2976	.025
w/B&S 9 & 13 h.p. Vanguard	XST3924	3924	.030	GTL140, GT140, GTL140A	XST255	255	.025
w/B&S 14 & 16 h.p. Vanguard (V-Twin)	XST3926	3926	.030	GT140A, GT140B	XST255	255	.025
w/B&S 18, 20, 22, 23 & 35 h.p. Vanguard (V-Twin)	XST3926	3926	.030	GT160, GT160A, GT160AE	XST255	255	.025
w/Honda 20 h.p. (V-Twin)	XST4265	4265 ⁸²⁴⁸	.030	GT100, GT200BE, GT200CE, GT1000	XST255	255	.025
w/Kohler 18 & 20 h.p. (V-Twin)	XST3924	3924	.030	GT200, GT200A, GT200B	XST255	255	.025
w/Kohler 23 h.p. (V-Twin)	----	216	.030	GT200i, GT201i, GT200R, GT201R, GT225	XST2974	2974	.025
w/Robin 8.5 h.p. OHV	----	275	.025	GT225i, GT230, GT231, GT251, GT251E	XST2974	2974	.025
w/Robin 11.5 & 13.5 h.p. OHV	XS63 ⁸²⁵²	4263 ⁸²⁴⁸	.025	GT1100, GT2000, GT2000SB, GT2000R, GT2100, GT2101	XST2974	2974	.025
w/Robin 18, 20.5, 22 & 25 h.p. (V-Twin)	XST4265	4265 ⁸²⁴⁸	.025	GT2102, GT2103, GT2200, GT2400 PE200, PE201, PE225, PE230, PE231, PE260	XST2974	2974	.025
w/Wisc. 30 & 35 h.p.	----	386	.030	PE261, PE265, PE265S, PE280. PE310, PE311	XST2974	2974	.025
EASY RAKE				ECHO (Cont'd)			
Blowers, Chippers, Lawn Rakes & Vacuums				Brushcutters, Edgers & Trimmers (Cont'd)			
w/B&S 3.5, 5 & 8 h.p.	XST458	458	.030	PE2000, PE2200, PE2201, PE2400 . REC600, RM303E	XST2974	2974	.025
w/Honda 4, 5.5 & 8 h.p. OHV	XST4265	4265 ⁸²⁴⁸	.030	SRM140D, SRM140DA, SRM200 ... SRM200AE, SRM200BE	XST2974	2974	.025
w/Kawasaki 7.9 h.p.	XST458	295	.030	SRM200CE, SRM200D	XST255	255	.025
w/Kohler 6 h.p. OHV	XST3924	3924	.030	SRM200DA, SRM200DB	XST255	255	.025
w/Tec. 3.5 h.p.	XST458	458	.030	SRM202DA, SRM202FA	XST255	255	.025
EASY SPLIT				ECHO (Cont'd)			
Log Splitters				Brushcutters, Edgers & Trimmers (Cont'd)			
w/Tec. Engs.	XST458	458	.030	SRM210E, SRM210AE	XST255	255	.025
EASY VAC				ECHO (Cont'd)			
Turf Equipment				Brushcutters, Edgers & Trimmers (Cont'd)			
w/B&S Engs.	XST458	458	.030	SRM210, SRM210i, SRM210SB, SRM201SB, SRM210U	XST2974	2974	.025
EATON				ECHO (Cont'd)			
w/B&S Engs.	XST458	458	.030	SRM211, SRM211i, SRM211U	XST2974	2974	.025
w/Tec. Engs.	XST458	456	.030	SRM225, SRM225i, SRM225U, SRM225SB	XST2974	2974	.025
ECHO				ECHO (Cont'd)			
Augers				Brushcutters, Edgers & Trimmers (Cont'd)			
EA400, EA410, EA500	XST2974	2974	.025	SRM230, SRM230S, SRM230U	XST2974	2974	.025
Blowers, Sprayers & Vacuums				ECHO (Cont'd)			
PB9, DM9, MB400	XST255	255	.025	SRM231, SRM231S, SRM231U	XST2974	2974	.025
PB24LN, PB46HT, PB46LN, PB60HT	XST2974	2974	.025	SRM250E, SRM251, SRM251E, SRM260, SRM260S	XST2974	2974	.025
PB202, PB400, PB400E	XST255	255	.025	SRM260U, SRM261, SRM261S, SRM261T, SRM261U	XST2974	2974	.025
PB200, PB201, PB210, PB210E, PB211	XST2974	2974	.025	SRM265, SRM265S, SRM265T, SRM265U	XST2974	2974	.025
PB230LN, PB231LN, PB250, PB251, PB255, PB260L ProLite, PB261L	XST2974	2974	.025	SRM280, SRM280S, SRM280T, SRM280U	XST2974	2974	.025
PB265L, PB300E, PB403, PB403T, PB410, PB411, PB413	XST2974	2974	.025	SRM300, SRM300E, SRM300E/1 .. SRM300AE, SRM300AE/1, SRM302ADX	XST255	255	.025
PB460LN Quiet 1, PB461LN, PB500, PB602, PB603, PB610	XST2974	2974	.025	SRM310, SRM310S, SRM310U	XST2974	2974	.025
PB611, PB620, PB620H, PB620ST, PB650, PB650H, PB650T	XST2974	2974	.025	SRM311, SRM311S, SRM311U, SRM340	XST2974	2974	.025
PB651, PB651T, PB750, PB750T, PB751, PB751H, PB751T	XST2974	2974	.025	SRM400E, SRM400U, SRM400AE, SRM400BE, SRM410U	XST2974	2974	.025
PB755, PB755SS, PB770, PB2100, PB2400, PB1000, PB1010	XST2974	2974	.025	SRM1500, SRM1500A, SRM1501 .. SRM2000, SRM2100, SRM2100SB, SRM2110	XST2974	2974	.025
PB4500, PB4600, PB6000	XST2974	2974	.025	SRM2200, SRM2201, SRM2300, SRM2301	XST2974	2974	.025
PPB602	XST2974	2974	.025	SRM2310, SRM2400, SRM2400SB . SRM2410, SRM2450, MR2500, SRM2501	XST2974	2974	.025
SHR200E	XST255	255	.025	SRM2501S, SRM2502	XST2974	2974	.025
SHR210, SHR2100	XST2974	2974	.025	SRM2510, SRM3000, SRM3001 ... SRM2601	XST2974	2974	.025
Brushcutters, Edgers & Trimmers				ECHO (Cont'd)			
BRD280	XST2974	2974	.025	SRM3010, SRM3100, SRM3100S, SRM3110	XST2974	2974	.025
ECHO (Cont'd)				ECHO (Cont'd)			
Chipper/Shredders				ECHO (Cont'd)			
CSV5, CSV5S w/B&S 5 h.p.	XST458	458	.030	SRM3400, SRM3800, SRM4600 ... SRS2100 Aggressor Tree Trimmer ..	XST2974	2974	.025



Se Section 9 pour les remarques en français en bas de page. Ver Seccion 9 para las páginas de notas de pie de página en español. ⁸²⁴⁸ Tapered electrode design ⁸²⁵² Xtreme Sport

Small Engine - Lawn & Garden Equipment

	XTREME START™	STANDARD STANDARD ESTANDAR	GAP ENCARTMENT ESPACIO		XTREME START™	STANDARD STANDARD ESTANDAR	GAP ENCARTMENT ESPACIO
ECHO (Cont'd)				EDEN EQUIPMENT			
Chipper/Shredders (Cont'd)				Hydroseeders			
CSV8S w/B&S 8 h.p.	XST458	458	.030	w/Robin 25 h.p. (V-Twin)	XST4265	4265 ⁸²⁴⁸	.025
ES210, ES211, ES230, ES231, ES255	XST2974	2974	.025	EDGEMASTER			
ES1000, ES2000	XST2974	2974	.025	Curb Makers			
ES2100, ES2400	XST2974	2974	.025	w/Honda 3 h.p. OHV	----	4194	.030
SH3000 w/B&S 3 h.p.	XST458	458	.030	w/Honda 4 h.p. OHV	XST4265	4265 ⁸²⁴⁸	.030
SH5000 w/B&S 5 h.p.	XST458	458	.030	EDGE MASTER			
SH8000, 8000E, 80001C w/B&S 8 h.p.	XST458	458	.030	Edgers			
SH8000R	AP425 ⁸²⁴⁹	425	.030	w/B&S 5.5 h.p. Intek OHV	XST3924	3924	.030
Drills				w/Honda 2.5 h.p.	XST258	258	.030
ED200, ED2000, ED2000IA, EDR2100	XST2976	2976	.025	w/Honda 4 h.p.	AP425 ⁸²⁴⁹	2656	.030
EDR210, EDR260, EDR2400	XST2976	2976	.025	w/Honda 4 & 5.5 h.p. OHV	XST4265	4265 ⁸²⁴⁸	.030
Hedge Trimmers				EDKO			
HC140, HC160, HC160A	XST255	255	.025	Brushcutters, Tillers	XST255	255	.030
HC150, HC150i, HC151, HC151i, HC155	XST2974	2974	.025	Convertible Till-Trac	XST255	255	.030
HC161, HC165, HC180, HC181, HC185, HC200, HC201	XST2974	2974	.025	Log Splitters w/B&S Engs.	XST458	458	.030
HC200, HC200AE, HC201, HC210E, HC210AE	XST255	255	.025	Walking Tractors, Power Wheels	XST255	255	.030
HC225, HC230, HC231, HC233, HC234, HC235, HC245, HC265 ..	XST2974	2974	.025	EFCO			
HC1000, HC1001	XST255	255	.025	Augers			
HC1500, HCR1500, HC1600, HC2000, HC2100	XST2974	2974	.025	TR1540	XST2974	2974	.025
HC2400, HCA2400, HC2410	XST2974	2974	.025	TR1551	XST2976	2976	.025
HCA260, HCA261, HCA265	XST2974	2974	.025	Blowers & Vacuums			
HCR150, HCR151	XST2974	2974	.025	BP162, BV126	XST2974	2974	.025
SHC210, SHC211, SHC212, SHC225	XST2974	2974	.025	SA2062	XST2974	2974	.025
SHC225S, SHC260, SHC261, SHC265	XST2974	2974	.025	SA2700, SA3000	XST2976	2976	.025
SHC2100, SHC2401	XST2974	2974	.025	Brushcutters & Trimmers			
Power Heads				DS2600 4S, DS2800S/T	----	4194	.025
PAS230, PAS231, PAS260, PAS261, PAS265	XST2976	2976	.025	DS3600 4S 4-Cycle	----	4194	.025
Pruners				8245SE Stick Edger	XST2974	2974	.025
PPF210, PPF211, PPF225, PPT230, PPT225, PPT231	XST2974	2974	.025	8260TA, 8260LAV, 8260BAV	XST2974	2974	.025
PPT260, PPT261, PPT265, PPT265S, PPT280	XST2974	2974	.025	8260DAV, 8320LAV, 8320BAV	XST2974	2974	.025
PPF2100, PPT2100, PPF2110, PPFD2400, PPT2400	XST2974	2974	.025	8271S, 8271T, 8271TR	XST2974	2974	.025
Tillers				8350BAV, 8350LAV, 8371S/T,	XST2974	2974	.025
TC210, TC210i	XST2976	2976	.025	8405BAV, 8405BP, 8421T	XST2974	2974	.025
TC2100	XST2976	2976	.025	8420BAV, 8460BAV, 8510BAV, 8530	XST2974	2974	.025
ECLIPSE				8725LAV, 8725BAV, 8725TA	XST2974	2974	.025
Garden Tractors				8726BAV, 8726LAV, 8726TA	XST2974	2974	.025
All Models	XST458	456	.025	8735BAV, 8735LAV	XST2974	2974	.025
ECO LAWN				8740BAV, 8742BAV, 8750PRO	XST2974	2974	.025
Spreaders				8746BAV, 8753BAV, 8405BP	XST2974	2974	.025
w/Honda 5.5 h.p. OHV	XST4265	4265 ⁸²⁴⁸	.030	E8405BP, TS330	XST2974	2974	.025
ECONOMY				HT27	XST2976	2976	.025
Garden Tractors				TS330	XST2974	2974	.025
Power King, Jim Dandy	XST255	255	.025	Hedge Trimmers			
w/Kohler 14 h.p.	----	216	.030	TG2600XP, TG2750XP	XST2974	2974	.025
ELECTRO-SPRAY				Multi-Mate Engine			
Mist Sprayer				30cc	XST2974	2974	.025
w/B&S 8 & 11 h.p.	XST458	458	.030	Pole Pruners			
w/B&S 16 & 20 h.p. Vanguard (V-Twin)	XST3926	3926	.030	PT2500	XST2974	2974	.025
ELEPHANT-VAC				Vacuums			
Vacuums				w/B&S 8 & 8.5 h.p.	XST458	458	.030



Se Section 9 pour les remarques en français en bas de page. Ver Seccion 9 para las páginas de notas de pie de página en español. ⁸²⁴⁸ Tapered electrode design ⁸²⁴⁹ Single Platinum

Small Engine - Lawn & Garden Equipment

	XTREME START™	STANDARD STANDARD ESTANDAR	GAP ENCARTMENT ESPACIO		XTREME START™	STANDARD STANDARD ESTANDAR	GAP ENCARTMENT ESPACIO
ELEPHANT-VAC (Cont'd)				ENCORE (Cont'd)			
Vacuums (Cont'd)				Aerators, Blowers, Dethatchers, Edgers & Mowers (Cont'd)			
w/B&S 16 & 18 h.p. Vanguard (V-Twin)	XST3926	3926	.030	w/B&S 31 h.p. Vanguard (Liquid Cooled)	XST3924	3924	.030
ELGEE				w/Generac 26 & 33 h.p. OHV (V-Twin)	XST3926	3926	.030
Power-Vac Sweepers				w/Honda 2.5 h.p.	XST258	258	.030
w/B&S 6 & 8 h.p.	XST458	458	.030	w/Honda 4 h.p.	AP425 ⁸²⁴⁹	2656	.030
w/B&S 6 & 8 h.p. (LPG)	XST458	458	.020	w/Honda 4, 5, 5.5, 8 & 13 h.p. OHV	XST4265	4265 ⁸²⁴⁸	.030
w/Honda 5.5 h.p. OHV	XST4265	4265 ⁸²⁴⁸	.030	w/Kawasaki 12.5 h.p.	XST255	255	.030
w/Honda 5.5 h.p. OHV (LPG)	XST4265	4265 ⁸²⁴⁸	.020	w/Kawasaki 13 & 14 h.p. OHV	XST4265	4265 ⁸²⁴⁸	.030
ELIET				w/Kawasaki 15 h.p. OHV	XST2976	2976	.025
Blowers				w/Kawasaki 17, 19, 21, 23, 25 & 28 h.p. (V-Twin)	XST4265	4265 ⁸²⁴⁸	.030
w/B&S 6.5 h.p. Intek OHV	XST3924	3924	.030	w/Kawasaki 20 h.p. (Liquid V-Twin) ..	XST258	258	.030
w/B&S 6, 6.5, 9, 13 & 16 h.p. Vanguard	XST3924	3924	.030	w/Kawasaki 22 h.p. EFI (Liquid V-Twin)	XST258	258	.030
w/Honda 5, 5.5, 9 & 13 h.p. OHV	XST4265	4265 ⁸²⁴⁸	.030	w/Kawasaki 27 h.p. (Liquid V-Twin) ..	AP66 ⁸²⁴⁹	66	.025
Edgers, Chipper/Shredders, Dethatchers, Scarifiers & Seeders				w/Kohler 14, 22 & 25 h.p. OHV	XST3924	3924	.040
w/B&S 3.5 h.p.	XST458	458	.030	w/Tec. 8 h.p.	XST458	458	.030
w/B&S 5.5 & 6.5 h.p. Intek OHV	XST3924	3924	.030	w/Tec. 14 h.p. OHV	XST4055	4055 ⁸²⁴⁸	.030
w/B&S 4, 6, 6.5, 9 & 13 h.p. Vanguard	XST3924	3924	.030	ENDURA			
w/B&S 16, 18 & 22 h.p. Vanguard (V-Twin)	XST3926	3926	.030	Aerators, Dethatchers, Log Splitters, Sod Cutters, Stump Grinders & Trenchers			
w/B&S 27 h.p. Vanguard (Liquid V-Twin)	XST3924	3924	.030	w/Honda 5.5 & 13 h.p. OHV	XST4265	4265 ⁸²⁴⁸	.030
w/Honda 4 & 5 h.p. OHC	XST4265	4265 ⁸²⁴⁸	.030	ENERGY MATE			
w/Honda 4, 5, 5.5, 6, 6.5, 9 & 13 h.p. OHV	XST4265	4265 ⁸²⁴⁸	.030	Easy Splitters w/Tec. Engs.			
w/Honda 24 h.p. OHV (V-Twin)	XST4265	4265 ⁸²⁴⁸	.030	XST458	458	.030	
Vacuums				ENGINEERING PRODUCT			
w/B&S 13 h.p. Vanguard OHV	XST3924	3924	.030	Garden Tractors			
w/B&S 16 h.p. Vanguard (V-Twin) ..	XST3926	3926	.030	All Models			
w/Honda 13 h.p. OHV	XST4265	4265 ⁸²⁴⁸	.030	XST458	295	.030	
ELITE				ENVIROBOOM			
Concrete Saws & Trenchers				Sprayers			
w/B&S 3.5 & 5 h.p.	XST458	458	.030	w/B&S 5 h.p.	XST458	458	.030
w/B&S 9, 13 & 16 h.p. Vanguard	XST3924	3924	.030	w/Tec. 5 h.p.	XST458	458	.030
w/B&S 18 & 20 h.p. Vanguard (V-Twin)	XST3926	3926	.030	ENVIRO GARD			
w/Honda 5, 5.5, 8, 9, 11 & 13 h.p. OHV	XST4265	4265 ⁸²⁴⁸	.030	Riding Mowers			
w/Honda 6.5 h.p.	AP425 ⁸²⁴⁹	2656	.030	w/B&S 31 h.p. LPG Vanguard (V-Twin)	XST3926	3926	.030
w/Kohler 11 & 12.5 h.p. OHV	XST3924	3924	.040	w/Kawasaki 13 h.p. OHV	XST4265	4265 ⁸²⁴⁸	.020
w/Robin 5.5 h.p.	AP425 ⁸²⁴⁹	425	.025	w/Kawasaki 15 h.p. OHV	XST2976	2976	.015
w/Robin 6 & 7.5 h.p.	----	275	.025	w/Kawasaki 19, 23, 25 & 28 h.p. LPG (V-Twin)	XST4265	4265 ⁸²⁴⁸	.020
ELMCO				ENVIROJET			
Utility Vehicles				Hydraulic Aerators			
w/Kawasaki 9 & 11 h.p. OHV	XST4265	4265 ⁸²⁴⁸	.030	w/B&S 14, 16 & 18 h.p. Vanguard (V-Twin)	XST3926	3926	.020
EMPIRE (Canada)				w/Kawasaki 20 h.p. (Liquid V-Twin) ..	XST258	258	.025
Garden Tractors				w/Kohler 20 & 25 h.p. (V-Twin)	XST3924	3924	.030
XST458	295	.025	ESKA				
ENCORE				Snow Tractors			
Aerators, Blowers, Dethatchers, Edgers & Mowers				XST458	295	.025	
w/B&S "L" Head Engs.	XST458	458	.030	ESKIMO			
w/B&S 5.5 h.p. Intek OHV	XST3924	3924	.030	Earth & Ice Drills			
w/B&S 16, 18, 20 & 25 h.p. Vanguard (V-Twin)	XST3926	3926	.030	8900 & 8902 w/Tec. 2 h.p.	XST2974	2974	.030
				9000 & 9200 w/Tec. 3 h.p.	XST458	456	.030



Se Section 9 pour les remarques en français en bas de page. Ver Seccion 9 para las páginas de notas de pie de página en español. ⁸²⁴⁸ Tapered electrode design ⁸²⁴⁹ Single Platinum

Small Engine - Lawn & Garden Equipment

	XTREME START™	STANDARD ESTANDAR	GAP ENCARTMENT ESPACIO		XTREME START™	STANDARD ESTANDAR	GAP ENCARTMENT ESPACIO
ESKIMO (Cont'd)				EXCEL (Cont'd)			
Ice Augers				Commercial Mowers & Tillers (Cont'd)			
Barracuda w/Tec. 2 h.p.	XST2974	2974	.030	w/Kawasaki 17 h.p. OHV	XST4265	4265 ⁸²⁴⁸	.025
Barracuda Plus w/Tec. 3 h.p.	XST458	458	.030	w/Kohler 13 & 15 h.p. Command Pro	XST3924	3924	.040
Mako w/Tec. 2 h.p.	XST2974	2974	.030	w/Kohler 18 h.p.	----	216	.030
Shark w/2.5 h.p. Eng.	XST2974	2974	.030	w/Kohler 18, 22 & 25 h.p. Command Pro (V-Twin)	XST3924	3924	.040
Sting Ray w/1.2 h.p. Eng.	XST2974	2974	.030	w/Kohler 20 & 23 h.p.	----	216	.025
M43Q8, M43Q9, M43Q10	XST255	255	.028	w/Kohler 18 & 20 h.p. (Twin)	XP26 ⁸²⁵⁰	26	.025
S33Q8	XST255	255	.028	w/Kohler 20, 22 & 25 h.p. (V-Twin) ..	XST3924	3924	.030
Z51Q8, Z51Q9, Z51Q10	XST255	255	.028	w/Kohler 23 h.p. (V-Twin)	----	216	.030
Z71Q10	XST2974	2974	.030				
Tillers				EXMARK			
5020 w/B&S 5 h.p.	XST458	458	.030	Turf Equipment			
				w/B&S "L" Head Eng.	XST458	458	.030
				w/B&S 6.5 h.p. Intek OHV	XST3924	3924	.030
				w/B&S 16, 18, 20, 21 & 23 h.p. Vanguard (V-Twin)	XST3926	3926	.030
				w/B&S 20, 22 & 24 h.p. ELS (V-Twin)	XST3924	3924	.030
				w/B&S 31 h.p. Vanguard (Liquid Cooled)	XST3924	3924	.030
				w/B&S 31 & 35 h.p. Vanguard (V-Twin)	XST3926	3926	.030
				w/Honda 5.5 & 13 h.p. OHV	XST4265	4265 ⁸²⁴⁸	.030
				w/Honda 11 h.p. (GV400)	XST2976	2976	.030
				w/Kawasaki 5, 5.5 & 6 h.p. OHV	XST4265	4265 ⁸²⁴⁸	.030
				w/Kawasaki 12.5 h.p. OHV	XST258	258	.025
				w/Kawasaki 13, 14 & 17 h.p. OHV ...	XST4265	4265 ⁸²⁴⁸	.030
				w/Kawasaki 15 & 17 h.p. KAI (V-Twin)	XST2976	2976	.025
				w/Kawasaki 16, 18, 19, 20, 21, 22, 23, 24, 25, 28 & 29 h.p. (V-Twin) ..	XST4265	4265 ⁸²⁴⁸	.030
				w/Kawasaki 20, 24 & 29 h.p. (V-Twin) LPG	XST4265	4265 ⁸²⁴⁸	.020
				w/Kawasaki 22 h.p. (Liquid Cooled V-Twin)	XST258	258	.025
				w/Kawasaki 23 & 27 h.p. (Liquid Cooled V-Twin)	AP66 ⁸²⁴⁹	66	.025
				w/Kawasaki 26 & 29 h.p. (Liquid Cooled V-Twin)	XST4265	4265 ⁸²⁴⁸	.030
				w/Kawasaki 34 h.p. (Liquid Cooled V-Twin)	XP64 ⁸²⁵⁰	64	.030
				w/Kohler 12.5 & 13 h.p. OHV	XST3924	3924	.040
				w/Kohler 14, 15 & 18 h.p. OHV	XST3924	3924	.040
				w/Kohler 18, 20, 22, 23, 25 & 27 h.p. (V-Twin)	XST3924	3924	.030
				w/Kohler 28 & 29 h.p. EFI (V-Twin) ..	XST3924	3924	.040
				w/Kohler 29 h.p. (Liquid V-Twin)	XST3924	3924	.040
				w/Kohler 30, 34 & 38 h.p. (V-Twin) ..	XST3924	3924	.040
				EZ			
				Rake, Thatcher	XST255	255	.025
				E-Z BEEVER			
				Chippers			
				w/Kohler 12 & 23 h.p.	----	216	.030
				w/Kohler 25 h.p. (V-Twin)	XST3924	3924	.030
				w/Onan 24 h.p. (Twin)	AP106 ⁸²⁴⁹	106	.025
				w/Ford LSG-423 (140 cid)	XP104 ⁸²⁵⁰	104	.035
				w/Ford CSG-649 (300 cid)	AP124 ⁸²⁴⁹	124	.030
				w/Herc. G-1600	XST254	303	.025
				w/Wisc. Eng.	----	386	.030
ESTATE FINISH MOWER				ESTATE ROUGH CUT MOWER			
Mowers				w/B&S 12.5 h.p.			
	XST458	458	.030		XST458	458	.030
	XST3924	3924	.030		XST3924	3924	.030
ESTATE TRIMMER				EUROSYSTEMS			
Trimmers				Lawn Rakes, Mowers, Tillers, & Trimmers			
	XST458	458	.030	w/B&S Eng.	XST458	458	.030
	XST3924	3924	.030	w/Robin Eng.	AP425 ⁸²⁴⁹	425	.030
				w/Tec. Eng.	XST458	458	.030
				EVER RIDE			
				Riding Mowers			
	XST3924	3924	.030	w/B&S 25 h.p. Intek (V-Twin)	XST3924	3924	.030
				w/B&S 25 & 26 h.p. Vanguard (V-Twin)	XST3924	3924	.030
	XST4265	4265 ⁸²⁴⁸	.025	w/Kawasaki 13 h.p. OHV	XST4265	4265 ⁸²⁴⁸	.025
	XST2976	2976	.025	w/Kawasaki 13, 15 & 19 h.p. Kai (V-Twin)	XST2976	2976	.025
	XST2976	2976	.025	w/Kawasaki 15, 17 & 19 h.p. (V-Twin)	XST2976	2976	.025
	XST4265	4265 ⁸²⁴⁸	.025	w/Kawasaki 19, 23, 25, 27 & 31 h.p. (V-Twin)	XST4265	4265 ⁸²⁴⁸	.025
	XST3924	3924	.040	w/Kohler 18, 23 & 27 h.p. (V-Twin) ..	XST3924	3924	.040
	XST3924	3924	.030	w/Kohler 18 h.p. Courage DOHC ...	XST3924	3924	.030
	XST3924	3924	.030	w/Kohler 20 & 23 h.p. Courage (V-Twin)	XST3924	3924	.030
				EXCEL			
				Commercial Mowers & Tillers			
	XP103 ⁸²⁵⁰	103	.030	400			
	XST458	458	.030	w/B&S "L" Head Eng.	XST458	458	.030
	XST458	458	.030	w/B&S 18 h.p. (Twin)	XST458	458	.030
	----	386	.030	w/Cont. TC-56			
	XST4265	4265 ⁸²⁴⁸	.035	w/Ford 1.1L Eng.	XST4265	4265 ⁸²⁴⁸	.035
	XP103 ⁸²⁵⁰	103	.035	w/Ford 1.3L Eng.	XP103 ⁸²⁵⁰	103	.035
	AP425 ⁸²⁴⁹	425	.025	w/Kawasaki 14 h.p.	AP425 ⁸²⁴⁹	425	.025



Se Section 9 pour les remarques en français en bas de page. Ver Seccion 9 para las páginas de notas de pie de página en español. ⁸²⁴⁸ Tapered electrode design ⁸²⁴⁹ Single Platinum ⁸²⁵⁰ Xtreme Performance

Small Engine - Lawn & Garden Equipment

	 XTREME START™	STANDARD STANDARD ESTANDAR	GAP ENCARTMENT ESPACIO		 XTREME START™	STANDARD STANDARD ESTANDAR	GAP ENCARTMENT ESPACIO
E-Z-GO				FARMCRAFT (See Melin)			
Utility Vehicles				FEDERAL			
w/B&S 16 h.p. Vanguard (V-Twin) . . .	XST3924	3924	.030	Garden Tractors			
w/B&S 28 h.p. Vanguard (Liquid Cooled)	XST3924	3924	.030	All Models	----	386	.025
w/Honda 18 h.p. (V-Twin)	XST4265	4265 ⁸²⁴⁸	.030	FELDMANN			
w/Kawasaki 13 h.p. OHV	XST4265	4265 ⁸²⁴⁸	.030	Aerators & Tillers			
w/Onan 18 & 20 h.p. (Twin)	AP106 ⁸²⁴⁹	106	.025	w/B&S Engs.	XST458	458	.030
w/Robin 2-Cycle Engs.	----	275	.025	w/Honda 3.5 h.p. OHV	XST4265	4265 ⁸²⁴⁸	.030
w/Robin EH29C Engs.	AP66 ⁸²⁴⁹	66	.030	w/Tec. Engs.	XST458	458	.030
w/Robin EH35C Engs.	XST4265	4265 ⁸²⁴⁸	.030	Ice & Post Hole Drills			
w/Robin 8.5 h.p. (Twin)	AP66 ⁸²⁴⁹	66	.030	Models 70, 80 & 81 Plus	XST2974	2974	.030
w/Robin 9 & 11 h.p. OHC (Twin)	----	275	.025	w/Tec. Engs.	XST458	458	.030
E-Z LAWN				FERRIS			
Rakes, Thatchers & Vacuums				Mowers			
w/B&S Engs.	XST458	458	.030	w/B&S 13.5 h.p. Intek OHV	XST3924	3924	.030
E-Z MO				w/B&S 24 & 26 h.p. Intek (V-Twin) . . .	XST3924	3924	.030
Mowers				w/B&S 24 & 26 h.p. Extended Life (V-Twin)	XST3924	3924	.030
w/B&S Engs.	XST458	458	.030	w/B&S 24 & 26 h.p. Professional Series (V-Twin)	XST3924	3924	.030
E-Z ROLL				w/B&S 14, 16, 18, 20, 28, 30, 32 & 35 h.p. Vanguard (V-Twin)	XST3926	3926	.030
Edgers, Mowers & Tillers				w/B&S 24 & 26 h.p. Professional Series (V-Twin)	XST3926	3926	.030
w/B&S 5 h.p.	XST458	458	.030	w/B&S 31 & 34 h.p. Vanguard (Liquid Cooled)	XST3924	3924	.030
w/Honda 2.2 h.p.	XST258	258	.030	w/Daihatsu 3-Cyl Engs.	AP66 ⁸²⁴⁹	66	.030
w/Honda 4 & 5 h.p. OHV	XST4265	4265 ⁸²⁴⁸	.030	w/Honda 13 h.p. OHV	XST4265	4265 ⁸²⁴⁸	.030
w/Tec. 2 h.p.	XST2974	2974	.030	w/Kawasaki 5 h.p.	----	275	.030
E-Z TRENCH				w/Kawasaki 12.5 h.p.	XST255	255	.030
Bedscapers, Ground Saws, Stump Grinders, Tillers, Trenchers & Wire/Cable Installers				w/Kawasaki 13, 14 & 17 h.p. OHV . . .	XST4265	4265 ⁸²⁴⁸	.030
w/B&S 5 h.p.	XST458	458	.030	w/Kawasaki 13, 15, 17 & 19 h.p. (V-Twin)	XST2976	2976	.025
w/B&S 5.5 h.p. Intek OHV	XST3924	3924	.030	w/Kawasaki 20, 21, 22, 23, 25 & 26 h.p. (V-Twin)	XST4265	4265 ⁸²⁴⁸	.025
w/B&S 6 & 9 h.p. Vanguard	XST3924	3924	.030	w/Kawasaki 20 h.p. (Liquid V-Twin) . .	XST258	258	.025
w/Honda 6.5 & 8 h.p. OHV	XST4265	4265 ⁸²⁴⁸	.030	w/Kawasaki 26 h.p. (Liquid V-Twin) . .	XST4265	4265 ⁸²⁴⁸	.025
w/Mitsubishi Engs. (2-Stroke)	XST2974	2974	.030	w/Kawasaki 27 h.p. (Liquid V-Twin) . .	AP66 ⁸²⁴⁹	66	.025
F.M.C.				w/Kawasaki 34 & 37 h.p. (V-Twin) . . .	XP64 ⁸²⁵⁰	64	.030
Lawn & Garden Tractors				w/Kohler 12.5, 14 & 15 h.p. OHV	XST3924	3924	.040
Tillers w/B&S Engs.	XST458	458	.030	w/Kohler 14 h.p.	----	216	.030
w/B&S Engs.	XST458	458	.030	w/Kohler 20, 21, 22, 23, 25 & 27 h.p. (V-Twin)	XST3924	3924	.030
w/Kohler 17 h.p.(Twin)	XP26 ⁸²⁵⁰	26	.025	w/Kohler 30 h.p. Command Pro (V-Twin)	XST3924	3924	.030
w/Onan BF Engs.	----	437	.030	FIMCO			
w/Tec. HH, OH Series	XS4093 ⁸²⁵²	4093 ⁸²⁴⁸	.030	Sprayers			
w/All other Tec. Engs.	XST458	458	.030	w/B&S 3.5 & 5 h.p.	XST458	458	.030
w/Wisc. Engs.	----	386	.030	w/B&S 5.5 h.p. Intek OHV	XST3924	3924	.030
Sprayers				w/Honda 5.5 h.p. OHV	XST4265	4265 ⁸²⁴⁸	.030
w/Kohler 7 h.p.	XST458	458	.030	w/Tec. 3.5 & 5 h.p.	XST458	458	.030
w/Kohler 12, 18, & 23 h.p.	----	216	.030	FINN			
w/Wisc. VG4D	----	386	.030	Bark Blowers, Hydraulic Dumps, HydroSeeders, Material Transfer Systems, Mulch Spreaders & Straw Blowers			
w/Wisc. V460D	XST4265	4265 ⁸²⁴⁸	.030	w/B&S 18 h.p. (Twin)	XST458	458	.030
FAIRBANKS-MORSE				w/B&S 18 h.p. Vanguard (V-Twin) . . .	XST3926	3926	.030
Garden Tractors				w/Honda 11 h.p. OHV	XST4265	4265 ⁸²⁴⁸	.030
All Models	XST458	456	.030	w/Kohler 8 h.p.	XST255	255	.025
FARM-ETTE				w/Kohler 15 h.p. OHV	XST3924	3924	.040
All Models	XST458	456	.025	w/Kohler 20 & 25 h.p. (V-Twin)	XST3924	3924	.030



Se Section 9 pour les remarques en français en bas de page. Ver Seccion 9 para las páginas de notas de pie de página en español. ⁸²⁴⁸ Tapered electrode design ⁸²⁴⁹ Single Platinum ⁸²⁵⁰ Xtreme Performance ⁸²⁵² Xtreme Sport

Small Engine - Lawn & Garden Equipment

	XTREME START™	STANDARD STANDARD ESTANDAR	GAP ENCARTMENT ESPACIO		XTREME START™	STANDARD STANDARD ESTANDAR	GAP ENCARTMENT ESPACIO
FINN (Cont'd) Bark Blowers, Hydraulic Dumps, HydroSeeders, Material Transfer Systems, Mulch Spreaders & Straw Blowers (Cont'd)				FRADAN (Cont'd) Vacuums			
w/Wisc. W4-1770 35 h.p.	----	386	.030	w/B&S 31 h.p. Vanguard (Liquid Cooled)	XST3926	3926	.030
				w/Kohler 25 h.p. (V-Twin)	XST3924	3924	.030
				w/Wisconsin 30 h.p.	----	386	.025
FINNELL w/Onan Engs.				FUTURA Log Splitters			
	----	216	.025	w/Tec. Engs.	XST458	458	.030
FIVENSON Maple Tree Tappers Tree Trimmers				G.I. 14mm Heads 18mm Heads			
	----	3136	.030		XST458	295	.030
	----	3136	.030		----	386	.030
FLOWTRON Log Splitters				GARD-EN-EZE			
w/B&S Engs.	XST458	458	.030	w/B&S Engs.	XST458	458	.030
				18mm Heads	----	386	.030
FLYMO Hovering Trimmers & Tillers				GAMBLE-ALDENS			
GCT12, GCT15 w/Tech. 2 h.p.	XST2974	2974	.030	All Models	XST458	456	.030
GCT20 w/JLO Engs.	----	275	.030				
GCT21 w/Tech. 3.5 h.p.	XST458	456	.030				
w/B&S Engs.	XST458	458	.030				
w/Ducati Engs.	XS4093 ⁸²⁵²	4093 ⁸²⁴⁸	.030				
FORD Log Splitters, Tillers & Tractors				GARD-N-EZE Garden Tractors			
960.1, 960.2	XST255	255	.030	14mm Threads	XST458	456	.025
w/B&S "L" Head Engs.	XST458	458	.030	18mm Threads	----	386	.025
w/B&S 16 & 18 h.p. Vanguard (V-Twin)	XST3926	3926	.030				
w/Tec. Engs.	XST458	458	.030				
w/Kohler 10, 12 & 14 h.p.	----	216	.030				
w/Kohler 12.5 & 14 h.p. OHV	XST3924	3924	.040				
w/Kohler 16 & 20 h.p.	----	216	.030				
w/Kohler 16, 17 & 18 h.p. (V-Twin) ..	XST3924	3924	.030				
w/Kohler 18 & 20 h.p. (Twin)	XP26 ⁸²⁵⁰	26	.025				
FORT Utility Engines				GARDEN KING Mowers			
w/B&S 5 & 8 h.p.	XST458	458	.030	All Models	----	386	.025
w/Tec. 3.5 h.p.	XST458	458	.030				
FRADAN Blowers				Tillers			
BB-50, BB-51 Backpack	XST254	303	.025	w/B&S 3.5 & 5 h.p.	XST458	458	.030
BB-70 Backpack	XST2976	2976	.025	w/Tec. 5 h.p. OHV	XST4055	4055 ⁸²⁴⁸	.030
w/B&S 5, 8 & 11 h.p.	XST458	458	.030				
w/B&S 9 h.p. Vanguard	XST3924	3924	.030				
w/B&S 5.5 h.p. OHV	XST3924	3924	.030				
w/B&S 14.5 h.p. Intek OHV	XST3924	3924	.030				
w/B&S 14, 16 & 18 h.p. Vanguard (V-Twin)	XST3926	3926	.030				
w/Honda 5.5, 9 & 13 h.p. OHV	XST4265	4265 ⁸²⁴⁸	.030				
w/Kawasaki 9 h.p. OHV	XST4265	4265 ⁸²⁴⁸	.030				
w/Kohler Courage Engs.	XST4265	4265 ⁸²⁴⁸	.040				
w/Tec. 5 h.p. OHV	XST4055	4055 ⁸²⁴⁸	.030				
Brushcutters & Trimmers				GARDEN MASTER Tillers			
BC-30	XST258	258	.025	w/B&S 3.5, 5, 8 & 9 h.p.	XST458	458	.030
SE-26, ST-26	XST2976	2976	.025				
SE-30, ST-30	XST258	258	.025				
FRADAN (Cont'd)				GARDEN PAL Garden Tractors			
				All Models	XST458	456	.025
FRADAN (Cont'd)				GARDEN PRIDE			
				w/B&S Engs.	XST458	458	.030
FRADAN (Cont'd)				GARDEN PRO Garden Tractors			
				w/B&S Engs.	XST458	458	.030
FRADAN (Cont'd)				GARDEN STAR Tillers			
				w/B&S 3.5, 5 & 8 h.p.	XST458	458	.030
				w/Honda 5.5 & 8 h.p. OHV	XST4265	4265 ⁸²⁴⁸	.030
				w/Tec. 3.5, 5 & 8 h.p.	XST458	456	.030
				w/Tec. 5 & 6 h.p. OHV	XST4055	4055 ⁸²⁴⁸	.030



Se Section 9 pour les remarques en français en bas de page. Ver Seccion 9 para las páginas de notas de pie de página en español. ⁸²⁴⁸ Tapered electrode design ⁸²⁵⁰ Xtreme Performance ⁸²⁵² Xtreme Sport

Small Engine - Lawn & Garden Equipment

	XTRME START™	STANDARD STANDARD ESTANDAR	GAP ÉNCARTMENT ESPACIO		XTRME START™	STANDARD STANDARD ESTANDAR	GAP ÉNCARTMENT ESPACIO
GARDEN WAY				GIANT-VAC (Cont'd)			
Trimmer/Brushcutters				Blowers, Brush Mowers, Chippers, Dethatchers, Lawn Mowers, Log Splitters, Power Brushes, Tillers & Vacuums (Cont'd)			
11069 w/Tec. 1.6 h.p.	XST2976	2976	.030	w/Kohler 8 h.p. (K181)	XST458	458	.030
GARLOCK POWER WAGON				w/Kohler 8 (M8), 10 & 14 h.p.	----	216	.030
w/B&S 5 h.p.	XST458	458	.030	w/Kohler 8.5 & 10 h.p. Command Pro CS OHV	XST4265	4265 ⁸²⁴⁸	.040
GARVER				w/Kohler 13 h.p. Command Pro CS OHV	XST3924	3924	.040
Garden Tractors				w/Kohler 16, 20 & 23 h.p.	----	216	.030
All Models	----	386	.025	w/Kohler 13 & 15 h.p. OHV	XST3924	3924	.030
GENERAL EQUIPMENT				w/Kohler 16 & 18 h.p. (Twin)	XP26 ⁸²⁵⁰	26	.025
Air Ventilation Blowers				w/Kohler 20 & 25 h.p. (V-Twin)	XST3924	3924	.030
w/B&S 3.5 h.p.	XST458	458	.030	w/Tec. 13 & 16 h.p. OHV	XST4055	4055 ⁸²⁴⁸	.030
w/Honda 4 h.p. OHV	XST4265	4265 ⁸²⁴⁸	.030	w/White G-1600 Engs.	XST254	303	.030
Earth Drills				w/Wisc. VH4D, VH65D	----	386	.030
w/B&S Engs.	XST458	458	.030	GILSON			
w/Chry. 82005	AP425 ⁸²⁴⁹	425	.025	Composters, Log Splitters, Tractors, Tillers & Vacuums			
w/Honda 5 h.p. OHV	XST4265	4265 ⁸²⁴⁸	.030	w/B&S "L" Head Engs.	XST458	458	.030
w/Robin 3 h.p.	XST258	308	.025	w/B&S Engs. (Twin)	XST458	458	.030
w/Tec. Engs.	XST458	458	.030	w/B&S 16 & 18 h.p. Vanguard (V-Twin)	XST3926	3926	.030
GIANNI FERRARI				w/Kohler 8.5 & 12 h.p. Pro CS	XST4265	4265 ⁸²⁴⁸	.040
Riding Mowers				w/Lauson Engs.	XST458	295	.025
w/B&S 16, 18 & 20 h.p. Vanguard (V-Twin)	XST3926	3926	.030	w/OMC Engs.	AP45 ⁸²⁴⁹	45	.030
GIANT BLO (See Giant-Vac)				w/Tec. Engs.	XST458	458	.030
GIANT MOW				GIZMOW			
Mowers				Mowers			
w/B&S "L" Head Engs.	XST458	458	.030	w/Kohler 25 & 27 h.p. (V-Twin)	XST3924	3924	.040
w/B&S 9 h.p. Vanguard	XST3924	3924	.030	GNC			
w/B&S 18 h.p. Vanguard (V-Twin) ...	XST3926	3926	.030	Sprayers & Utility Vehicles			
w/Honda 11 h.p. (GV400)	XST2976	2976	.030	w/B&S 5.5 h.p. Intek OHV	XST3924	3924	.020
w/Kawasaki 9, 13 & 14 h.p.	XST4265	4265 ⁸²⁴⁸	.030	w/Honda 5.5 & 11 h.p. OHV	XST4265	4265 ⁸²⁴⁸	.030
w/Kawasaki 12.5 h.p.	XST255	255	.030	w/Honda 24 h.p. (V-Twin)	XST4265	4265 ⁸²⁴⁸	.030
w/Kawasaki 15 h.p. OHV	XST2976	2976	.030	w/Kawasaki 5.5 h.p. OHV	XST4265	4265 ⁸²⁴⁸	.030
w/Kohler 14 & 15 h.p. OHV	XST3924	3924	.040	w/PowerPro 2.5 h.p.	XS63 ⁸²⁵²	63	.030
w/Kohler 18 h.p. (V-Twin)	XST3924	3924	.040	w/PowerPro 5.5 h.p.	XS63 ⁸²⁵²	63	.030
w/Tec. 13 & 16 h.p. OHV	XST4055	4055 ⁸²⁴⁸	.030	w/PowerPro 6.5 h.p.	XS63 ⁸²⁵²	63	.030
GIANT THATCH (See Giant-Vac)				w/PowerPro 9.0 h.p.	XS63 ⁸²⁵²	63	.030
GIANT-VAC				w/PowerPro 13 h.p.	XS63 ⁸²⁵²	63	.030
Blowers, Brush Mowers, Chippers, Dethatchers, Lawn Mowers, Log Splitters, Power Brushes, Tillers & Vacuums				w/Robin 4.5 & 9 h.p. OHC	XS4093 ⁸²⁵²	4093 ⁸²⁴⁸	.025
Tillers	XST255	255	.030	w/Tec. 9 h.p.	XST458	456	.030
w/B&S "L" Head Engs.	XST458	458	.030	w/Wisc. Engs.	----	386	.030
w/B&S 5.5, 6, 6.5, 9, 10, 13.5 & 14.5 h.p. Intek OHV	XST3924	3924	.030	GOLDEN BOY			
w/B&S 8.5 h.p. Pro CS	XST4265	4265 ⁸²⁴⁸	.040	Trimmers			
w/B&S 9 & 13 h.p. Vanguard	XST3924	3924	.030	XST255	255	.030	
w/B&S 16, 18, 29 & 35 h.p. Vanguard (V-Twin)	XST3926	3926	.030	GOLDEN STAR			
w/Ford 300 cid Engs.	AP124 ⁸²⁴⁹	124	.030	Brush Cutters			
w/Honda 5.5 h.p. OHC	XST4265	4265 ⁸²⁴⁸	.030	XST255	255	.025	
w/Honda 5, 5.5, 9, 11 & 13 h.p. OHV ..	XST4265	4265 ⁸²⁴⁸	.030	Hedge Trimmers	XST255	255	.025
w/Kawasaki 7.5 h.p.	----	275	.030	Shredders	XST255	255	.025
w/Kawasaki 9 h.p. OHV	XST4265	4265 ⁸²⁴⁸	.030	Sprayers	XST255	255	.025
w/Kawasaki 12.5 h.p. OHV	XST258	258	.025	Tillers	XST458	458	.025
w/Kawasaki 13 & 15 h.p. OHV (V-Twin)	XST2976	2976	.025	Mowers			
				w/Kawasaki 3.6 h.p.	----	275	.025
				w/Kawasaki 6 h.p.	----	275	.030



Se Section 9 pour les remarques en français en bas de page. Ver Sección 9 para las páginas de notas de pie de página en español. ⁸²⁴⁸ Tapered electrode design ⁸²⁴⁹ Single Platinum ⁸²⁵⁰ Xtreme Performance ⁸²⁵² Xtreme Sport

Small Engine - Lawn & Garden Equipment

	XTREME START™	STANDARD STANDARD ESTANDAR	GAP ENCARTMENT ESPACIO		XTREME START™	STANDARD STANDARD ESTANDAR	GAP ENCARTMENT ESPACIO
GOLDONI				GRAVELY (Cont'd)			
Sickle Bars & Tillers				Aerators, Chippers, Mowers, Riding Tractors & Vacuums (Cont'd)			
w/Acme Engs.	AP425 ⁸²⁴⁹	425	.030	Commercial 432, 424	----	216	.030
GOLF				Commercial 450	----	216	.030
Aerators, Riding Mowers & Tillers				Compact Series w/16 & 17 h.p.			
w/B&S 2, 3 & 5 h.p.	XST458	458	.030	Kawasaki (V-Twin)	XST2976	2976	.025
GOODALL				Compact Series w/19 & 20 h.p.			
Garden Tractors, Rakes	XST458	295	.030	Kawasaki (V-Twin)	XST4265	4265 ⁸²⁴⁸	.025
Edgers, Trimmers	XST255	255	.030	Convertible 8 (Kohler Engs.)	XST255	255	.030
Mowers				Convertible 7.6 (Gravelly Engs.)	----	216	.030
w/B&S 14 h.p. Vanguard (V-Twin) ...	XST3926	3926	.030	GR Series w/Kawasaki 13, 15 h.p.			
w/Honda 13 h.p. OHV	XST4265	4265 ⁸²⁴⁸	.030	(V-Twin)	XST2976	2976	.025
w/Kawasaki 14 h.p. OHV	XST4265	4265 ⁸²⁴⁸	.030	HR Series w/Kawasaki 13, 15 & 17			
GOOSSEN				h.p. (V-Twin)	XST2976	2976	.025
Bale Choppers, Chipper/Shredders & Vacuums				HR Series w/Kawasaki 19 h.p.			
w/B&S 16 h.p. Vanguard (V-Twin) ...	XST3924	3924	.030	(V-Twin)	XST4265	4265 ⁸²⁴⁸	.030
w/Honda 11 & 13 h.p. OHV	XST4265	4265 ⁸²⁴⁸	.030	Mini ZT1434 w/B&S 14 h.p. Intek			
w/Honda 18 & 20 (V-Twin)	XST4265	4265 ⁸²⁴⁸	.030	OHV	XST3924	3924	.030
w/Kohler 20 & 25 h.p. (V-Twin)	XST3924	3924	.030	Mini ZT1534 w/Kohler 15 h.p.			
w/Robin 22 h.p. (V-Twin)	XS63 ⁸²⁵²	4263 ⁸²⁴⁸	.025	Courage DOHC	XST3924	3924	.030
w/Wisc. 35 h.p.	----	386	.025	Pro-21 XD w/Kawasaki 6 h.p. OHV ..	XP64 ⁸²⁵⁰	64	.030
GORILLA				Pro Aire 27	XST4265	4265 ⁸²⁴⁸	.030
Aerators				Pro Chip 618R, 625LR	XST3924	3924	.030
w/B&S 3 & 3.5 h.p.	XST458	295	.030	Pro G Series w/B&S "L" Head Engs. .	XST458	458	.030
w/Honda 4 h.p. OHV	XST4265	4265 ⁸²⁴⁸	.030	Pro G Series w/B&S 16 h.p. Vanguard			
GRAHAM PAIGE				(V-Twin)	XST3926	3926	.030
Tillers B16, B17				Pro G Series w/Kawasaki 13, 15 & 17			
	----	386	.030	h.p. (V-Twin)	XST2976	2976	.025
GRAN PRIX				Pro G Series w/Kohler 12 h.p.	----	216	.030
Shredders				Pro G Series w/Kohler 14 h.p. OHV .	XST3924	3924	.040
	XST255	255	.030	Pro G Series w/Kohler 16, 18 & 20			
GRASS CRAFT				h.p. (Twin)	XP26 ⁸²⁵⁰	26	.025
w/Tec. 5 h.p. (2-stroke)	XST458	458	.030	Pro G Series w/Kohler 18, 20 & 22			
w/Tec. 5 h.p. (4-stroke)	XST458	458	.030	h.p. (V-Twin)	XST3924	3924	.030
GRASSHOPPER				Pro G Series w/Onan 24 h.p. (Twin) .	AP106 ⁸²⁴⁹	106	.025
w/B&S "L" Head Engs.	XST458	458	.030	Pro G Series w/Robin 20.5 h.p.			
w/B&S 14, 16 & 18 h.p. (Twin)	XST458	458	.030	(V-Twin)	XS63 ⁸²⁵²	4263 ⁸²⁴⁸	.025
w/B&S 14, 16 & 18 h.p. Vanguard				Pro H Series w/Kawasaki 15 & 17 h.p.			
(V-Twin)	XST3926	3926	.030	(V-Twin)	XST2976	2976	.025
w/B&S 24 h.p. Intek (V-Twin)	XST3924	3924	.030	Pro-Master w/Kawasaki 15 & 17 h.p.			
w/Kawasaki 27 h.p. (Liquid V-Twin) .	AP66 ⁸²⁴⁹	66	.025	(V-Twin)	XST3926	3926	.030
w/Kohler 12 & 16 h.p.	----	216	.030	Pro-Master w/Kawasaki 15 & 17 h.p.			
w/Kohler 18 h.p. OHC (Twin)	XST3924	3924	.040	(V-Twin)	XST2976	2976	.025
w/Kohler 18, 20, 23, 25 & 27 h.p.				Pro-Master w/Kawasaki 19, 21, 23,			
(V-Twin)	XST3924	3924	.030	25, 27 & 31 h.p. (V-Twin)	XST4265	4265 ⁸²⁴⁸	.030
w/Kubota 21 & 24.5 h.p.	XST3924	3924	.030	Pro-Master w/Kawasaki 26 h.p.			
w/Kubota 29, 31 & 32 h.p.	XST3926	3926	.030	(Liquid V-Twin)	XST4265	4265 ⁸²⁴⁸	.025
w/Onan 20 h.p. (Twin)	AP106 ⁸²⁴⁹	106	.025	Pro-Master w/Kawasaki 27 h.p.			
GRASSWAND				(Liquid V-Twin)	AP66 ⁸²⁴⁹	66	.025
Trimmers (Xenoh Engs.)				Pro-Master w/Kohler 25 h.p.			
	XST254	254	.030	(V-Twin)	XST3924	3924	.040
GRAVELY				Pro-Master w/Kohler 26 h.p. EFI			
Aerators, Chippers, Mowers, Riding Tractors & Vacuums				(V-Twin)	XST3924	3924	.040
Commercial 8, 408	XST458	295	.030	Pro-Master w/Kohler 27 h.p.			
Commercial 10, 10A, 12, 430	----	216	.030	(V-Twin)	XST3924	3924	.040
				Pro-Master w/Kohler 28 & 30 h.p. EFI			
				(V-Twin)	XST3924	3924	.040
				Pro-Stance 34FX w/Kawasaki 19 h.p.			
				KAI (V-Twin)	XST2976	2976	.025
				Pro-Stance 48FL w/Kawasaki 19 h.p.			
				KAI (V-Twin)	XST2976	2976	.025



Se Section 9 pour les remarques en français en bas de page. Ver Seccion 9 para las páginas de notas de pie de página en español. ⁸²⁴⁸ Tapered electrode design ⁸²⁴⁹ Single Platinum ⁸²⁵⁰ Xtreme Performance ⁸²⁵² Xtreme Sport

Small Engine - Lawn & Garden Equipment

	XTRME START™	STANDARD STANDARD ESTANDAR	GAP ENCARTMENT ESPACIO		XTRME START™	STANDARD STANDARD ESTANDAR	GAP ENCARTMENT ESPACIO
GRAVELY (Cont'd) Aerators, Chippers, Mowers, Riding Tractors & Vacuums (Cont'd)				GRAVELY (Cont'd) Aerators, Chippers, Mowers, Riding Tractors & Vacuums (Cont'd)			
Pro-Stance 48FX w/Kawasaki 19 h.p. KAI (V-Twin)	XST2976	2976	.025	WAW34 w/B&S 13.5 h.p. OHV	XST3924	3924	.030
Pro-Stance 52FL w/Kawasaki 23 h.p. (V-Twin)	XST4265	4265 ⁸²⁴⁸	.025	WAW1034 w/B&S 10 h.p. OHV	XST3924	3924	.030
Pro-Stance 52FX w/Kawasaki 19 h.p. (V-Twin)	XST4265	4265 ⁸²⁴⁸	.025	Westchester, 408 Lawn Tractor	----	216	.035
Pro-Stance 1934FX w/Kawasaki 19 h.p. KAI (V-Twin)	XST2976	2976	.025	XDZ Series w/Generac (V-Twin) Engs.	XST3924	3924	.030
Pro-Stance 1948FL w/Kawasaki 19 h.p. KAI (V-Twin)	XST2976	2976	.025	XDZ Series w/Kawasaki 21, 23, 24, 25, 26, 27 & 31 h.p. (V-Twin)	XST4265	4265 ⁸²⁴⁸	.025
Pro-Stance 1948FX w/Kawasaki 19 h.p. KAI (V-Twin)	XST2976	2976	.025	XDZ Series w/Kawasaki 25 & 26 h.p. (Liquid V-Twin)	XST4265	4265 ⁸²⁴⁸	.025
Pro-Stance 1952FX w/Kawasaki 19 h.p. KAI (V-Twin)	XST2976	2976	.025	XDZ Series w/Kawasaki 27 h.p. (Liquid V-Twin)	AP66 ⁸²⁴⁹	66	.025
Pro-Stance 2352FL w/Kawasaki 23 h.p. (V-Twin)	XST4265	4265 ⁸²⁴⁸	.025	XDZ Series w/Kohler 23, 27 & 30 h.p. (V-Twin)	XST3924	3924	.040
Pro-Stance 2352FX w/Kawasaki 19 h.p. (V-Twin)	XST4265	4265 ⁸²⁴⁸	.025	ZT34 w/B&S 16.5 h.p. OHV	XST3924	3924	.030
Pro-Turn 148 w/Kawasaki 24 & 26 h.p. (V-Twin)	XST4265	4265 ⁸²⁴⁸	.025	ZT42 w/B&S 18.5 h.p. OHV	XST3924	3924	.030
Pro-Turn 152 w/Kawasaki 24 & 26 h.p. (V-Twin)	XST4265	4265 ⁸²⁴⁸	.025	ZT50 w/Kawasaki 22 h.p. (V-Twin) ..	XST4265	4265 ⁸²⁴⁸	.025
Pro-Turn 160 w/Kawasaki 24 & 26 h.p. (V-Twin)	XST4265	4265 ⁸²⁴⁸	.025	ZT1232 w/B&S 12 h.p. OHV	XST3924	3924	.030
Pro-Turn 252 w/Kawasaki 26, 27 & 31 h.p. (V-Twin)	XST4265	4265 ⁸²⁴⁸	.025	ZT1140 w/B&S 14 h.p. OHV	XST3924	3924	.030
Pro-Turn 260 w/Kawasaki 26, 27 & 31 h.p. (V-Twin)	XST4265	4265 ⁸²⁴⁸	.025	ZT1540 w/Kohler 15 h.p. Courage DOHC	XST3924	3924	.030
Pro-Turn 266 w/Kawasaki 26, 27 & 31 h.p. (V-Twin)	XST4265	4265 ⁸²⁴⁸	.025	ZT1640 w/B&S 16 h.p. Vanguard (V-Twin)	XST3926	3926	.030
Pro Vac 1050 w/Kohler 18 h.p. (V-Twin)	XST3924	3924	.030	ZT1734, ZT1734XL w/Kohler 17 h.p. Courage DOHC	XST3924	3924	.030
Pro Vac 1050 w/Robin 18 h.p. OHV (V-Twin)	XS63 ⁸²⁵²	4263 ⁸²⁴⁸	.025	ZT1740 w/B&S 17.5 h.p. OHV	XST3924	3924	.030
Pro-Walk 32GR, 36GR, 36HR PG, 36HR PS w/Kawasaki 16 h.p. (V-Twin)	XST4265	4265 ⁸²⁴⁸	.025	ZT1740 w/Kohler 17 h.p. Courage DOHC	XST3924	3924	.030
Pro-Walk 32GR FX, 36GR FX w/Kawasaki 13 h.p. KAI (V-Twin)	XST2976	2976	.025	ZT1840XL w/Kohler 18 h.p. Courage DOHC	XST3924	3924	.030
Pro-Walk 36HR FL, 36HR FX, 46GR FX w/Kawasaki 15 h.p. KAI (V-Twin)	XST2976	2976	.025	ZT1842, ZT1844 w/B&S 18 h.p. Vanguard (V-Twin)	XST3926	3926	.030
Pro-Walk 48GR, 48HE PS, 52HE PS w/Kawasaki 16 h.p. (V-Twin)	XST4265	4265 ⁸²⁴⁸	.025	ZT1842XL w/B&S 18 h.p. ELS (V-Twin)	XST3924	3924	.030
Pro-Walk 48HE PG, 52HE PG w/Kawasaki 20 h.p. (V-Twin)	XST4265	4265 ⁸²⁴⁸	.025	ZT1844XL w/Kohler 18 h.p. Courage DOHC	XST3924	3924	.030
Pro-Walk 48HE FL, 52HE FL w/Kawasaki 19 h.p. KAI (V-Twin)	XST2976	2976	.025	ZT1944 w/Kohler 19 h.p. (V-Twin) ..	XST3924	3924	.030
Pro-Walk 48HE FX, 52HE FX w/Kawasaki 19 h.p. KAI (V-Twin)	XST2976	2976	.025	ZT2040 w/Kohler 20 h.p. Courage DOHC	XST3924	3924	.030
Rapid E w/B&S 20 h.p. Vanguard (V-Twin)	XST3926	3926	.030	ZT2042XL w/Kohler 20 h.p. Courage DOHC	XST3924	3924	.030
Rapid M w/B&S 13 h.p. Vanguard ..	XST3924	3924	.030	ZT2044XL w/Kohler 20 h.p. Courage (V-Twin)	XST3924	3924	.030
Rapid M w/Robin 9 h.p. OHV	XS63 ⁸²⁵²	4263 ⁸²⁴⁸	.025	ZT2044XLP w/Kohler 20 h.p. Courage (V-Twin)	XST3924	3924	.030
Rapid U w/B&S 13 h.p. Vanguard ..	XST3924	3924	.030	ZT2048 w/B&S 20 h.p. Vanguard (V-Twin)	XST3926	3926	.030
Rapid XZ w/Kohler 25, 27 & 30 h.p. (V-Twin)	XST3924	3924	.040	ZT2148, ZT2148XL, w/Kohler 21 h.p. (V-Twin)	XST3924	3924	.030
RER1028 w/B&S 10 h.p. OHV	XST3924	3924	.030	ZT2250, ZT2252 w/B&S 22 h.p. Vanguard (V-Twin)	XST3926	3926	.030
RER1232 w/B&S 12 h.p. OHV	XST3924	3924	.030	ZT2250 w/Kohler 22 h.p. Courage DOHC	XST3924	3924	.030
RER1238 w/B&S 12 h.p. OHV	XST3924	3924	.030	ZT2344HD w/Kohler 23 h.p. (V-Twin)	XST3924	3924	.030
RER1440 w/B&S 14 h.p. OHV	XST3924	3924	.030	ZT2348XL w/Kohler 23 h.p. Courage (V-Twin)	XST3924	3924	.030
RER10528 w/B&S 10.5 h.p.	XST458	458	.030	ZT2348XLP w/Kohler 23 h.p. Courage (V-Twin)	XST3924	3924	.030
RER14532 w/B&S 14.5 h.p.	XST458	458	.030	ZT2350 w/Kohler 23 h.p. Courage (V-Twin)	XST3924	3924	.030
Superstriper w/Honda 5.5 h.p. OHV ..	XST4265	4265 ⁸²⁴⁸	.030	ZT2352 w/Kohler 23 h.p. (V-Twin) ..	XST3924	3924	.030
				ZT2448XL w/B&S 24 h.p. ELS (V-Twin)	XST3924	3924	.030
				ZT2450 w/B&S 24 h.p. ELS (V-Twin) ..	XST3924	3924	.030



Se Section 9 pour les remarques en français en bas de page. Ver Seccion 9 para las páginas de notas de pie de página en español. ⁸²⁴⁸ Tapered electrode design ⁸²⁴⁹ Single Platinum ⁸²⁵² Xtreme Sport

Small Engine - Lawn & Garden Equipment

	XTREME START™	STANDARD STANDARD ESTANDAR	GAP ENCARTMENT ESPACIO		XTREME START™	STANDARD STANDARD ESTANDAR	GAP ENCARTMENT ESPACIO
GRAVELY (Cont'd) Aerators, Chippers, Mowers, Riding Tractors & Vacuums (Cont'd)				GRAVELY (Cont'd) Aerators, Chippers, Mowers, Riding Tractors & Vacuums (Cont'd)			
ZT2548XL w/Kohler 25 h.p. Courage (V-Twin)	XST3924	3924	.030	800, 8000 Series w/Onan B48M	----	216	.030
ZT2550 w/Kohler 25 h.p. Courage (V-Twin)	XST3924	3924	.030	800, 8000 Series w/Onan BF, B43M	----	216	.030
ZT2552XL w/Kohler 25 h.p. Courage (V-Twin)	XST3924	3924	.030	900, 9000 Series w/Cont. Engs.	----	275	.030
ZT2554XL w/Kohler 25 h.p. Courage (V-Twin)	XST3924	3924	.030	1132, 1138	XST458	458	.030
ZT2560HD w/Kohler 25 h.p. Courage (V-Twin)	XST3924	3924	.030	7173-H	XP26 ⁸²⁵⁰	26	.025
ZT2660HD w/B&S 26 h.p. ELS (V-Twin)	XST3924	3924	.030	w/B&S "L" Head Engs.	XST458	458	.030
ZT2760HD w/Kohler 27 h.p. Courage Pro (V-Twin)	XST3924	3924	.030	w/B&S 10, 12, 13 & 14 h.p. OHV	XST3924	3924	.030
ZT HD 48, ZT HD 52 w/Kawasaki 24 h.p. (V-Twin)	XST4265	4265 ⁸²⁴⁸	.025	w/B&S 12.5, 16, 18, 20, 22 h.p. Vanguard (V-Twin)	XST3926	3926	.030
ZT HD 60 w/Kawasaki 26 h.p. (V-Twin)	XST4265	4265 ⁸²⁴⁸	.025	w/B&S 16 h.p. (Twin)	XST458	458	.030
ZT XL 42 w/Kawasaki 22 h.p. (V-Twin)	XST4265	4265 ⁸²⁴⁸	.025	w/B&S 14 & 17 h.p. Intek OHV	XST3924	3924	.030
ZT XL 48, ZT XL 52 w/Kawasaki 24 h.p. (V-Twin)	XST4265	4265 ⁸²⁴⁸	.025	w/B&S 20 h.p. Intek OHV (V-Twin) ..	XST3926	3926	.030
21 Series w/Robin 6 h.p. OHV	----	275	.025	w/B&S 18, 24 & 26 h.p. ELS (V-Twin)	XST3924	3924	.030
34Z w/Kawasaki 17 h.p. OHV	XST4265	4265 ⁸²⁴⁸	.030	w//Generac (V-Twin) Engs.	XST3924	3924	.030
44Z w/Kawasaki 19 h.p. (V-Twin) ..	XST4265	4265 ⁸²⁴⁸	.025	w/Honda 4, 5.5 & 11 h.p. OHV	XST4265	4265 ⁸²⁴⁸	.030
48Z w/Kawasaki 19 h.p. (V-Twin) ..	XST4265	4265 ⁸²⁴⁸	.025	w/Kawasaki 12.5 h.p.	XST255	255	.030
100 Series w/Kawasaki 12.5 h.p.	XST255	255	.030	w/Kawasaki 14 & 17 h.p. OHV	XST4265	4265 ⁸²⁴⁸	.030
100 Series w/Kawasaki 14 h.p. OHV ..	XST4265	4265 ⁸²⁴⁸	.030	w/Kawasaki 13, 15 & 17 h.p. (V-Twin)	XST2976	2976	.025
100 Series w/Kawasaki 19, 21 & 23 h.p. (V-Twin)	XST4265	4265 ⁸²⁴⁸	.025	w/Kawasaki 19 h.p. KAI (V-Twin)	XST2976	2976	.025
100 Series w/Kohler 12.5, 14 & 15 h.p. OHV	XST3924	3924	.040	w/Kawasaki 19, 21, 23, 24, 25, 26, 27 & 31 h.p. (V-Twin)	XST4265	4265 ⁸²⁴⁸	.025
100 Series w/Kohler 18 h.p. (Twin) ..	XP26 ⁸²⁵⁰	26	.025	w/Kawasaki 20 & 22 h.p. (Liquid V-Twin)	XST258	258	.025
100 Series w/Kohler 23 & 25 h.p. (V-Twin)	XST3924	3924	.040	w/Kawasaki 26 h.p. (Liquid V-Twin) ..	XST4265	4265 ⁸²⁴⁸	.025
200 Series w/B&S 16 h.p. Vanguard (V-Twin)	XST3926	3926	.030	w/Kawasaki 25 & 27 h.p. (Liquid V-Twin)	AP66 ⁸²⁴⁹	66	.025
200 Series w/Kawasaki 12.5 h.p.	XST255	255	.030	w/Kohler 8 h.p. (K181)	XST458	458	.030
200 Series w/Kawasaki 14 h.p. OHV ..	XST4265	4265 ⁸²⁴⁸	.030	w/Kohler 8 & 12 h.p.	----	216	.030
200 Series w/Kawasaki 20 h.p. (Liquid V-Twin)	XST258	258	.025	w/Kohler 14 h.p.	----	216	.030
200 Series w/Kohler 14 h.p.	----	216	.030	w/Kohler 12.5, 14 & 15 h.p. OHV	XST3924	3924	.040
200 Series w/Kohler 15 h.p. OHV ..	XST3924	3924	.040	w/Kohler 15, 17, 18, 20 & 22 h.p. Courage DOHC	XST3924	3924	.030
200 Series w/Kohler 18 & 20 h.p. (V-Twin)	XST3924	3924	.030	w/Kohler 20, 22, 23, 25 & 27 h.p. Courage (V-Twin)	XST3924	3924	.030
200 Series w/Kohler 23 & 25 h.p. (V-Twin)	XST3924	3924	.040	w/Kohler 16, 17, 18 & 20 h.p. (Twin) ..	XP26 ⁸²⁵⁰	26	.025
200 Series w/Kohler 27 h.p. (V-Twin) ..	XST3924	3924	.040	w/Kohler 18, 19 & 20 h.p. (V-Twin) ..	XST3924	3924	.030
200 Series w/Robin 18 h.p. OHV (V-Twin)	XS63 ⁸²⁵²	4263 ⁸²⁴⁸	.025	w/Kohler 22, 23, 25, 27 & 30 h.p. (V-Twin)	XST3924	3924	.040
300 Series w/B&S 16 & 21 h.p. Vanguard (V-Twin)	XST3926	3926	.030	w/Kohler 23 h.p. (Twin)	----	216	.030
300 Series w/Kawasaki 14 h.p. OHV ..	XST4265	4265 ⁸²⁴⁸	.030	w/Kohler 26 & 28 h.p. EFI (V-Twin) ..	XST3924	3924	.040
300 Series w/Kawasaki 25 h.p. (V-Twin)	XST4265	4265 ⁸²⁴⁸	.025	w/Onan 24 h.p. (Twin)	AP106 ⁸²⁴⁹	106	.025
300 Series w/Kohler 18, 20, 25 & 27 h.p. (V-Twin)	XST3924	3924	.030	w/Other Onan Engs.	----	216	.030
500, 5000 Series w/Kohler 8 h.p.	XST458	458	.030	w/Robin 4 h.p. OHV	XST4055	4055 ⁸²⁴⁸	.025
500, 5000 Series w/Kohler 10 h.p.	----	216	.030	w/Robin 6 & 8.5 h.p. OHV	----	275	.025
500, 5000 Series w/Kohler 12 h.p.	----	216	.030	w/Robin 9 & 13.5 h.p. OHV	XS63 ⁸²⁵²	4263 ⁸²⁴⁸	.025
800, 8000 Series w/B&S Engs.	XST458	458	.030	w/Robin 18, 20, 20.5, 22 & 25 h.p. OHV (V-Twin)	XS63 ⁸²⁵²	4263 ⁸²⁴⁸	.025
800, 8000 Series w/Kohler Engs.	----	216	.030	w/Tec. 12.5 h.p. OHV	XST4055	4055 ⁸²⁴⁸	.030
800, 8000 Series w/Onan B48G Engs.	AP106 ⁸²⁴⁹	106	.030	Blowers w/B&S 8 & 9 h.p.	XST458	458	.030
				w/Honda 5, 9 & 13 h.p. OHV	XST4265	4265 ⁸²⁴⁸	.030
				Rotary Brooms w/Robin 9 h.p. OHV	XS63 ⁸²⁵²	4263 ⁸²⁴⁸	.025
				w/Tec. 9 h.p. OHV	XST4055	4055 ⁸²⁴⁸	.030
				String Trimmers w/B&S. 6.25 h.p.	XST458	458	.030
				w/Tec. 6 h.p.	XST458	458	.030
				Utility Vehicles Trekker 2011 w/ Robin 22 h.p. (V-Twin)	XST4265	4265 ⁸²⁴⁸	.025



Se Section 9 pour les remarques en français en bas de page. Ver Seccion 9 para las páginas de notas de pie de página en español. ⁸²⁴⁸ Tapered electrode design ⁸²⁴⁹ Single Platinum ⁸²⁵⁰ Xtreme Performance ⁸²⁵² Xtreme Sport

Small Engine - Lawn & Garden Equipment

	XTREME START™	STANDARD STANDARD ESTANDAR	GAP ÉNCARTMENT ESPACIO		XTREME START™	STANDARD STANDARD ESTANDAR	GAP ÉNCARTMENT ESPACIO
GRAVELY (Cont'd)				GREEN MACHINE (Cont'd)			
Utility Vehicles (Cont'd)				Trimmers (Cont'd)			
Treker 4220, 4420 w/Honda 20 h.p. (V-Twin)	XST4265	4265 ⁸²⁴⁸	.030	3000, 3000b, 3000j	XST255	255	.030
				3000LP	XST2974	2974	.030
				3000M, 3000SS, 3040M, 3510	XST255	255	.030
				3540, 4000, 4000b, 4000j	XST255	255	.030
				3800LP	XST2974	2974	.030
				4000M	XST255	255	.030
				4000LP, 4500LP	XST2976	2976	.030
				4500	----	353	.030
				GT20, GT21, GT22, GT25, GT31	XST255	255	.030
				w/B&S Engs.	XST458	458	.030
GRAZER				GREEN TEAM			
Mowers				Mowers			
w/B&S 11 & 18 h.p.	XST458	458	.030	w/B&S 5.5, 8.5 & 10.5 h.p.	XST458	458	.030
w/B&S 12.5 & 16 h.p. (Twin)	XST458	458	.030	w/Honda 9 & 13 h.p.	XST4265	4265 ⁸²⁴⁸	.030
w/B&S 18 & 20 h.p. Vanguard (V-Twin)	XST3926	3926	.030				
w/Kohler 18 & 20 h.p. (Twin)	XP26 ⁸²⁵⁰	26	.025				
w/Kohler 22 h.p. (V-Twin)	XST3924	3924	.040				
w/Kubota Engs.	XST3924	3924	.030				
GREAT DANE				GREGSON-CLARK			
Riding Mowers				Sprayers			
w/B&S 8.5, 10 & 12.5 h.p.	XST458	458	.030	w/Honda 4, 5.5, 6.5, 9 & 13 h.p. OHV	XST4265	4265 ⁸²⁴⁸	.030
w/B&S 16, 18, 20 & 23 h.p. Vanguard (V-Twin)	XST3926	3926	.030	w/Honda 20 h.p. (V-Twin)	XST4265	4265 ⁸²⁴⁸	.030
w/B&S 26 h.p. ELS (V-Twin)	XST3924	3924	.030	w/B&S 18 h.p. Vanguard (V-Twin) ...	XST3924	3924	.030
w/Kawasaki 12.5 h.p. OHV	XST258	258	.025				
w/Kawasaki 14 & 17 h.p. OHV	XST4265	4265 ⁸²⁴⁸	.030				
w/Kawasaki 15 h.p. OHV	XST2976	2976	.025				
w/Kawasaki 15, 17 & 19 h.p. KAI (V-Twin)	XST2976	2976	.025				
w/Kawasaki 19, 23 & 25 OHV (V-Twin)	XST4265	4265 ⁸²⁴⁸	.030				
w/Kohler 15 h.p. OHV	XST3924	3924	.040				
w/Kohler 18, 20, 21, 22, 23, 25 & 27 h.p. (V-Twin)	XST3924	3924	.030				
w/Kohler 26 & 28 h.p. EFI (V-Twin) ..	XST3924	3924	.040				
GREEN ACRES				GRILLO			
Tractors, Tillers	XST255	255	.030	Powered Wheelbarrows, Riding Mowers, Sickle Bars, Sweepers & Tillers			
				w/B&S 3.5, 6 & 8 h.p.	XST458	458	.030
				w/B&S 5.5 h.p. Intek OHV	XST3924	3924	.030
				w/B&S 9 h.p. Vanguard	XST3924	3924	.030
				w/B&S 12.5, 14, 16 & 18 h.p. Vanguard (V-Twin)	XST3926	3926	.030
				w/Honda 5, 5.5 & 9 h.p. OHV	XST4265	4265 ⁸²⁴⁸	.030
				w/Kohler 8.5 & 12 h.p. Pro CS	XST4265	4265 ⁸²⁴⁸	.040
				w/Kohler 15 h.p. OHV	XST3924	3924	.030
				w/Robin 6 & 8.5 h.p. OHV	----	4123 ⁸²⁴⁸	.025
GREEN MACHINE				GRIP			
Blowers				Stumpcutters			
2600, 4600bp	XST255	255	.030		XST2974	2974	.030
4600	----	353	.030				
4600K, 4600LP	XST255	255	.030				
3000hb	XST2956	2956	.030				
8000, 9000	XST458	458	.030				
Blowers w/Xenoah Engs.	XST458	295	.030				
Edgers				GRO-MORE			
500e Edger, 1900EM	XST255	255	.030	Garden Tractors			
1900e Stick Edger	XST255	255	.030	All Models	----	386	.025
Mister/Dusters & Weed Cutters				GROOMER			
1800	XST2956	2956	.030	Trimmers	XST258	258	.030
2000	XST255	255	.030				
3000J, 4800	XST254	254	.030				
4000, 4500 w/3/8" Rch.	XST255	255	.030				
4000, 4500 w/1/2" Rch.	AP425 ⁸²⁴⁹	425	.030				
Trimmers				GROUND HOG			
1600	XST2956	2956	.030	Debris Vacuums			
1700, 1730, 1900, 1900E	XST255	255	.030	w/Honda 11 h.p. OHV	XST4265	4265 ⁸²⁴⁸	.030
1930	XST2956	2956	.030	Earth Drills			
1930M, 1940M	XST255	255	.030	w/B&S Engs.	XST458	458	.030
1940	XST2554	2554	.030	w/Chry. Engs.	AP425 ⁸²⁴⁹	425	.025
2000, 2100, 2130, 2200, 2400, 2500	XST255	255	.030	w/Robin Ey-18-3W	AP425 ⁸²⁴⁹	425	.025
2230	XST2956	2956	.030	Tillers			
2300 Series	XST255	255	.030	w/Tec. Engs.	XST458	458	.025
2400M3, 2600h Hedge Trimmer	XST255	255	.030				
2500LP, 2540LP	XST2974	2974	.030				
2600, 2800, 2840	XST255	255	.030				
				GROUND LOGIC			
				Spreaders			
				w/Honda 5.5 & 6.5 h.p. OHV	XST4265	4265 ⁸²⁴⁸	.030



Se Section 9 pour les remarques en français en bas de page. Ver Seccion 9 para las páginas de notas de pie de página en español. ⁸²⁴⁸ Tapered electrode design ⁸²⁴⁹ Single Platinum ⁸²⁵⁰ Xtreme Performance

Small Engine - Lawn & Garden Equipment

	XTREME START™	STANDARD STANDARD ESTANDAR	GAP ENCARTMENT ESPACIO		XTREME START™	STANDARD STANDARD ESTANDAR	GAP ENCARTMENT ESPACIO
GROUNDSKEEPER				HASTY VAC (Cont'd)			
Chipper/Shredder/Vacuums				Vacuums (Cont'd)			
w/B&S 8.5 h.p.	XST458	458	.030	w/Honda 6.5 h.p. OHV	XST4265	4265 ⁸²⁴⁸	.030
w/Kohler 18 h.p. (V-Twin)	XST3924	3924	.030	HAUL MASTER			
w/Kohler 23 h.p. (V-Twin)	----	216	.030	Multi-Purpose Haulers			
w/Wisc. 30 h.p.	----	386	.025	w/B&S 9 h.p.	XST458	458	.030
GROUNDSMAN				w/B&S 16 h.p. Vanguard (V-Twin) ...	XST3926	3926	.030
Aerators & Turf Cutters				HAULZALL			
w/Honda 5.5 & 8 h.p. OHV	XST4265	4265 ⁸²⁴⁸	.030	Utility Hauler			
GROW GEAR				w/Honda 5 & 5.5 h.p. OHV	XST4265	4265 ⁸²⁴⁸	.030
Edgers & Trimmers				HAYNES			
w/TAS Engs.	XST255	255	.030	Little Beaver Drills			
Edgers	XST255	255	.030	w/B&S Engs.	XST458	458	.030
GUIN ROOT FEEDER				w/Ciinton 498 Engs.	XST458	295	.025
w/Kohler 10 h.p.	----	216	.030	w/Kohler Engs.	XST458	295	.030
GULF				w/Robin EY18W Engs.	AP425 ⁸²⁴⁹	425	.030
Plows				HEALD			
w/B&S Engs.	XST458	458	.030	Garden Tractors			
HABAN				w/B&S Engs.	XST458	458	.030
Aerators, Mowers, Tillers & Tractors				w/Tec. Engs.	XST458	458	.025
w/B&S 5, 8, 10.5 & 12.5 h.p.	XST458	458	.030	HECKENDORN			
w/Kohler 8 h.p. (K181)	XST458	458	.030	Mowers			
w/Kohler 12 h.p.	----	216	.030	w/B&S 10 & 16 h.p.	XST458	458	.030
w/Tec. 5 & 8 h.p.	XST458	458	.030	w/B&S 16 h.p. Vanguard (V-Twin) ...	XST3926	3926	.030
HAGIE				w/Ford 67 cid Engs.	XS63 ⁸²⁵²	4263 ⁸²⁴⁸	.035
Sprayers				w/Honda 11 & 13 h.p. OHV	XST4265	4265 ⁸²⁴⁸	.030
8240 w/Chry. 318 cid Engs.	XST4265	4265 ⁸²⁴⁸	.030	w/Kohler Engs.	----	216	.030
HAHN				w/Kubota Engs.	XST3924	3924	.030
Aerifiers, Power Drags, Rakes & Sprayers				w/Wisc. Engs.	----	386	.035
w/B&S Engs.	XST458	458	.030	w/Wisc. 30 h.p. (Twin)	AP404 ⁸²⁴⁹	404	.035
w/Kohler 8 & 16 h.p.	----	216	.030	Stump Removers			
w/Tec. Engs.	XST458	458	.030	w/Honda 8 & 13 h.p. OHV	XST4265	4265 ⁸²⁴⁸	.030
HAKA BOY				w/Kohler 8 h.p. (K181)	XST458	458	.030
Tillers				w/Kubota Engs.	XST3924	3924	.030
----	----	373	.030	w/Robin 7.5 h.p.	----	4123 ⁸²⁴⁸	.025
HAKO				HEFTY			
Multi-Purpose Machines				Garden Tractors			
w/B&S Engs.	XST458	458	.030	w/B&S Engs.	XST458	458	.030
HAMLIN				HENKE			
14mm Heads	XST458	295	.030	Kwikshredders			
18mm Heads	----	386	.030	w/Kohler 20 h.p. (Twin)	XP26 ⁸²⁵⁰	26	.025
HARDI				w/Kohler 25 h.p. (V-Twin)	XST3924	3924	.030
Sprayers				w/Wisc. 30 h.p.	----	386	.025
w/B&S 3.5 & 5 h.p.	XST458	458	.030	HESSTON			
w/Honda 3.5 & 5 h.p. OHV	XST4265	4265 ⁸²⁴⁸	.030	Garden Tractors			
HASTY VAC				H140, H160 w/B&S Engs.	XST458	458	.030
Vacuums				H180, H200 w/Kohler Engs.	----	216	.030
w/B&S 5, 8 & 11 h.p.	XST458	458	.030	HI-WAY			
w/B&S 5.5, 6.5 & 8 h.p. Intek OHV ..	XST3924	3924	.030	Deicing Equipment & Vacuums			
HI-WAY				w/B&S 8, 8.5, 10.5, 11 & 16 h.p.	XST458	458	.030
Deicing Equipment & Vacuums				w/B&S 18 h.p. (Twin)	XST458	458	.030
w/B&S 8, 8.5, 10.5, 11 & 16 h.p.	XST458	458	.030	w/Kohler 18 & 23 h.p. (V-Twin)	XST3924	3924	.030
w/B&S 18 h.p. (Twin)	XST458	458	.030	w/Wisc. 30 h.p.	----	386	.025
w/Kohler 18 & 23 h.p. (V-Twin)	XST3924	3924	.030				
w/Wisc. 30 h.p.	----	386	.025				



Se Section 9 pour les remarques en français en bas de page. Ver Seccion 9 para las páginas de notas de pie de página en español. ⁸²⁴⁸ Tapered electrode design ⁸²⁴⁹ Single Platinum ⁸²⁵⁰ Xtreme Performance ⁸²⁵² Xtreme Sport

Small Engine - Lawn & Garden Equipment

	XTRME START™	STANDARD STANDARD ESTANDAR	GAP ENCARTMENT ESPACIO		XTRME START™	STANDARD STANDARD ESTANDAR	GAP ENCARTMENT ESPACIO
HMC				HOFFCO (Cont'd)			
Earth Drill w/Zenoah Engs. XST255 255 .025				Ice & Earth Drills (Cont'd)			
HODGES				w/Honda 5 h.p. OHV XST4265 4265 ⁸²⁴⁸ .030			
Chipper/Shredders				w/Tec. 3, 3.5 & 5 h.p. XST458 458 .030			
w/B&S 5 h.p. XST458 458 .030				w/B&S Engs. XST458 458 .030			
w/Honda 5.5 & 8 h.p. OHV XST4265 4265 ⁸²⁴⁸ .030				w/Fuji Engs. XST255 255 .030			
w/Kohler 5 & 14 h.p. OHV XST3924 3924 .030				w/McCulloch Engs. XST2956 2956 .030			
w/Kohler 8 h.p. --- 216 .030				w/Kawasaki Engs. XST255 255 .030			
w/Kohler 16 h.p. (Twin) XP26 ⁸²⁵⁰ 26 .025				w/Kioritz Engs. XST255 255 .030			
w/Kohler 18 & 20 h.p. (V-Twin) XST3924 3924 .030				w/Power Prod. AV52 Engs. XST458 295 .030			
w/Tec. 3.5 h.p. XST458 458 .030				w/Robin Engs. XST254 254 .030			
Log Splitters				w/Tec. Engs. XST458 458 .030			
w/Kohler 8 & 16 h.p. --- 216 .030				w/Tec. TC II Engs. XST2976 2976 .030			
Stump Removers				HOLT TRAILHOIST			
w/Kohler 16 & 23 h.p. --- 216 .030				Rolloff Systems			
w/Kohler 20 h.p. (Twin) XP26 ⁸²⁵⁰ 26 .025				w/Honda 13 h.p. XST4265 4265 ⁸²⁴⁸ .030			
w/Kohler 18, 20, 22 & 25 h.p. (V-Twin) XST3924 3924 .030				HOMELITE-JACOBSEN			
HOFFCO				Blowers & Hedgetrimmers			
Brushcutters, Edgers & Trimmers, Dethatchers				111B, 111B1 Ventilating Blower XST458 458 .030			
Critter, GT21, GT211A, JP260A, JP260C XST2956 2956 .030				Backpacker XST2554 2554 .030			
JP220F, JP390F XST254 254 .030				bp250, bx90 XST2554 2554 .025			
JP300B, JP300C, JP300F XST255 255 .030				d30mha, d25mhv, d30mhv XST2554 2554 .025			
JP390A, JP390C, SE301 XST255 255 .030				hb100, 180, 180v, hb180vgk XST2554 2554 .025			
SE301F, WT250C, WT250F, WT250HTA, XL XST255 255 .030				hb280, 290, 380, 480, 680 XST2554 2554 .030			
WW88 XST458 456 .030				hb390, hb390v XST2554 2554 .030			
Lawn Dethatchers XST2976 2976 .030				ht17, 19, 21, 22 XST2554 2554 .025			
Tillers				ht18, 23 XST255 255 .025			
Aladdin w/Fuji Engs. XST254 254 .030				hx16, pbp3000, php3000 XST2554 2554 .025			
B16 Little Hoe XST2976 2976 .030				pse3000, z25ehv XST2554 2554 .030			
Critter XST2956 2956 .030				VacAttack II, Yard Broom II XST2554 2554 .030			
GTX-R w/Genie Engs. XST254 254 .030				Brushcutters & Trimmers			
Big Li'l Hoe XST255 255 .030				165, 260, 310 XST2554 2554 .025			
Li'l Hoe XST2976 2976 .030				d630cd, d730cdv, d830ca, d830cb, d830cd XST2554 2554 .025			
Pro-Hoe XST4265 4265 ⁸²⁴⁸ .030				db725cde, db825ca, db825sb, db825sd XST2554 2554 .025			
Sickle Bar w/Fuji Engs. XST254 254 .030				Easy Reach XST2554 2554 .025			
Whiz Witch XST458 295 .030				d830sb, d830sba, d830sd, d830sd .. XST2554 2554 .025			
1493 XST255 255 .030				hbc18, hbc28, hbc30, hbc30b, hbc38, hbc40 XST2554 2554 .025			
6830-16 XST258 308 .030				hk18, hk24, hk28, hk33 XST255 255 .025			
BP550 --- 306 .030				hlt15, hlt16, hlt17c, hlt18, hlt28, hbc28 XST2554 2554 .030			
EC02R, EC01R XST255 255 .030				hpw1200b XST458 458 .030			
EC03 XST254 254 .030				pbc3600 XST2554 2554 .030			
H1AH, G1AH, F2/2 XST255 255 .030				pbc3800, pbc4000 XST2974 2974 .030			
HB220 XST255 255 .030				plt3200, plt3400, plt3400, plt3600 .. XST2554 2554 .030			
HB250 XST2554 2554 .030				st80, 90, 100, 120 XST2956 2956 .025			
HD --- 216 .030				st150, st155, st175, st175bc, st175g, st175vp XST2956 2956 .030			
MP633 XST255 255 .030				st160, st160a, st180 XST2554 2554 .030			
MP650, MP670, MP680 XST458 456 .030				st185, st185bc, st185c, st200, st275, st285, st285bc XST2956 2956 .030			
P1A, Power Scythe XST458 295 .030				st385, st385bc, st385c, st485 XST2956 2956 .030			
P Series AV250 XST458 456 .030				st400, xlbc4 XST254 254 .030			
Ice & Earth Drills				sx135, 155, st175g XST2554 2554 .030			
PH490E XST2976 2976 .030				Trim Lite, Trim N'Edge XST2554 2554 .025			
PH973, PH977 XST458 458 .030				xlbc4 XST254 254 .030			
PH980, PH980E, PH1700-A XST458 456 .030				ZR Series: z625cd, z625cdv, z625sd XST2554 2554 .025			
PH1100, PH1200 XST255 255 .025				ZR Series: z725ca, z725cb, z725cdv XST2554 2554 .025			
PH2000E w/Honda 5 h.p. OHV XST4265 4265 ⁸²⁴⁸ .030				ZR Series: z725ce, z725cea, z725se XST2554 2554 .025			
PH2000E w/Tec. 5 h.p. XST458 458 .030							
PH5000 w/Honda 5 h.p. OHV XST4265 4265 ⁸²⁴⁸ .030							
TH490 XST2976 2976 .030							
Hydra Drill w/Tec. Engs. XST458 458 .030							
w/B&S Engs. XST458 458 .030							
w/Power Prod. Engs. XST255 255 .030							



Se Section 9 pour les remarques en français en bas de page. Ver Seccion 9 para las páginas de notas de pie de página en español. ⁸²⁴⁸ Tapered electrode design ⁸²⁵⁰ Xtreme Performance

Small Engine - Lawn & Garden Equipment

	XTREME START™	STANDARD STANDARD ESTANDAR	GAP ENCARTMENT ESPACIO		XTREME START™	STANDARD STANDARD ESTANDAR	GAP ENCARTMENT ESPACIO
HOMELITE-JACOBSEN (Cont'd)				HONDA (Cont'd)			
Brushcutters & Trimmers (Cont'd)				Tillers			
ZR Series: z825sd, z830sb, z830sba, z885sd	XST2554	2554	.025	F28	----	4194	.030
Edgers, Ditchers, Lawn Tractors & Tillers				F200, F210	XST258	258	.030
e200	XST2554	2554	.025	F220, F220AN	----	4194	.030
e50-2	XST2974	2974	.030	F400	AP425 ⁸²⁴⁹	425	.030
e150-2	XST2976	2976	.030	F401A, F401A2, F401AD	XST4265	4265 ⁸²⁴⁸	.030
e300, e300hd	XST458	458	.030	F401K1, F401K2	XST4265	4265 ⁸²⁴⁸	.030
htc12	XST2554	2554	.030	F500, FR500	AP425 ⁸²⁴⁹	425	.030
mtc12	XST458	456	.030	F501K2A1, F501A1, F501A2	XST4265	4265 ⁸²⁴⁸	.030
pse3000	XST2554	2554	.030	F501K1, F501K2	XST4265	4265 ⁸²⁴⁸	.030
re830, re830e, re1030e	XST458	458	.030	FC600A	XST4265	4265 ⁸²⁴⁸	.030
re1230e, rt5, ft5	XST458	458	.030	FG100A, FG110 Mini-Tiller	----	4194	.030
SXL	XST254	254	.025	FG400	XS63 ⁸²⁵²	4263 ⁸²⁴⁸	.030
HOMEMASTER				Edgers (4-Stroke)			
Lawn Sweepers	XST458	295	.030	HHE31C, HHE31CA, HHE81CA	----	4194	.030
HOMKO				Trimmers (4-Stroke)			
Golf Carts	XST458	456	.025	HHTUMK25, HHT25SLTA, HHT25SLTAT, HHT31S, HH31SLTA, HHT31UNBA	----	4194	.030
HOMESTEADER				Garden Tractors			
w/B&S Engs.	XST458	458	.030	HHT31UNBA, HHT31TA, HHT35SLTA, HHT35SLTAT, HHT35UKA, HHT35SUKAT, HHT35UKAT	----	4194	.030
w/Kohler l6 h.p.	----	216	.030	HHE31CA, UMK422LNA, UMK422LTA, UMK431LNA, UMK431LTA, UMK431UNBA	----	4194	.030
HONDA				HOUCHIN-RUHMANN			
Chipper/Shredders & Multi-Vacs				Edgers			
CBV-2460, CSV-3090H	XST4265	4265 ⁸²⁴⁸	.030		XST255	255	.030
CSV-3100	XST458	458	.030	HOWARD PRICE TURF EQUIPMENT			
SB-2460	XST4265	4265 ⁸²⁴⁸	.030	Mowers			
Mowers & Tractors				w/Ford 1.1 & 1.3 liter Engs.			
H1011HS, H1011HSA, H1011K1SA, H1011K1HSA	XST4265	4265 ⁸²⁴⁸	.030		XP103 ⁸²⁵⁰	103	.035
H1011S, H1011SA, H1011SAC, H1011R, H1011RSA	XST4265	4265 ⁸²⁴⁸	.030	w/Honda 24 h.p. (V-Twin)	XST4265	4265 ⁸²⁴⁸	.030
H2013HDA, H2013SDA, H2013HSA, H2113GDA, H2113HDA	XST4265	4265 ⁸²⁴⁸	.030	w/Kawasaki 12.5 h.p.	XST255	255	.030
H3011, H3011H, H3011HSA	XST4265	4265 ⁸²⁴⁸	.030	w/Kawasaki 14 & 17 h.p. OHV	XST4265	4265 ⁸²⁴⁸	.030
H3011SA, H3013H, H3013HSA	XST4265	4265 ⁸²⁴⁸	.030	w/Kawasaki 23 h.p. (V-Twin)	XST4265	4265 ⁸²⁴⁸	.030
H4013, HR4013SA, HA4118HA, HA4118H38A	XST4265	4265 ⁸²⁴⁸	.030	w/Kawasaki 29 h.p. (Liquid V-Twin)	XST4265	4265 ⁸²⁴⁸	.025
H4120HA, HA4120H48A, H4514H, H4514HSA	XST4265	4265 ⁸²⁴⁸	.030	w/Kohler 20, 22 & 25 h.p. (V-Twin)	XST3924	3924	.030
H4518H, H4518HSA, H5013, H5013A2, H5013A4	XST4265	4265 ⁸²⁴⁸	.030	HOWARD ROTAVATOR			
H5518, RT5000	XST4265	4265 ⁸²⁴⁸	.030	400 w/Clinton Engs.	XST458	456	.025
HRC215K1PDA, HRC215K1SDA, HRC215K1SXA	XST4265	4265 ⁸²⁴⁸	.030	400 w/Wisconsin Engs.	----	386	.030
HRC216K1SXA, HRC216K1HXA	XST4265	4265 ⁸²⁴⁸	.030	Bantam 300	XST458	456	.025
HRC7013, HRC7018, HRC7020, HRC7113TXA	XST4265	4265 ⁸²⁴⁸	.030	GEM 20, 24, 30 w/Howard Engs.	AP425 ⁸²⁴⁹	425	.025
HT3810	XST258	258	.030	GEM 20, 24, 30 w/Wisconsin Engs.	----	386	.030
HT3813, HT4213, H4514H	----	275	.030	w/Kohler 6.25 h.p.	XST458	458	.030
HT-R3009, HT-R3009SA, HT-R3811, HT-R3811SA, RT5000	XST4265	4265 ⁸²⁴⁸	.030	HUDSON			
Comercial L48 & L60	XST4265	4265 ⁸²⁴⁸	.030	Sprayers			
w/Honda 5, 5.5, 11 & 13 h.p. OHV	XST4265	4265 ⁸²⁴⁸	.030	w/B&S "L" Head Engs.	XST458	458	.030
w/Honda 10 h.p.(G400)	----	275	.030	w/Kohler Engs.	XST458	295	.030
w/Honda 18 & 20 (V-Twin)	XST4265	4265 ⁸²⁴⁸	.030	w/Robin Engs.	AP425 ⁸²⁴⁹	425	.030
Power Carriers				HUD-SON			
HP250CA	XST258	258	.025	Bandsaw Mills, Conveyors, Firewood Processors, Logsplitters, Stake Sharpeners & Topsoil Screeners			
HP400BA	XST4265	4265 ⁸²⁴⁸	.030	w/B&S "L" Head Engs.	XST458	458	.030
				w/B&S 5.5, 8 & 13 h.p. OHV	XST3924	3924	.030

Se Section 9 pour les remarques en français en bas de page. Ver Seccion 9 para las páginas de notas de pie de página en español. ⁸²⁴⁸ Tapered electrode design ⁸²⁴⁹ Single Platinum ⁸²⁵⁰ Xtreme Performance ⁸²⁵² Xtreme Sport



Small Engine - Lawn & Garden Equipment

	XTREME START™	STANDARD STANDARD ESTANDAR	GAP ENCARTMENT ESPACIO		XTREME START™	STANDARD STANDARD ESTANDAR	GAP ENCARTMENT ESPACIO
HUD-SON (Cont'd) Bandsaw Mills, Conveyors, Firewood Processors, Logsplitters, Stake Sharpeners & Topsoil Screeners (Cont'd)				HUSKEE (Cont'd) Tractors (Cont'd)			
w/B&S 5.5, 6.5, 8 & 10 h.p. Intek OHV	XST3924	3924	.030	w/Kohler K Series Engs.	----	216	.030
w/B&S 6.5, 10 & 13 h.p. Vanguard	XST3924	3924	.030	w/Kohler OHV Engs. (V-Twin)	XST3924	3924	.030
w/B&S 16, 20, 23, 26 & 31 h.p. Vanguard (V-Twin)	XST3926	3926	.030	w/Onan Engs.	AP106 ⁸²⁴⁹	106	.025
w/Honda 4, 5.5, 11, 13 h.p. OHV	XST4265	4265 ⁸²⁴⁸	.030	w/Tec. Engs. OHV	XST4055	4055 ⁸²⁴⁸	.030
w/Honda 18, 20 & 24 h.p. OHV (V-Twin)	XST4265	4265 ⁸²⁴⁸	.030	HUSKIE Utility Vehicles			
w/Kohler 25 h.p. (V-Twin)	XST3924	3924	.030	w/B&S 16 h.p. Vanguard (V-Twin)	XST3926	3926	.030
HUFFMAN				HUSKIE Aerators, Dethatchers, Power Rakes & Seeders			
Edger/Trimmers, Tillers	XST458	295	.030	AR19 w/B&S 3.5 & 5.5 h.p.	XST458	458	.030
Garden Tractors	XST458	295	.030	AR19 w/Honda 4 h.p. OHV	XST4265	4265 ⁸²⁴⁸	.030
HUNTER Garden Tractors				AR19B w/B&S 5.5 h.p. Intek			
All Models	XST458	456	.025	XST3924 3924 .020			
HURON				AR19H w/Honda 4 h.p. OHV			
All Models	XST458	456	.025	XST4265 4265 ⁸²⁴⁸ .030			
HURRICANE Hydroseeders				AR25, AR25H			
w/B&S 8 h.p.	XST458	458	.030	XST4265 4265 ⁸²⁴⁸ .030			
w/B&S 16 h.p. Vanguard (V-Twin)	XST3926	3926	.030	AR25 w/Honda 4 h.p. OHV			
w/Honda 8, 11 & 13 h.p. OHV	XST4265	4265 ⁸²⁴⁸	.030	XST4265 4265 ⁸²⁴⁸ .030			
w/Honda 20 h.p. OHV (V-Twin)	XST4265	4265 ⁸²⁴⁸	.030	AR25B			
w/Robin 6 h.p. OHV	AP425 ⁸²⁴⁹	2656	.025	XST458 458 .030			
w/Robin 11 h.p. OHV	XS63 ⁸²⁵²	4263 ⁸²⁴⁸	.025	AR194, AR254			
HURRICANE BLO-VAC Blowers & Vacuums				XST4265 4265 ⁸²⁴⁸ .030			
w/Kohler 27 h.p. (V-Twin)	XST3924	3924	.030	AR195			
HURST				XST3924 3924 .030			
Jaws Of Life	----	306	.030	DT18, DT18B, SD18B			
Power Units w/B&S "L" Head Engs.	XST458	458	.030	XST458 458 .030			
Power Units w/B&S 6 h.p. OHV	XST3924	3924	.030	DT18CH, DT18H, SC18H, SD18H			
Power Units w/Honda 2.5 & 3 h.p. OHV	----	4194	.030	XST458 458 .030			
Power Units w/Honda 5 & 5.5 h.p. OHV	XST4265	4265 ⁸²⁴⁸	.030	DT22BF			
HUSKEE Logsplitters				XST3924 3924 .030			
w/B&S 6.5 & 12 h.p.	XST458	458	.030	DT22, DT22BF w/B&S 5.5 h.p. OHV			
w/Honda 5.5 h.p. OHV	XST4265	4265 ⁸²⁴⁸	.030	DT22, DT22HF w/Honda 5.5 h.p. OHV			
Tillers				XST4265 4265 ⁸²⁴⁸ .030			
w/B&S 3.5 & 5 h.p.	XST458	458	.030	OHV			
w/B&S 5.5 & 6.5 h.p. Intek OHV	XST3924	3924	.030	XST4265 4265 ⁸²⁴⁸ .030			
w/Tec. 1.6 h.p.	XST2976	2976	.030	DT22BNR/HNR w/B&S 5.5 h.p.			
Tractors				XST458 458 .030			
w/B&S "L" Head Engs.	XST458	458	.030	DT22BNR/HNR w/Honda 5.5 h.p. OHV			
w/B&S 18 h.p. Intek OHV	XST3924	3924	.030	XST4265 4265 ⁸²⁴⁸ .030			
w/B&S 18.5 h.p. (Twin)	XST458	458	.030	DTF226 w/B&S 5.5 h.p. OHV			
w/B&S 18.5 h.p. ELS OHV	XST3924	3924	.030	DTF226 w/Honda 5.5 h.p. OHV			
w/B&S 18 & 25 h.p. ELS (V-Twin)	XST3924	3924	.030	XST3924 3924 .020			
w/B&S Vanguard Engs. (V-Twin)	XST3926	3926	.030	S22 w/B&S 5.5 h.p. OHV			
HUSKEE Augers, Blowers, Edgers, Pruners, Sod Cutters, Stump Grinders, Sweepers & Tillers				XST4265 4265 ⁸²⁴⁸ .030			
				S22 w/Honda 5.5 h.p. OHV			
				XST4265 4265 ⁸²⁴⁸ .030			
				SC18 w/Honda 5.5 h.p. OHV			
				XST458 458 .030			
				SD22, SD22B w/B&S 5.5 h.p. OHV			
				XST4265 4265 ⁸²⁴⁸ .030			
				SD22 w/Honda 5.5 h.p. OHV			
				XST4265 4265 ⁸²⁴⁸ .030			
				SD226 w/B&S 5.5 h.p. OHV			
				XST3924 3924 .020			
				SD226 w/Honda 5.5 h.p. OHV			
				XST4265 4265 ⁸²⁴⁸ .030			
				Augers, Blowers, Edgers, Pruners, Sod Cutters, Stump Grinders, Sweepers & Tillers			
				25H, 26H			
				XST255 255 .030			
				22HB, 28HBV, 40B			
				XST2974 2974 .030			
				122HB, 132HBV			
				XST2976 2976 .030			
				140B, 225HBV			
				XST255 255 .030			
				125, 125B, 125BT, 125BVx, 125Bx, 125E, 130BT			
				XST2974 2974 .030			
				145BT/BF, 150BT/BF, 155BT/BF			
				XST2974 2974 .030			
				165BT/BF, 170BT/BF, 180BT/BF			
				XST2974 2974 .030			
				225 AI 15, 225 AI 25 Ice Augers			
				XST2974 2974 .030			
				225B, 225BX, 225HBV, 225HBV Lite			
				XST2974 2974 .030			
				225E, 235P, 250PS, 272S, 325P4			
				XST2974 2974 .030			
				322E, 322EX, 323EX, 325LX, 325LX C.S., 325P4			
				XST2974 2974 .030			
				326ES, 326EX, 326SX, 327ES, 356BT/BF			
				XST2974 2974 .030			
				356BFX, 356BTX, 426EX, 356BT/BF			
				XST2974 2974 .030			
				350BT/BF, 370BTS/BFS, 380BFS			

				500RTT			
				XST4265 4265 ⁸²⁴⁸ .030			
				550CRTH			
				XST4265 4265 ⁸²⁴⁸ .030			
				550CRTT, CRT61			
				XST4055 4055 ⁸²⁴⁸ .030			
				600CRT, 650CRT			
				XST3924 3924 .030			



Se Section 9 pour les remarques en français en bas de page. Ver Sección 9 para las páginas de notas de pie de página en español. ⁸²⁴⁸ Tapered electrode design ⁸²⁴⁹ Single Platinum ⁸²⁵² Xtreme Sport

Small Engine - Lawn & Garden Equipment

	XTREME START™	STANDARD ESTANDAR	GAP ENCARTMENT ESPACIO		XTREME START™	STANDARD ESTANDAR	GAP ENCARTMENT ESPACIO
HUSQVARNA (Cont'd)				HUSQVARNA (Cont'd)			
Augers, Blowers, Edgers, Pruners, Sod Cutters, Stump Grinders, Sweepers & Tillers (Cont'd)				Hedge Trimmers & Pole Pruners (Cont'd)			
650RTT, 700DRT	XST3924	3924	.030	325HS75, 325HS99, 325HDA55	XST2974	2974	.030
BE550	XST4265	4265 ⁸²⁴⁸	.030	325HE2, 325HE3, 324HE4, 324HDA55X	XST2974	2974	.030
CRT35, CRT50, CRT51	XST458	458	.030	326H595, 326HD60X, 326HD75X, 326HDA55X, 326HD60, 326HD60X	XST2974	2974	.030
CRT52, CRT55, CRT81, CRT83	XST458	458	.030	3326HD75, 26HD75X, 326HE3X, 326HE4X	XST2974	2974	.030
CRT900, CRT1350LS	XST3924	3924	.030	326HS75X, 326HS99, 326HS99S, 326HS99X	XST2974	2974	.030
CT16A, CT20, CT20A	XST2976	2976	.030	326P4, 326P5x, 327P4, 327P5x	XST2974	2974	.030
DT20 Power Rake	XST458	458	.030	327HE3x, 327HE4x	XST2974	2974	.030
DRT900, DRT900E	XST3924	3924	.030	Mowers			
DRT900H, DRT900LS	XST4265	4265 ⁸²⁴⁸	.030	580RS, 580RSE, 580RSW	XST3924	3924	.030
FT900	XST3924	3924	.030	600	AP425 ⁸²⁴⁹	2656	.025
LE309, LE359	XST458	458	.030	850-12, 970-12S, 970-15S, 970H-15, 970H-15S	XST458	458	.030
LE389, LE389HD, LE475	XST458	458	.030	980H15-B, 4125G, 4125H, 4140G, 4140H	XST458	458	.030
PS-50	XST2974	2974	.030	2042LS, 2146XLS, 2246LS, 2346GLS, 2348LS	XST3924	3924	.030
SC18, SC18A, SC18H, SG13, SG13H, SC186	XST4265	4265 ⁸²⁴⁸	.030	2354GMLS, 2478GLS, 2748GLS, 2754GLS	XST3924	3924	.030
T225R, T255R, T300	XST458	458	.030	CTH130, CTH150, CZ3815, CZ4217, CZ4817	XST3924	3924	.030
Iron Horse	XST2974	2974	.030	CZ4815	XST2976	2976	.030
w/B&S Engs.	XST458	458	.030	EZ3417, EZ4217	XST2976	2976	.030
Brushcutters & Trimmers				2042LS, 2146XLS, 2246LS, 2346GLS, 2348LS			
18H, 21LCN, Mondo, LC	XST2976	2976	.030	2354GMLS, 2478GLS, 2748GLS, 2754GLS	XST3924	3924	.030
Mondo, Mondo Max, Mondo Mega	XST2976	2976	.030	CTH130, CTH150, CZ3815, CZ4217, CZ4817	XST3924	3924	.030
23LC	XST2974	2974	.030	CZ4815	XST2976	2976	.030
25H, 26H	XST255	255	.030	EZ3417, EZ4217	XST2976	2976	.030
18RL, 22R, 22RL, 25R, 25RL	XST2974	2974	.030	EZ4216, EZ5221	XST4265	4265 ⁸²⁴⁸	.030
26LC, 26RLC, 32L, 32LC	XST2974	2974	.030	EZ4220, EZ4824, EZC4824, EZ4824K, EZ5224, EZ6124	XST3924	3924	.030
32R, 32RL, 32RLC, 39R	XST2974	2974	.030	EZ4624, EZ4822, EZ4824, EZ5224, EZ5226, EZ5424, EZ5426	XST3924	3924	.030
120L, 120R, 120LC	XST2976	2976	.030	GT160, GT180, GT200, GTH26V48LS, GTH27V52LS	XST3924	3924	.040
122, 122L, 124C, 124L, 125C, 125E, 125L, 125LD, 125R, 125RD, 125RJ	XST2976	2976	.030	GTH200, GTH220, GTH225, GTH250, GTV205, GTVH205	XST3924	3924	.030
132L, 132LD, 132R, 132RB, 132RJ	XST2976	2976	.030	GTH2248XP	XST258	258	.025
123C, 123L, 123LD, 128C, 128L, 128LDx, 165RX, 223L, 224L, 225H, 225HP	XST2974	2974	.030	GTH2350, GTH2448T, GTH2454T, GTH2548	XST3924	3924	.030
225L, 225H60, 225H75, 225LD, 225L Lite, 225R, 225RD, 225RJ	XST2974	2974	.030	GTH2550, GTH2554, GTH26K54T, GTH2654T, GTH2754	XST3924	3924	.030
232L, 232R, 232RJ, 232R/RD, 235FR, 235R	XST2974	2974	.030	GTH2254XP, GTH2548XP, GTH2550XP, GTH2554XP	XST4265	4265 ⁸²⁴⁸	.030
240R, 240RJ, 240RBD, 244RX, 245RX	XST2974	2974	.030	GTVH200, 1200-18, 1200-18H	XST3926	3926	.030
245R, 250RX, 252RX, 265RX	XST2974	2974	.030	iZ4217, iZ4217T, iZ4218, iZ4817, iZ4817T, iZ4818	XST2976	2976	.030
322, 322C, 322L, 322E, 322R, 323C, 323E, 323L, 323R	XST2974	2974	.030	iZ4819, iZ4819T, iZ4821, iZ4821T, iZ5221T, iZC5221, iZ5223, iZ5223T, iZ6123, iZ6123T	XST4265	4265 ⁸²⁴⁸	.025
324LDx, 324LX, 324RX, 325, 325C, 325CX, 325L, 325LX, 325EX, 325RJX	XST2974	2974	.030	iZ5223, iZ5223T, iZC5223, iZ5225TXP, iZ6125, iZ6125T	XST3924	3924	.030
325RX, 326C, 326EX, 326L, 326LD, 326LDX, 326LS, 326LX, 326RJX, 326RX	XST2974	2974	.030	LGT25K54, LGT2554, LGT2654	XST3924	3924	.030
326SX (Clean Sweep), 327ES, 327LDx, 327LS, 327RJx, 327Rx, 335FR, 335LS, 335RX	XST2974	2974	.030	LR100, LR110, LR120, LR121, LR122, LR125	XST458	458	.030
343R, 343FR, 345Fx, 345FXT, 345RX, 355Fx, 2000, 3000	XST2974	2974	.030	LRH125, LT100, LT120, LT125	XST458	458	.030
426LST, 430LS	XST2974	2974	.030	LSZ4622, LSZ5422, LSZ5424	XST3924	3924	.030
HU625HWT	XST458	458	.030	LT130, LTH120, LT140H, LT1238	XST458	458	.030
HVT40	XST2976	2976	.030	LT1538, LT18542, LTH130, LTH140, LTH145, LTH1342, LTH1438	XST3924	3924	.040
HVT1200, HVT1300, HVT1500	XST2974	2974	.030	LTH1538, LTH1542, LTH1742, LTH2042, LTH2248, LTH18542	XST3924	3924	.040
HVT52, HVT2000, HVT2100 w/B&S Engs.	XST458	458	.030	LZ7227T, LZ6127T	XST3924	3924	.040
HVT52 w/Honda OHV Engs.	XST4265	4265 ⁸²⁴⁸	.030	LZ5227, LZ5227T, LZC5227, LZF5227, LZ6127, LZ6127T, LZF6127	XST3924	3924	.040
Hedge Trimmers & Pole Pruners				LZ5225, LZC5225			
123HD60, 123HD65x	XST2974	2974	.030				
225H60, 225H75, 226HD60S, 226HS75S, 226HS99S	XST2974	2974	.030				



Se Section 9 pour les remarques en français en bas de page. Ver Seccion 9 para las páginas de notas de pie de página en español. ⁸²⁴⁸ Tapered electrode design ⁸²⁴⁹ Single Platinum

Small Engine - Lawn & Garden Equipment

	XTREME START™	STANDARD STANDARD ESTANDAR	GAP ENCARTMENT ESPACIO		XTREME START™	STANDARD STANDARD ESTANDAR	GAP ENCARTMENT ESPACIO
HUSQVARNA (Cont'd)				HUSQVARNA (Cont'd)			
Mowers (Cont'd)				Mowers (Cont'd)			
LZ6130, LZ6130TXP, LZC6130, LZ7230, LZ7230TXP	XST3924	3924	.040	ZTH4217, ZTH4817, ZTH4218, ZTH4218QL	XST2976	2976	.030
LZ6123TL	XST3926	3926	.040	ZTH4221QL, ZTH4821QL	XST4265	4265 ⁸²⁴⁸	.030
LZ6125T, LZ5225T	XST4265	4265 ⁸²⁴⁸	.030	ZTH4818 QL w/Kawasaki Enggs.	XST4265	4265 ⁸²⁴⁸	.030
LZF6127	XST3924	3924	.040	ZTH4818 QL, ZTH4820 w/Kohler Engs.	XST3924	3924	.030
MZ5225, MZ5226, MZ6125, MZ6128ZT, MZ7227	XST3924	3924	.030	ZTH4819	XST4265	4265 ⁸²⁴⁸	.030
Pro 15, Pro 15-V2	XST2976	2976	.030	ZTH5221 Gen II	XST4265	4265 ⁸²⁴⁸	.030
ProFlex 21	XST4265	4265 ⁸²⁴⁸	.030	ZTH5222	XST3924	3924	.030
PZ5426FX, PZ6029FX	XST4265	4265 ⁸²⁴⁸	.030	ZTH5223 Gen II, ZTH6125XP Gen II w/Kaw. Engs.	XST4265	4265 ⁸²⁴⁸	.030
PZ6029PFX (LPG)	XST4265	4265 ⁸²⁴⁸	.020	ZTH5223 Gen II, ZTH6125XP Gen II w/Kohler Engs.	XST3924	3924	.030
PZ6030CV	XST3924	3924	.040	ZTH5223L Gen II, ZTH6123LXP Gen II	XST3926	3926	.040
PZ6034FX, PZ7234FX	XP64 ⁸²⁵⁰	64	.030	ZTH5225XP Gen II, ZTH6126XP Gen II	XST3924	3924	.030
Rider 14 Pro	XST3926	3926	.030	ZTH5225XPQL, ZTH6123XPQL, ZTH6215XPQL	XST4265	4265 ⁸²⁴⁸	.030
Rider 16H, Rider 155, Rider 155 AWD, Rider 175, Rider 175 AWD	XST3924	3924	.030	ZTH6123LXPQL	XST3926	3926	.040
Rider 970-12S, RER800	XST458	458	.030	ZTH6125XPQL	XST3924	3924	.030
RZ4216, RZ4219, RZ4619, RZ4620, RZ5422, RZ5424	XST3924	3924	.040	ZTH6126XPQL, ZTH6127XPQL, ZTH7226XPQL	XST3924	3924	.040
W3213, W3613, WH3615, W4815	XST3924	3924	.040	ZTH7226XPQL	XST3924	3924	.040
W3613ETS, W4815ETS	XST2976	2976	.025	ZTH7226XPQL	XST3924	3924	.040
W3614, WH3614, W4814	XST4265	4265 ⁸²⁴⁸	.030	w/B&S "L" Head Engs.	XST458	458	.030
WC21, WCB21, WCS21	XP64 ⁸²⁵⁰	64	.030	w/B&S 14.5, 15, 16 & 18.5 h.p. OHV	XST3924	3924	.030
WCB21H, WCS21H	XST4265	4265 ⁸²⁴⁸	.030	w/B&S 13 & 16 h.p. Vanguard	XST3924	3924	.030
WG3213P, WG3613P	XST3924	3924	.040	w/B&S 6.5, 7, 13, 15 & 15.5 h.p. Intek OHV	XST3924	3924	.030
WGE3613, WG3613E, WG4815E, WG4815P, WGE4815, WGP4815	XST2976	2976	.030	w/B&S 16.5, 17, 17.5 & 20 h.p. Intek OHV	XST3924	3924	.030
WGP3213, WGP3613	XST3924	3924	.040	w/B&S 18, 20, 22, 23, 24 & 25 h.p. Intek OHV (V-Twin)	XST3924	3924	.030
WH3615E, WHF3615, WHT3615, WHF3617, WH4817E	XST2976	2976	.030	w/B&S 14, 18, 20, 21, 22, 23 & 27 h.p. Vanguard (V-Twin)	XST3926	3926	.030
WH3615, WH3617, WH4817, WH5217	XST2976	2976	.030	w/B&S 19 h.p. Professional Series OHV	XST3924	3924	.030
WH4817EFQ, WH4817ETS, WHF4817, WHT4817,	XST2976	2976	.030	w/B&S 22, 23, 24 & 26 h.p. ELS (V-Twin)	XST3924	3924	.030
WHF4215ETS	XST2976	2976	.030	w/B&S 28 h.p. Professional Series (V-Twin)	XST3924	3924	.030
WH5219EFQ, WH5221EFQ	XST4265	4265 ⁸²⁴⁸	.030	w/Honda 6 h.p. OHV	XST4265	4265 ⁸²⁴⁸	.030
WHF4818ETS, WHF5218ETS	XST4265	4265 ⁸²⁴⁸	.030	w/Honda 16 h.p. (V-Twin)	XST4265	4265 ⁸²⁴⁸	.030
WHF5223, WHF6123	XST4265	4265 ⁸²⁴⁸	.030	w/Kawasaki 6 h.p. OHV	XP64 ⁸²⁵⁰	64	.030
W21, W21S, W21SB	XST4265	4265 ⁸²⁴⁸	.025	w/Kawasaki 12.5 h.p.	XST255	255	.025
YT120	XST458	458	.030	w/Kawasaki 13 & 14 h.p. OHV	XST4265	4265 ⁸²⁴⁸	.030
YT125, YT160	XST258	258	.025	w/Kawasaki 13, 15, 17 & 18 h.p. OHV (V-Twin)	XST2976	2976	.030
YT130, YT140H, YT141H	XST4265	4265 ⁸²⁴⁸	.030	w/Kawasaki 16 & 22 h.p. OHV (Liquid V-Twin)	XST258	258	.025
YT161H, YT180, YT1942T, YTH22V42LS, YTH23V42LS, YTH24V48LS	XST3924	3924	.040	w/Kawasaki 19, 21, 23, 25 & 26 h.p. OHV (V-Twin)	XST4265	4265 ⁸²⁴⁸	.025
YTH21K46, YTH22V42, YTH23V48, YTH24V54	XST3924	3924	.040	w/Kawasaki 29 h.p. OHV (V-Twin) .. w/Kawasaki 29 h.p. OHV (V-Twin)	XST4265	4265 ⁸²⁴⁸	.030
YTH150, YTH160, YTH180, YTH1542, YTH1746, YTH1842	XST3924	3924	.040	LPG	XST4265	4265 ⁸²⁴⁸	.020
YTH1342XP, YTH1542XP, YTH1542XPT, YTH1848XP, YTH1848XPT	XST2976	2976	.030	w/Kawasaki 34 h.p. OHV (V-Twin) ..	XP64 ⁸²⁵⁰	64	.030
YTH20B42T, YTH20K46, YTH1942, YTH20F42T, YTH2042, YTH2046, YTH2242	XST3924	3924	.040	w/Kohler 12.5, 13, 14, 15, 15.5, 17, 18 & 19 h.p. OHV	XST3924	3924	.040
YTH2146XP	XST4265	4265 ⁸²⁴⁸	.025	w/Kohler 13 & 15 h.p. Command Pro w/Kohler 18, 20, 21, 22, 25 & 26 h.p. (V-Twin)	XST3924	3924	.030
YTH2242T, YTH2248, YTH2348, YTH2448T	XST3924	3924	.040	w/Kohler 18 & 20 h.p. (Twin)	XP26 ⁸²⁵⁰	26	.025
YTH2454, YTH2454T, YTH2548, YTH2748	XST3924	3924	.030	w/Kohler 18, 20 & 21 h.p. Courage DOHC	XST3924	3924	.030
YTH2048, YTH2148	XST3926	3926	.030	w/Kohler 23 h.p. (Liquid V-Twin)	XST3926	3926	.040
Z3815, Z4217, Z4218, Z4219, Z4220	XST3924	3924	.030				
Z4619, Z4818, Z4822, Z4824, Z5426	XST3924	3924	.030				


Se Section 9 pour les remarques en français en bas de page. Ver Seccion 9 para las páginas de notas de pie de página en español. ⁸²⁴⁸ Tapered electrode design ⁸²⁵⁰ Xtreme Performance

Small Engine - Lawn & Garden Equipment

	XTREME START™	STANDARD ESTANDAR	GAP ENCARTMENT ESPACIO		XTREME START™	STANDARD ESTANDAR	GAP ENCARTMENT ESPACIO
HUSQVARNA (Cont'd)				HYDRA POWER			
Mowers (Cont'd)				w/Honda 13 h.p. OHV XST4265 4265 ⁸²⁴⁸ .030			
w/Kohler 20, 24, 25 & 27 h.p. Courage (V-Twin)	XST3924	3924	.030	HYDRA-SPLITTER			
w/Kohler 26 h.p. EFI (V-Twin)	XST3924	3924	.040	Log Splitters			
w/Kohler 27 & 30 h.p. (V-Twin)	XST3924	3924	.040	w/B&S Engs. XST458 458 .030			
w/Robin 6 h.p. OHV	AP425 ⁸²⁴⁹	2656	.025	HYDRO MITE			
Mower Collection Systems				Mulcher/Seeders & Sprayers			
Z1-12, Z2-7 w/B&S 5.5 h.p. Intek OHV	XST3924	3924	.030	w/B&S "L" Head Engs. XST458 458 .030			
Z1-12, Z2-7 w/Kohler 6 h.p. OHV ...	XST3924	3924	.040	w/Honda 5.5 & 13 h.p. OHV XST4265 4265 ⁸²⁴⁸ .030			
Utility Vehicles				HYDRO TERRA			
HUV4210G, HUV4210GXP	XST4265	4265 ⁸²⁴⁸	.030	Mulcher/Seeders			
HUV4213, HUV4213G, HUV4213GXP	XP64 ⁸²⁵⁰	64	.030	w/B&S 5 h.p. Engs. XST458 458 .030			
HUV4214G, HUV4414G, HUV4414GXP	XST3926	3926	.030	w/Kohler 16 h.p. Engs. ---- 216 .030			
HUV4420, HUV4421G, HUV4421GXL, HUV4421GXP	XST4265	4265 ⁸²⁴⁸	.030	HYDRO-TURF			
HUSS				Sprayers			
Log Splitters & Stump Cutters				w/B&S 9 h.p. Vanguard			
w/B&S 11, 12 & 12.5 h.p.	XST458	458	.030	w/Honda 5, 5.5 & 11 h.p. OHV XST4265 4265 ⁸²⁴⁸ .030			
w/B&S 13 h.p. Vanguard	XST3924	3924	.030	w/Kohler 6, 8 & 12.5 h.p. OHV XST3924 3924 .030			
w/B&S 18 & 20 h.p. Vanguard (V-Twin)	XST3926	3926	.030	HWH			
w/Kohler 8 h.p. (K181)	XST458	458	.030	Log Splitters			
w/Kohler 12 h.p.	----	216	.030	w/B&S Engs. XST458 458 .030			
w/Kohler 14 h.p. OHV	XST3924	3924	.040	IBP			
HUSTLER				Hole Diggers			
Commercial Mowers & Tillers				200, 300, 500			
400	XP103 ⁸²⁵⁰	103	.030	400			
w/B&S "L" Head Engs.	XST458	458	.030	XST255 255 .025			
w/B&S 18 h.p. (Twin)	XST458	458	.030	XST458 295 .025			
w/B&S 17.5 & 21 h.p. OHV	XST3924	3924	.030	ICE KING			
w/Cont. TC-56	----	386	.030	Ice Augers			
w/Ford 1.1L Engs.	XST4265	4265 ⁸²⁴⁸	.035	w/Tec. Engs. XST255 255 .030			
w/Ford 1.3L Engs.	XP103 ⁸²⁵⁰	103	.035	ICE-O-WAY			
w/Honda 4 h.p. OHV	XST4265	4265 ⁸²⁴⁸	.030	Sand/Salt Spreaders			
w/Honda 16, 18, 20 & 24 h.p. (V-Twin)	XST4265	4265 ⁸²⁴⁸	.030	w/B&S 8.5 & 10.5 h.p. XST458 458 .030			
w/Kawasaki 14 h.p.	AP425 ⁸²⁴⁹	425	.025	IDC POWER EQUIPMENT			
w/Kawasaki 15 & 17 h.p. (V-Twin) ...	XST2976	2976	.025	Trimmers			
w/Kawasaki 17 & 19 h.p. KAI (V-Twin)	XST2976	2976	.025	All Models			
w/Kawasaki 19, 21, 23, 24, 25, 26, 27, 29 & 31 h.p. OHV (V-Twin) ...	XST4265	4265 ⁸²⁴⁸	.025	XST2956 2956 .030			
w/Kawasaki 26 h.p. (Liquid V-Twin) .	XST4265	4265 ⁸²⁴⁸	.025	IDEAL			
w/Kawasaki 27 h.p. (Liquid V-Twin) .	AP66 ⁸²⁴⁹	66	.025	Mowers			
w/Kawasaki 37 h.p. (V-Twin)	XP64 ⁸²⁵⁰	64	.030	14mm Heads			
w/Kohler 13 & 15 h.p. Command Pro	XST3924	3924	.040	18mm Heads			
w/Kohler 17 h.p. OHV	XST3924	3924	.040	XST458 295 .025			
w/Kohler 18 h.p.	----	216	.030	---- 386 .025			
w/Kohler 18, 22, 25 & 30 h.p. Command Pro (V-Twin)	XST3924	3924	.040	INDIAN			
w/Kohler 18 & 20 h.p. (Twin)	XP26 ⁸²⁵⁰	26	.025	Rotary Tillers			
w/Kohler 18 h.p. OHV	XST3924	3924	.030	XST458 295 .030			
w/Kohler 18, 19 & 20 h.p. Courage DOHC	XST3924	3924	.030	INGERSOLL			
w/Kohler 20, 22 & 25 h.p. (V-Twin) ..	XST3924	3924	.030	Riding Mowers, Tillers & Tractors			
w/Kohler 20 & 23 h.p.	----	216	.025	w/B&S "L" Head Engs. XST458 458 .030			
w/Kohler 23 h.p. (V-Twin)	----	216	.030	w/B&S 12.5, 14 & 16 h.p. (Twin) XST458 458 .030			
w/Kohler 27 & 30 h.p. (V-Twin)	XST3924	3924	.040	w/B&S 12.5, 14 h.p. Vanguard (V-Twin)			
w/Kohler 28 & 29 h.p. EFI (V-Twin) ..	XST3924	3924	.040	XST3926 3926 .030			
				w/B&S 16, 18, 20, 21 & 23 h.p. Vanguard (V-Twin)			
				XST3926 3926 .030			



Se Section 9 pour les remarques en français en bas de page. Ver Section 9 para las páginas de notas de pie de página en español. ⁸²⁴⁸ Tapered electrode design ⁸²⁴⁹ Single Platinum ⁸²⁵⁰ Xtreme Performance

Small Engine - Lawn & Garden Equipment

	XTREME START™	STANDARD STANDARD ESTANDAR	GAP ENCARTMENT ESPACIO		XTREME START™	STANDARD STANDARD ESTANDAR	GAP ENCARTMENT ESPACIO
INGERSOLL (Cont'd)				JACKSON			
Riding Mowers, Tillers & Tractors (Cont'd)				Pluggers			
w/Honda 20 h.p. (V-Twin)	XST4265	4265 ⁸²⁴⁸	.030	w/Honda 4 & 5.5 h.p. OHV	XST4265	4265 ⁸²⁴⁸	.030
w/Kohler 10, 12 & 14 h.p.	----	216	.030	JACOBSEN			
w/Kohler 18 h.p. (Twin)	XP26 ⁸²⁵⁰	26	.025	Turf Equipment			
w/Kohler 20, 22 & 25 h.p. (V-Twin) ..	XST3924	3924	.030	4300 Multi-Use Tractor w/Kohler 25			
w/Linamar Eng.	AP106 ⁸²⁴⁹	106	.025	h.p. (V-Twin)	XST3924	3924	.030
w/Onan 16, 18 & 20 h.p. (Twin)	AP106 ⁸²⁴⁹	106	.025	4300 Multi-Use Tractor w/Kubota 25			
w/Onan BF, B43M, B48M	----	437	.025	h.p. (Liquid)	XST3924	3924	.030
w/Onan CCKA	----	216	.030	4300 Multi-Use Tractor w/Linamar 20			
w/Tec. Eng.	XST458	458	.030	h.p.	AP106 ⁸²⁴⁹	106	.025
INTERNATIONAL				UM4280 Utilmax w/B&S 31 & 34 h.p.			
Blowers w/B&S & Tec. Eng.	XST458	458	.030	(Liquid V-Twin)	XST3924	3924	.030
Chippers w/B&S & Tec. Eng.	XST458	458	.030	UM4280 Utilmax w/Kawasaki Eng.	AP66 ⁸²⁴⁹	66	.030
Edgers w/B&S & Tec. Eng.	XST458	458	.030	4-Acre H.D.	----	386	.035
Log Splitters w/B&S & Tec. Eng.	XST458	458	.030	Edg-R-Trim, Trim-O	XST258	258	.025
Tillers w/B&S & Tec. Eng.	XST458	458	.030	Pow-R-Edger	XST458	456	.025
Cub Cadet Riding Equipment				Tillager 1, 2	XST458	456	.025
55, 75 76, 85	XST255	255	.030	w/1/2" Pipe Threads	----	3095	.025
60, 70, 71	XST458	295	.030	w/18mm Threads	----	386	.030
72, 73, 86, 800	XST458	295	.030	w/7/8" Threads	----	3076	.025
80, 81 111	XST255	255	.030	w/B&S "L" Head Eng.	XST458	458	.030
100, 102, 104, 105, 106, 107	----	216	.030	w/B&S 6.5 h.p. Intek OHV	XST3924	3924	.030
108, 109, 122, 123, 124, 125	----	216	.030	w/B&S 6 & 7.5 h.p. Vanguard	XST3924	3924	.030
126, 127, 128, 129, 147, 149	----	216	.030	w/B&S 17 & 17.5 h.p. ELS OHV	XST3924	3924	.030
182, 282, 382, 482	XST255	255	.030	w/B&S 14, 16 & 18 h.p. Vanguard			
582	XST258	308	.030	(V-Twin)	XST3926	3926	.030
682, 782	XP25 ⁸²⁵⁰	25	.030	w/B&S 18 & 25 Intek (V-Twin)	XST3924	3924	.030
800, 1000, 1100, 1200	----	216	.030	w/B&S 31 h.p. Vanguard (Liquid			
982	XP104 ⁸²⁵⁰	104	.030	Cooled)	XST3924	3924	.030
1030, 1225, 1238	XST458	458	.030	w/Clinton Eng.	XST458	456	.025
1250, 1450, 1650	----	216	.030	w/Daihatsu 3-Cyl Eng.	AP66 ⁸²⁴⁹	66	.030
1325, 1330, 1440	XST3926	3926	.030	w/Ford 192 cid Eng.	----	216	.035
1430, 1730	XP26 ⁸²⁵⁰	26	.030	w/Ford 67 cid Eng.	XS63 ⁸²⁵²	4263 ⁸²⁴⁸	.035
1641, 2182	XST3924	3924	.030	w/Honda 3.5, 4 & 5.5 h.p. OHV	XST4265	4265 ⁸²⁴⁸	.030
1861, 1862, 2082	XP26 ⁸²⁵⁰	26	.030	w/Jacobsen Eng.	XST458	458	.030
w/B&S Eng.	XST458	458	.030	w/Kawasaki 12.5 h.p.	XST255	255	.025
w/B&S Eng. (Twin)	XST458	458	.030	w/Kawasaki 13, 15 & 17 h.p.			
w/B&S Vanguard Eng.	XST3926	3926	.030	(V-Twin)	XST2976	2976	.025
w/Kawasaki SRX95	XST258	258	.030	w/Kawasaki 19 & 21 h.p. (V-Twin) ...	XST4265	4265 ⁸²⁴⁸	.030
w/Kaw. 3.7 & 5.3 h.p. OHV	XST4265	4265 ⁸²⁴⁸	.030	w/Kohler 16, 18 & 23 h.p.	----	216	.030
w/Kawasaki 5.2 h.p.	XST255	255	.030	w/Kohler 8 h.p. (K181)	XST458	458	.030
w/Kaw. 7.9, 9 & 11.1 h.p. OHV	XST4265	4265 ⁸²⁴⁸	.030	w/Kohler 11 h.p.	XST3924	3924	.040
w/Kawasaki 12.5 h.p.	XST255	255	.030	w/Kohler 8, 10, 12 & 14 h.p.	----	216	.030
w/Kawasaki 13, 14 & 17 h.p. OHV ...	XST4265	4265 ⁸²⁴⁸	.030	w/Kohler 23 h.p. (Liquid Cooled			
w/Kawasaki 20 h.p. (Liquid V-Twin) .	XST258	258	.030	V-Twin)	XST3926	3926	.040
w/Kohler 8 h.p. (K181)	XST458	458	.030	w/Kohler 25 h.p. (V-Twin)	XST3924	3924	.030
w/Kohler 10, 12 & 14 h.p.	----	216	.030	w/Kubota 25 h.p. (Liquid)	XST3924	3924	.030
w/Kohler 16 & 20 h.p.	----	216	.030	w/Lauson Eng.	XST458	456	.025
w/Kohler 17 h.p. (Twin)	XP26 ⁸²⁵⁰	26	.025	w/Linamar 20 h.p.	AP106 ⁸²⁴⁹	106	.025
w/Kohler OHV Eng.	XST3924	3924	.040	w/Onan 20 h.p. (Twin)	AP106 ⁸²⁴⁹	106	.025
w/Onan 316, 318, 420	AP106 ⁸²⁴⁹	106	.025	w/Perkins G4-236	XST4265	4265 ⁸²⁴⁸	.030
w/Tec. Eng.	XST458	458	.030	w/Robin EH29C	AP66 ⁸²⁴⁹	66	.030
w/Yanmar 322	XS63 ⁸²⁵²	4263 ⁸²⁴⁸	.025	w/Robin EH35C	XST4265	4265 ⁸²⁴⁸	.030
IRON & OAK				w/Robin EY25W	AP425 ⁸²⁴⁹	425	.030
Blowers, Chipper/Shredders & Log Splitters				Utility Vehicles			
w/B&S 5 & 8 h.p.	XST458	458	.030	1100 Hauler w/11 h.p. OHC V-Twin ..	XP64 ⁸²⁵⁰	64	.030
w/B&S 5.5 h.p. Intek OHV	XST3924	3924	.030	1110 Hauler w/11 h.p. OHC V-Twin ..	XP64 ⁸²⁵⁰	64	.030
w/B&S 9 h.p. Vanguard	XST3924	3924	.030	1200 Hauler w/11 h.p. OHC V-Twin ..	XP64 ⁸²⁵⁰	64	.030
w/Honda 5, 5.5, 8 & 11 h.p. OHV	XST4265	4265 ⁸²⁴⁸	.030	2015	AP106 ⁸²⁴⁹	106	.025
w/Kohler 11 h.p. Command OHV	XST3924	3924	.040	3500 Hauler w/11 h.p. OHC V-Twin ..	XP64 ⁸²⁵⁰	64	.030
w/Kohler 11 h.p. Command Pro				4800 Hauler w/B&S 16 h.p. (V-Twin) .	XST3924	3924	.030
OHV	XST3924	3924	.040	Commander 4800 w/B&S 16 h.p.			
w/Tec. 3.8 h.p.	XST458	458	.030	(V-Twin)	XST3924	3924	.030
w/Tec. 5 & 8 h.p. OHV	XST4055	4055 ⁸²⁴⁸	.030				



Se Section 9 pour les remarques en français en bas de page. Ver Seccion 9 para las páginas de notas de pie de página en español. ⁸²⁴⁸ Tapered electrode design ⁸²⁴⁹ Single Platinum ⁸²⁵⁰ Xtreme Performance ⁸²⁵² Xtreme Sport

Small Engine - Lawn & Garden Equipment

	XTREME START™	STANDARD STANDARD ESTANDAR	GAP ENCARTMENT ESPACIO		XTREME START™	STANDARD STANDARD ESTANDAR	GAP ENCARTMENT ESPACIO
JACTO				JOHN DEERE (Cont'd)			
Mister/Sprayers				Blowers, Chipper/Shredders, Mowers, Tillers, Tractors & Vacuums (Cont'd)			
PL50V	XST2974	2974	.030	220 E-Cut Hybrid	XST4265	4265 ⁸²⁴⁸	.030
JARI				285, 285 (F/I), 300G, 350G	XST255	255	.030
Power Sickles				314F	XST458	458	.030
w/B&S 3, 3.5 & 5 h.p.	XST458	458	.030	316 w/Kohler 16 h.p.	----	216	.030
J. C. PENNEY				316 w/Onan 18 h.p. (Twin)	AP106 ⁸²⁴⁹	106	.025
Edger/Trimmers, Tillers & Tractors				318, 420	AP106 ⁸²⁴⁹	106	.025
709030, 709035	XST255	255	.030	317	XP26 ⁸²⁵⁰	26	.030
w/B&S Engs.	XST458	458	.030	320, 322, 325, 330	XST4265	4265 ⁸²⁴⁸	.030
w/Tec. Engs.	XST458	458	.030	335, 345, 400, 425, 425 AWS	XST258	258	.030
JIFFY				445, 445 AWS (EFI)	XST255	255	.030
Ice Drills				518R, 820R	XST458	458	.030
w/Tec. 2 h.p.	XST2976	2976	.030	647, 657, 657A, 667, 667A,	XST4265	4265 ⁸²⁴⁸	.025
w/Tec. 3 & 3.5 h.p.	XST458	458	.030	647A	XST2976	2976	.030
JIFFY HYDRAULIC SEEDER				777	AP66 ⁸²⁴⁹	66	.025
Mulchers & Seeders				2500B, 2500E w/Kawasaki 20 h.p. (Liquid V-Twin)	XST258	258	.030
w/Kohler 18 h.p. (Twin)	XP26 ⁸²⁵⁰	26	.025	AMT600	AP425 ⁸²⁴⁹	425	.030
w/Kohler 25 h.p. (V-Twin)	XST3924	3924	.030	AMT622, AMT626	XST4265	4265 ⁸²⁴⁸	.030
JJ HAULS-ALL				BH25, BH25LE	XST255	255	.025
Motorized Wheelbarrows				BH30, BH40	XST2554	2554	.030
w/B&S 16 & 18 h.p. Vanguard (V-Twin)	XST3926	3926	.030	BP40, BP40LE, BP45, BP45LE	XST254	254	.030
w/Kohler 18 h.p. (V-Twin)	XST3924	3924	.030	BP50, BP50LE, BP60, BP65LE	XST2974	2974	.030
JOBU				CS5	XST458	458	.030
Brushcutters				CS8	XST458	295	.030
.....	XST255	255	.030	Deluxe 14 & 17 h.p.	XST4265	4265 ⁸²⁴⁸	.030
JOE BUILT				E35	XST255	255	.030
Hauling Cart				F510, F525, F710	XST4265	4265 ⁸²⁴⁸	.030
HD-500 w/4 h.p. Engs.	XST458	295	.030	F620, F625, F680, F687	XST3924	3924	.030
JOHN BEAN				F725, F911	XST258	258	.030
Sprayers				F910, F930	XP104 ⁸²⁵⁰	104	.030
W/Ford 2.5L Engs.	XP104 ⁸²⁵⁰	104	.035	F912, F932	XST4265	4265 ⁸²⁴⁸	.030
w/Honda 5.5, 8, 11 & 13 h.p. OHV ...	XST4265	4265 ⁸²⁴⁸	.030	G15, G100, G110	XST3924	3924	.030
w/Kohler 25 & 27 h.p. (V-Twin)	XST3924	3924	.030	GS25, GS45, GS75	XST4265	4265 ⁸²⁴⁸	.030
JOHN DEERE				GS30, GT225	XST3924	3924	.040
Blowers, Chipper/Shredders, Mowers, Tillers, Tractors & Vacuums				GT242, GT262, GT275, GT325	XST4265	4265 ⁸²⁴⁸	.030
3-Bag Material Collection System ...	XST4265	4265 ⁸²⁴⁸	.030	GT235	XST3926	3926	.030
Hydraulic-Dump Collection System ..	XST4265	4265 ⁸²⁴⁸	.030	GT255	XST255	255	.025
No. 5 Log Splitters	XST458	295	.030	GT245, GT345	XST258	258	.030
2BV, 2LS, 5E, 20SR7, 21HC	XST255	255	.030	GX70, GX75, GX85, GX95, SRX75 ..	XST4265	4265 ⁸²⁴⁸	.030
7G18	XST3924	3924	.030	GX255, GX325, GX335	XST4265	4265 ⁸²⁴⁸	.025
7H17, 7H19	XST2976	2976	.025	GX345	XST255	255	.025
14PZ, 14SZ, 65, 66, 68	XST458	458	.030	H20S, H26S	XST255	255	.030
14SB, 14SE, 14SX, 48, 52	XST4265	4265 ⁸²⁴⁸	.030	HD45, HD75	XST4265	4265 ⁸²⁴⁸	.030
100LT, 108, 111, 111H, 112L, 116, 116H	XST458	458	.030	K-Series 12.5 h.p.	XST258	258	.030
113, 160, 165, 162, 172, 213E	XST255	255	.030	K-Series 5, 14 & 17 h.p.	XST4265	4265 ⁸²⁴⁸	.030
130, 170, 175, 180, 180B, 180C, 185, 220A	XST4265	4265 ⁸²⁴⁸	.030	L100, L110, L118LE, L120, L130 ...	XST3924	3924	.030
220B, 220C, 240, 245, 260, 260B, 260C, 265	XST4265	4265 ⁸²⁴⁸	.030	LT133, LT150, LT150G, LT150H, LT155, LT160	XST3924	3924	.040
210, 212, 214, 216, 314	----	216	.030	LA100, LA105, LA110, LA115, LA120, LA125, LA130	XST3924	3924	.030



Se Section 9 pour les remarques en français en bas de page. Ver Seccion 9 para las páginas de notas de pie de página en español. ⁸²⁴⁸ Tapered electrode design ⁸²⁴⁹ Single Platinum ⁸²⁵⁰ Xtreme Performance

Small Engine - Lawn & Garden Equipment

	XTRME START™	STANDARD STANDARD ESTANDAR	GAP ENCARTMENT ESPACIO		XTRME START™	STANDARD STANDARD ESTANDAR	GAP ENCARTMENT ESPACIO
JOHN DEERE (Cont'd)				JOHN DEERE (Cont'd)			
Blowers, Chipper/Shredders, Mowers, Tillers, Tractors & Vacuums (Cont'd)				Blowers, Chipper/Shredders, Mowers, Tillers, Tractors & Vacuums (Cont'd)			
SRX75	XST4265	4265 ⁸²⁴⁸	.030	w/Yanmar 20 & 28 h.p.	XST4265	4265 ⁸²⁴⁸	.030
SRX95	XST258	258	.030	Brush Cutters, Edgers, Hedge Trimmers, Pole Saws & String Trimmers			
SST15, SST16, SST18	XST3924	3924	.030	21C, 21S	XST2976	2976	.030
STX30, STX38, STX46	XST3924	3924	.030	25S, 30S, 38B	XST2974	2974	.030
SX85	XST458	458	.030	80G, 85G	XST458	456	.030
WH36A, WH48A, WH52A	XST4265	4265 ⁸²⁴⁸	.030	82G, 83G	XST258	258	.030
X300, X300R, X304, X340	XST4265	4265 ⁸²⁴⁸	.030	90G, 110G, 300G	XST2974	2974	.030
X320, X324, X360	XST258	258	.030	210G, 240G, 260G, 350G, E35	XST255	255	.030
X465 2WS, X465AWS	XST4265	4265 ⁸²⁴⁸	.025	BC1600, C1200, S1400	XST2974	2974	.030
X475 2WS, X475AWS, X485 2WS ..	AP66 ⁸²⁴⁹	66	.025	EH2342 Hedge Trimmers	XST255	255	.030
X485AWS, X485SE 2WS	AP66 ⁸²⁴⁹	66	.025	EH2659, EH2659LE Hedge Trimmers	XST255	255	.030
X500, X520, X530, X534, X540	XST4265	4265 ⁸²⁴⁸	.030	H20D, H20DLE, H20DLE, H20S Hedge Trimmers	XST255	255	.030
X575 4WD, X585 4WD, X585SE 4WD	AP66 ⁸²⁴⁹	66	.025	LT105CLE, LT105SLE	XST255	255	.030
X700, X720, X720SE, X724, X728, X728SE, X729	AP66 ⁸²⁴⁹	66	.025	PS2383LE Pole Saw	XST255	255	.030
Z225, Z510A, Z520A	XST3924	3924	.030	SE23, T23s, T26sb, TB26sb, T40sb ..	XST255	255	.030
Z245, Z425	XST3926	3926	.030	Stick Edger	XST255	255	.030
Z445, Z465	XST4265	4265 ⁸²⁴⁸	.025	T30c, T30s, T30sb	XST2554	2554	.030
Z710A, Z720A	XST3924	3924	.030	T105C, T105CLE, T105S, T105SLE, XT105, XT105SB, XT105SBLE ...	XST255	255	.030
Z810A, Z820A, Z830A, Z850A	XST4265	4265 ⁸²⁴⁸	.030	XT120, XT120LE, XT120SE, XT140, XT140B, XT140LE, XT140SB ...	XST255	255	.030
Z910, Z910A, Z920A, Z925A, Z930A, Z950A	XST4265	4265 ⁸²⁴⁸	.030	XT140SBLE, XT140SELE, XT140SSELE	XST255	255	.030
Z860A, Z960A, Z970A	XP64 ⁸²⁵⁰	64	.030	XT170, XT170B, XT170LE, XT250B, XT250BLE	XST255	255	.030
w/B&S "L" Head Engs.	XST458	458	.030	XT140SE	XST2976	2976	.030
w/B&S Engs. (Twin)	XST458	458	.030	Utility Vehicles			
w/B&S ELS (V-Twin) Engs.	XST3924	3924	.030	1420 Series II	AP66 ⁸²⁴⁹	66	.025
w/B&S Intek OHV Engs.	XST3924	3924	.030	1500 UV	----	216	.030
w/B&S Intek Engs. (V-Twin)	XST3924	3924	.030	1800 Utility Vehicle	XST258	258	.030
w/B&S Vanguard Engs. (V-Twin)	XST3926	3926	.030	Gator CS, CX	XST4265	4265 ⁸²⁴⁸	.030
w/Honda 4 & 5 h.p. OHV	XST4265	4265 ⁸²⁴⁸	.030	Gator 4x2	XST4265	4265 ⁸²⁴⁸	.030
w/Kawasaki 3.1, 5.2 h.p.	XST255	255	.030	Gator 4x4, Gator 6x4	XST258	258	.030
w/Kawasaki 5, 5.5, 6, 9, 13, 14 & 17 h.p. OHV	XST4265	4265 ⁸²⁴⁸	.030	Gator CX 4x2	XST4265	4265 ⁸²⁴⁸	.025
w/Kawasaki 12.5 h.p.	XST255	255	.025	Gator HPX 4x4	XST258	258	.030
w/Kawasaki 17, 18 & 19 h.p. (V-Twin)	XST2976	2976	.030	Gator TH 6x4	XST4265	4265 ⁸²⁴⁸	.025
w/Kawasaki 16, 19, 20, 21, 22, 23, 25, 26, 27, 29 & 31 h.p. (V-Twin) ..	XST4265	4265 ⁸²⁴⁸	.025	Gator TS, TX 4x2	XST4265	4265 ⁸²⁴⁸	.030
w/Kawasaki 34 & 37 h.p. (V-Twin) ...	XP64 ⁸²⁵⁰	64	.030	Gator XUV 620i 4x4, Camo	XST258	258	.040
w/Kawasaki 14.5 & 16 h.p. (Liquid V-Twin)	XST258	258	.030	Gator XUV 625i 4x4	XST258	258	.040
w/Kawasaki 17.5 h.p. (Liquid V-Twin)	XST4265	4265 ⁸²⁴⁸	.025	Pro Gator 2020 w/Yanmar 26 h.p. ...	XST4265	4265 ⁸²⁴⁸	.030
w/Kawasaki 18 h.p. (Liquid V-Twin) ..	XST258	258	.030	Trail Gator 4x2	XST4265	4265 ⁸²⁴⁸	.030
w/Kawasaki 20 & 22 h.p. (Liquid V-Twin)	XST258	258	.030	Trail Gator 4x4, Trail Gator 6x4	XST258	258	.030
w/Kawasaki 23, 25 & 27 h.p. (Liquid V-Twin)	AP66 ⁸²⁴⁹	66	.025	Turf Gator	XST4265	4265 ⁸²⁴⁸	.030
w/Kawasaki 26 h.p. (Liquid V-Twin) ..	XST4265	4265 ⁸²⁴⁸	.025	JOLLY HOE			
w/Kawasaki 29 h.p. DFI (Liquid V-Twin)	XST4265	4265 ⁸²⁴⁸	.025	All Models	XST255	255	.025
w/Kioritz Engs.	XST255	255	.030	JONSERED			
w/Kohler 8 h.p. (K181)	XST458	458	.030	HP36 Power Pruner	XST2974	2974	.030
w/Kohler 10, 12 & 14 h.p.	----	216	.030	BV32 Blower/Vac	XST2974	2974	.030
w/Kohler 12.5, 13, 15, 16 & 18 h.p. OHV	XST3924	3924	.040	BV2125 Blower/Vac	XST2974	2974	.030
w/Kohler 16 & 20 h.p.	----	216	.030	JB50 Blower	XST2974	2974	.030
w/Kohler 17 h.p. (Twin)	XP26 ⁸²⁵⁰	26	.025	Split 40 Wood Splitter	XST2974	2974	.030
w/Kohler 17.5 h.p. OHV	XST3924	3924	.030	Iron Horse w/Honda 5.5 & 9 h.p. OHV	XST4265	4265 ⁸²⁴⁸	.030
w/Kohler 20, 22, 23 & 25 h.p. (V-Twin)	XST3924	3924	.030	Brushcutters, Cultivators & Trimmers			
w/Onan 16, 18 & 20 h.p. (Twin)	AP106 ⁸²⁴⁹	106	.025	BC2125, BC2126, BC2236, FC2145S	XST2974	2974	.030
w/Onan 316, 318, 420	AP106 ⁸²⁴⁹	106	.025	BP40 Combi, BP40 Combi Cat, BP2040, BP2040C	XST2974	2974	.030
w/Tec. Engs.	XST458	458	.030				



Se Section 9 pour les remarques en français en bas de page. Ver Seccion 9 para las páginas de notas de pie de página en español. ⁸²⁴⁸ Tapered electrode design ⁸²⁴⁹ Single Platinum ⁸²⁵⁰ Xtreme Performance

Small Engine - Lawn & Garden Equipment

	XTREME START™	STANDARD ESTANDAR	GAP ENCARTMENT ESPACIO		XTREME START™	STANDARD ESTANDAR	GAP ENCARTMENT ESPACIO
JONSERED (Cont'd)				KAN-DU STUMPER			
Brushcutters, Cultivators & Trimmers (Cont'd)				Stump Grinders			
GC2125, GC2125C, GC2125CS, GC2126C	XST2974	2974	.030	w/Kohler 25 h.p. (V-Twin)	XST3924	3924	.030
GR24, GR24L, GR26	XST2974	2974	.030	w/Onan 24 h.p. (Twin)	AP106 ⁸²⁴⁹	106	.025
GR26D, GR26L, GR26CL, GR26 Combi	XST2974	2974	.030	KANGA LOADERS			
GR28, GR28L, GR32, GR32L, GR32L Cat	XST2974	2974	.030	w/B&S 20 h.p. Vanguard (V-Twin)	XST3926	3926	.030
GR32D, GR32D CAT, GR36, GR36 Cat	XST2974	2974	.030	w/Kawasaki 20 h.p. (Liquid V-Twin)	XST258	258	.030
GR41, GR44, GR50 Pro, GT32L	XST2974	2974	.030	w/Honda 13 h.p. OHV	XST4265	4265 ⁸²⁴⁸	.030
GR260, GR320, GR2026, GR2026L	XST2974	2974	.030	w/Honda 16 h.p. OHC (V-Twin)	XP64 ⁸²⁵⁰	64	.030
GR2026CL, GR2026D, GR2032D	XST2974	2974	.030	w/Honda 18, 20 & 24 h.p. (V-Twin)	XST4265	4265 ⁸²⁴⁸	.030
GR2032L, GR2036, GR2036, GR203020	XST2974	2974	.030	w/Kohler 27 h.p. (V-Twin)	XST3924	3924	.040
GT21L, GT22L, GT24L, GT25L, GT26D, GT26L, GT32L	XST2974	2974	.030	KATO			
GT2124C, GT2125, GT2126	XST2974	2974	.030	Lawn Vacuums			
HT18, HT21, HT22, HT24	XST2974	2974	.030	w/B&S Engs.	XST458	458	.030
HT2124, HT2124T, HT2126 Pro	XST2974	2974	.030	w/Honda Engs.	AP425 ⁸²⁴⁹	2656	.030
Twist	XST2974	2974	.030	KAWASAKI			
J200B, J200L, J200B, J220L, J220B	XST2974	2974	.030	Blowers, Edgers, Hedge Trimmers & Trimmer/ Brushcutters			
J260L, J260B, J300B	XST2974	2974	.030	KBL23A, KBL25A, KBL26A	XST2976	2976	.030
J260BA, J260BAV, J260LA, J260DAV	XST2974	2974	.030	KBL27A, KBL27B, KBL27BC, KBL27C, KBL34A, KBL35A	XST2976	2976	.030
J260LAV, J260TA, J320BAV, J320LAV	XST2974	2974	.030	KBL35B	XST2974	2974	.030
J400B, J450B, J420BAV, J460BAV	XST2974	2974	.030	KEL26A, KEL27A, KEL27B, KEL27BC	XST2976	2976	.030
J8510BAV, Split 40	XST2974	2974	.030	KCL525A, KCL525AC, KCL600A	XST2976	2976	.030
RS2E, RS40, RS41, RS44, RS51 Pro, RS52	XST2974	2974	.030	KCS525A, KCS525AC, KCS600A	XST2976	2976	.030
RT5	XST3924	3924	.030	KGT26AC, KGT27A, KGT27B, KGT27C	XST2976	2976	.030
Riding Mowers				KGT35A, KGT35B	XST2974	2974	.030
LT13, LT14	XST458	458	.030	KHD600A, KHD600B, KHS750A, KHS750AC	XST2976	2976	.030
LT15, LT16, LT17, LT18, LT19	XST3924	3924	.030	KHS750B, KHS750BC, KHS1100A, KHS1100B, KHSS1100A	XST2976	2976	.030
w/B&S 13 h.p.	XST458	458	.030	KHT600D, KHT600S, KHT750D, KHT750S, KMS27A	XST2976	2976	.030
w/B&S 14.5 h.p. OHV	XST3924	3924	.030	KHT600SC, KHT750SC	XST458	458	.030
w/B&S 15.5 h.p. Intek OHV	XST3924	3924	.030	KRB300A, KRB400, KRB400A, KRB400B, KRB450BC, KRB700B, KRH300A, KRH300AC	XST2976	2976	.030
w/B&S 18 h.p. Intek (V-Twin)	XST3924	3924	.030	KRB650B, KRB650BC, KRB750A, KRB750AC	XST2976	2976	.030
JUNGLE JIM'S				KRB750B, KRB750BC	XST2976	2976	.030
Riding Tractors				KRH300A, KRH300AC	XST2976	2976	.030
w/B&S 15 h.p. Vanguard	XST3924	3924	.030	KTF27A, KTF27AC, KTF27B, KTFR27A, KTR26AC, KTR27A	XST2976	2976	.030
w/Kawasaki 23 & 25 h.p. (V-Twin)	XST4265	4265 ⁸²⁴⁸	.030	Utility Vehicles			
w/Kohler 15 h.p. OHV	XST3924	3924	.040	Mule 500 KAF300B	XST4265	4265 ⁸²⁴⁸	.030
K & S				Mule 520 KAF300D	XST4265	4265 ⁸²⁴⁸	.030
Edgers	XST255	255	.030	Mule KAF540	XS65 8252	4265 ⁸²⁴⁸	.032
KST480, 491, 4402, 4710, TA764, TA1200	XST2956	2956	.030	Mule 550 KAF300C	XST4265	4265 ⁸²⁴⁸	.030
Trimall w/B&S Engs.	XST458	458	.030	Mule 600 4x4 KAF400	XS63 8252	4263 ⁸²⁴⁸	.028
Trimmers w/Power Prod. Engs.	XST2956	2956	.030	Mule 610 4x4 KAF400	XS63 8252	4263 ⁸²⁴⁸	.028
KAAZ				Mule 1000 KAF450B	XS4163 ⁸²⁵²	4163 ⁸²⁴⁸	.030
J & V Series Brushcutters	XST255	255	.030	Mule 2500 KAF620C	XST258	258	.030
110, Silver X Trimmers	XST255	255	.030	Mule 2500 KAF620B	XST258	258	.030
TM30B Trimmers	XST255	255	.030	Mule 2510 4x4 KAF620A	XST258	258	.030
Brushcutters w/Kawasaki 2.1 h.p.	XST458	295	.030	Mule 2520 Turf KAF620B	XST258	258	.030
Pruner w/Kawasaki 1.2 h.p.	XST254	254	.030	Mule 3000 2x4 KAF620G	XST258	258	.030
Sprayer w/Kawasaki 3.4 h.p.	XST458	295	.030	Mule 3010 4x4 KAF620E	XST258	258	.030
Trimmer w/Kawasaki 1.2 h.p.	XST254	254	.030	Mule 3020 KAF620F	XST258	258	.030
w/Kawasaki 5 h.p.	AP425 ⁸²⁴⁹	425	.030	Mule 4000 KAF620P	AP66 ⁸²⁴⁹	66	.028
w/Kawasaki 6.5 h.p.	XST458	295	.030	Mule 4010 4x4 KAF620M	AP66 ⁸²⁴⁹	66	.028
w/Mitsubishi T12, T130	XST254	254	.030				
w/Robin EY14, EY18 & EY25 Engs.	AP425 ⁸²⁴⁹	425	.030				



Se Section 9 pour les remarques en français en bas de page. Ver Seccion 9 para las páginas de notas de pie de página en español. ⁸²⁴⁸ Tapered electrode design ⁸²⁴⁹ Single Platinum ⁸²⁵⁰ Xtreme Performance ⁸²⁵² Xtreme Sport

Small Engine - Lawn & Garden Equipment

	XTREME START™	STANDARD STANDARD ESTANDAR	GAP ENCARTMENT ESPACIO		XTREME START™	STANDARD STANDARD ESTANDAR	GAP ENCARTMENT ESPACIO
KC TURF EQUIPMENT				KING-WYSE			
Mowers				Garden Tractors			
w/Kohler 18 h.p. (Twin)	XP26 ⁸²⁵⁰	26	.025	All Models	----	386	.025
w/Wisc. 20 h.p.	----	386	.030	KLOPPING-HARDIE			
KEE				Thatchers			
Edgers & Mowers				XST255			
w/B&S "L" Head Engs.	XST458	458	.030	KLUGE			
w/B&S 6 & 6.75 h.p. Intek OHV	XST3924	3924	.030	Earth Augers			
w/B&S 11.5 h.p. OHV	XST3924	3924	.030	XST255			
w/Honda 2.2 & 2.5 h.p.	XST258	258	.030	KROMER			
w/Honda 3.5, 4, 5 & 5.5 h.p. OHV ...	XST4265	4265 ⁸²⁴⁸	.030	Athletic Field Maintainer			
w/Kawasaki 3.1 h.p.	XST255	255	.030	w/Kohler 8 h.p.			
w/Kohler 8 h.p.	XST458	458	.030	----			
w/Robin 7.5 h.p.	AP425 ⁸²⁴⁹	2656	.025	216			
w/Tec. 2 h.p. 2-stroke	XST2976	2976	.030	KUBOTA			
KEES (See Yazoo/Kees)				Lawn Tractors, Tillers & Utility Vehicles			
KETCHUM AQUA SEEDER				AT25, AT55, AT60, AT70S, AT70SE .			
w/Robin 6 h.p.	AP425 ⁸²⁴⁹	425	.025	AP425 ⁸²⁴⁹			
w/Robin 8.5 h.p.	----	4123 ⁸²⁴⁸	.025	G2000, G2000S, GR2000, G2100,			
w/Robin 11 & 13.5 h.p. OHV	XS63 ⁸²⁵²	4263 ⁸²⁴⁸	.030	G2100S, G2460, G2460G			
w/Robin 18, 20 & 22 h.p. OHV (V-Twin)	XS63 ⁸²⁵²	4263 ⁸²⁴⁸	.030	XST3924			
w/Tec. 3.5 h.p.	XST458	458	.030	T1400, T1400H			
w/Tec. 8.0 h.p.	XST458	458	.030	T1460H, T1460-40			
w/Tec. 5 & 14 h.p. OHV	XST4055	4055 ⁸²⁴⁸	.030	T1560H, T1560-40, T1560-44			
w/Wisc. 37 h.p.	----	386	.030	T1700, T1700HX, T1700HY			
KIFCO				T1570A, T1670A			
Irrigation Equipment				T1760, T1760-48, TG1860G (Liquid			
Booster Pump w/Honda 5.5 h.p. OHV	XST4265	4265 ⁸²⁴⁸	.030	Cooled V-Twin)			
Self-Priming Skid w/Honda 8 h.p. OHV	XST4265	4265 ⁸²⁴⁸	.030	XST258			
KINCAID				ZG20-48, ZG23-54			
Mulcher/Seeders & Straw Blowers				XST3926			
w/Honda 13 h.p. OHV	XST4265	4265 ⁸²⁴⁸	.030	w/21 h.p. WG600-B Engs.			
w/Honda 18, 20 & 24 h.p. (V-Twin) ..	XST4265	4265 ⁸²⁴⁸	.030	XST3924			
w/Kohler 18, 20, 22, 25, 26 & 30 h.p. (V-Twin)	XST3924	3924	.030	w/21 h.p. WG650-B (Sev. Serv.)			
w/Robin 18 & 25 h.p. OHV	XS63 ⁸²⁵²	4263	.025	XS3923 ⁸²⁵²			
KINCO				w/24.5 h.p. WG750-B Engs.			
w/B&S Engs.	XST458	458	.030	XST3924			
w/Tec. Engs.	XST458	458	.030	w/24.5 h.p. WG750-B (Sev. Serv.) ...			
KING O'LAWN				XS3923 ⁸²⁵²			
Augers, Edgers, Mowers & Vacuums				XST255			
w/B&S 2, 3, 3.5, 3.75 & 5 h.p.	XST458	458	.030	w/Kawasaki 12.5 h.p.			
w/Tech. 2.5, 3 & 4 h.p.	XST458	458	.030	XST255			
Auger MK VII	XST255	255	.030	w/Kawasaki 14 h.p.			
KINGS SPRAYERS				AP425 ⁸²⁴⁹			
Sprayers				XST4265			
w/Honda 5 h.p. OHC	XST4265	4265 ⁸²⁴⁸	.030	w/Kawasaki 17 h.p.			
w/Honda 5.5 h.p. OHV	XST4265	4265 ⁸²⁴⁸	.030	XST4265			
KING TREE TAPPER				4265 ⁸²⁴⁸			
All Models	XST258	308	.025	XST2976			
KULTI-MOWER				XST258			
All Models				XP26 ⁸²⁵⁰			
KUT-KWICK				XST3924			
Mowers				XST3924			
w/B&S Engs.	XST458	458	.030	w/Kubota 20 & 23 h.p.			
w/Kohler Engs.	----	216	.030	w/Kubota 24 h.p. (Liquid)			
w/Kohler 23 h.p. (V-Twin)	XST3924	3924	.030	XST258			
w/Onan 20 & 24 h.p. (Twin)	AP106 ⁸²⁴⁹	106	.030	w/Kohler 19 h.p. (Twin)			
w/Wisc. Engs.	----	386	.030	w/Kohler 15 h.p. OHV			
KWH				XST3924			
44 w/JLO Engs.	XS4093 ⁸²⁵²	4093 ⁸²⁴⁸	.020	w/Kohler 20 h.p. (V-Twin)			
66 w/Sachs Engs.	----	4123 ⁸²⁴⁸	.020	w/Kubota 20 & 23 h.p.			
79, 7-11 w/Sachs Engs.	AP425 ⁸²⁴⁹	425	.020	w/Kubota 24 h.p. (Liquid)			



Se Section 9 pour les remarques en français en bas de page. Ver Seccion 9 para las páginas de notas de pie de página en español. ⁸²⁴⁸ Tapered electrode design ⁸²⁴⁹ Single Platinum ⁸²⁵⁰ Xtreme Performance ⁸²⁵² Xtreme Sport

Small Engine - Lawn & Garden Equipment

	XTREME START™	STANDARD ESTANDAR	GAP ENCARTMENT ESPACIO		XTREME START™	STANDARD ESTANDAR	GAP ENCARTMENT ESPACIO
KWIK KERB				LANDSCAPERS SUPPLY (Cont'd)			
Concrete Borders				Aerators, Blowers, Mowers, Overseeders, Sod Cutters, Sprayers, Turf Rakes & Vacuums (Cont'd)			
w/Honda 2.5 h.p.	XST258	258	.030	w/B&S 9 & 11 h.p. Intek OHV	XST3924	3924	.040
w/Honda 5.5 & 8 h.p. OHV	XST4265	4265 ⁸²⁴⁸	.030	w/B&S 16 h.p. Vanguard (V-Twin) ...	XST3926	3926	.030
KWICK THATCH				w/Honda 4, 5 & 5.5 h.p. OHV	XST4265	4265 ⁸²⁴⁸	.030
Thatchers				w/Kawasaki 12.5 h.p.	XST255	255	.025
w/B&S 5.5 h.p. Intek OHV	XST3924	3924	.040	w/Kawasaki 14 h.p.	XST4265	4265 ⁸²⁴⁸	.030
w/Honda 5.5 h.p. OHV	XST4265	4265 ⁸²⁴⁸	.030	w/Kawasaki 15 & 17 h.p. (V-Twin) ...	XST2976	2976	.025
KWIK-TRENCH				w/Kawasaki 21, 23 & 25 h.p. (V-Twin)	XST4265	4265 ⁸²⁴⁸	.025
Trenchers				w/Kohler 20 & 25 h.p. (V-Twin)	XST3924	3924	.040
w/B&S 5 h.p.	XST458	458	.030	Hedge Trimmers			
w/Honda 5, 5.5 & 8 h.p. OHV	XST4265	4265 ⁸²⁴⁸	.030	31330, 31330R	XST258	258	.030
w/Wisc./Robin 4.6, 5, 5.5 & 6 h.p. ...	AP425 ⁸²⁴⁹	425	.025	String Trimmers			
w/Wisc./Robin 7.5 h.p.	----	4123 ⁸²⁴⁸	.025	24.1cc, 26cc	XST2974	2974	.030
KWIK-WAY				LASTEC			
Blowers, Shredders & Vacuums				Riding Mowers			
w/B&S Engs.	XST458	458	.030	w/Generac OHV Engs.	XST3924	3924	.030
w/Kohler Engs.	XST458	458	.030	w/Kawasaki 29 h.p. EFI (Liquid V-Twin)	XST4265	4265 ⁸²⁴⁸	.030
w/Clinton Engs.	----	216	.030	w/Kohler 29 h.p. (V-Twin) EFI	XST3926	3926	.040
La FONT				LAWN-BOY			
Log Splitters				Riding Mowers, Tillers & Trimmers			
w/B&S Engs.	XST458	458	.030	1150, 1400CL, 1480	XST2554	2554	.030
w/Kohler 23 h.p. (V-Twin)	----	216	.030	52138, 52140, 52142, 52144, 52145, 52149, 52161	XST458	458	.030
w/Onan NHC-MS	AP404 ⁸²⁴⁹	404	.030	52153, 52163, 52164, 53084	----	216	.030
LAMBERT				61620, 61638, 61653	XST2554	2554	.030
Lawn Sweepers, Mulchers, Shredders, Thatchers & Vacuums				80040, 81182, 81180, 81191	XST458	458	.030
w/B&S 5 h.p.	XST458	458	.030	RE8e, RE12e, LT12.5H	XST458	458	.030
w/Tec. Engs.	XST458	458	.030	YT14H, YT16	----	216	.030
LANCO				w/B&S "L" Head Engs.	XST458	458	.030
Tillers				w/B&S 16 h.p. (Twin)	XST458	458	.030
w/B&S 8 h.p.	XST458	458	.030	w/Kohler K-Series Engs.	----	216	.030
w/B&S 12 h.p. Vanguard (V-Twin) ...	XST3926	3926	.030	w/Kohler 18 h.p. (Twin)	XP26 ⁸²⁵⁰	26	.025
w/Honda 8 & 11 h.p. OHV	XST4265	4265 ⁸²⁴⁸	.030	w/Power Prod. Engs.	XST2554	2554	.030
LANDMARK				w/Tec. Engs.	XST458	458	.030
Sweepers, Thatchers, Tractors & Vacuums				All other Models	XST258	258	.030
w/B&S Engs.	XST458	458	.030	LAWN CAD 2000			
w/Tec. Engs.	XST458	456	.030	Riding Mowers			
LAND PRIDE				w/B&S 16 h.p. Vanguard (V-Twin) ...	XST3926	3926	.030
Material Injectors, Riding Mowers & Turf Sprayers				LAWN CHIEF			
w/B&S 5 h.p.	XST458	458	.030	Chipper/Shredders, Cultivators, Lawn Tractors & Tillers			
w/B&S 9 h.p. Vanguard	XST3924	3924	.030	w/B&S 3, 5, 8 h.p.	XST458	458	.030
w/Honda 18, 19, 20 & 24 h.p. (V-Twin)	XST4265	4265 ⁸²⁴⁸	.030	w/B&S 10.5, 12, 12.5 h.p.	XST458	458	.030
w/Kawasaki 23 & 25 h.p. (V-Twin) ...	XST4265	4265 ⁸²⁴⁸	.025	w/B&S 18 h.p. (Twin)	XST458	458	.030
w/Kohler 6 & 11 h.p. OHV	XST3924	3924	.040	w/B&S 14 h.p. Vanguard (V-Twin) ...	XST3926	3926	.030
Utility Vehicles				w/Tec. 1.6 h.p.	XST2976	2976	.030
w/Honda 20 h.p. (V-Twin)	XST4265	4265 ⁸²⁴⁸	.030	LAWNCRAFT			
w/Kohler 20 h.p. (V-Twin)	XST3924	3924	.040	Tillers			
LANDSCAPERS SUPPLY				w/B&S Engs.	XST458	458	.030
Aerators, Blowers, Mowers, Overseeders, Sod Cutters, Sprayers, Turf Rakes & Vacuums				LAWN FLITE			
w/B&S 5, 5.5, 8 & 11 h.p.	XST458	458	.030	Tractors & Tillers			
				w/B&S Engs.	XST458	458	.030
				w/B&S Engs. (Twin)	XST458	458	.030
				w/Tec. Engs.	XST458	458	.030



Se Section 9 pour les remarques en français en bas de page. Ver Section 9 para las páginas de notas de pie de página en español. ⁸²⁴⁸ Tapered electrode design ⁸²⁴⁹ Single Platinum ⁸²⁵⁰ Xtreme Performance

Small Engine - Lawn & Garden Equipment

	XTRME START™	STANDARD STANDARD ESTANDAR	GAP ENCARTMENT ESPACIO		XTRME START™	STANDARD STANDARD ESTANDAR	GAP ENCARTMENT ESPACIO
LAWN LEVELER				LESCO (Cont'd)			
Landscaping Rakes				Aerators, Blowers, Dethatcher, Edgers, Mowers, Sprayers & Spreaders (Cont'd)			
LL44 w/Honda 2.5 h.p.	XST258	258	.030	LWB1500, LWB1525, LWB1800,			
LAWN MASTER				LWB1850	XST458	458	.030
Reel Mowers & Chipper/Mulchers				LWB2000, LWB2525, LWB2550	XST458	458	.030
w/B&S Engs.	XST458	458	.030	LWB2575	XST4265	4265 ⁸²⁴⁸	.030
w/B&S 4 h.p. Vanguard	XST3924	3924	.030	LWB4000	XST3926	3926	.030
w/Tec. Engs.	XST458	458	.030	SL80A, SL85A, SL88A	XST2976	2976	.025
LAWN ROV'R				WL80B, WL83B, WL85B, WL90B,			
Garden Tractors				WL93B, WL95B	XST2976	2976	.025
w/B&S Engs.	XST458	458	.030	w/B&S 3, 5, 8 & 14 h.p.	XST458	458	.030
w/B&S Engs. (Twin)	XST458	458	.030	w/B&S 16 h.p. Vanguard (V-Twin) ...	XST3926	3926	.030
w/Tec. Engs.	XST458	458	.030	w/Echo Engs.	XST2976	2976	.025
LAWNSHARK				w/Honda 4, 5.5, 8 & 13 h.p. OHV	XST4265	4265 ⁸²⁴⁸	.030
Leaf Collection Systems				w/Kawasaki 4, 5.5, 6, 13, 14 & 17 h.p.			
w/Kawasaki 13 & 17 h.p. OHV	XST4265	4265 ⁸²⁴⁸	.030	OHV	XST4265	4265 ⁸²⁴⁸	.030
LAWN SOLUTIONS				w/Kawasaki 15 h.p. OHV	XST2976	2976	.025
Aerators & Seeders				w/Kawasaki 13, 15, 17 & 19 h.p.			
w/B&S 8.5 h.p. Professional Series				(V-Twin)	XST2976	2976	.025
OHV	XST3924	3924	.030	w/Kawasaki 20 h.p. (Liquid V-Twin) .	XST255	255	.030
w/Robin 6 & 9 h.p. OHV	XS4093 ⁸²⁵²	4093 ⁸²⁴⁸	.025	w/Kawasaki 23 h.p. (V-Twin)	XST4265	4265 ⁸²⁴⁸	.030
w/Robin 13.5 h.p. OHV	XS63 ⁸²⁵²	4263	.025	w/Kohler 8 h.p.	XST458	458	.030
LAWNROWER				w/Kohler 14 h.p. OHV	XST4265	4265 ⁸²⁴⁸	.040
w/Tec. Engs.	XST458	458	.030	w/Kohler 15 h.p.	XST3924	3924	.040
LAY-MOR				w/Kohler 20 h.p. (Twin)	XP26 ⁸²⁵⁰	26	.025
Sweepers				w/Kohler 20, 22 & 25 h.p. (V-Twin) ..	XST3924	3924	.030
w/B&S 5 h.p.	XST458	458	.030	w/Onan 18 h.p. (Twin)	AP106 ⁸²⁴⁹	106	.025
w/Cont. TM27 61 h.p.	XS63 ⁸²⁵²	4263 ⁸²⁴⁸	.035	Trimmers			
w/Honda 5.5 & 8 h.p. OHV	XST4265	4265 ⁸²⁴⁸	.030	050770, 050775, 050777	XST2976	2976	.025
w/Kohler 8 h.p.	----	216	.030	LHD1700 Hedge Trimmers	XST2976	2976	.025
LAZY BOY				LHD2400, LHS3025 Hedge			
Tillers				Trimmers	XST2974	2974	.030
w/B&S Engs.	XST458	458	.030	LHS3050, LHS4050 Hedge			
LAZY LINER				Trimmers	XST2976	2976	.025
Pavement Markers				LHS4025 Hedge Trimmers	XST2974	2974	.030
w/Honda 5.5 & 11 h.p. OHV	XST4265	4265 ⁸²⁴⁸	.030	LST2100, LST2300, LST2450	XST2976	2976	.025
LEE TILLERS				LST2600, LST3500	XST2974	2974	.030
Tillers				LICKETY-CHIPPER			
w/B&S 3.5 & 5 h.p.	XST458	458	.030	Chippers & Shredder/Composters			
w/Tec. 1.6 h.p.	XST2976	2976	.030	KPM-4	XST458	295	.030
LEGUAN				WPM-4	----	386	.030
Aerial Lift				w/Kohler Engs.	XST458	458	.030
w/Honda 11 & 13 h.p.	XST4265	4265 ⁸²⁴⁸	.030	w/Wisc. Engs.	XST4265	4265 ⁸²⁴⁸	.030
LESCO				LIFAN			
Aerators, Blowers, Dethatcher, Edgers, Mowers, Sprayers & Spreaders				Trimmers			
Hydro Blower	XST3926	3926	.030	BG310, CG310	----	4194	.030
LHB2100, LBB4200	XST2976	2976	.025	LIL' BRUTE			
LHB2500, LHE2500, LHB4400	XST2974	2974	.030	Cordwood Saw			
LHE2475	XST2976	2976	.025	w/Kohler 12, 14 & 16 h.p.	----	216	.030
LESCO				LIL' BUBBA			
Aerators, Blowers, Dethatcher, Edgers, Mowers, Sprayers & Spreaders				Bed Edger/Trenchers			
Hydro Blower	XST3926	3926	.030	w/Honda 8 h.p. OHV	XST4265	4265 ⁸²⁴⁸	.030
LHB2100, LBB4200	XST2976	2976	.025	Concrete Curbing			
LHB2500, LHE2500, LHB4400	XST2974	2974	.030	w/Honda 3 h.p. OHV	----	4194	.030
LHE2475	XST2976	2976	.025	w/Honda 4 & 5.5 h.p. OHV	XST4265	4265 ⁸²⁴⁸	.030
LESCO				Mortar Mixers			
Aerators, Blowers, Dethatcher, Edgers, Mowers, Sprayers & Spreaders				w/Honda 8 h.p. OHV	XST4265	4265 ⁸²⁴⁸	.030
Hydro Blower	XST3926	3926	.030	Sod Cutters			
LHB2100, LBB4200	XST2976	2976	.025	w/Honda 5.5 h.p. OHV	XST4265	4265 ⁸²⁴⁸	.030
LHB2500, LHE2500, LHB4400	XST2974	2974	.030				
LHE2475	XST2976	2976	.025				



Se Section 9 pour les remarques en français en bas de page. Ver Sección 9 para las páginas de notas de pie de página en español. ⁸²⁴⁸ Tapered electrode design ⁸²⁴⁹ Single Platinum ⁸²⁵⁰ Xtreme Performance ⁸²⁵² Xtreme Sport

Small Engine - Lawn & Garden Equipment

	XTREME START™	STANDARD STANDARD ESTANDAR	GAP ENCARTMENT ESPACIO		XTREME START™	STANDARD STANDARD ESTANDAR	GAP ENCARTMENT ESPACIO
LIL' TIGER				LITTLE GIANT			
Edgers				14mm Heads XST458 295 .025			
w/B&S Engs. XST458 458 .030				18mm Heads --- 386 .025			
LINDELL				LITTLE WONDER			
Sweepers				Bed Shapers, Blowers, Chipper/Shredders, Cultivators, Edger/Trimmers, Hedgetrimmers, Tillers & Vacuums			
w/B&S Engs. XST458 458 .030				22LW, 42LW, 216D, 224D, 230D			
LINDIG				Trimmers XST255 255 .030			
Chippers, Composters, Log Splitters & Shredders				2119, 2124, 2130, 2310 Hedge			
Apache, M-4, M-8, M-10, M-12 XST458 295 .030				Trimmers XST255 255 .030			
C50, C70, C80, XR8 XST458 458 .030				2216D, 2224D, 2230D			
Kajon w/B&S, Concho, KM-10 XST458 458 .030				Hedge Trimmers XST2974 2974 .030			
Kajon w/Kohler 4 & 10 h.p. --- 216 .030				2230S, 2242S Hedge Trimmers XST2974 2974 .030			
KT15, KT15X, XR930 --- 386 .030				5001, 5002, 5002 Std., 6001 Dlx.,			
Series 900 Chippers w/Wisc. V465D XST4265 4265 ⁸²⁴⁸ .030				6002 Dlx. Edgers XST458 458 .030			
Series 900 Chippers w/Wisc. VH4D --- 386 .030				5600 HPV, 5610 HPV, 5611, 5621,			
XR12 --- 216 .035				5631 Vacuums XST3924 3924 .030			
XR12130, XR16130 w/Ford 300 cid . AP124 ⁸²⁴⁹ 124 .030				6001KW Deluxe., 6031K Pro, 6032K			
XR1265 w/Ford 172 cid --- 216 .030				Pro Edgers XST255 255 .030			
XR16160 w/Ford 330 cid AP124 ⁸²⁴⁹ 124 .030				6002K Deluxe., 6031 Pro, 6032 Pro,			
XR965 XST4265 4265 ⁸²⁴⁸ .030				6132 Pro Edgers XST458 458 .030			
w/B&S Engs. XST458 458 .030				6232 Pro Edger XST4265 4265 ⁸²⁴⁸ .030			
w/IHC UC-135B, UD-221, UC-263 . . --- 3116 .025				8160 Truck Loaders XST3926 3926 .030			
w/Kohler 8 h.p. (K181) XST458 458 .030				8220, 8221, 8270, 8271 Truck			
w/Kohler 10 & 12 h.p. --- 216 .030				Loaders XST3924 3924 .040			
w/Kohler 16 & 20 h.p. --- 216 .030				901-00-01 Bed Shapers XST3924 3924 .030			
w/Tec. Engs. XST458 458 .030				902-00-01 Bed Shapers XST4265 4265 ⁸²⁴⁸ .030			
w/Wisc. 14, 18.2 & 30 h.p. --- 386 .025				903-00-01 Bed Shapers XST4265 4265 ⁸²⁴⁸ .030			
LINE-WARD				9005S, 9005P, 9005PI/C, 9008P,			
Line Layers				9008PI/C Blowers XST458 458 .030			
w/Kohler 16 h.p. --- 216 .030				9009H, 9130 HO, 9131 HO Blowers . XST4265 4265 ⁸²⁴⁸ .030			
LIT-R-BLO				9100 HO, 9101 HO, 9009VG, 9600			
Blowers				HO Blowers XST3924 3924 .030			
w/B&S Engs. XST458 458 .030				9111HO Blowers XST458 458 .030			
w/Kawasaki 7.5 h.p. --- 275 .030				9111P, 9111P/IC Blowers XST458 458 .030			
w/Tec. Engs. XST458 458 .030				9222E Blower XST255 255 .030			
LITTER-VAC				9333E Blower XST2974 2974 .030			
Sweepers				9500HO, 9510HO, 9800HO Blowers XST458 458 .030			
w/Tec. Engs. XST458 458 .030				9602 SHO, 9810 HO, 9811 HO			
LITTLE BEAR				Blowers XST3924 3924 .030			
Garden Tractors				9502 SHO, 9900 HO, 9901 HO			
All Models XST458 456 .025				Blowers XST4265 4265 ⁸²⁴⁸ .030			
LITTLE BEAVER				BSV Blower XST255 255 .030			
Earth Drills & Hydraulic Power				LB800 Blower XST3924 3924 .030			
w/B&S 5, 7, 8 & 11 h.p. XST458 458 .030				LB900 Blower XST4265 4265 ⁸²⁴⁸ .030			
w/B&S 16 h.p. Vanguard (V-Twin) . . XST3926 3926 .030				LB601, LB901, LB1401 Blower XS4093 ⁸²⁵² 4093 ⁸²⁴⁸ .025			
w/Clinton Engs. XST458 295 .030				Mantis w/B&S Engs. XST458 458 .030			
w/Kohler Engs. XST458 458 .030				Mantis w/Kaw. Engs. XST255 255 .030			
w/Honda 5, 8, 9 & 11 h.p. OHV XST4265 4265 ⁸²⁴⁸ .030				Cultivator w/Kioritz Engs. XST255 255 .030			
w/Robin 5 & 7 h.p. AP425 ⁸²⁴⁹ 425 .030				RV161 Chipper/Shredder XST3926 3926 .030			
w/Robin 11 h.p. AP425 ⁸²⁴⁹ 425 .030				w/B&S "L" Head Engs. XST458 458 .030			
w/Tec. Engs. XST458 456 .030				w/B&S 9 h.p. Vanguard XST3924 3924 .030			
LITTLE DAVID				w/B&S 6, 6.5, 8 & 10 h.p. Intek OHV . XST3924 3924 .030			
Stump Removers XST458 295 .030				w/B&S 11 h.p. OHV XST3924 3924 .030			
				w/B&S 16 h.p. Vanguard (V-Twin) . . XST3926 3926 .030			
				w/Echo Engs. XST255 255 .030			
				w/Honda 4, 5, 9 & 13 h.p. OHV XST4265 4265 ⁸²⁴⁸ .030			
				w/Kawasaki 3 & 4 h.p. XST255 255 .030			
				w/Kawasaki 7.5 h.p. --- 275 .030			
				w/Kawasaki 13 h.p. OHV XST4265 4265 ⁸²⁴⁸ .030			
				w/Kioritz Engs. XST255 255 .030			
				w/Kohler 4 & 8 h.p. (K181) XST458 458 .030			
				w/Kohler 22 & 27 h.p. Command Pro (V-Twin) XST3924 3924 .040			
				w/O&R Engs. XST258 258 .030			
				w/Robin 6, 9 & 14 h.p. OHC XS4093 ⁸²⁵² 4093 ⁸²⁴⁸ .025			



Se Section 9 pour les remarques en français en bas de page. Ver Seccion 9 para las páginas de notas de pie de página en español. ⁸²⁴⁸ Tapered electrode design ⁸²⁴⁹ Single Platinum ⁸²⁵² Xtreme Sport

Small Engine - Lawn & Garden Equipment

	XTRME START™	STANDARD STANDARD ESTANDAR	GAP ÉNCARTMENT ESPACIO		XTRME START™	STANDARD STANDARD ESTANDAR	GAP ÉNCARTMENT ESPACIO
LO-BLO				MAGIC LINE			
Air Brooms				Garden Tractors			
w/B&S Engs.	XST458	458	.030	w/B&S Engs.	XST458	458	.030
w/Clinton Engs.	----	216	.025	MAGNA			
w/Kohler 4 & 7 h.p.	XST458	458	.030	Log Splitters, Mulchers & Tillers			
w/Kohler 8 & 14 h.p. (K321)	XST458	458	.030	w/B&S Engs.	XST458	458	.030
w/Kohler 10 & 14 h.p. (K331)	----	216	.030	w/Tec. Engs.	XST458	458	.030
w/Tec. Engs.	XST458	458	.030	MAIBO			
w/Wisc. S8D Engs.	----	386	.030	Pruners			
LOCKE				w/B&S Engs. XST458 458 .030			
Turf Equipment				w/B&S 5.5 & 6 h.p. Vanguard XST3924 3924 .030			
w/B&S "L" Head Engs.	XST458	458	.030	w/B&S 6.5 h.p. Intek OHV XST3924 3924 .030			
w/B&S 5.5 & 6 h.p. Vanguard	XST3924	3924	.030	w/Honda 3.5, 5, 5.5 & 8 h.p. OHV ... XST4265 4265 ⁸²⁴⁸ .030			
w/B&S 6.5 h.p. Intek OHV	XST3924	3924	.030	w/Kohler Engs. ---- 216 .025			
w/Honda 3.5, 5, 5.5 & 8 h.p. OHV ...	XST4265	4265 ⁸²⁴⁸	.030	w/Kohler 6 h.p. OHV XST3924 3924 .040			
w/Kohler Engs.	----	216	.025	18mm Heads ---- 386 .025			
w/Kohler 6 h.p. OHV	XST3924	3924	.040	MAINLINE			
18mm Heads	----	386	.025	Turf Equipment & Log Splitters			
LOG MACHINE				ML35 Cultivator XST254 254 .030			
Log Splitters				w/Acme 5.7, 6, 8 & 10 h.p. AP425 ⁸²⁴⁹ 425 .030			
w/Honda 5.5, 9 & 13 h.p. OHV	XST4265	4265 ⁸²⁴⁸	.030	w/B&S 5 h.p. XST458 458 .030			
LONMORE				MAKITA			
Mowers				Blowers & Edgers			
w/Kawasaki 14 & 20 h.p. OHV	XST4265	4265 ⁸²⁴⁸	.030	RBE250	XST2974	2974	.030
w/Kawasaki 17 h.p. (V-Twin)	XST2976	2976	.030	RBL250, Stick Edger	XST255	255	.030
w/Kohler 15 h.p. OHV	XST3924	3924	.040	RBL500	XST2974	2974	.030
w/Tec. 16 h.p. OHV	XST4055	4055 ⁸²⁴⁸	.030	Trimmers			
LYNEX				DBC300, DBC301, DST300 XST2974 2974 .030			
Brushcutters				EH561, EH760 Hedge Trimmers XST254 254 .030			
Brushhound LX1000 w/B&S 22 h.p.				EM4250, EM4251, RBC221,			
Vanguard (V-Twin)	XST3926	3926	.030	RBC230, RBC251 XST255 255 .030			
M-B				RBC25A, RBC253, RBL25A XST255 255 .030			
Line Markers, Power Brooms, Sweepers & Wood Chippers				RBC201, RBC221, RBC251,			
w/B&S 5 & 10 h.p.	XST458	458	.030	RBC252, RBC253 XST255 255 .030			
w/B&S 18 h.p. Vanguard (V-Twin) ...	XST3926	3926	.030	RBC255, RBC256, RBC260,			
w/Honda 5.5 & 11 h.p. OHV	XST4265	4265 ⁸²⁴⁸	.030	RBC261, RBC281, RBC310 XST255 255 .030			
w/Honda 24 h.p. (V-Twin)	XST4265	4265 ⁸²⁴⁸	.030	RBC311, RBC321, RBE250,			
w/Kohler 8.5 h.p. Command Pro				RST250 XST255 255 .030			
OHV	XST4265	4265 ⁸²⁴⁸	.040	MALL			
w/Kohler 25 h.p. (V-Twin)	XST3924	3924	.030	Earth Drills			
M-C				2MG XST254 254 .025			
Flail Mowers				Land Clearing Saws			
Lawn Genie w/B&S 10 & 16 h.p.	XST458	458	.030	2MG XST254 254 .025			
w/B&S 16 h.p. Vanguard	XST3926	3926	.030	MANG			
M-E TILLER				Mowers & Tillers			
14mm Heads	XST458	295	.025	w/B&S Engs.	XST458	458	.030
18mm Heads	----	386	.025	w/Honda 5, 8 & 11 h.p. OHV	XST4265	4265 ⁸²⁴⁸	.030
MACKINAW				w/Kohler 7 & 8 h.p. XST458 458 .030			
Log Splitters				w/Kohler 10 h.p. ---- 216 .030			
w/B&S Engs.	XST458	458	.030	w/Robin EY25, EY44W	AP425 ⁸²⁴⁹	425	.030
MACLEODS				w/Wisc. AENL Engs. ---- 386 .030			
w/B&S Engs.	XST458	458	.030	MANLEY			
MANTIS				Blower/Shredder/Vacuums, Cultivators & Tillers			
Blower/Shredder/Vacuums, Cultivators & Tillers				w/Echo Engs. XST2976 2976 .030			
w/Honda Mini 4-Stroke OHC	----	4194	.030	w/Honda Mini 4-Stroke OHC ---- 4194 .030			
w/Kioritz Engs.	XST2976	2976	.030	w/Kioritz Engs. XST2976 2976 .030			



Se Section 9 pour les remarques en français en bas de page. Ver Seccion 9 para las páginas de notas de pie de página en español. ⁸²⁴⁸ Tapered electrode design ⁸²⁴⁹ Single Platinum

Small Engine - Lawn & Garden Equipment

	XTREME START™	STANDARD ESTANDAR	GAP ENCARTMENT ESPACIO		XTREME START™	STANDARD ESTANDAR	GAP ENCARTMENT ESPACIO
MARK MACHINE				MARUYAMA (Cont'd)			
Trimmers				Brushcutters & Trimmers (Cont'd)			
1930, 1940, 2130	XST2956	2956	.030	B30L, BC184, BC184C, BC200, BC200C	XST2976	2976	.025
2800, 2840, 3000M	XST255	255	.030	BC201, BC201C, BC241, BC260 ...	XST2976	2976	.025
3040M, 4000M	XST255	255	.030	BC260H, BC320, BC260C, BC260C BC320H, BC326, BC402, BC402M ..	XST2976	2976	.025
MARTY-J				BC420H, BC480, BC480M, BC500H, BC2300			
Mowers				XST2976			
w/Honda 11 h.p. OHV	XST4265	4265 ⁸²⁴⁸	.030	BC2320, BC2620, BC2321, BC2321C, BC2321H, BC2629, BC3020, BC3021, BC3021H	XST2974	2974	.025
MARUYAMA				BC2600, BC2621, BC2621H, BC2800, BC3200, BC3200H, BC4200H, BCF4200H			
Blowers, Chemical Applicators, Edgers, Hedgetrimmers, Misters, Sprayers & Tillers				XST2976			
BL230, BL400, BL471, BL480	XST255	255	.025	BCG22, BCGX31 (4-Cycle)	----	4194	.030
BLL2600, BL4600, BL5400SP	XST2974	2974	.025	BCL2250, BCL2250C, BCL2550, BCM212, BCM241	XST2976	2976	.025
BL4500, BL4500HA, BL4500SP, BL4800, BL4801	XST254	254	.025	BST23, BST23C	XST2974	2974	.025
BL3100, BL3200, BL4700HP, BL4900HP	XST2976	2976	.030	MC260, MC260C, MC260D, MC260E	XST2976	2976	.025
BL560HP, BL5700HP, BL6900HP ...	XST2976	2976	.030	MC260S, MC260T, MC261	XST2976	2976	.025
BL5400, BL5400W, BL5500, BL6700	XST2974	2974	.025	MC321, MC2300, MC2610, MC3020- SB, MC3021-SB, MC3021BK-SB ..	XST2976	2976	.025
ED260, ED261, ED2300, ED2610 ...	XST2976	2976	.025	MC23-SB, MC2310, MC2320, MC2321-SB, MC2620, MC2621 ..	XST2974	2974	.025
ED2320, ED2321, ED2620, ED2621, EHT23DS	XST2974	2974	.025	MC3210, ML23, ML23S, MT23	XST2976	2976	.025
EHT23, EHT23DS, EHT260D, EHT2250DS, EHT2300D, EHT2600D	XST2976	2976	.025	MASCOT			
EHT2321D, EHT2321DSL	XST2976	2976	.025	Garden Tractors			
HT159, HT159L, HT220, HT220L ...	XST2976	2976	.025	All Models	XST458	456	.025
HT242, HT230, HT230D, HT230L ...	XST2976	2976	.025	MASPORT			
HT242L, HT260D, HT2200, HT2210	XST2976	2976	.025	Chipper/Shredders			
HT210L, HT250, HT250L	XST255	255	.025	w/B&S OHV Intek Engs.	XST3924	3924	.030
HT2300, HT2300D, HT2300DL, HT2300DLR, HT2300DR, HT2300L	XST2976	2976	.025	w/B&S OHV Vanguard Engs.	XST3924	3924	.030
HT2320, HT2320D, HT2320DR, HT2320L	XST2974	2974	.025	w/Honda 5.5 h.p. OHV	XST4265	4265 ⁸²⁴⁸	.030
HT2321, HT2321D, HT2321DR, HT2321DLR, HT2321L	XST2976	2976	.025	Tillers			
MD150DX	XST254	303	.025	w/B&S 300 Series Engs.	XST458	458	.030
MD155DX, MD157, MD159D	XST2974	2974	.025	MASSEY-FERGUSON			
MC261, MC321, MC321E, ML23H, MS036	XST2976	2976	.025	Chippers, Garden Tractors, Lawn Tractors, Tillers & Vacuums			
MS046, MS056, MS056E, MS045D ..	XST2976	2976	.025	Baron	XST3926	3926	.030
MS055D, MS068, MS055ED, MT23 ..	XST2976	2976	.025	Express 14.5, Express 15.5, Express 17	XST3924	3924	.030
MS071EH	----	4194	.030	MF80RT, MF85, MF112LT, MF114LTX, MF116LTX	XST458	458	.030
MS0741, MS0741E	XST2976	2976	.025	MF212GTX, MF214GTX, MF216GTX	----	216	.030
MS153EMH, MS253ECKFR	----	275	.025	MF218GT, MF316GTX, MF318GTX, MF320GTX	----	216	.030
MS150-100P, MS153-50TH	XST258	258	.030	MF1200, MF1450, MF1650	----	216	.030
MS154-50P, MS154-50PTR, MS154PS100	XST258	258	.030	MF1655, MF1855	----	437	.030
MS154-100P, MS154-200P, MS154EMH	XST258	258	.030	Morgan TW2061	XST3926	3926	.030
MS154PS30, MS154PS50	XST258	258	.030	Pacer HW1436	XST3924	3924	.030
MS253-50TH, MS253-100TH	----	275	.025	Stallion ZT2354	XST3924	3924	.030
MS410EC-2MR, MS410-100TH	XST255	255	.030	ZT16, ZT1438, ZT1638, ZT1644, ZT1844	XST3924	3924	.030
MS413-100P, MS413-200P, MS413PS100, MS413ECH, MS413PS50	XST4265	4265 ⁸²⁴⁸	.030	ZT1850, ZT2050, ZT2450	XST3926	3926	.030
MS413-100P, MS330-100P, MS330-200P	XST4265	4265 ⁸²⁴⁸	.030	2316H, 2409G, 2512G, 2512H, 2616H, 2616HV	XST3926	3926	.030
MS330-100PBU, MS330ECH, MS330PS50, MSD41ECH	XST4265	4265 ⁸²⁴⁸	.030	2411G, 2413H w/B&S "L-Head"	XST458	458	.030
Brushcutters & Trimmers				2413H w/B&S 13 h.p. OHV			
BC22H, BC23H	----	4194	.030	2412H, 2414H, 2514G, 2514H, 2515G, 2515H	XST3924	3924	.030



Se Section 9 pour les remarques en français en bas de page. Ver Seccion 9 para las páginas de notas de pie de página en español. ⁸²⁴⁸ Tapered electrode design

Small Engine - Lawn & Garden Equipment

	XTREME START™	STANDARD STANDARD ESTANDAR	GAP ENCARTMENT ESPACIO		XTREME START™	STANDARD STANDARD ESTANDAR	GAP ENCARTMENT ESPACIO
MASSEY-FERGUSON (Cont'd)				MAYRATH			
Chippers, Garden Tractors, Lawn Tractors, Tillers & Vacuums (Cont'd)				Garden Tractors			
2515HC, 2516H, 2517H, 2614H,				All Models XST458 456 .025			
2615H, 2615HC, 2617HC XST3924 3924 .030							
2518 w/B&S 18 h.p. Vanguard							
(V-Twin) XST3926 3926 .030							
2518 w/Kohler 18 h.p. (V-Twin) XST3924 3924 .030							
2518H w/Kohler 18 h.p. Courage							
DOHC XST3924 3924 .030							
2518G, 2618H, 2520H, 2522H,							
2524H XST3926 3926 .030							
2620, 2620H, 2716H, 2718H, 2720H,							
2918H XST3926 3926 .030							
2717H XST4265 4265 ⁸²⁴⁸ .030							
2720, 2722, 2723H XST3926 3926 .030							
2800, 2818H, 2818PS, 2820H,							
2823H, 2825H XST3924 3924 .030							
2827H, 2920H, 2923H, 2925H,							
2925FH XST3924 3924 .030							
2920LC XST255 255 .030							
2927LC w/Kawasaki 27 h.p. (Liquid							
V-Twin) AP66 ⁸²⁴⁹ 66 .025							
2927H w/Kohler 27 h.p. (V-Twin) XST3924 3924 .030							
4417 XST3924 3924 .030							
w/B&S "L" Head Eng. XST458 458 .030							
w/B&S 5.5 & 6.5 h.p. Intek OHV XST3924 3924 .030							
w/B&S 13, 14.5, 15, 15.5, 17 h.p.							
OHV XST3924 3924 .030							
w/B&S 14 & 17 h.p. Vanguard XST3924 3924 .030							
w/B&S 16, 18, 20, 22, 23 & 24 h.p.							
Vanguard (V-Twin) XST3926 3926 .030							
w/Kawasaki 17 h.p. OHV XST4265 4265 ⁸²⁴⁸ .030							
w/Kawasaki 20 h.p. (Liquid V-Twin) . XST255 255 .030							
w/Kawasaki 27 h.p. (Liquid V-Twin) . AP66 ⁸²⁴⁹ 66 .025							
w/Kohler K-Series Eng. --- 216 .030							
w/Kohler Courage DOHC Eng. XST3924 3924 .030							
w/Kohler OHV Eng. XST3924 3924 .030							
w/Kohler (V-Twin) Eng. XST3924 3924 .030							
w/Onan Eng. --- 437 .030							
w/Tecumseh Eng. XST458 458 .030							
				M-B			
				Brooms, Chippers & Pavement Strippers			
				w/Honda 4 & 5.5 h.p. OHV XST4265 4265 ⁸²⁴⁸ .030			
				w/Kohler 8 & 8.5 h.p. Command Pro			
				CS OHV XST4265 4265 ⁸²⁴⁸ .040			
				w/Kohler 20, 25 & 30 h.p. (V-Twin) .. XST3924 3924 .030			
				McCULLOCH			
				Blowers & Vacuums			
				Eager Beaver Backpack Blower XST2956 2956 .025			
				Eager Beaver Blower, Power Blower XST2956 2956 .025			
				Eager Beaver Blower/Vacuum XST2956 2956 .025			
				Eager Beaver III Blower XST2956 2956 .025			
				Eager Beaver IV Blower/Vacuum XST2956 2956 .025			
				Mac III & IV Blower/Vacuum XST2956 2956 .025			
				Mac 280B, 320B, 320BV, BP325,			
				MB3202 XST2956 2956 .025			
				Power Blower XST2956 2956 .025			
				Pro Mac BP4300 XST254 254 .025			
				Pro Mac PB250 XST2554 2554 .025			
				Pro Stream Blower XST2956 2956 .025			
				Pro Stream Blower/Vacuum XST2956 2956 .025			
				Silver Eagle Blower XST2956 2956 .025			
				Silver Eagle III Blower XST2956 2956 .025			
				Silver Eagle IV Blower/Vacuum XST2956 2956 .025			
				Silver Eagle V Backpack Blower XST2956 2956 .025			
				Super Air Stream III Blower XST2956 2956 .025			
				Super Air Stream IV Blower/Vacuum XST2956 2956 .025			
				Titan PB250, PB280, PB380 XST2956 2956 .025			
				Shredders, Tillers, Trimmers & Edgers			
				Eager Beaver 280, 282, 285, 287 ... XST2956 2956 .025			
				Eager Beaver 325, 327 XST2956 2956 .025			
				Eager Beaver I, SX, Super XST2956 2956 .025			
				Eager Beaver II, SL, SX XST2956 2956 .025			
				Eager Beaver III, SL, SX XST2956 2956 .025			
				Eager Beaver IV, SL XST2956 2956 .025			
				GHT2024, GHT2030 Hedge			
				Trimmers XST255 255 .030			
				GHT30 Hedge Trimmers XST2554 2554 .025			
				GLE2600 Edgers XST255 255 .030			
				Mac 1385J, 1385L, 2380L XST2956 2956 .025			
				Mac 2815, 2816, 2816B, 2817, 2818,			
				2825 XST2956 2956 .025			
				Mac 2827, 2848, 3225, 3225HD,			
				3227, 3227S, 3227HD XST2956 2956 .025			
				Mac 284S XST2956 2956 .025			
				Mac 328GLE Edgers XST2956 2956 .025			
				Mac 65, SL XST2956 2956 .025			
				Mac 80-SL, 80-SX XST2956 2956 .025			
				Mac 85-SL, 85-SX, 99-SL, 100-HD .. XST2956 2956 .025			
				Mac GHT17, -19, 22 Hedge			
				Trimmers XST2956 2956 .025			
				Pro Mac 2025, 2035, 2045, 2510 ... XST2554 2554 .025			
				Pro Mac 2320L, 2335J, 2635B,			
				2635GLE XST255 255 .030			
				Pro Mac 2560, 2560HD, 2570 XST2554 2554 .025			
				Pro Mac 2635J, 3335L, 4335B,			
				4335L XST255 255 .030			
				Pro Mac 3000, 4100 XST2956 2956 .025			
				Pro Mac DBC300, DBS300,			
				DBC301 XST2974 2974 .030			
				Pro Mac I, II XST2956 2956 .025			
				Pro Mac I, II, III, IV Super XST2956 2956 .025			
MASTERCRAFT							
Riding Mowers & Tillers							
w/B&S Eng. XST458 458 .030							
w/B&S Vanguard Eng. XST3926 3926 .030							
MASTERCUT							
Brushcutters, Edgers & Trimmers							
w/B&S Eng. XST458 458 .030							
w/Tec. Eng. (2-Cycle) XST2976 2976 .030							
MAXIM							
Augers, Edgers, Log Splitters, Mowers & Tillers							
w/B&S "L" Head Eng. XST458 458 .030							
w/B&S 5 h.p. Vanguard XST3924 3924 .030							
w/B&S 6 & 6.5 h.p. Intek OHV XST3924 3924 .030							
w/B&S 14, 16 & 20 h.p. Vanguard							
(V-Twin) XST3926 3926 .030							
w/Honda 4, 5, 5.5, 8 & 13 h.p. OHV . XST4265 4265 ⁸²⁴⁸ .030							
w/Robin 4 & 6 h.p. XS63 ⁸²⁵² 4263 ⁸²⁴⁸ .025							
w/Tec. 1.4 & 2 h.p. XST2976 2976 .030							
w/Tec. 5 & 6 h.p. XST458 458 .030							
Utility Vehicles							
w/B&S 8.5 h.p. XST458 458 .030							



Se Section 9 pour les remarques en français en bas de page. Ver Sección 9 para las páginas de notas de pie de página en español. ⁸²⁴⁸ Tapered electrode design ⁸²⁴⁹ Single Platinum ⁸²⁵² Xtreme Sport

Small Engine - Lawn & Garden Equipment

	XTREME START™	STANDARD ESTANDAR	GAP ENCARTMENT ESPACIO		XTREME START™	STANDARD ESTANDAR	GAP ENCARTMENT ESPACIO
McCULLOCH (Cont'd)				MERRY TILLER (Cont'd)			
Shredders, Tillers, Trimmers & Edgers (Cont'd)				Tillers (Cont'd)			
Pro Mac I, II, III, IV-HD	XST2956	2956	.025	w/Kohler 4 h.p.	XST458	458	.030
Pro-Scaper 28S, 32HDS	XST2956	2956	.025	w/Robin EY18W	AP425 ⁸²⁴⁹	425	.030
Pro-Scaper I, II-HD, III, IV, V	XST2956	2956	.025	w/Tec. Engs.	XST458	458	.030
Roadrunner I, II & III	XST2956	2956	.025	MICRO RAIN			
Silver Eagle 28, 28c, 29, 32	XST2956	2956	.025	Sprinkling Systems			
Silver Eagle 32bc, 32bcs Dlx.	XST2956	2956	.025	w/5.5 & 9 h.p. Hondas	XST4265	4265 ⁸²⁴⁸	.030
Super Mac 80, S	XST2956	2956	.025	MIDDLESWORTH			
Super Mac 85, SL, SX	XST2956	2956	.025	Dethatchers & Mowers			
Titan 2000, 2030, 2100, 2200, 2250 ..	XST2554	2554	.025	w/B&S 11 h.p.	XST458	458	.030
Titan 2300, 3000, 3000AV, 3900, 3900AV	XST2956	2956	.025	w/Honda 11 h.p. OHV	XST4265	4265 ⁸²⁴⁸	.030
Titan 2310, 2360, 2500, 2500AV	XST2554	2554	.025	MIDLAND			
Titan 2560AV, 2565AV	XST2554	2554	.025	14mm Heads 2-cycle	XST258	258	.030
Titan GHT24, GHT30 Hedge Trimmers	XST2956	2956	.025	14mm Heads 4-cycle	XST458	295	.030
Titan GLE2380, GLE2580AV Edgers	XST2554	2554	.025	18mm Heads	----	386	.030
Titan GPO22 Engine	XST2956	2956	.025	MIGHTY MAC			
McDONOUGH				Blowers, Chipper/Shredders, Sprayers, Stump Cutters & Vacuums			
Garden Tractors	XST255	255	.030	w/B&S "L" Head Engs.	XST458	458	.030
Tillers, Shredders	XST255	255	.030	w/B&S 5.5 & 9 h.p. Vanguard	XST3924	3924	.030
McLANE				w/B&S 6, 9 & 10 h.p. Intek OHV	XST3924	3924	.030
Edgers/Trimmers & Mowers				w/B&S 16 h.p. Vanguard (V-Twin) ...	XST3926	3926	.030
w/B&S "L" Head Engs.	XST458	458	.030	w/Honda 5, 5.5 & 9 h.p. OHV	XST4265	4265 ⁸²⁴⁸	.030
w/B&S 6.5 h.p. Intek OHV	XST3924	3924	.020	w/Kaw. 5.3 h.p. OHV	XST4265	4265 ⁸²⁴⁸	.030
w/Honda 2.2 & 2.5 h.p.	XST258	258	.030	w/Kohler 12 & 16 h.p.	----	216	.030
w/Honda 3.5, 4, 5 & 5.5 h.p. OHV ...	XST4265	4265 ⁸²⁴⁸	.030	w/Kohler 16 h.p. (Twin)	XP26 ⁸²⁵⁰	26	.025
w/Honda 5.5 h.p. OHC	XST4265	4265 ⁸²⁴⁸	.030	w/Tec. 3.5 & 8 h.p.	XST458	458	.030
w/Kawasaki 5 h.p. OHV	XST4265	4265 ⁸²⁴⁸	.030	MIGHTY MOUSE			
w/Kohler 4 h.p.	XST458	458	.030	Garden Tractors			
w/Tec. 5 h.p.	XST458	458	.030	w/B&S Engs.	XST458	458	.025
MELIN				w/Wisc. Engs.	----	386	.025
15, 30	XST458	295	.025	MIGHTY MURC			
20, 25, 45	----	386	.032	Log Splitters			
60, 70, 75	----	386	.025	w/B&S 5 & 8 h.p.	XST458	458	.030
MENNING				w/Honda 5 & 8 h.p. OHV	XST4265	4265 ⁸²⁴⁸	.030
Garden Sprayer	XST255	255	.030	w/Tec. 5 h.p. OHV	XST4055	4055 ⁸²⁴⁸	.030
MEP				MILBRADT			
Aerators, Mowers, Sickles & Tillers				Mowers			
w/B&S 5 & 15 h.p.	XST458	458	.030	14mm Heads	XST458	295	.025
w/Tec. 2 h.p.	XST2974	2974	.030	18mm Heads	----	386	.025
w/Tec. 3.5, 3.8 & 6 h.p.	XST458	458	.030	MILLER			
w/Tec. 4 h.p.	XST458	458	.030	Concrete Buggys			
MERRY MAC				w/Honda 8 & 13 h.p. OHV	XST4265	4265 ⁸²⁴⁸	.030
Blowers, Chipper/Shredders & Stump Cutters				w/Honda 20 h.p. (V-Twin)	XST4265	4265 ⁸²⁴⁸	.030
w/B&S 5, 8 & 10 h.p.	XST458	458	.030	Curb Makers			
w/B&S 16 h.p. Vanguard	XST3924	3924	.030	w/Honda 3 h.p. OHV	----	4194	.030
w/Honda 5.5 h.p. OHV	XST4265	4265 ⁸²⁴⁸	.030	w/Honda 4 & 13 h.p. OHV	XST4265	4265 ⁸²⁴⁸	.030
w/Kohler 8 h.p.	----	216	.030	w/Honda 20 h.p. (V-Twin)	XST4265	4265 ⁸²⁴⁸	.030
w/Kohler 16 h.p. (Twin)	XP26 ⁸²⁵⁰	26	.025	w/Kohler 15 h.p. OHV	XST3924	3924	.030
w/Kawasaki 5.3 h.p. OHV	XST4265	4265 ⁸²⁴⁸	.030	MILWAUKEE			
w/Tec. 8 h.p.	XST458	458	.030	Mowers			
MERRY TILLER				All Models	----	386	.025
Tillers							
w/B&S 3, 3.5 & 5 h.p.	XST458	458	.030				
w/Clinton Engs.	XST458	295	.030				



Se Section 9 pour les remarques en français en bas de page. Ver Section 9 para las páginas de notas de pie de página en español. ⁸²⁴⁸ Tapered electrode design ⁸²⁴⁹ Single Platinum ⁸²⁵⁰ Xtreme Performance

Small Engine - Lawn & Garden Equipment

		XTREME START™	STANDARD STANDARD ESTANDAR	GAP ENCARTMENT ESPACIO			XTREME START™	STANDARD STANDARD ESTANDAR	GAP ENCARTMENT ESPACIO
MINAT					MORRISON (Cont'd)				
Blowers					Tillers				
w/B&S 8 h.p.	XST458	458	.030		w/B&S 300 Series Engs.	XST458	458	.030	
MINNEAPOLIS-MOLINE					MOTIVATOR				
Town & Country 108, 110, 112	XST458	295	.030		All Models	XST458	456	.025	
108, 110, 112 (Shielded)	----	2224	.030		MOTO-MOWER				
MITTS & MERRILL					Mowers				
M-2 w/Ford 172 cid	----	216	.030		14mm Heads	XST458	295	.025	
M-3, M-4, M-6 w/Ford 240 cid	AP124 ⁸²⁴⁹	124	.030		18mm Heads	----	386	.025	
M-7, M-8, M-11, M-12 w/Ford 300 cid	AP124 ⁸²⁴⁹	124	.030		MOTO-MULE				
M-9, M-13 w/Ford 330 cid	AP124 ⁸²⁴⁹	124	.030		Garden Tractors				
MI-T-VAC					All Models	XST254	303	.025	
Loaders & Sweepers					MOTOR-TILLER HOE				
w/B&S Engs.	XST458	458	.030		w/B&S Engs.	XST458	458	.030	
w/Kohler 4 & 14 h.p.	XST458	458	.030		w/Lauson Engs.	XST458	295	.030	
w/Tec. Engs.	XST255	255	.030		MOUNTAIN LION				
MITY MITE					Utility Vehicles				
Sod Layers & Harvesters					w/Kohler 25 h.p. (V-Twin)	XST3924	3924	.030	
w/Honda 4 & 11 h.p. OHV	XST4265	4265 ⁸²⁴⁸	.030		MOTT				
Sprayers/Dusters	XST255	255	.030		w/B&S Engs.	XST458	458	.030	
MITY-MOE					w/Wisc. TJD Engs.	----	386	.030	
Sprayers/Dusters	XST254	254	.025		MOUNTAINEER				
MODERN					Riding Mowers				
Edger/Trimmers	XST458	295	.030		w/B&S 16 & 18 h.p. Vanguard	XST3926	3926	.030	
MONO					MOW-BLOW				
Garden Tractors & Tillers					Blowers				
w/B&S Engs.	XST458	458	.030		w/Honda 5.5 & 8 h.p. OHV	XST4265	4265 ⁸²⁴⁸	.030	
w/Lauson Engs.	XST458	295	.030		MOWHAWK				
MONTANA TRACTORS					Riding Mowers				
Mowers					w/B&S 35 h.p. Vanguard (V-Twin) ...	XST3926	3926	.030	
w/B&S 25 h.p. Intek (V-Twin)	XST3924	3924	.030		MOW-MORE				
w/B&S 35 h.p. Vanguard (V-Twin) ...	XST3926	3926	.030		All Models	----	386	.030	
w/Kawasaki 26 h.p. (Liquid V-Twin) .	XST4265	4265 ⁸²⁴⁸	.030		MO WING 50				
MONTGOMERY-WARD					w/B&S 5 h.p.	XST458	458	.030	
Garden Tractors					MSI				
w/B&S Engs.	XST458	458	.030		Riding Tractors				
w/B&S Engs. (Twin)	XST458	458	.030		w/B&S 16 & 18 h.p. Vanguard (V-Twin)	XST3926	3926	.030	
w/Tec. Engs.	XST458	458	.030		MTA				
Trimmers					Log Splitters				
1926, 1927	XST255	255	.025		w/Honda 5 & 8 h.p. OHV	XST4265	4265 ⁸²⁴⁸	.030	
1930, 1931, 1932	XST258	258	.025		MTD PRO				
MOORE					Aerators, Mowers & Over-Seeders				
Farmette using Utilimotor	----	216	.030		w/B&S "L" Head Engs.	XST458	458	.030	
w/B&S Engs.	XST458	458	.030		w/B&S 16 & 18 h.p. (Twin)	XST458	458	.030	
w/Kohler Engs.	XST458	458	.030						
MORRISON									
Chipper/Shredders									
w/Honda 5.5 h.p. OHV	XST4265	4265 ⁸²⁴⁸	.030						



Se Section 9 pour les remarques en français en bas de page. Ver Seccion 9 para las páginas de notas de pie de página en español. ⁸²⁴⁸ Tapered electrode design ⁸²⁴⁹ Single Platinum

Small Engine - Lawn & Garden Equipment

	XTREME START™	STANDARD ESTANDAR	GAP ENCARTMENT ESPACIO		XTREME START™	STANDARD ESTANDAR	GAP ENCARTMENT ESPACIO
MTD PRO (Cont'd)				MURRAY			
Aerators, Mowers & Over-Seeders (Cont'd)				Chipper/Shredders, Edgers, Tractors & Tillers			
w/B&S 14, 16 & 18 Vanguard h.p. (V-Twin)	XST3926	3926	.030	w/B&S "L" Head Engs.	XST458	458	.030
w/Honda 4 h.p. OHV	XST4265	4265 ⁸²⁴⁸	.030	w/B&S 14, 18 & 18.5 h.p. (Twin)	XST458	458	.030
w/Kawasaki 5.5, 8, 14 & 17 h.p. OHV	XST4265	4265 ⁸²⁴⁸	.030	w/B&S Intek Engs. OHV	XST3924	3924	.030
w/Kawasaki 15 h.p. (V-Twin)	XST2976	2976	.025	w/B&S Vanguard Engs. OHV	XST3924	3924	.030
w/Kohler 13 h.p. OHV	XST3924	3924	.030	w/B&S Vanguard Engs. (V-Twin)	XST3926	3926	.030
w/Kohler 20, 22 & 25 h.p. (V-Twin) ..	XST3924	3924	.030	w/Tec. 1.6 h.p.	XST2976	2976	.030
w/Tec. Engs.	XST458	458	.030	w/Tec. 12 & 16 h.p. OHV	XS4093 ⁸²⁵²	4093 ⁸²⁴⁸	.030
w/Tec. 16 h.p. OHV	XST4055	4055 ⁸²⁴⁸	.030	w/Tec. 12.5 h.p. OHV	XST4055	4055 ⁸²⁴⁸	.030
Blowers				w/All Other Tec. Engs.	XST458	458	.030
F5, F8	XST458	458	.030	MUSTANG			
HB26, BB45, BB60	XST2974	2974	.030	Garden Tractors			
Edgers				w/B&S 5 & 8 h.p.	XST458	458	.030
SE26	XST2974	2974	.030	MYERS			
Hedge Clippers				Sprayers			
19EHC, 19HC, 24HC, 30HC, 40HC ..	XST2974	2974	.030	w/B&S Engs.	XST458	458	.030
Riding Mowers				w/Kohler 8 h.p. (K181)	XST458	458	.030
w/B&S "L" Head Engs.	XST458	458	.030	w/Kohler 16 & 23 h.p.	----	216	.030
w/B&S Vanguard Engs. OHV	XST3924	3924	.030	w/Wisc. VG4D	----	386	.030
w/B&S Vanguard Engs. (V-Twin)	XST3926	3926	.030	NAC			
w/Kohler 13 h.p. OHV	XST3924	3924	.030	Blowers & Brushcutters			
w/Kohler 25 h.p. (V-Twin)	XST3924	3924	.030	w/Kawasaki TG Engs.	XST255	255	.030
w/Tec. 17.5 h.p. OHV	XST4055	4055 ⁸²⁴⁸	.030	Trimmers			
Sprayers				NX180, NX240, NX350, NX350B, NX350L	XST255	255	.030
SY 50, SY 50P, SY 100, SY200, SY 200 PE	XST4265	4265 ⁸²⁴⁸	.030	NATIONAL MOWER			
SY 300, SY 300PE, SY 300PE, SYS300PE	XST4265	4265 ⁸²⁴⁸	.030	Reel Mowers			
w/Kawasaki 4, 5.5 & 8 h.p. OHV	XST4265	4265 ⁸²⁴⁸	.030	w/B&S 3 & 10 h.p.	XST458	458	.030
Trimmers				w/B&S 16 h.p. Vanguard (V-Twin) ...	XST3926	3926	.030
81C62, 81C73	XST2974	2974	.030	w/Kaw. 7.5 h.p.	----	275	.030
ST23, ST26, ST35	XST2974	2974	.030	w/Kohler 12 h.p.	----	216	.030
Walk Behind Mowers				w/Wisc. Engs.	----	386	.025
w/B&S 16 & 18 h.p. Vanguard (V-Twin)	XST3926	3926	.030	NATVIK			
w/Kawasaki 14 h.p. OHV	XST4265	4265 ⁸²⁴⁸	.030	Garden Tractors			
w/Kawasaki 15 & 17 h.p. (V-Twin) ...	XST2976	2976	.030	All Models	XST458	456	.025
w/Kohler 13 h.p. OHV	XST3924	3924	.040	NEW ENGLANDER			
w/Kohler 20 & 22 h.p. (V-Twin)	XST3924	3924	.040	w/B&S Engs.	XST458	458	.030
MUCK-TRUCK				NEW HOLLAND			
Wheelbarrows				Lawn Tractors			
w/B&S 625 Series Engs.	XST458	458	.030	w/B&S "L" Head Engs.	XST458	458	.030
w/Honda 5.5 h.p. OHC	XST4265	4265 ⁸²⁴⁸	.030	w/B&S 14, 16 & 18 h.p. OHV	XST3924	3924	.030
w/Honda 5.5 h.p. OHV	XST4265	4265 ⁸²⁴⁸	.030	w/Kawasaki 17 & 19 h.p. OHV (V-Twin)	XST2976	2976	.030
MUD BUDDY				Line Markers			
Curb Makers				w/B&S 3 & 5 h.p.	XST458	458	.030
w/Honda 3 h.p. OHV	----	4194	.030	w/Honda 3.5 h.p. OHV	XS63 ⁸²⁵²	4263 ⁸²⁴⁸	.030
MULCH MULE				w/Honda 5.5 h.p. OHV	XST4265	4265 ⁸²⁴⁸	.030
Mulchers				NEWSTRIPE			
w/B&S 18 h.p. Vanguard (V-Twin) ...	XST3926	3926	.030	Line Markers			
w/Honda 11 & 13 h.p. OHV	XST4265	4265 ⁸²⁴⁸	.030	w/B&S 3 & 5 h.p.	XST458	458	.030
w/Kohler 16 h.p. OHC (Twin)	XST3924	3924	.040	w/Honda 3.5 h.p. OHV	XS63 ⁸²⁵²	4263 ⁸²⁴⁸	.030
w/Robin 25 h.p. (V-Twin)	XS63 ⁸²⁵²	4263	.025	w/Honda 5.5 h.p. OHV	XST4265	4265 ⁸²⁴⁸	.030
MULTI-CORE				Line Markers			
Aerators				w/B&S 3 & 5 h.p.	XST458	458	.030
w/Honda 5 h.p. (G200)	AP425 ⁸²⁴⁹	2656	.030	w/Honda 3.5 h.p. OHV	XS63 ⁸²⁵²	4263 ⁸²⁴⁸	.030



Se Section 9 pour les remarques en français en bas de page. Ver Seccion 9 para las páginas de notas de pie de página en español. ⁸²⁴⁸ Tapered electrode design ⁸²⁴⁹ Single Platinum ⁸²⁵² Xtreme Sport

Small Engine - Lawn & Garden Equipment

	XTREME START™	STANDARD STANDARD ESTANDAR	GAP ENCARTMENT ESPACIO		XTREME START™	STANDARD STANDARD ESTANDAR	GAP ENCARTMENT ESPACIO
NEWTON CROUCH				OLD DOMINION BRUSH COMPANY			
Sprayers				Vacuums			
w/Honda 5.5 & 6.5 h.p. OHV	XST4265	4265 ⁸²⁴⁸	.030	w/Honda 24 h.p. (V-Twin)	XST4265	4265 ⁸²⁴⁸	.030
NEW WAY				w/Kohler 25 h.p. Command Pro (V-Twin)			
All Models	----	386	.025		XST3924	3924	.030
NICHOLS				OLDHAM			
Garden Tractors				Sprayers			
All Models	----	386	.025	w/B&S 5 h.p.	XST458	458	.030
NOLTE				w/B&S 9 h.p. Vanguard			
Sand Cleaner				w/Honda 5.5 h.p. OHV			
BC1000 w/Honda 5.5 h.p.	XST4265	4265 ⁸²⁴⁸	.030		XST4265	4265 ⁸²⁴⁸	.030
NOMA				OLYMPIA			
Chipper/Shredders, Cultivators & Edgers				Tillers			
w/B&S "L" Head Engs.	XST458	458	.030	w/B&S Engs.	XST458	458	.030
w/Tec. 1.6 h.p. (2-Cycle)	XST2976	2976	.030	w/Tec. Engs.	XST458	458	.030
w/Tec. 3.5 & 8 h.p.	XST458	458	.030	OLYMPYK			
Garden Tractors				Augers & Misters			
w/B&S 12, 12.5, 14, 13 & 15 h.p.	XST458	458	.030	AM18, AM150, AM180, AT2080	XST2974	2974	.025
w/B&S 16.5 & 18 h.p. (Twin)	XST458	458	.030	MTL30, TR1540	XST2974	2974	.025
w/B&S 16, 18 & 20 h.p. Vanguard (V-Twin)	XST3926	3926	.030	Brushcutters & Trimmers			
w/Kohler 15 h.p. OHV	XST3924	3924	.040	220B, 200L, 220B, 220L, 260B, 260BA, 260BAV	XST2974	2974	.025
w/Kohler 18 & 20 h.p. (Twin)	XP26 ⁸²⁵⁰	26	.025	260DAV, 260L, 260L, 260LA, 260LAV, 260TA, 320B	XST2974	2974	.025
w/Tec. 12, 15, & 16 h.p.	XS4093 ⁸²⁵²	4093 ⁸²⁴⁸	.030	320BAV, 329LAV, 420B, 420BAV, 460B, 460BAV	XST2974	2974	.025
w/Tec. 16.5 h.p.	XST4055	4055 ⁸²⁴⁸	.030	8260BA, 8260BAV, 8260DAV	XST2974	2974	.025
NORM				8260LAV, 8260TA, 8320BAV			
w/Ciinton Engs.	XST458	295	.025	8320LAV, 8350BAV, 8350LAV	XST2974	2974	.025
w/B&S Engs.	XST458	458	.030	8355HTV, 8405BD, 8405BP, 8420BAV	XST2974	2974	.025
Utilimotor Engs.	----	216	.030	8460BAV, 8510BAV, 8725BAV	XST2974	2974	.025
NORTHERN TURF PRODUCTS				8725LAV, 8726BAV, 8726DAV, 8726LAV, 8726TA			
Seeders & Spreaders				8735BAV, 8735LAV, 8740, 8740BAV, 8742BAV, 8746			
w/Honda 6.5 h.p. OHV	XST4265	4265 ⁸²⁴⁸	.030	8750 Pro, 8753, B200, B220, B220L, B260L, B260B	XST2974	2974	.025
NORTH STAR				8750 Pro, 8753, B200, B220, B220L, B260L, B260B			
Log Splitters & Sprayers				B300, B400, B450, E8405BP			
w/B&S 3.5, 5, 8 & 11 h.p.	XST458	458	.030	Jet-310, Jet-410	XST2974	2974	.025
w/Honda 5, 5.5 & 13 h.p. OHV	XST4265	4265 ⁸²⁴⁸	.030	OL200B, OL200L, OL220B, OL220L, OL260B, OL260L, OL300B, OL400B, OL450B	XST2974	2974	.025
w/Honda 18 h.p. (V-Twin)	XST4265	4265 ⁸²⁴⁸	.030	OL450B	XST2974	2974	.025
w/Tec. 5 & 10 h.p.	XST458	458	.030	TS310, TS330, TS410 Hedge Trimmers	XST2974	2974	.025
w/Tec. 14 h.p.	XS4093 ⁸²⁵²	4093 ⁸²⁴⁸	.030	O.M.C.			
NORWESCO				w/B&S Engs. 14mm Heads			
Sprayers				w/B&S Engs. 18mm Heads			
w/B&S 5.5 h.p. Intek OHV	XST3924	3924	.030	w/Kohler Engs.	----	216	.030
ODB				ONAN			
Vacuums				Riding Mowers			
w/Kawaski 27 h.p. (Liquid V-Twin)	AP66 ⁸²⁴⁹	66	.025	w/Onan 16 h.p. (Twin)	AP106 ⁸²⁴⁹	106	.025
OLATHE				ORLINE			
Chippers, Composters, High Lifts, Seeders, Shredders, Sweepers, Stump & Root Removers				Hedge Trimmers, Yard Arm			
w/B&S Engs.	XST458	458	.030		XST255	255	.030
OUTDOOR POWER PRODUCTS				Blowers, Chippers/Vacuums, Log Splitters & Sweepers			
w/B&S 5 h.p.				w/B&S 5 h.p.			
	XST458	458	.030		XST458	458	.030



Se Section 9 pour les remarques en français en bas de page. Ver Sección 9 para las páginas de notas de pie de página en español. ⁸²⁴⁸ Tapered electrode design ⁸²⁴⁹ Single Platinum ⁸²⁵⁰ Xtreme Performance ⁸²⁵² Xtreme Sport

Small Engine - Lawn & Garden Equipment

	XTREME START™	STANDARD STANDARD ESTANDAR	GAP ENCARTMENT ESPACIO		XTREME START™	STANDARD STANDARD ESTANDAR	GAP ENCARTMENT ESPACIO
OUTDOOR POWER PRODUCTS (Cont'd) Blowers, Chippers/Vacuums, Log Splitters & Sweepers (Cont'd)				PARTNER Brush Cutters			
w/B&S 15 h.p. Vanguard	XST3924	3924	.030	B370	XST2974	2974	.020
w/Tec. 3.5, 8 & 10 h.p.	XST458	458	.030	PATHFINDER Garden Tractors			
w/Tec. 16 h.p.	XST4055	4055 ⁸²⁴⁸	.030	All Models	XST458	458	.030
PACIFIC Garden Tractors				PATRIOT Chippers, Shredders & Vacuums			
All Models	----	386	.025	w/B&S 5.5 & 6.5 h.p. Intek OHV	XST3924	3924	.030
PAGE				w/Honda 5.5 & 9 h.p. OHV	XST4265	4265 ⁸²⁴⁸	.030
14mm Heads	XST458	295	.025	w/Tec. 3, 4, 5, 8 & 10 h.p.	XST458	458	.030
18mm Heads	----	386	.025	w/Tec. 4.5 h.p.	XST2976	2976	.030
PALMOR PRODUCTS Chipper/Shredders				w/Tec. 4.5, 5 & 6 h.p. OHV	XST4055	4055 ⁸²⁴⁸	.030
w/B&S 5, 8 & 11 h.p.	XST458	458	.030	PATZ Choppers			
PANZER Garden Tractors				w/B&S 14 & 18 h.p. Vanguard (V-Twin)	XST3926	3926	.030
All Models	XST458	456	.025	w/Honda 11 & 13 h.p. OHV	XST4265	4265 ⁸²⁴⁸	.030
PARAGON Log Splitters				w/Kohler 18 h.p. (V-Twin)	XST3924	3924	.030
Log Splitters	XST255	255	.030	PAYEUR Forestry Equipment			
PARAMOUNT Blowers				w/Honda 13 h.p. OHV	XST4265	4265 ⁸²⁴⁸	.030
8014, 8021, 9120, GB150, GB350 ..	XST255	255	.030	PEKTRA Trimmers			
GB151, GB351	XST2976	2976	.030	PF-1-ZT, PF-2-RT, PF-3-RTX	XST2554	2554	.030
PHT19	XST2976	2976	.030	PECO Blowers, Brush Mowers, Chippers, Concrete Saws, Stump Grinders & Vacuums			
PARKER Blowers, Power Rakes, Sweepers, Thatchers & Vacuums				w/B&S "L" Head Engs.	XST458	458	.030
w/B&S "L" Head Engs.	XST458	458	.030	w/B&S 5.5 h.p. Intek OHV	XST3924	3924	.030
w/B&S 5.5, 6, 6.5, 6.75, 8 & 10 h.p. Intek OHV	XST3924	3924	.030	w/B&S 9 & 11 h.p. Vanguard	XST3924	3924	.030
w/B&S 16 h.p. Vanguard (V-Twin) ...	XST3926	3926	.030	w/Honda 5.5, 6.5, 9, 11 & 13 h.p. OHV	XST4265	4265 ⁸²⁴⁸	.030
w/Honda 4, 5, 5.5, 6.5, 8, 9 & 11 h.p. OHV	XST4265	4265 ⁸²⁴⁸	.030	w/Kohler 6 h.p. Command OHV	XST3924	3924	.030
w/Honda 5 h.p. OHC	XST4265	4265 ⁸²⁴⁸	.030	w/Kohler 8, 12, 16 & 20 h.p.	----	216	.030
w/Honda 24 h.p. (V-Twin)	XST4265	4265 ⁸²⁴⁸	.030	w/Kohler 8.5 h.p. Command Pro OHV	XST3924	3924	.030
w/Kawasaki 8 h.p. OHV (Gasoline) ..	XST4265	4265 ⁸²⁴⁸	.030	w/Kohler 18, 25, 26 & 27 h.p.(V-Twin)	XST3924	3924	.040
w/Kawasaki 8 h.p. OHV (LPG)	XST4265	4265 ⁸²⁴⁸	.020	w/Robin 9 h.p. OHV	XS4093 ⁸²⁵²	4093 ⁸²⁴⁸	.025
w/Kawasaki 17 h.p. (V-Twin)	XST2976	2976	.030	w/Tec. 3, 4, 5, 6, 8 & 10 h.p.	XST458	458	.030
w/Kohler 8.5 & 12 h.p. Command Pro OHV	XST4265	4265 ⁸²⁴⁸	.040	PEMCO Edger/Trimmers			
w/Kohler Engs.	XST458	458	.030	Edger/Trimmers	XST255	255	.030
w/Lauson Engs.	XST458	458	.025	PENNINGTON Mowers			
w/Robin 6 h.p. OHC	XS4093 ⁸²⁵²	4093 ⁸²⁴⁸	.025	w/B&S Engs.	XST458	458	.030
w/Robin 20 & 22 h.p.(V-Twin)	XST4265	4265 ⁸²⁴⁸	.025	w/Ciinton Engs.	XST458	295	.025
w/Tec. Engs.	XST458	458	.030	w/Kohler Engs.	----	216	.030
PARMI Riding Mowers & Tillers				w/Onan Engs.	----	216	.030
w/B&S Engs.	XST458	458	.030	w/Wisc. Engs.	----	386	.030
PENNSYLVANIA				PENNSYLVANIA			
				w/Ciinton Engs.	----	216	.030
				All other Models	XST458	295	.025



Se Section 9 pour les remarques en français en bas de page. Ver Seccion 9 para las páginas de notas de pie de página en español. ⁸²⁴⁸ Tapered electrode design ⁸²⁵² Xtreme Sport

Small Engine - Lawn & Garden Equipment

	XTREME START™	STANDARD STANDARD ESTANDAR	GAP ÉNCARTMENT ESPACIO		XTREME START™	STANDARD STANDARD ESTANDAR	GAP ÉNCARTMENT ESPACIO
PERMA GREEN				POLORON (Cont'd)			
Ride On Spreader/Sprayers				Garden Tractors (Cont'd)			
w/B&S 6.5 Intek OHV	XST3924	3924	.030	18mm Heads	----	386	.030
w/Honda 6.5 h.p. OHV	XST4265	4265 ⁸²⁴⁸	.030				
w/Robin 6 h.p. OHV	AP425 ⁸²⁴⁹	2656	.025				
PIONEER VAC SYSTEMS				PORTA-SEEDER			
Vacuums				w/B&S 5 h.p.			
w/Honda 18 & 20 h.p. (V-Twin)	XST4265	4265 ⁸²⁴⁸	.030	XST458	458	.030	
P-K				POULAN PRO			
Sprayers				Blowers, Edgers & Tillers			
w/B&S 3.5, 8 & 10 h.p.	XST458	458	.030	DRT875, HDF550, HDF825,			
w/B&S 5.5 h.p. Intek OHV	XST3924	3924	.030	PRRT65, PRRT875	XST3924	3924	.030
w/B&S 16 h.p. Vanguard (V-Twin)	XST3926	3926	.030	PE3500	XST2976	2976	.030
w/Tec. 3 h.p.	XST458	458	.030	BP400, BP402LE, BV200, BVM200,			
				BVM200LE, BVM200VS	XST2974	2974	.025
				PPC25E	XST254	254	.030
				PPFT3, PPFT5, PPFT35	XST458	458	.030
				PPRT3, PPRT5, PPRT8, PPRT55A,			
				PPRT55B	XST458	458	.030
				PP22, PP135	XST2976	2976	.030
				PPFTC14, PP422, PP432	XST2976	2976	.030
				PP442, 452MVB	XST255	255	.030
PLANET JR.				Brushcutters, Pole Saws & Trimmers			
14mm Heads	XST458	295	.030	PL200, PL500	XST2976	2976	.030
18mm Heads	----	386	.030	PP025, PP036, PP125, PP136,			
				PP325, PP404, PP446ET, PT336	XST2974	2974	.030
				PP22, PP112, PP114, PP115	XST258	258	.030
				PP110, PP113, PP117	XST2976	2976	.030
				PP165, PP176, PP196	XST258	258	.030
				PP185, PP185R, PP195	XST2976	2976	.030
				PP200	XST255	255	.030
				PPC22, PPC25, PPC31	XST254	254	.030
				PT3000, PT6000, PT7000	XST2976	2976	.030
PLUGR				Log Splitters			
Aerators				15-AR, 19-7, 26-10			
w/B&S 3.5, 5 & 5 h.p. "L" Head				26-TM, 19-24-8AR, P-26-TM	XST255	255	.030
Engs.	XST458	458	.030		XST255	255	.030
w/B&S 5, 5.5, 6.5, 8.5 & 10 h.p. Intek							
OHV	XST3924	3924	.030				
w/Honda 2.5 h.p. OHV	----	4194	.030				
w/Honda 4, 5.5, 6.5, 8 & 9 h.p. OHV	XST4265	4265 ⁸²⁴⁸	.030				
w/Kohler 12 h.p. Command Pro							
OHV	XST3924	3924	.030				
POLARIS				Riding Tractors			
Flail Mowers				111, 117			
w/B&S 8 & 10.5 h.p.	XST458	458	.030	165, 175, PP185, PP195	XST258	258	.030
				420, PP442, 770, 800, 900	XST2976	2976	.030
Sweepers				440			
w/B&S 6.5 & 10 h.p. Intek OHV	XST3924	3924	.030	2600, 2610, 2620	XST255	255	.030
				BB185H42YT, BB24H42YT	XST258	258	.030
Utility Vehicles				BB18542LT, BB185H42LT			
ATV Pro 4x4, Light Hauler 6x6	XS3923 ⁸²⁵²	3923	.028	DB18542YT, DB185H42YT,	XST3924	3924	.030
Ranger RZR, S Twin 4-Stroke EFI				DB24H42YT, DB24H48YT	XST3924	3924	.030
(Liquid)	XS3922 8252	3922	.036	DB27H48YT	XST3924	3924	.030
Ranger 800 XP, 6x6, HD, Crew Twin				PB18542LT, PB185H42LT,			
4-Stroke EFI (Liquid)	XS3922 8252	3922	.036	PB195H42LT, PB19542LT	XST3924	3924	.030
Ranger TM 2x4 4-Stroke OHV (Fan)	XST3924	3924	.028	PB19546LT, PB20H46LT, PB20HYT,			
Ranger 500 6x6 4-Stroke (Liquid)	XST3924	3924	.036	PB22H42YT	XST3924	3924	.030
Ranger 500 2x4 4-Stroke (Liquid)	XS3923 8252	3923	.036	PB22H46YT, PB24H54YT	XST3924	3924	.030
Ranger 500 4x4 4-Stroke (Liquid)	XS3924	3924	.036	PBGT2254, PBGT26H54,			
Ranger 500, H.O. 4x4 4-Stroke				PBGT27H54	XST3924	3924	.030
(Liquid)	XS3923 8252	3923	.036	PD15538LT, PD17542LT	XST458	458	.030
Ranger 2x4 4-Stroke (Liquid)	XST3924	3924	.036	PD18H42ST, PD1842ST,			
Ranger RZR 170	----	4123 ⁸²⁴⁸	.028	PD20H42ST, PD2042ST	XST3924	3924	.030
UTV 6x6, UTV 4x4, PTV 6x6, PTV				PD20PH48ST, PD25PH48ST, PDGT26H48			
4x4	XS3923 ⁸²⁵²	3923	.028		XST3924	3924	.030
UTV 2x4, PTV 4x4	XST3924	3924	.028	PHT19	XST2976	2976	.030
UTV 1500 2x4	XS63 ⁸²⁵²	4263	.025	PK1942LT, PK19H42LT, PK1942YT,			
w/Polaris 425cc Engs. (Liquid				PK19H42YT,			
Cooled)	XST3924	3924	.028	PK20H42YT, PK20H48YT,			
w/Polaris 500cc Engs. (Liquid				PK23H48YT, PKGT25H54	XST3924	3924	.030
Cooled)	XS3923 ⁸²⁵²	3923	.028	PKGT25H54	XST3924	3924	.030
w/Polaris 653cc Engs. (V-Twin)	XS63 ⁸²⁵²	4263	.025	PO1538, PO15538LT, PO17H42ST	XST3924	3924	.030
POLORON				Garden Tractors			
Garden Tractors				w/B&S Engs.			
w/B&S Engs.	XST458	458	.030				



Se Section 9 pour les remarques en français en bas de page. Ver Seccion 9 para las páginas de notas de pie de página en español. ⁸²⁴⁸ Tapered electrode design ⁸²⁴⁹ Single Platinum ⁸²⁵² Xtreme Sport

Small Engine - Lawn & Garden Equipment

	XTREME START™	STANDARD ESTANDAR	GAP ENCARTMENT ESPACIO		XTREME START™	STANDARD ESTANDAR	GAP ENCARTMENT ESPACIO
POULAN PRO (Cont'd)				POWER PRUNER (Cont'd)			
Riding Tractors (Cont'd)				Tree Trimmers (Cont'd)			
PO1742ST, PO17542LT, POGT20H48ST	XST3924	3924	.030	PPF2100, PPT2100, PPF2110, PPFD2400, PPT2400	XST2974	2974	.025
PP16H46B	XST3926	3926	.030	POWER TRAC			
PP12R38M, PP1036S, PP1136, PP11536	XST458	458	.030	Mowers & Utility Vehicles			
PP12538, PP125H38, PP125R38 ...	XST458	458	.030	w/B&S 18 h.p. (Twin)	XST458	458	.030
PP12542, PP125H42, PP1242S	XST458	458	.030	w/B&S 18 h.p. Vanguard (V-Twin) ...	XST3926	3926	.030
PP1338A, PP165H42, PP14542	XST4055	4055 ⁸²⁴⁸	.030	w/Kohler 18, 22 & 25 h.p. (V-Twin) ..	XST3924	3924	.030
PP1442	XST3924	3924	.040	w/Robin 18, 22 & 25 h.p. OHV	XS63 ⁸²⁵²	4263 ⁸²⁴⁸	.025
PP155H42, PP11536	XST458	458	.030	w/Tec. 12.5 h.p. OHV	AP425 ⁸²⁴⁹	425	.030
PP1844, PP18H44, PP1644	XP26 ⁸²⁵⁰	26	.025	POWER TEK			
PP18H46, PP1846, PP22H50	XST3924	3924	.030	Chippers, Log Splitters & Stump Grinders			
PP2050, PP2055, PP20H50, PP16H44	XP26 ⁸²⁵⁰	26	.025	w/B&S 8 h.p.	XST458	458	.030
PP925ZX, PP950ZX	XST3924	3924	.030	w/B&S 5.5 & 8 h.p. Intek OHV	XST3924	3924	.030
w/B&S "L" Head Engs.	XST458	458	.030	w/B&S 31 & 35 h.p. Vanguard (V- Twin)	XST3926	3926	.030
w/B&S 13.5, 15, 15.5, 17 & 17.5 h.p. OHV	XST3924	3924	.030	w/Honda 5.5, 8 & 13 h.p. OHV	XST4265	4265 ⁸²⁴⁸	.030
w/B&S 16, 20, 22 & 24 h.p. Vanguard (V-Twin)	XST3926	3926	.030	w/Kohler 20 & 25 h.p. (V-Twin)	XST3924	3924	.030
w/B&S 17, 18.5 & 19.5 h.p. Intek	XST3924	3924	.030	POWER TRIM			
w/B&S 18, 20, 24, 25 & 26 h.p. Intek (V-Twin)	XST3924	3924	.030	Edgers			
w/B&S 18 h.p. ELS OHV	XST3924	3924	.030	w/B&S 2, 3 & 3.5 h.p.	XST458	458	.030
w/B&S 22, 24 & 26 h.p. ELS (V-Twin)	XST3924	3924	.030	w/Honda 2.2 & 2.5 h.p.	XST258	258	.030
w/Kohler 14 h.p. OHV	XST3924	3924	.040	w/Honda 3.5 & 4 h.p. OHV	XST4265	4265 ⁸²⁴⁸	.030
w/Kohler 19 & 20 h.p. Courage DOHC	XST3924	3924	.030	POWER VAC			
w/Kohler 16, 18 & 20 h.p. (Twin)	XP26 ⁸²⁵⁰	26	.025	All Models	XST255	255	.025
w/Kohler 18, 20, 23 & 25 h.p. (V-Twin)	XST3924	3924	.030	POWER WAGON			
w/Tec. 13, 14.5 & 16.5 h.p. OHV	XST4055	4055 ⁸²⁴⁸	.030	w/B&S 5 h.p.	XST458	458	.030
POWER BARROW				POWER WOLF			
Wheelbarrows				Firewood Conveyors, Log Splitters & Utility Vehicles			
w/Honda 5.5 h.p. OHV	XST4265	4265 ⁸²⁴⁸	.030	w/B&S 5 h.p.	XST458	458	.030
POWER DOG				w/Honda 5.5 h.p. OHV	XST4265	4265 ⁸²⁴⁸	.030
Brush Mowers & Tillers				w/Kawasaki 13 h.p. OHV (V-Twin) ..	XST2976	2976	.025
w/Honda 9 & 13 h.p. OHV	XST4265	4265 ⁸²⁴⁸	.030	w/Kawasaki 19 & 25 h.p. OHV (V-Twin)	XST4265	4265 ⁸²⁴⁸	.025
w/Robin 9 h.p. OHV	XS4093 ⁸²⁵²	4093 ⁸²⁴⁸	.025	POWR KRAFT (See Montgomery Ward)			
POWERHORSE				POW-R-TRAK			
Log Splitters				Garden Tractors			
All Models	XS63 ⁸²⁵²	63	.030	All Models	XST458	456	.025
POWER KING				PRESEEDER			
Garden Tractors				Power Rake			
w/B&S Engs.	XST458	458	.030	w/Honda 13 h.p. OHV	XST4265	4265 ⁸²⁴⁸	.030
w/Kohler 12 & 14 h.p.	----	216	.030	PRIZELAWN			
w/Kohler 16, 17 & 18 h.p. (Twin)	XP26 ⁸²⁵⁰	26	.025	Spreaders			
w/Kohler 18, 20 & 22 h.p. (V-Twin) ..	XST3924	3924	.030	w/B&S 8.25 & 11 h.p. OHV	XST3924	3924	.020
POWER PRINCE				w/Honda 6 h.p. OHV	XST4265	4265 ⁸²⁴⁸	.030
Edger/Trimmers	XST458	295	.030	w/Kohler 13 h.p. OHV	XST3924	3924	.040
POWER PRUNER				PRO BLOW			
Tree Trimmers				Blowers			
PP600	XST2554	2554	.025	w/B&S 8 h.p.	XST458	458	.030
PP446ET, PP800	XST2974	2974	.025				
PP1200, PP1250, PP1400, PP1600 ..	XST2976	2976	.030				



Se Section 9 pour les remarques en français en bas de page. Ver Seccion 9 para las páginas de notas de pie de página en español. ⁸²⁴⁸ Tapered electrode design ⁸²⁴⁹ Single Platinum ⁸²⁵⁰ Xtreme Performance ⁸²⁵² Xtreme Sport

Small Engine - Lawn & Garden Equipment

	XTREME START™	STANDARD STANDARD ESTANDAR	GAP ÉNCARTMENT ESPACIO		XTREME START™	STANDARD STANDARD ESTANDAR	GAP ÉNCARTMENT ESPACIO
PRO BLOW (Cont'd) Blowers (Cont'd) w/Kohler 8 h.p. --- 216 .030				QUICK-SPLIT Log Splitters w/B&S Engs. XST458 458 .030 w/Tec. Engs. XST458 458 .030			
PROBST Sweepers w/Honda 5 h.p. OHV XST4265 4265 ⁸²⁴⁸ .030				QUINSTAR Riding Mowers w/B&S 8 h.p. & 12 h.p. XST458 458 .030 w/B&S 14 h.p. Vanguard (V-Twin) ... XST3926 3926 .030			
PRO CHOPPER Bale Chopping/Mulching Machine w/B&S 16 h.p. Vanguard (V-Twin) ... XST3926 3926 .030 w/Honda 13 h.p. OHV XST4265 4265 ⁸²⁴⁸ .030				RALLY Riding Mowers & Tillers w/B&S 3, 3.5 & 5 h.p. XST458 458 .030 w/B&S 10, 11, 12 & 12.5 h.p. XST458 458 .030 w/B&S 14 h.p. OHV XST3924 3924 .030 w/B&S 14 & 18 h.p. (Twin) XST458 458 .030 w/Tec. 12.5 h.p. AP425 ⁸²⁴⁹ 425 .030			
PROGRESSIVE TURF Remote Mowers Slope-Pro w/Kohler 29 h.p. Command Pro EFI (V-Twin) XST3924 3924 .040				RAM Chippers, Log Splitters & Stump Grinders w/B&S 5 & 8 h.p. XST458 458 .030 w/Honda 5, 8, 13 & 20 h.p. OHV XST4265 4265 ⁸²⁴⁸ .030 w/Kohler 12, 16 & 20 h.p. --- 216 .030 w/Kohler 13 h.p. XST3924 3924 .030 w/Kohler 20 & 25 h.p. (V-Twin) XST3924 3924 .030 w/Wisc. 35 h.p. --- 386 .025			
PRO HIGH WHEEL Mowers w/B&S Engs. XST458 458 .030 w/Tec. 5.5 h.p. XST458 458 .030				RANGER Riding Mowers Ranger V, VII --- 216 .030			
PRO INC Edgers & Trimmer/Mowers w/B&S Engs. XST458 458 .030 w/Tec. Engs. XST458 458 .030				RANSOMES Blowers, Mowers & Vacuums w/B&S "L" Head Engs. XST458 458 .030 w/B&S 16 h.p. Vanguard (V-Twin) ... XST3926 3926 .030 w/B&S 18 h.p. (Twin) XST458 458 .030 w/Ford 1.1L Engs. XST4265 4265 ⁸²⁴⁸ .035 w/Honda 4, 5.5 & 11 h.p. OHV XST4265 4265 ⁸²⁴⁸ .030 w/Kawasaki 12.5 h.p. XST255 255 .030 w/Kawasaki 14 h.p. OHV XST4265 4265 ⁸²⁴⁸ .030 w/Kawasaki 17 h.p. (V-Twin) XST2976 2976 .030 w/Kohler 12.5 & 15 h.p. OHV XST3924 3924 .040 w/Kohler 14 & 16 h.p. --- 216 .030 w/Kohler 18 & 20 h.p. (Twin) XP26 ⁸²⁵⁰ 26 .025 w/Kohler 18, 20, 22 & 25 h.p. (V-Twin) XST3924 3924 .030 w/Onan 24 h.p. (Twin) AP106 ⁸²⁴⁹ 106 .025 w/Tec. 11 h.p. OHV XST4055 4055 ⁸²⁴⁸ .030 Edger/Trimmers XST255 255 .030			
PRO-MASTER Reel & Riding Mowers & Sweepers w/B&S Engs. XST458 458 .030 w/B&S 16 h.p. Vanguard (V-Twin) ... XST3926 3926 .030 w/Honda 3.5, 4, 5 & 5.5 h.p. OHV ... XST4265 4265 ⁸²⁴⁸ .030 w/Kawasaki 12.5 h.p. XST255 255 .025 w/Kaw. 17 h.p. OHV XST4265 4265 ⁸²⁴⁸ .030 w/Kohler 4 h.p. XST458 458 .030 w/Kohler 14 h.p. OHV XST3924 3924 .040 w/Kohler 16, 18 & 20 h.p. (Twin) XP26 ⁸²⁵⁰ 26 .025				RAPID w/B&S 8 & 12 h.p. XST458 458 .030 w/B&S 13 h.p. Vanguard XST3924 3924 .030 w/Honda 9 h.p. OHV XST4265 4265 ⁸²⁴⁸ .030			
PRO-STAR Riding Mowers w/Kohler 18 & 20 h.p. (Twin) XP26 ⁸²⁵⁰ 26 .025				RAPTOR Utility Vehicles w/B&S 14 & 16 h.p. Vanguard (V-Twin) XST3926 3926 .030 w/Kohler 14 h.p. OHV XST3924 3924 .030 w/Kohler 25 h.p. (V-Twin) XST3924 3924 .030			
PRO-VAC Lawn Vacuums w/B&S Engs. XST458 458 .030 w/Robin EY18W Engs. AP425 ⁸²⁴⁹ 425 .030							
PUG Utility Vehicles w/Kohler 20 h.p. (V-Twin) XST3924 3924 .030							
PULLMAN Vacuum Cleaners XST255 255 .030							
QUICK Garden Tractors All Models XST458 456 .025							



Se Section 9 pour les remarques en français en bas de page. Ver Seccion 9 para las páginas de notas de pie de página en español. ⁸²⁴⁸ Tapered electrode design ⁸²⁴⁹ Single Platinum ⁸²⁵⁰ Xtreme Performance

Small Engine - Lawn & Garden Equipment

	XTREME START™	STANDARD ESTANDAR	GAP ENCARTMENT ESPACIO		XTREME START™	STANDARD ESTANDAR	GAP ENCARTMENT ESPACIO
RAYCO				RED MAX (Cont'd)			
Concrete Buggys				Blowers (Cont'd)			
w/Honda 13 h.p. OHV	XST4265	4265 ⁸²⁴⁸	.030	EBZ7100, EBZ7100RH, EBZ8001, EBZ8001RH	----	4194	.025
Log Splitters				EBZ8000, EBZ8000-RH	----	4194	.025
w/Honda 13 h.p. OHV	XST4265	4265 ⁸²⁴⁸	.030	HB260	XST2976	2976	.025
Stump & Root Cutters				HB250, HB2300	XST2974	2974	.025
w/B&S 31 h.p. Vanguard	XST3926	3926	.030	HBZ2600	----	4194	.025
w/Honda 9 & 13 h.p. OHV	XST4265	4265 ⁸²⁴⁸	.030	HBZ2601	XST2974	2974	.025
w/Honda 20 h.p. (V-Twin)	XST4265	4265 ⁸²⁴⁸	.030	Brushcutters & Trimmers			
w/Kohler 12 h.p.	----	216	.030	BC220, BC220DL, BC221, BC225DL, BC260, BC262	XST2976	2976	.025
w/Kohler 13 h.p. Command	XST3924	3924	.030	BC250, BC250S, BC260DL, BC261DL	XST2974	2974	.025
w/Kohler 20 h.p. (Twin)	XP26 ⁸²⁵⁰	26	.025	BC340, BC340DL, BC342DL, BC440, BC442	XST2976	2976	.025
w/Kohler 20 & 25 h.p. (V-Twin)	XST3924	3924	.030	BC340, BC442 (C.A.R.B)	XST2974	2974	.025
w/Wisc. W4-1770 35 h.p.	----	386	.030	BC340DL, BC341DL, BC342DL, BC430DWM	XST2976	2976	.025
				BC440DWM, BC441DWM, BC442DWM	XST2976	2976	.025
				BC2000, BC2001, BC2300	XST2974	2974	.025
				BC2001DL, BC2300DL, BC2301S, BC2601DL	XST2976	2976	.025
				BC2200E, BC2200LDC	XST255	255	.025
				BC2600, BC2600DL, BT2000DL	XST2974	2974	.025
				BC3400DL, BC3401DL, BC4200DWM	XST2976	2976	.025
				BC4400DW, BC4401DW, BC4600DW	XST2976	2976	.025
				BCZ2400, BCZ2400S, BCZ2500S, BCZ2500SU, BCZ2500SW	XST2974	2974	.025
				BCZ2401S	----	4194	.025
				BCZ2600S, BCZ600SU, BCZ600SW	----	4194	.025
				BCZ2601, BCZ2601S, BCZ2601, BCZ2610S	XST2974	2974	.025
				BCZ3000S, BCZ3001S, BCZ3001SW	----	4194	.025
				BL220DL, BC200DL, BC260DL	XST255	255	.025
				BT17, BT171, BC200, BT200, BT220	XST255	255	.025
				BT250, BT250F	XST2974	2974	.025
				BT2201, BT2200LDC, BT225F	XST2976	2976	.025
				BT221, BT2000	XST255	255	.025
				EXZ2500S, HEZ2500S, PSZ2500	XST2974	2974	.025
				SGC220DL	XST255	255	.025
				SGC2300DL, SGCX2600, SGCX2600S, SGCZ2500, SGCZ2500S	XST2974	2974	.025
				SGCZ2401, SGCZ2401S	----	4194	.025
				TR2300S, TR2301S	XST2974	2974	.025
				Hedge Trimmers			
				CHT230, CH232, CH232L	XST255	255	.025
				CHT300, CHT2200, CHT2300, CHT2300L, CHT2301	XST2974	2974	.025
				CHTZ2400, CHTZ2400L, CHTZ2401, CHTZ2401L	----	4194	.025
				CHTZ2500	----	4194	.025
				HT230, HT231, HT232, HT232L	XST255	255	.025
				HT2200, HT2300, HT2300L, HT2301, LRT22500, SRTZ2500	XST2974	2974	.025
				HTZ2400, HTZ2400L, HTZ2401, HTZ2401L	----	4194	.025
				HTZ2500	----	4194	.025
				LRT-A2, SRTZ2401, SRTZ2401L	----	4194	.025
				Multi-Unit			
				EXZ2500S-BC Extreme	----	4194	.025
RB MANUFACTURING							
Material Handlers							
w/B&S 3.5 h.p.	XST458	458	.030				
RED-E							
Garden Tractors							
14mm Heads	XST458	295	.025				
18mm Heads	----	386	.025				
RED-E-HOT							
Heaters	----	216	.025				
REDDICK							
Sprayers							
w/B&S OHV Engs.	XST3924	3924	.030				
w/Honda OHV Engs.	XST4265	4265 ⁸²⁴⁸	.030				
REDDY							
Heaters	XS85 ⁸²⁵²	85	.025				
RED HAWK							
Mowers							
w/B&S 6.75 h.p. Intek OHV	XST3924	3924	.030				
w/B&S 10.5 h.p. OHV	XST3924	3924	.030				
w/Kohler 15 & 18 h.p. Command	XST3924	3924	.030				
REDLINE							
Trimmers	XST2974	2974	.030				
RED MAX							
Augers & Drills							
AG230, AG2300, EDG230	XST255	255	.025				
AG431, HE260, HE261, RE220	XST2976	2976	.025				
AG2300, AG4300, EDG2300, EDG2300R, EDG2300RV	XST2974	2974	.025				
Blowers							
EB430, EB431, EB440, EB441	XST254	303	.025				
EBA430, EBA431, EBA440, EBA4400, EB4401	XST254	303	.025				
EB6200, EB7000, EB7001, EB7001LH, EB7001-RH, EDG2300	XST2974	2974	.025				
EBZ3000RH, EBZ5100, EBZ5100Q, EBZ5100RH	----	4194	.025				
EBZ5000Q, EBZ5000-RH	----	4194	.025				
EBZ51000, EBZ5100Q, EBZ5001RH	----	4194	.025				



Se Section 9 pour les remarques en français en bas de page. Ver Section 9 para las páginas de notas de pie de página en español. ⁸²⁴⁸ Tapered electrode design ⁸²⁵⁰ Xtreme Performance ⁸²⁵² Xtreme Sport

Small Engine - Lawn & Garden Equipment

	XTRME START™	STANDARD STANDARD ESTANDAR	GAP ENCARTMENT ESPACIO		XTRME START™	STANDARD STANDARD ESTANDAR	GAP ENCARTMENT ESPACIO
RED MAX (Cont'd)				RITCHIE BESTWAY			
Pruners				Sprayers			
LRT2300	XST2974	2974	.025	w/B&S 5 & 11 h.p.	XST458	458	.030
LRTZ22401, SRTZ2401, SRTZ2401F	----	4194	.025	w/Honda 5 & 11 h.p. OHV	XST4265	4265 ⁸²⁴⁸	.030
Reciprocating Edgers & Brooms				w/Kawasaki 5.2 h.p.			
HEZ225F, HEZ2200LDC, HEZ2600, HE2601	XST2974	2974	.025	RIVER BEND INDUSTRIES			
HEZ250F	XST2974	2974	.025	Deicers & Sprayers			
HEZ2500F, HEZ2500S, RMSZ2500	XST2974	2974	.025	w/Honda 3 h.p. OHV	----	4194	.030
HEZ2401S	----	4194	.025	w/Honda 5, 5.5, 9 & 11 h.p. OHV	XST4265	4265 ⁸²⁴⁸	.030
HEZ2601F, HEZ2601S, HEZ2602S	XST2974	2974	.025	R & K			
HEZ3001S	----	4194	.025	Sprayers			
RE220	XST255	255	.025	w/Honda 4, 5.5, 8 & 13 h.p. OHV	XST4265	4265 ⁸²⁴⁸	.030
RMSZ2500	----	4194	.025	ROBIN			
SGC220	XST2976	2976	.025	Blowers			
Tillers				FL40			
CV225	XST2974	2974	.025	FL231, FL251V, FL411	XS4093 ⁸²⁵²	4093 ⁸²⁴⁸	.025
RED MULE				FL260			
14mm Heads	XST458	295	.030	FL500	XST2976	2976	.025
18mm Heads	----	386	.030	Brushcutters			
REED				BP253 (Sickle Bar)			
Earth Drills				NB02, NB02-2A/B, NB020A			
w/Ford Eng.	AP124 ⁸²⁴⁹	124	.030	NB03, NB03-2D	XST255	255	.025
REGENT				NB04, NB04-2D/E/F, NB034			
Riding Tractors				NB16, NB211/A/AV/AW			
w/B&S 16 & 18 h.p. Vanguard (V-Twin)	XST3926	3926	.030	NBT415	XST2974	2974	.025
REINCO				Grass Trimmers & Edgers			
Hydrograssers & Power Mulchers				BE26X, BE221, BE221X, NB26, NB26AU, NB020A			
w/B&S 18 h.p. Vanguard (V-Twin) ...	XST3926	3926	.030	BEH250	XST255	255	.025
w/Chry. 105 cid Eng.	XS63 ⁸²⁵²	4263 ⁸²⁴⁸	.025	BEH2500, BH2500, BH2500A, BH2500AU (4-Cycle)	----	4194	.025
w/Chry. 318 & 360 cid Eng.	XST4265	4265 ⁸²⁴⁸	.035	BH3500, BH3500AU, BH3500AU-E, BH-K3500, BH3600, BH3600AU (4-Cycle)	----	4194	.025
w/Ford 192 cid Eng.	----	216	.025	NB50L, NB27, NB27AU, NB31	XST255	255	.025
w/Ford 200, 240, 250 & 300 cid Eng.	AP124 ⁸²⁴⁹	124	.030	NB223, NB231C, NB253, NBF252-1, NB351	XST2976	2976	.025
w/Hercules G1600	XST254	303	.025	NB253, NB281, NB281AU	XST255	255	.025
w/Kohler 14 h.p.	----	216	.030	NB321, NB321A, NB321AU	XST254	254	.025
w/Kohler 14 h.p. OHV	XST3924	3924	.040	NB321A, NB31AU, NB223, NB252, NBF252	XST255	255	.025
w/Kohler 20 h.p. (Twin)	XP26 ⁸²⁵⁰	26	.025	NB411, NB411L, NB411LE, NB2250Z, NBK411, NF411	XST2976	2976	.025
w/Kohler 20 h.p. (V-Twin)	XST3924	3924	.030	NB2001A, NB2200A, NB2200AU, NB2450	XST255	255	.025
w/Wisc. 30 & 35 h.p.	----	386	.025	NB2501A, NB2501AU, NB2501HA, NB2501HAU	XST255	255	.025
REMINGTON				NB2050, NB2250Z, NB2950, NB2950AU			
Clodbuster Tillers				NBF171, NB211C, NB231C, NB251, NBF251, NBF252, NBKT415, NBT415			
.....	XST255	255	.030	Hedge Trimmers			
RICH				BP2501H, BP2501Z			
Convertible Mowers				HT02B			
w/Kawasaki 17 h.p. OHV	XST4265	4265 ⁸²⁴⁸	.030	HT200L, HT231, HT231-40, HT231L	XST2976	2976	.025
w/Kawasaki 17 & 19 h.p. (V-Twin) ...	XST2976	2976	.030	HT221, HT750, HT750-40	XST255	255	.025
w/Kohler 17, 20, 22 & 25 h.p. (V-Twin)	XST3924	3924	.030	HT250, HT250A, HT250L, HT250LA	XST255	255	.025
w/Kohler 28 h.p. EFI (V-Twin)	XST3924	3924	.030	HT491WV	XST255	255	.025
RING SAW CO.				HT601, HT751, HT751-40			
w/Chry. 50014	XST255	255	.030	Power Dusters			
RISTON				FB04, FH03, FH04, FH03-3A			
Edgers				XS4093 ⁸²⁵²			
.....	XST255	255	.025	4093 ⁸²⁴⁸			



Se Section 9 pour les remarques en français en bas de page. Ver Sección 9 para las páginas de notas de pie de página en español. ⁸²⁴⁸ Tapered electrode design ⁸²⁴⁹ Single Platinum ⁸²⁵⁰ Xtreme Performance ⁸²⁵² Xtreme Sport

Small Engine - Lawn & Garden Equipment



	XTREME START™	STANDARD STANDARD ESTANDAR	GAP ENCARTMENT ESPACIO		XTREME START™	STANDARD STANDARD ESTANDAR	GAP ENCARTMENT ESPACIO
ROBIN (Cont'd)				ROPER			
Power Dusters (Cont'd)				Garden Tractors, Log Splitters & Tillers			
FH04-2A, NF03, NF03-2AD	XS4093 ⁸²⁵²	4093 ⁸²⁴⁸	.025	Log Splitters	XST255	255	.030
NF04, NF04-SA/SB, PS04	XS4093 ⁸²⁵²	4093 ⁸²⁴⁸	.025	w/B&S Engs.	XST458	458	.030
NF40, NF411BDM, NF500, RS450, SDE041	XST2976	2976	.025	w/Kohler 18 h.p.	----	216	.030
RS02, RS02B, RS-O41401	XST255	255	.025	w/Onan BF, BG, B48M	----	437	.025
RS03, RS03-3A, RS04	XS4093 ⁸²⁵²	4093 ⁸²⁴⁸	.025	w/Onan N52, B48G	AP106 ⁸²⁴⁹	106	.025
RS04-2A	XS4093 ⁸²⁵²	4093 ⁸²⁴⁸	.025	w/Tec. Engs.	XST458	458	.030
RS-HP2620H (4-Cycle)	XST255	255	.030	ROTA-TRIM			
Pumps				Edger/Trimmers			
EC04ER, EC041ETR, SDE041	XST2976	2976	.025	w/B&S Engs.	XST458	458	.030
SDE04, SD04-2B	XS4093 ⁸²⁵²	4093 ⁸²⁴⁸	.025	ROTAVATOR			
SD06, SD06-B, SP06B	AP425 ⁸²⁴⁹	425	.025	w/Kohler 6.25 h.p.	XST458	458	.030
SDT250, SDT400	XST255	255	.025	w/Wisc. Engs.	----	386	.030
ROBUSH				ROTOETTE			
Log Splitters				14mm Heads			
w/B&S Engs.	XST458	458	.030		XST458	295	.030
ROCKET				18mm Heads			
Tillers					----	386	.030
w/B&S Engs.	XST458	458	.030	ROTO-HOE			
ROCK VAC				Blowers, Chipper/Mulchers, Log Splitters, Sprayers, Tillers & Vacuums			
Vacuums				w/B&S "L" Head Engs.			
w/Honda 24 h.p. (V-Twin)	XST4265	4265 ⁸²⁴⁸	.030		XST458	458	.030
ROKON				w/Kohler 8 h.p. (K181)			
Garden Tractors					XST458	458	.030
MKIII, MKIV, Moto-Tractor	AP425 ⁸²⁴⁹	425	.030	w/Kohler 8 h.p. (M8)	----	216	.030
MT-670, MT-850	AP425 ⁸²⁴⁹	425	.030	w/Tec. Engs.	XST458	458	.030
ROLOFF				ROTOTILLER			
Versa-Tool				14mm Heads			
	XST458	456	.030		XST458	295	.030
ROME GARDENER				14mm Heads			
Garden Tractors					XST458	295	.030
All Models	----	3076	.025	ROW BUSTER			
ROOF				Tillers			
Mowers & Trimmers				w/B&S Engs.			
Piranha w/Tec. 4 & 6 h.p.	XST458	458	.030		XST458	458	.030
w/B&S "L" Head Engs.	XST458	458	.030	ROYAL POINT			
w/B&S 6 h.p. Intek OHV	XST3924	3924	.030	Dethatchers			
w/B&S 9 h.p. Vanguard	XST3924	3924	.030	w/Honda 13 h.p.	XST4265	4265 ⁸²⁴⁸	.030
w/Clinton Engs.	XST458	295	.025	ROYER			
w/Honda 9 h.p. OHV	XST4265	4265 ⁸²⁴⁸	.030	Composters, Shredders			
w/Kawasaki 5 & 9 h.p. OHV	XST4265	4265 ⁸²⁴⁸	.030	w/B&S Engs.	XST458	458	.030
w/Kohler Engs.	XST458	295	.030	RYAN			
w/Tec. Engs.	XST458	458	.030	Turf Equipment			
w/Wisc. Engs.	----	386	.030	w/B&S "L" Head Engs.	XST458	458	.030
ROOT				w/B&S 6.5 & 8 Intek OHV			
Garden Tractors					XST3924	3924	.030
	XST458	295	.030	w/B&S 5.5, 6, 7 & 7.5 h.p. Vanguard	XST3924	3924	.030
Tillers					XST4265	4265 ⁸²⁴⁸	.032
	XST255	255	.030	w/Honda 4, 5.5 & 6.5 h.p. OHV	XST4265	4265 ⁸²⁴⁸	.030
ROOT-LOWELL					XST458	295	.030
Sprayers					XST4265	4265 ⁸²⁴⁸	.030
w/B&S Engs.	XST458	458	.030	w/Kawasaki 7 h.p.	XST458	295	.030
ROPER					XST4265	4265 ⁸²⁴⁸	.030
Garden Tractors, Log Splitters & Tillers					----	216	.030
Log Splitters					XST3924	3924	.040
w/B&S Engs.					XST3924	3924	.030
w/Kohler 18 h.p.					XP26 ⁸²⁵⁰	26	.025
w/Onan BF, BG, B48M					XST2956	2956	.030
w/Onan N52, B48G					----	386	.025
w/Tec. Engs.							

Se Section 9 pour les remarques en français en bas de page. Ver Seccion 9 para las páginas de notas de pie de página en español. ⁸²⁴⁸ Tapered electrode design ⁸²⁴⁹ Single Platinum ⁸²⁵⁰ Xtreme Performance ⁸²⁵² Xtreme Sport

Small Engine - Lawn & Garden Equipment



	XTREME START™	STANDARD STANDARD ESTANDAR	GAP ENCARTMENT ESPACIO		XTREME START™	STANDARD STANDARD ESTANDAR	GAP ENCARTMENT ESPACIO
RYOBI				SACHS			
Blower/Vacuums & Cultivators				Brush Cutters			
280r, 310r, 310BVr, 410r, RGBV3100	XST2956	2956	.030	w/Kawasaki Eng.	XST255	255	.030
290r, 340BV	XST2554	2554	.030	SAK-VAC			
510r (4-Cycle)	----	5438	.025	Vacuums			
Trimmers				w/B&S 5 h.p.	XST458	458	.030
RD260, RD330, RD420	XST255	255	.030	w/Kawasaki 5.2 h.p.	XST255	255	.030
600r, 700r, 700r-CA, 704r, 704rVP, 705r, 705-CA, 710r, 720r, 720Er ..	XST2956	2956	.030	SALSCO			
725r, 750r, 768r, 775r, 775r-AST, 790r, 790r-AST	XST2554	2554	.030	Aerators, Asphalt Pavers, Bale Wrappers, Blowers, Chipper/Shredders, Curbers, Dethatchers, Greens Rollers, Pavement Routers, Rotary Brooms, Slicer/Seeders, Straw Blowers, Utility Vehicles & Vacuums			
740r, 760r, 765r, 765r-EZ, 766r	XST2956	2956	.030	w/B&S "L" Head Eng.	XST458	458	.030
767r, 767r-CA, 767rJ, 770r, 780r, 865r, 855r	XST2956	2956	.030	w/B&S 16 h.p. Vanguard (V-Twin) ...	XST3926	3926	.030
825r, 875r, 890r (4-Cycle)	----	5438	.025	w/Ford 300 cid Eng.	AP124 ⁸²⁴⁹	124	.025
920r, 920Er, 925r, 960r, 970r, 990r ..	XST2554	2554	.030	w/Ford 140 cid Eng.	XP104 ⁸²⁵⁰	104	.030
1075r, 1079r, 1090r (4-Cycle)	----	5438	.025	w/Honda 5.5, 8, 9 & 13 h.p. OHV	XST4265	4265 ⁸²⁴⁸	.030
1090r, 2065r, 2085r (4-Cycle)	----	5438	.025	w/Kawasaki 7.5 h.p.	----	275	.030
2075r, 2079r, 2090r	XST2974	2974	.030	w/Kohler 10 14, & 12 h.p.	----	216	.030
w/Pro4Mor Eng. (4-Cycle)	----	5438	.025	w/Kohler 12.5 h.p. OHV	XST3924	3924	.040
S & H				w/Kohler 16 h.p. (Twin)	XP26 ⁸²⁵⁰	26	.025
Edgers & Trimmers				w/Kohler 20 & 25 h.p. (V-Twin)	XST3924	3924	.030
w/B&S Eng.	XST458	458	.030	w/Wisc. 30, 35, 37 & 50 h.p.	----	386	.030
w/Honda 3 & 5 h.p. (G150 & G200) ..	AP425 ⁸²⁴⁹	2656	.030	w/Wisc. 65 h.p.	XST4265	4265 ⁸²⁴⁸	.025
w/Kohler 4 h.p.	XST458	458	.030	SARLO			
S & R PRO CHIP				Brushcutters/Trimmers			
Chippers				BC-8, CS-16, SS-18	XST2554	2554	.030
w/B&S 18 h.p. Vanguard (V-Twin) ...	XST3926	3926	.030	Mowers			
w/Honda 18 & 20 h.p. OHV	XST4265	4265 ⁸²⁴⁸	.030	w/B&S 10.5, 11.5, 12.5, 14.5 & 15 h.p. OHV	XST3924	3924	.030
w/Kawasaki 20 h.p. (Liquid V-Twin) ..	XST258	258	.030	w/Kohler 12.5 & 15 h.p. OHV	XST3924	3924	.040
w/Kohler 18 & 25 h.p. (V-Twin)	XST3924	3924	.030	w/Kawasaki 12.5 h.p. OHV	XST258	258	.025
SABRE				Trimmer/Mowers			
Lawn Tractors				w/B&S "L" Head Eng.	XST458	458	.030
1338, 1338GS, 1438GS, 1438HS, 14.542GS, 1538	XST3924	3924	.030	w/B&S 6.75 h.p. Intek OHV	XST3924	3924	.030
1538GS, 1538HS, 1542GS, 1542HS, 1546, 1546GS	XST3924	3924	.030	w/Honda 4, 5 & 13 h.p. OHV	XST4265	4265 ⁸²⁴⁸	.030
1642GS, 1642HS, 1646, 1646HS, 1642HV	XST3924	3924	.030	w/Kawasaki 9 & 9.5 h.p. OHV	XST4265	4265 ⁸²⁴⁸	.030
1638HS, 1642HV, 1646GS, 1646HS, 1646HV	XST3926	3926	.030	w/Kawasaki 12.5 h.p. OHV	XST258	258	.025
1742GS, 1742HS, 17.542HS, 2046HV	XST3924	3924	.030	w/Kohler 4 & 8 h.p.	XST458	458	.030
1842GV, 1842HV, 1846HV, 1848GV, 1848HV, 2048HV	XST3926	3926	.030	SCAG			
1948GV, 1948HV	XST3924	3924	.030	Edgers & Riding Mowers			
2148HV, 2354HV, 2554HV	XST3924	3924	.030	w/B&S "L" Head Eng.	XST458	458	.030
2254HV, 2554HV	XST3924	3924	.030	w/B&S 16, 18, 20, 23, 31, 32 & 35 h.p. Vanguard (V-Twin)	XST3926	3926	.030
w/B&S 13, 14 & 15 h.p. OHV	XST3924	3924	.030	w/B&S 18 h.p. (Twin)	XST458	458	.030
w/B&S 16, 18 & 20 h.p. Vanguard (V-Twin)	XST3926	3926	.030	w/B&S 19, 20, 24, 26 & 28 h.p. ELS (V-Twin)	XST3924	3924	.030
w/B&S 14.5, 15.5 & 17 h.p. Intek OHV	XST3924	3924	.030	w/B&S 20, 26 & 28 h.p. Professional Series (V-Twin)	XST3924	3924	.030
w/B&S 20 & 22 h.p. Intek OHV (V-Twin)	XST3924	3924	.030	w/B&S 31 & 35 h.p. Vanguard (Liquid Cooled)	XST3924	3924	.030
w/Kohler 17 h.p.	XST3924	3924	.030	w/Honda 16, 18 & 24 h.p. (V-Twin) ..	XST4265	4265 ⁸²⁴⁸	.030
w/Kohler 19, 21, 23 & 25 h.p. OHV (V-Twin)	XST3924	3924	.030	w/Kawasaki 12.5 h.p.	XST255	255	.030
SACHS				w/Kawasaki 14 h.p.	AP425 ⁸²⁴⁹	425	.025
Brush Cutters				w/Kawasaki 15 h.p. (V-Twin)	XST2976	2976	.025
w/Kawasaki Eng.	XST255	255	.030	w/Kawasaki 15, 16, 17 & 19 h.p. KAI (V-Twin)	XST2976	2976	.025
SAK-VAC				w/Kawasaki 17, 18, 19, 20 & 21 h.p. (V-Twin)	XST4265	4265 ⁸²⁴⁸	.025
Vacuums				w/Kawasaki 23, 24, 25, 26, 29 & 31 h.p. (V-Twin)	XST4265	4265 ⁸²⁴⁸	.025
w/B&S 5 h.p.	XST458	458	.030	Se Section 9 pour les remarques en français en bas de page. Ver Seccion 9 para las páginas de notas de pie de página en español.			
w/Kawasaki 5.2 h.p.	XST255	255	.030	8248 Tapered electrode design 8249 Single Platinum 8250 Xtreme Performance			

Small Engine - Lawn & Garden Equipment

	XTREME START™	STANDARD ESTANDAR	GAP ENCARTMENT ESPACIO		XTREME START™	STANDARD ESTANDAR	GAP ENCARTMENT ESPACIO
SCAG (Cont'd)				SEARS (See Craftsman)			
Edgers & Riding Mowers (Cont'd)				SELBRO			
w/Kawasaki 22 h.p. (Liquid Cooled V-Twin)	XST258	258	.025	Blowers & Shredders			
w/Kawasaki 27 h.p. (Liquid Cooled V-Twin)	AP66 ⁸²⁴⁹	66	.025	w/B&S 8 h.p.	XST458	458	.030
w/Kawasaki 26 & 29 h.p. (Liquid Cooled V-Twin)	XST4265	4265 ⁸²⁴⁸	.025	w/B&S 5 h.p. Intek OHV	XST3924	3924	.030
w/Kawasaki 34 h.p. (V-Twin)	XP64 ⁸²⁵⁰	64	.030	w/B&S 16 h.p. Vanguard	XST3924	3924	.030
w/Kohler 12.5, 13, 14 & 15 h.p. OHV	XST3924	3924	.040	w/Honda 8, 11 & 13 h.p. OHV	XST4265	4265 ⁸²⁴⁸	.030
w/Kohler 18 & 20 h.p. (Twin)	XP26 ⁸²⁵⁰	26	.025	w/Kohler 8 h.p.	----	216	.030
w/Kohler 25 h.p. LPG (V-Twin)	XST3924	3924	.020	w/Kohler 18 h.p. (Twin)	XP26 ⁸²⁵⁰	26	.025
w/Kohler 18, 20, 22, 23, 25, 27 & 30 h.p. (V-Twin)	XST3924	3924	.030	w/Kohler 18 & 25 h.p. (V-Twin)	XST3924	3924	.040
w/Kohler 23 & 31 h.p. (Liquid V-Twin)	XST3926	3926	.040	SENSATION			
w/Kubota 29 h.p. (LPG)	XST3926	3926	.020	Blowers & Rakers w/B&S Eng.	XST458	458	.030
w/Kubota 31 h.p.	XST3926	3926	.020	Edger-Trimmer	XST458	456	.025
SCHWARZE				Mowers			
Sweepers				w/B&S "L" Head Eng.	XST458	458	.030
w/Robin 22 h.p. OHV (V-Twin)	XS63 ⁸²⁵²	4263	.025	w/B&S 16 h.p. Vanguard (V-Twin) ...	XST3926	3926	.030
SCHWEISS				w/Honda 4, 5.5 & 11 h.p.	XST4265	4265 ⁸²⁴⁸	.030
Log Splitters, Riding Mowers, Sprayers & Tillers				SENTINEL			
w/B&S "L" Head Eng.	XST458	458	.030	Edgers, Garden Tractors & Tillers			
w/B&S 18 h.p. (Twin)	XST458	458	.030	w/B&S 12 h.p.	XST458	458	.030
w/Kohler 18 & 20 h.p. (Twin)	XP26 ⁸²⁵⁰	26	.025	w/B&S 12.5, 14 & 18 h.p. (Twin)	XST458	458	.030
w/Kohler 20 & 25 h.p. (V-Twin)	XST3924	3924	.030	w/B&S Vanguard Eng.	XST3926	3926	.030
w/Kohler 23 h.p. (V-Twin)	----	216	.030	w/Tec. 1.6 & 3 h.p.	XST2976	2976	.030
w/Onan 24 h.p. (Twin)	AP106 ⁸²⁴⁹	106	.025	SHARK TRIMMERS			
SCORPION				Trimmers			
Sprayers				w/Honda 4 & 5.5 h.p.	XST4265	4265 ⁸²⁴⁸	.030
w/B&S 3.7 h.p.	XST458	458	.030	SHAW DU-ALL			
w/Honda 2.5 h.p.	XST258	258	.030	w/7/8" Threads	----	3076	.025
SCOTTS				SHINDAIWA			
Cultivators, Edger/Trimmers & Riding Mowers				Blowers & Shredder/Vacuums			
F1016-000	XST2976	2976	.030	EB45, EB240, EB240S, EB480,			
F3009-000	XST458	458	.030	EB500, EB501, EB2510, 254	XST255	255	.030
F4315-050, F4315-070	XST458	458	.030	EB254, EB344, EB802, EB854,			
w/B&S 15 h.p.	XST458	458	.030	EB854RT, EB3410	----	4194	.030
w/B&S 17 h.p. Intek OHV	XST3924	3924	.030	EB212, EB630, EB630RT, EB63RT,			
w/B&S 20 h.p. Intek OHV (Twin)	XST3924	3924	.030	EB633RT, EB802, EB802RT,			
w/B&S Vanguard Eng.	XST3926	3926	.030	SV212	XST2974	2974	.030
w/Kohler 16 h.p. OHV	XST3924	3924	.030	EB8510, EB8520, EB8510RT,			
w/Kohler 17, 20, 23 & 25 h.p. OHV (V-Twin)	XST3924	3924	.030	EB8520RT	----	4194	.030
w/Tec. 1.6 h.p.	XST2976	2976	.030	Brushcutters			
w/Tec. 3.5 & 4 h.p.	XST458	458	.030	B35, BP35, B40, B45, B450, B530,			
SDI				SHINDAIWA			
Sprayers				Blowers & Shredder/Vacuums			
w/Honda 4, 5.5, 6, 8 & 13 h.p. OHV .	XST4265	4265 ⁸²⁴⁸	.030	BP450, C20, C25	XST255	255	.030
w/Kohler 6 h.p. OHV	XST3924	3924	.030	C27, C35, RC45, C230, C250, C270,			
w/Kohler 25 h.p. (V-Twin)	XST3924	3924	.030	C350, C3410	XST255	255	.030
w/Wisc. 35 & 37 h.p.	----	386	.030	C242, C260, C282, C2510	XST2976	2976	.030
SEAMAN				SHINDAIWA			
Rotary Tillers	XST458	295	.030	C2510	----	4194	.030
				Cultivators			
				CT2510			
				Edgers			
				LE230, LE231, LE250, LE260,			
				LE261			
				LE242, LE254, LE2510			
				Hedge Trimmers			
				22DH, AH230, AH231, AHS231,			
				AHS242			



Se Section 9 pour les remarques en français en bas de page. Ver Seccion 9 para las páginas de notas de pie de página en español. ⁸²⁴⁸ Tapered electrode design ⁸²⁴⁹ Single Platinum ⁸²⁵⁰ Xtreme Performance ⁸²⁵² Xtreme Sport

Small Engine - Lawn & Garden Equipment

	XTREME START™	STANDARD STANDARD ESTANDAR	GAP ENCARTMENT ESPACIO		XTREME START™	STANDARD STANDARD ESTANDAR	GAP ENCARTMENT ESPACIO
SHINDAIWA (Cont'd)				SIEDELHUBER			
Hedge Trimmers (Cont'd)				Garden Tractors			
AH254, AHS242, AHS254, AH2510, AHS2510	----	4194	.030	All Models	XST458	456	.025
DH212	XST2974	2974	.030	SIGNATURE			
DH230-24, DH230-30, DH230-40, DH231-24, DH231-30	XST255	255	.030	Chipper/Shredders, Cultivators, Edger/Trimmers & Lawn Tractors			
DH254-24, DH254-30, DH2510-24, DH2510-30	----	4194	.030	w/B&S 3.5, 5, 8 & 10 h.p.	XST458	458	.030
HT20-30, HT20-40	XST255	255	.030	w/B&S 11.5, 14.5 & 15.5 h.p.	XST458	458	.030
HT230-30, HT230-40, 22DH	XST255	255	.030	w/B&S 16, 18 & 20 h.p. Vanguard (V-Twin)	XST3926	3926	.030
HT231-30, HT231-40, 22DH	XST255	255	.030	w/Tec. 1.6 h.p.	XST2976	2976	.030
HT254-30, HT254-40, HT2510-30, HT2510-40	----	4194	.030	SIMPLICITY			
Multi-Tool System				Blowers, Brush Mowers, Chipper/Shredders, Riding Mowers, Tillers, Tractors, Vacuums & Walking Mowers			
M231, M254	XST255	255	.030	w/B&S "L" Head Engs.	XST458	458	.030
M242, M2510	XST2976	2976	.030	w/B&S OHV Engs.	XST3924	3924	.030
Power Brooms				w/B&S 5.5, 6, 6.5 & 7 h.p. Intek OHV	XST3924	3924	.030
PB27, PB270	XST2976	2976	.030	w/B&S 12.5, 13, 13.5, 14.5, 15, 15.5, 17, 17.5, 18.5 & 19.5 h.p. Intek OHV	XST3924	3924	.030
PB230	XST255	255	.030	w/B&S 11.5, 13, 15, 17 & 18 h.p. OHV	XST3924	3924	.030
PB2510, PB3410, PS344	----	4194	.030	w/B&S 13, 14, 15, 15.5 & 17 h.p. Vanguard	XST3924	3924	.030
Power Heads				w/B&S 12.5, 14, 16, 18, 20, 21 & 22 h.p. Vanguard (V-Twin)	XST3926	3926	.030
M230, M231	XST255	255	.030	w/B&S 24, 28, 30, 31 & 32 h.p. Vanguard (V-Twin)	XST3926	3926	.030
M2500	XST2976	2976	.030	w/B&S 17.5, 18.5 & 21 h.p. ELS OHV	XST3924	3924	.030
Pruners				w/B&S 18, 20 & 22 h.p. Intek OHV (V-Twin)	XST3924	3924	.030
P230, P231	XST255	255	.030	w/B&S 20, 22, 23, 24 & 26 h.p. ELS (V-Twin)	XST3924	3924	.030
Shredder/Vacuums				w/B&S 20, 22, 23, 24, 26 & 27 h.p. Professional Series (V-Twin)	XST3924	3924	.030
SV212	XST2974	2974	.030	w/B&S 24.5 h.p. Vanguard (Liquid Cooled)	XST3924	3924	.030
Sprayers				w/Honda 16 h.p. (V-Twin)	XST4265	4265 ⁸²⁴⁸	.030
ES726	XST255	255	.030	w/Kawasaki 15 h.p. (V-Twin)	XST2976	2976	.025
Trimmers				w/Kawasaki 17 h.p. OHV	XST4265	4265 ⁸²⁴⁸	.030
22F, 22T, 210, 220, F18, F20, F21, F230	XST255	255	.030	w/Kawasaki 20 h.p. (Liquid V-Twin)	XST258	258	.025
C254, C344	----	4194	.030	w/Kawasaki 27 h.p. (Liquid V-Twin)	AP66 ⁸²⁴⁹	66	.025
F195s, T195s	XST2974	2974	.030	w/Kohler 10, 14, 16 & 23 h.p.	----	216	.030
F222, T222	----	4194	.030	w/Kohler 12.5, 14, 15, 16 & 18 h.p. OHV	XST3924	3924	.040
T18, T20, T25, T27, T270, T272, T272X	XST255	255	.030	w/Kohler 17 & 20 h.p. (Twin)	XP26 ⁸²⁵⁰	26	.025
T230, T230 Limited, T230XB, T230XR, T231, T231B, T250, T350	XST255	255	.030	w/Kohler 18 & 20 h.p. OHC Courage	XST3924	3924	.040
T82, T242, T260, T260 Limited, T260B, T282	XST2976	2976	.030	w/Kohler 18, 20, 21, 23, 25 & 27 h.p. (V-Twin)	XST3924	3924	.030
T254, T344	----	4194	.030	w/Kohler 18 & 20 h.p. Courage DOHC	XST3924	3924	.030
T261, T261B, T270, T282, T2500, T2500X	XST2976	2976	.030	w/Kohler 23 h.p. (Twin)	----	216	.030
T2510	----	4194	.030	w/Kohler 23 & 27 h.p. Courage (V-Twin)	XST3924	3924	.030
T3410, T3410X	XST255	255	.030	w/Kohler 25 h.p. Courage (Twin)	XST3924	3924	.030
YW210, YW220, YW222	XST255	255	.030	w/Onan CCKB Engs.	----	216	.030
SHUR-SPLIT				Utility Vehicles			
Log Splitters				w/B&S 16 h.p. Vanguard (V-Twin)	XST3924	3924	.030
w/B&S Engs.	XST458	458	.030	SIMPSON			
w/Tec. Engs.	XST458	458	.030	4K Log Splitters			
SIDEWINDER				w/B&S 16 h.p. Vanguard (V-Twin)			
Bed Edgers, Brooms & Trenchers				w/B&S 16 h.p. Vanguard (V-Twin)			
w/Honda 13 h.p. OHV	XST4265	4265 ⁸²⁴⁸	.030	w/B&S 16 h.p. Vanguard (V-Twin)			
SIEBRING				w/B&S 16 h.p. Vanguard (V-Twin)			
Greenhouse Sprayers				w/B&S 16 h.p. Vanguard (V-Twin)			
w/Honda 8 & 13 h.p. OHV	XST4265	4265 ⁸²⁴⁸	.030	w/B&S 16 h.p. Vanguard (V-Twin)			



Se Section 9 pour les remarques en français en bas de page. Ver Seccion 9 para las páginas de notas de pie de página en español. ⁸²⁴⁸ Tapered electrode design ⁸²⁴⁹ Single Platinum ⁸²⁵⁰ Xtreme Performance

Small Engine - Lawn & Garden Equipment

	XTREME START™	STANDARD STANDARD ESTANDAR	GAP ENCARTMENT ESPACIO		XTREME START™	STANDARD STANDARD ESTANDAR	GAP ENCARTMENT ESPACIO
SINGER				SNAPPER (Cont'd)			
Blower/Vacs, Brushcutters, Tillers & Trimmers				Blowers, Chipper/Shredders, Edgers, Mowers, Tillers, Tractors, Vacuums & Waste Grinders (Cont'd)			
GBV28	XST2956	2956	.030	w/Kawasaki 13, 15, 17 & 19 h.p. (V-Twin)	XST2976	2976	.030
GC31, GBC2818, GT2815	XST2554	2554	.030	w/Kawasaki 18, 20, 21, 22, 23, 25, 26, 27 & 28 h.p. (V-Twin)	XST4265	4265 ⁸²⁴⁸	.025
GTE2818, GTS2816	XST2554	2554	.030	w/Kohler 12, 14 & 18 h.p.	----	216	.030
SKEET-DADDLE				w/Kohler 14, 15 & 18 h.p. OHV			
Insect Fogger				w/Kohler 18, 20, 22, 23, 25, 27 & 30 h.p. (V-Twin)			
w/Honda 1.5h.p. OHC	----	4194	.030	w/Kohler 18 h.p. Courage DOHC	XST3924	3924	.040
SKIBBE				w/Kohler 18 & 20 h.p. (Twin)			
Lawn & Garden Sprayers				w/Kubota 23 h.p.			
w/B&S Engs.	XST458	458	.030	w/Onan B43M, B48M	----	437	.030
w/Honda OHV Engs.	XST4265	4265 ⁸²⁴⁸	.030	w/Robin 4 h.p.	XST258	258	.025
SLOPE TRACTOR				w/Robin 5, 6 & 12 h.p. OHV			
Garden Tractors				w/Tec. Engs.			
w/Ford 98 cid Engs.	XS63 ⁸²⁵²	4263 ⁸²⁴⁸	.030	w/Wisc. 4.6 h.p.	AP425 ⁸²⁴⁹	2656	.025
w/Ford 192 cid Engs.	----	216	.030	Trimmers			
SMC				211SST, 240SST, 2450RT, 4111SST, 4150RT			
Brushcutters				P212CST, 214DCST, 215SST, 2150RT			
.....	XST255	255	.025	RT2151, RT2451, RT4151, SST2111, SST2401, SST4111	XST255	255	.030
Trimmers	XST255	255	.025	SST-BC, SST-LV, SST-16LC, SST-18LC	XST2956	2956	.030
SMITHCO				w/4-Stroke Engs.			
Blowers, Bunker Rakes, Line Markers, Power Sprayers, Sweepers & Vacuums				Utility Vehicles			
w/B&S "L" Head Engs.	XST458	458	.030	w/B&S 16 h.p. Vanguard (V-Twin) ...	XST3926	3926	.030
w/B&S Intek 13 h.p. OHV	XST3924	3924	.030	SNAPPIN' TURTLE			
w/B&S 16, 18, 25 & 31 h.p. Vanguard (V-Twin)	XST3926	3926	.030	Mowers & Trimmers			
w/Kohler 7 & 8 h.p. (K181)	XST458	458	.030	Edger/Trimmers	XST458	295	.030
w/Kohler 25 h.p. (V-Twin)	XST3924	3924	.030	14mm Heads	XST458	458	.030
w/Robin EY21W	XST458	295	.030	18mm Heads	----	386	.030
w/Tec. Engs.	XST458	458	.030	S N G			
Utility Vehicles				Sprayers & Spreaders			
w/Honda 5.5 h.p. OHV	XST4265	4265 ⁸²⁴⁸	.030	w/B&S 16 h.p. Vanguard (V-Twin) ...	XST3926	3926	.030
w/Kohler 8 h.p. (K181)	XST458	458	.030	w/Honda 5.5 h.p. OHV	XST4265	4265 ⁸²⁴⁸	.030
SMUCKER				w/Honda 20 h.p. (V-Twin)			
Fertilizer Spreaders				w/Kawasaki 17 h.p. OHV			
w/B&S 6 h.p.	XST458	458	.030	w/Kawasaki 22 h.p.	XST258	258	.025
SNAPPER				w/Kohler 20 h.p. (V-Twin)			
Blowers, Chipper/Shredders, Edgers, Mowers, Tillers, Tractors, Vacuums & Waste Grinders				SNO-WAY			
w/B&S "L" Head Engs.	XST458	458	.030	Salt Spreaders			
w/B&S Intek OHV Engs.	XST3924	3924	.030	w/B&S 6 & 9 h.p.	XST458	458	.030
w/B&S Intek (V-Twin) Engs.	XST3924	3924	.030	w/Honda 11 h.p. OHV	XST4265	4265 ⁸²⁴⁸	.030
w/B&S OHV Engs.	XST3924	3924	.030	SOIL CRAFT (See Melin)			
w/B&S OHV (V-Twin) Engs.	XST3924	3924	.030	SOLO			
w/B&S Professional Series (V-Twin) Engs.	XST3924	3924	.030	Air/Mist Blowers			
w/B&S Vanguard OHV Engs.	XST3924	3924	.030	410, 410B, 412, 412B, 414, 423, 423B	AP425 ⁸²⁴⁹	425	.030
w/B&S Vanguard (V-Twin) Engs.	XST3926	3926	.030	419, 423, 423 Port, 424, 426	AP425 ⁸²⁴⁹	425	.030
w/B&S Vanguard LPG (V-Twin) Engs.	XST3926	3926	.020	439/50, 440, 441, 449, 449L	AP425 ⁸²⁴⁹	425	.030
w/B&S ELS OHV Engs.	XST3924	3924	.030	432, 433, 436, 437, 437 Rider, 439, 439 Trac	XST2974	2974	.030
w/B&S ELS (V-Twin) Engs.	XST3924	3924	.030	444, 444-40, 450, 450-02 L, 459	XST2974	2974	.030
w/Honda OHV Engs.	XST4265	4265 ⁸²⁴⁸	.030	SOLO			
w/Kawasaki 3 & 12.5 h.p. OHV	XST255	255	.030	Air/Mist Blowers			
w/Kawasaki 5, 9, 9.5, 14 & 17 h.p. OHV	XST4265	4265 ⁸²⁴⁸	.030	SOLO			



Se Section 9 pour les remarques en français en bas de page. Ver Seccion 9 para las páginas de notas de pie de página en español. ⁸²⁴⁸ Tapered electrode design ⁸²⁴⁹ Single Platinum ⁸²⁵⁰ Xtreme Performance ⁸²⁵² Xtreme Sport

Small Engine - Lawn & Garden Equipment

	XTRME START™	STANDARD STANDARD ESTANDAR	GAP ENCARTMENT ESPACIO		XTRME START™	STANDARD STANDARD ESTANDAR	GAP ENCARTMENT ESPACIO
SOLO (Cont'd)				SOUTHLAND			
Blowers				Trimmers			
445, 470-01, 470-02	XST2974	2974	.030	w/B&S 6 h.p.	XST458	458	.030
440, 441, 471, 471KAT, 472, 472 Pro	XST2974	2974	.030	w/Tec. 6 h.p.	XST458	458	.030
Brushcutters & Trimmers				SPARTAN			
104L, 105L, 106L, 106B, 109B, 109L, 109LG	XST2974	2974	.030	Brushcutters PC27, PC35	XST458	295	.030
106LR, 106BR (4-Cycle)	XST255	255	.030	Brushcutters PCE24	XST255	255	.030
111B, 117, 118, 119L, 119B, 120, 121, 121L, 121B	XST2974	2974	.030	Grass Trimmers PC22	XST255	255	.030
124, 126, 127, 129, 129B, 129BTS, 129L, 129LTS, 135B	XST2974	2974	.030	Hedge Trimmer TR22	XST255	255	.030
127B, 127L, 128, 128B, 128L, 130, 130H, 132, 134, 137, 137SB, 140, 141	XST2976	2976	.030	SPEECO			
130BR, 130LR (4-Cycle)	XST255	255	.030	Log Splitters			
130H	----	4194	.030	w/B&S 5 h.p.	XST458	458	.030
142, 142SB, 145B, 152, 153, 154, 154SB, 155	XST2974	2974	.030	SPEDEX			
664	XST2974	2974	.030	Garden Tractors			
SKM121LH, SKM129BH	XST2974	2974	.030	w/18mm Threads	----	386	.025
Hedge Trimmers				w/B&S "L" Head Engs.			
129HS, 160, 161	XST2974	2974	.030	w/B&S 14 & 16 h.p. (Twin)	XST458	458	.030
Mulchers				w/Kohler 17, 18 & 20 h.p. (Twin)			
526-50, 526-60, 526-60M, 526-75, 561 Hydro	XST4265	4265 ⁸²⁴⁸	.030	w/Other Kohler Engs.	----	216	.030
Riding Mowers				SPERRY-NEW HOLLAND			
555, 555 Hydro, 556, 557, 558 Hydro, 560, 560 Hydro	XST458	458	.030	Tractors & Tillers			
560 Hydro, 562 Hydro, 570, 572 Hydro	XST458	458	.030	w/B&S Engs.	XST458	458	.030
575 Hydro, 576 Hydro, 577, 579, 579 Hydro	XST3924	3924	.030	w/Kohler Engs.	----	216	.030
571 Hydro	XP64 ⁸²⁵⁰	64	.030	SPIDER			
w/B&S 6.5, 10.5, 12.5, 13, 13.5, 15, 15.5, 16 & 17.5 h.p.	XST458	458	.030	Radio Controlled Mowers			
w/B&S 18, 20 & 22 h.p. Intek OHV (V-Twin)	XST3926	3926	.030	ILD01 w/Kawasaki 17 h.p. (V-Twin) .	XST2976	2976	.030
w/Honda 16 h.p. (V-Twin)	XP64 ⁸²⁵⁰	64	.030	ILD02 w/Kawasaki 23 h.p. (V-Twin) .	XST4265	4265 ⁸²⁴⁸	.030
w/Kohler 18 h.p. Courage OHV (V-Twin)	XST3924	3924	.030	SPIEGEL			
Scarifiers				Tillers			
518, 519	XST4265	4265 ⁸²⁴⁸	.030	XST458	295	.030	
Sickle Bar				SPINAWAY			
522	AP425 ⁸²⁴⁹	425	.030	All Models			
530	XST458	458	.030	----	386	.030	
531, 532, 532-02	XST4265	4265 ⁸²⁴⁸	.030	SPINTRIM			
Sprayers				Edgers/Trimmers			
Combi Engs. & Mist Blower	AP425 ⁸²⁴⁹	425	.030	XST2956	2956	.030	
Mist Blower	AP425 ⁸²⁴⁹	425	.030	SPIRIT II			
100, 101 Multimot	XST254	254	.030	Riding Mowers			
400	XST255	255	.030	w/B&S 12, 12.5 h.p.	XST458	458	.030
415, 420	XST2554	2554	.030	w/B&S 14, 16, 18 & 20 h.p. Vanguard (V-Twin)	XST3926	3926	.030
422	XST2976	2976	.030	w/Kohler 20 h.p. (V-Twin)	XST3924	3924	.030
Minor 436, 437 Rider, 439 Trac, 439/30 Trac, 459 Modular Unit	AP425 ⁸²⁴⁹	425	.030	SPREADER-MATE			
423 Port	AP425 ⁸²⁴⁹	2656	.030	Sprayers			
436, 437, 439, 459	AP425 ⁸²⁴⁹	425	.030	w/Honda 5.5 h.p. OHV	XST4265	4265 ⁸²⁴⁸	.030
432, 433, 444, 450	XST2974	2974	.030	SPRINGFIELD			
Tillers				Garden Tractors			
501-2T	XST2974	2974	.030	All Models	XST458	456	.025
501-4T, 501H, 502	----	4194	.030	STANDARD			
503, 503HX, 504, 508	XST4265	4265 ⁸²⁴⁸	.030	Mowers			
505, 507, 510	AP425 ⁸²⁴⁹	425	.030	14mm Heads	XST458	295	.025
506	XST255	255	.030				



Se Section 9 pour les remarques en français en bas de page. Ver Sección 9 para las páginas de notas de pie de página en español. ⁸²⁴⁸ Tapered electrode design ⁸²⁴⁹ Single Platinum ⁸²⁵⁰ Xtreme Performance

Small Engine - Lawn & Garden Equipment

	XTREME START™	STANDARD STANDARD ESTANDAR	GAP ENCARTMENT ESPACIO		XTREME START™	STANDARD STANDARD ESTANDAR	GAP ENCARTMENT ESPACIO
STANDARD (Cont'd)				STIHL (Cont'd)			
Mowers (Cont'd)				Blower/Sprayers, Blower/Vacuums, Shredder Vacuum/			
18mm Heads ---- 386 .025				Blowers (Cont'd)			
1/2"-14 Pipe Heads ---- 3095 .025				SH55, SH85, SH85C, SH85D XST255 255 .020			
STAR DIGGER				SH56C-E, SH86C-E ---- 4194 .020			
Hydraulic Post Hole Digger				BR320, BR320L, BR340, BR340L XST2974 2974 .020			
w/B&S 5 h.p. XST458 458 .030				BR380D, BR400, BR420, BR420C			
w/Honda 5.5 h.p. XST4265 4265 ⁸²⁴⁸ .030				Magnum, BR420D, SR320, SR400, SR420, SR450 XST2974 2974 .020			
STEARNS				BR500, BR550, BR600 ---- 4194 .020			
Mowers				Edgers			
14mm Heads XST458 458 .030				FC44, FC55, FC72 XST255 255 .020			
18mm Heads ---- 386 .030				FC75, FC83, FC85 XST2976 2976 .020			
STEINER				FC56C-E, FC56RC-E, FC90, FC95			
Riding Mowers, Turf Equipment & Utility Vehicles				(4-Cycle) ---- 4194 .020			
w/B&S 14, 16 & 20 h.p. Vanguard				FC70C-E, FC100, FC110 ---- 4194 .020			
(V-Twin) XST3926 3926 .030				Grass Trimmers & Brush Cutters			
w/B&S 17.5 h.p. ELS OHV XST3924 3924 .030				FR106 XST2976 2976 .020			
w/B&S 18, 20, 25 & 26 Intek				FS20, FS48, FS52, FS62 XST2974 2974 .020			
(V-Twin) XST3924 3924 .030				FS36, FC44, FS44, FS44B, FS44J, FS44R XST255 255 .020			
w/B&S 31 h.p. Vanguard (Liquid Cooled) XST3924 3924 .030				FS40, FS40C-E, FS56, FS56C-E, FS56AVRE, FS56RC-E, FS70RC-E ---- 4194 .020			
w/Generac 33 h.p. (V-Twin) XST3924 3924 .030				FS45, FS45C, FS45C-E, FS46, FS46C, FS46C-E XST255 255 .020			
w/Honda OHV Eng. XST4265 4265 ⁸²⁴⁸ .030				FS50, FS51, FS52AVRE XST255 255 .020			
w/Kawasaki 19 & 25 h.p. (V-Twin) XST4265 4265 ⁸²⁴⁸ .030				FS55, FS55C, FS55R, FS55RC, FS55RC-E, FS55RT XST255 255 .020			
w/Kawasaki 22 h.p. (Liquid V-Twin) XST258 258 .025				FS60, FS61, FS62AVE, FS66AVRE, FS65 XST255 255 .020			
w/Kawasaki 27 h.p. (Liquid V-Twin) AP66 ⁸²⁴⁹ 66 .025				FS66, FS66L, FC72, FS72, FS75, FS74AVE XST2976 2976 .020			
w/Kohler 20, 22, 23 & 25 h.p. (V-Twin) XST3924 3924 .030				FS74AVRE, FS74L, FS76, FS76AVE, FS76AVRE XST2976 2976 .020			
w/Kohler 30 Command Pro (V-Twin) XST3924 3924 .040				FS76L, FS76R, FS80, FS80R, FS81, FS81AVE XST2976 2976 .020			
w/Kohler 27 h.p. (V-Twin) XST3924 3924 .040				FS81AVRE, FS81L, FS83, FS83R, FS83RT, FS85 XST2976 2976 .020			
w/Kubota 21 & 24.5 h.p. XST3924 3924 .030				FS85R, F85RT, FS85RX, FS86, FS86AVE, FS86AVRE XST2976 2976 .020			
w/Linamar 16 & 20 h.p. AP106 ⁸²⁴⁹ 106 .025				FS86L, FS88, FS88AVE, FS88AVRE, FR106 XST2976 2976 .020			
w/Onan 16, 20 & 24 h.p. (Twin) AP106 ⁸²⁴⁹ 106 .025				FS106, FS106AVE, FR108, FS108, FS108AVE XST2976 2976 .020			
w/Robin 11 h.p. OHV XS63 ⁸²⁵² 4263 ⁸²⁴⁸ .025				FS100RX, FS110, FS110R, FS130, FS130R, FS310 ---- 4194 .020			
w/Robin 22 h.p. OHV (V-Twin) XS63 ⁸²⁵² 4263 ⁸²⁴⁸ .025				FS150, FS151, FS160, FS180 XST2974 2974 .020			
Utility Vehicles				FS200, FS200AV, FS200AVE, FS200R, FS202 XST2974 2974 .020			
w/B&S 31 h.p. Vanguard (Liquid Cooled) XST3924 3924 .030				FS202AV, FS220, FS250, FS250R, FS280, FS280K XST2974 2974 .020			
STERLING				FS350, FS350K, FS360AVEZ, FS420, FS450K, FS550 XST2974 2974 .020			
Blowers & Chippers/Shredders				FS353, FS353AV ---- 4123 ⁸²⁴⁸ .020			
w/B&S 5 & 8 h.p. XST458 458 .030				FS401, FS401AVE XST2974 2974 .020			
w/Kawasaki 7.5 h.p. ---- 275 .030				Hedge Trimmers			
STIGA				H151, HS202, HS60, HS61, HS242 XST2974 2974 .020			
Lawn Rakes, Riding Mowers & Tillers				HL45, HS45 XST255 255 .020			
w/B&S 2, 3.5 & 5 h.p. XST458 458 .030				HL75, HL75L XST2976 2976 .020			
w/B&S 6 h.p. Intek OHV XST3924 3924 .030				HL90K, HL100, HL100K ---- 4194 .020			
w/B&S 8.5, 10.5, 11.5 & 12.5 h.p. XST458 458 .030				HS72, HS74, HL75, HL75K, HS75 XST2976 2976 .020			
w/B&S 16 & 18 h.p. Vanguard (V-Twin) XST3926 3926 .030				HS76, HS80, HS85 XST2976 2976 .020			
STIHL				HS81R, HS81T, HS86R, HS86T ---- 4194 .020			
Blower/Sprayers, Blower/Vacuums, Shredder Vacuum/				Misc. Turf Equipment			
Blowers				Auger, Drill w/020 & 045 Power Heads XST2974 2974 .020			
BG17/SG17, BG45, BG46, BG55 XST2974 2974 .020							
BG56C-E, BG66L, BG86, BG86C-E ---- 4194 .020							
BG060, BG061, BG65, BG65C, BG65D, BG75, BG85, BG85C, BG85D XST2974 2974 .020							
BG72, BR106 XST2976 2976 .020							



Se Section 9 pour les remarques en français en bas de page. Ver Section 9 para las páginas de notas de pie de página en español. ⁸²⁴⁸ Tapered electrode design ⁸²⁴⁹ Single Platinum ⁸²⁵² Xtreme Sport

Small Engine - Lawn & Garden Equipment

	XTREME START™	STANDARD STANDARD ESTANDAR	GAP ENCARTMENT ESPACIO		XTREME START™	STANDARD STANDARD ESTANDAR	GAP ENCARTMENT ESPACIO
STIHL (Cont'd)				SWISHER			
Misc. Turf Equipment (Cont'd)				Blowers			
Auger, Drill w/08S Power Heads	----	4123 ⁸²⁴⁸	.020	E4-A3000, E4-A4000	----	4194	.030
BT45 Wood Drills & Planting Augers	XST255	255	.020	Brushcutters & Trimmers			
BT106C Augers	XST2976	2976	.020	E4-B3000, E4-S3000, E4-B4000,			
BT121 Augers	XST2974	2974	.020	E4-S4000	----	4194	.030
BT308, BT309 Augers	----	4123 ⁸²⁴⁸	.020	Chippers, Edgers, Log Splitters, Riding Mowers, Trailmowers & Vacuums			
BT120C, BT121, BT360 Augers	XST2974	2974	.020	E4-E3000	----	4194	.030
SP200 Harvesters	----	4194	.020	w/B&S "L" Head Engs.	XST458	458	.030
HT56C-E, HT100, HT101, HT130,				w/B&S 7 h.p. 875 Series OHV	XST3924	3924	.030
HT131 Pole Pruners	----	4194	.020	w/B&S 5.5, 9, 14.5, 17.5 & 18.5 h.p.			
KS43	----	386	.025	Intek OHV	XST3924	3924	.030
MM55 Yard Boss, MM55C-E	XST255	255	.020	w/B&S 8.75, 10.5, 11.5, 12.5, 14.5 &			
S10	XST2974	2974	.020	18.5 h.p. OHV	XST3924	3924	.030
Super Rake	XST255	255	.020	w/B&S 22 h.p. Intek (V-Twin)	XST3924	3924	.030
Power Heads				Hedge Trimmers			
KM55R, KM55RC, KM55RC-E,				E4-HT3000, E4-HT4000	----	4194	.030
KM55R-E	XST255	255	.020	TAILGATE MULCHER			
KM56RC-E, KM90R, KM110R,				w/Honda 20 h.p. (V-Twin)	XST258	258	.025
KM130R	----	4194	.020	w/Kohler 18 h.p. (V-Twin)	XST3924	3924	.030
KM85R	XST2976	2976	.020	w/Kohler 18 h.p. (Twin)	XP26 ⁸²⁵⁰	26	.025
STUMP MACHINE				TANAKA			
Stump Grinders				Augers			
w/Honda 5.5, 9 & 13 h.p. OHV	XST4265	4265 ⁸²⁴⁸	.030	JEA-1C, JEA-2C	XST458	295	.030
w/Kohler 10 h.p. CS	XST4265	4265 ⁸²⁴⁸	.030	QIA-10, Q22, TEA-500	XST255	255	.030
SUNBEAM				Blowers			
Composters & Mowers				KTBL50			
w/B&S Engs.	XST458	458	.030	TBL-30, 300, 450, TBL-500	XST255	255	.030
w/Tec. Engs.	XST458	458	.030	TBL-505, 4600, THB-300	XST255	255	.030
18mm Heads	----	386	.025	TBL-4600	XST254	254	.030
SUPER SPLIT				TBL-4610			
Log Splitters				TBL-7800, 7800R			
w/B&S Engs.	XST458	458	.030	TBL-7800, 7800R	----	4194	.030
SUPERIOR				THB-260PF (Pure Fire)			
Log Splitters & Sprayers				THB-2510			
w/B&S Engs.	XST458	458	.030	THB-2100, 2400	XST2554	2554	.030
SUTECH STEALTH				THB-2500			
Mowers				Brushcutters			
w/B&S 6.5 h.p. Intek OHV	XST3924	3924	.030	QUM-2, SUM-3, SUM-301,			
w/B&S 8 & 10.5 h.p.	XST458	458	.030	SUM-321	XST255	255	.030
w/B&S 12.5 h.p. Vanguard	XST3924	3924	.030	QUM-2N	XST255	255	.030
w/Kawasaki 9 h.p. OHV	XST4265	4265 ⁸²⁴⁸	.030	SP-37, SP-351, SP-411	XST2976	2976	.030
Sweepers				SP-502			
w/Honda 2.5 h.p.	XST258	258	.030	TBC-16, 160, 202, 205, 215,	XST255	255	.030
SUZUKI				TBC-23, 232, 262, 373, 422C, 501			
Utility Vehicles				TBC-30			
QUV620EK5, Q.U.V. (Liquid V-Twin)	AP66 ⁸²⁴⁹	66	.030	TBC-37	XST458	295	.030
SWEEPSTER				TBC-210			
Sweepers & Thatchers				XTREME START™			
w/B&S 5 h.p.	XST458	458	.030	STANDARD STANDARD ESTANDAR			
w/Honda 5 & 5.5 h.p. OHV	XST4265	4265 ⁸²⁴⁸	.030	GAP ENCARTMENT ESPACIO			
w/Onan 18 h.p. (Twin)	AP106 ⁸²⁴⁹	106	.025	XTREME START™			
w/Robin 4.5 h.p.	----	275	.025	STANDARD STANDARD ESTANDAR			
w/Wisc. 30 h.p.	----	386	.025	GAP ENCARTMENT ESPACIO			
w/Wisc. 65 h.p.	XST4265	4265 ⁸²⁴⁸	.025	XTREME START™			



Se Section 9 pour les remarques en français en bas de page. Ver Sección 9 para las páginas de notas de pie de página en español. ⁸²⁴⁸ Tapered electrode design ⁸²⁴⁹ Single Platinum ⁸²⁵⁰ Xtreme Performance

Small Engine - Lawn & Garden Equipment

	XTREME START™	STANDARD ESTANDAR	GAP ENCARTMENT ESPACIO		XTREME START™	STANDARD ESTANDAR	GAP ENCARTMENT ESPACIO
TANAKA (Cont'd)				TANAKA (Cont'd)			
Brushcutters (Cont'd)				Trimmers (Cont'd)			
TBC-220, 220SS, 230SF, 250, 260SF, 500	XST2976	2976	.030	TBC-2800	XST2956	2956	.030
TBC-235, 240, 265, 300, 300SDH, 322	XST255	255	.030	TBC-3010	XST254	254	.030
TBC-355, 400, 422C, 425, 500, 501	XST255	255	.030	TBC-4000, 4500, 5000	XST2976	2976	.030
TBC-240PF, 240PFCS, 240PFS, 250PF (Pure Fire)	XST2974	2974	.030	TBC-4001	XST2974	2974	.030
TBC-255PF, 260PF, 260PFL, 270PF, 280PF (Pure Fire)	XST2974	2974	.030	TBC-4110	XST255	255	.030
TBC-340PF, 340PFD, 420PF, 430PF (Pure Fire)	XST2974	2974	.030	TBC-4501, TST-218	XST2976	2976	.030
TBC-600	XST2974	2974	.030	TARAL			
THT-16, 162	XST255	255	.030	Blowers, Cultivators & Mistblower/Dusters			
THT-210, 240	XST2976	2976	.030	Astron 7014F, Astron 7020F	AP425 ⁸²⁴⁹	425	.025
THT-212, 232, TST-218	XST255	255	.030	Atomic T7014, Atomic TG7014, Atomic TG7026	AP425 ⁸²⁴⁹	425	.025
Scythe JHJ-37	XST258	308	.030	Atomic M5014, Atomic MP5014, Atomic MPG5014	XST255	255	.025
Cultivators				Atomic MPG5026, Profi 50M, Profi 50MP, Profi 70T			
TS-720	XST2974	2974	.030	w/B&S 6 h.p.	XST255	255	.025
Drills				XST458			
TED23, TSD-23	XST255	255	.030	TAS (See Tanaka)			
TED-210	XST2976	2976	.030	Augers			
TED-232, 260, 262DH, 262HS, 262L, 262R, 265	XST255	255	.030	JEA-L	XST254	303	.030
TED-270PFDH, 270PFHS, 270PFR	XST255	255	.030	PIA	XST255	255	.030
Edgers				TEA-30			
TLE-500, 550, 600	XST255	255	.030	Blowers			
TPE-250, 250PDF, 2510	XST2976	2976	.030	JBL, KTBL-37, KTBL-50	XST254	303	.030
TPE-260PF, 270PF, 270PN	XST2974	2974	.030	Drills			
TPE-2110, 2410	XST2554	2554	.030	PED-3	XST254	303	.030
TPE-2501	XST2974	2974	.030	TED-23	XST254	254	.030
Hedge Trimmers				Sprayers			
HTD-2520PF, 2522PF, 2526PF (Pure Fire)	XST2974	2974	.030	JKS-37	XST254	303	.030
HTD-2530PF, 2562PF, 2530PF (Pure Fire)	XST2974	2974	.030	TASK FORCE			
PHT-23, THT200	XST255	255	.030	Trimmers			
THT-240, 230, 262, 2120	XST255	255	.030	TF22G	XST2976	2976	.030
HTS-2530PF, THT-210S, 2000, 2100, 2120, 2510, 2520, 2540	XST2974	2974	.030	TAYLOR-DUNN			
TPH-250PDF, 260PF, 270PF, 270PN, 2501	XST2974	2974	.030	Utility Vehicles			
Power Heads				w/Kohler 12 & 16 h.p. Engs.			
TBC240SFS, 255SFK, 260SF (Pure Fire)	XST2974	2974	.030	----		216	.030
Pruners				w/Onan 14 h.p. Engs.			
TPS-250PF, 260PF, 270PN, 2510	XST2974	2974	.030	----		275	.035
TPS-2501	XST254	254	.030	TECHNOID			
Sprayers				Garden Tractors			
TMS-450, KS-37	XST458	295	.030	Wilkra	XST458	456	.030
Trimmers				TEMPO			
AST-210, AST-5000	XST2976	2976	.030	Tractors & Tillers			
AST-5770, 7000, 7000N, 7000S	XST2976	2976	.030	w/B&S Engs.	XST458	458	.030
TBC-200, 300, 300SDH	XST255	255	.030	w/B&S Engs. (Twin)	XST458	458	.030
TBC-220, 225, 225C, 225CS, 225S	XST2976	2976	.030	w/Tec. Engs.	XST2976	2976	.030
TBC-230, 230B, 250, 250PF, 250PFD	XST2976	2976	.030	TERRACARE			
TBC-255PF, 260PF, 260PFL, 270PDF (Pure Fire)	XST2974	2974	.030	Aerators, Rotary Brushes & Top Dressers			
TBC-270PFD, 340PF, 340PFD, 420PF, 430PF (Pure Fire)	XST2974	2974	.030	w/B&S 3.5, 5, 8 & 8.5 h.p.	XST458	458	.030
TBC-270PN, 270PND, 280	XST2974	2974	.030	TERRA CAT			
TBC-340, 340D, 600	XST2974	2974	.030	Bed Edgers & Mini Trenchers			
TBC-2100, 2110, 2211, 2251	XST2976	2976	.030	w/B&S 10.5 h.p. OHV	XST3924	3924	.030
TBC-2400, 2410	XST2554	2554	.030	w/Honda 13 h.p. OHV	XST4265	4265 ⁸²⁴⁸	.030
TBC-2501, 2510	XST2974	2974	.030				

Se Section 9 pour les remarques en français en bas de page. Ver Seccion 9 para las páginas de notas de pie de página en español. ⁸²⁴⁸ Tapered electrode design ⁸²⁴⁹ Single Platinum

Small Engine - Lawn & Garden Equipment

	XTRME START™	STANDARD STANDARD ESTANDAR	GAP ENCARTMENT ESPACIO		XTRME START™	STANDARD STANDARD ESTANDAR	GAP ENCARTMENT ESPACIO
TERRA-TILLER				TITAN (Cont'd)			
All Models	XST458	295	.025	Line Stripers & Turf Equipment (Cont'd)			
THE BROADCASTER				w/Kohler 18 h.p. (Twin)	XP26 ⁸²⁵⁰	26	.025
Spreaders				w/Kubota 21 h.p.	XST3924	3924	.030
w/Honda 5.5 & 8 h.p. OHV	XST4265	4265 ⁸²⁴⁸	.030	w/Wisc. 20 h.p.	----	386	.025
THE CURB DEPOT				TMC			
Bed Edgers, Curb Extruders, Mortar Mixers & Sod Cutters				Blowers			
w/Honda 3 h.p. OHV	----	4194	.030	JNBL33A, ULNBL33A	XST254	303	.030
w/Honda 5.5 & 8 h.p. OHV	XST4265	4265 ⁸²⁴⁸	.030	KTBL37, KTBL40TI, KTBL50, KTBL55TI	XST458	458	.030
THE HAULER				KTBL2300, KTBL5600A	XST254	254	.025
Utility Vehicles				KTBL5600X, KTBL5600XA, KTBL5600XP, KTBL6500V	XST2976	2976	.030
w/B&S 16 h.p. Vanguard (V-Twin) ...	XST3926	3926	.030	Hedge Trimmers			
THOR				AHT2600Z, AHT2700V	XST2976	2976	.030
Log Splitters				PHT5, PHT15, PHT25, PHT25A	XST255	255	.030
w/B&S 3.5 h.p.	XST458	458	.030	PHT35K, PHT3500	XST254	254	.025
w/B&S 6 h.p. Vanguard	XST3924	3924	.030	PHT3550, PHT3550A, PHT3550Z ..	XST255	255	.030
TIGER				PHT3550X, PHT3550XW	XST258	258	.030
Edgers				Trimmers			
w/B&S Engs.	XST458	458	.030	KPW23, KPW32	XST254	254	.025
TILLEX				KPW1800, KPW1850, KPW2400, KPW2500, KPW2500X	XST255	255	.030
All Models	----	386	.025	KPW2300V	XST2974	2974	.030
TILLIVATOR				KPW2523, KPW2523X, KPW2525, KPW2525X, KPW2528, KPW3000X, KPW3000XW	XST255	255	.030
All Models	XST258	308	.025	KPW2250X, KPW2250Z, KPW2600X, KPW2600Z, KPW2700V	XST2976	2976	.030
TILLSMITH				KPW3300, KPW3400, KPW3410, KPW3410-50, KPW3450	XST255	255	.030
Tillers				KPW3420X, KPW3420Z, KPW3420Z-50	XST2976	2976	.030
w/B&S 3.5, 5, & 8 h.p.	XST458	458	.030	KPW3500-50, KPW3500X, KPW3600V	XST2974	2974	.030
w/Tec. 1.6 h.p.	XST2976	2976	.030	KPW3600V-50, KPW4500V, KPW4500V-50	XST2974	2974	.030
TILTON				TML			
Blowers				Augers, Brushcutters & Cultivators			
TB50	XST2976	2976	.030	TML-35	XST254	254	.030
TIMBER HARVESTER				TOM BOY			
Portable Sawmill				Garden Tractors	----	216	.025
w/Onan 24 h.p.	AP106 ⁸²⁴⁹	106	.025	Tillers	XST254	254	.030
TIMBERWOLF				TOMSTAR PLUG'R			
Conveyors, Logsplitters & Utility Vehicles				Aerators			
w/Honda 5.5, 9 & 11 h.p. OHV	XST4265	4265 ⁸²⁴⁸	.030	w/B&S 3.5 h.p.	XST458	458	.030
w/Honda 18 h.p. OHV (V-Twin)	XST4265	4265 ⁸²⁴⁸	.030	w/Kawasaki 3.1 h.p.	XST255	255	.030
w/Kawasaki 13 h.p. OHV (V-Twin) ..	XST2976	2976	.025	TOPFLITE			
w/Kawasaki 19 & 25 h.p. OHV (V-Twin)	XST4265	4265 ⁸²⁴⁸	.025	Riding Tractors & Mowers			
w/Kohler 6 h.p. OHV	XST3924	3924	.040	w/B&S Engs.	XST458	458	.030
T.I.P.				w/Tec. Engs.	XST458	458	.030
Spiker/Seeders				TOPPO			
w/Honda 5 h.p. OHV	XST4265	4265 ⁸²⁴⁸	.030	Aerators, Edge Trimmers, Lawn Combers, Mowers, Sod Cutters & Sprayers			
TITAN				w/B&S "L" Head Engs.	XST458	458	.030
Line Stripers & Turf Equipment				Se Section 9 pour les remarques en français en bas de page. Ver Seccion 9 para las páginas de notas de pie de página en español.			
w/Honda 4 & 5.5 h.p. OHV	XST4265	4265 ⁸²⁴⁸	.030	8248 Tapered electrode design 8249 Single Platinum 8250 Xtreme Performance			

Small Engine - Lawn & Garden Equipment


**XTREME
START™**
**STANDARD
STANDARD
ESTANDAR**
**GAP
ENCARTMENT
ESPACIO**
TOPPO (Cont'd)
Aerators, Lawn Combers, Mowers, Sod Cutters & Sprayers

w/B&S OHV Engs.	XST3924	3924	.030
w/Honda OHV Engs.	XST4265	4265 ⁸²⁴⁸	.030
w/Kohler OHV Engs.	XST3924	3924	.030

TORO
Mowers, Riding Equipment

w/1/2" Pipe Threads	---	3095	.025
w/18mm Threads	---	386	.025
w/7/8" Threads	---	3076	.025
w/B&S "L" Head Engs.	XST458	458	.030
w/B&S OHV Engs.	XST3924	3924	.030
w/B&S ELS OHV Engs.	XST3924	3924	.030
w/B&S ELS OHV (V-Twin) Engs.	XST3924	3924	.030
w/B&S Intek OHV Engs.	XST3924	3924	.030
w/B&S Intek OHV (V-Twin) Engs.	XST3924	3924	.030
w/B&S Professional Series Engs. (V-Twin)	XST3924	3924	.030
w/B&S Vanguard Engs.	XST3924	3924	.030
w/B&S Vanguard Engs. (V-Twin)	XST3926	3926	.030
w/B&S Vanguard Engs. (Liquid Cooled)	XST3924	3924	.030
w/Chevrolet 250 cid Engs.	---	147	.030
w/Ford 1.1L Engs.	XS63 ⁸²⁵²	4263 ⁸²⁴⁸	.035
w/Ford 1.3L Engs.	XP103 ⁸²⁵⁰	103	.035
w/Honda 5.5 h.p. OHV	XST4265	4265 ⁸²⁴⁸	.030
w/Kawasaki 3.7 h.p.	XST2976	2976	.025
w/Kawasaki 6 h.p.	XP64 ⁸²⁵⁰	64	.030
w/Kawasaki 12.5 h.p.	XST255	255	.030
w/Kawasaki 4, 13 & 14 h.p. OHV	XST4265	4265 ⁸²⁴⁸	.025
w/Kawasaki 15 & 17 h.p. (V-Twin)	XST2976	2976	.025
w/Kawasaki 19 h.p. KAI (V-Twin)	XST2976	2976	.025
w/Kawasaki 18, 19, 21, 22, 23, 24, 25, 26, 27 & 29 h.p. (V-Twin)	XST4265	4265 ⁸²⁴⁸	.025
w/Kawasaki 20 & 22 h.p. (Liquid V-Twin)	XST258	258	.025
w/Kawasaki 23 & 27 h.p. (Liquid V-Twin)	AP66 ⁸²⁴⁹	66	.025
w/Kioritz Engs.	XST255	255	.030
w/Kohler 6.25 & 8 h.p. (K181)	XST458	458	.030
w/Kohler 6, 12.5, 13, 14, 15, 16 & 18 h.p. OHV	XST3924	3924	.040
w/Kohler 10, 12 & 14 h.p.	---	216	.030
w/Kohler 13 & 15 h.p. Command Pro OHV	XST3924	3924	.040
w/Kohler 16, 18 & 20 h.p. Magnum (Twin)	XP26 ⁸²⁵⁰	26	.025
w/Kohler 17, 20 & 23 h.p. K-Series (Twin)	---	216	.030
w/Kohler 17, 18, 20, 22 & 25 h.p. (V-Twin)	XST3924	3924	.030
w/Kohler 18 & 20 (V-Twin)	XST3924	3924	.030
w/Kohler 18, 20, 22, 23, 25 & 27 h.p. Command Pro (V-Twin)	XST3924	3924	.040
w/Kohler 19 & 20 h.p. Courage DOHC	XST3924	3924	.030
w/Kohler 22, 23 & 25 h.p. Courage (V-Twin)	XST3924	3924	.030
w/Kohler 23, 25 & 27 h.p. Courage Pro (V-Twin)	XST3924	3924	.040
w/Kohler 26, 28 & 30 h.p. Command Pro EFI (V-Twin)	XST3924	3924	.040
w/Mitsubishi 24 & 27 h.p.	AP66 ⁸²⁴⁹	66	.035
w/Onan 14 h.p. OHV	---	275	.025
w/Onan 16, 20 & 24 h.p. (Twin)	AP106 ⁸²⁴⁹	106	.025


**XTREME
START™**
**STANDARD
STANDARD
ESTANDAR**
**GAP
ENCARTMENT
ESPACIO**
TORO (Cont'd)
Mowers, Riding Equipment (Cont'd)

w/Onan B48G	AP106 ⁸²⁴⁹	106	.030
w/Onan NHB	AP404 ⁸²⁴⁹	404	.030
w/Suzuki 2-Cycle Engs.	XST2976	2976	.030
w/Suzuki 4-Cycle Engs.	XS63 ⁸²⁵²	4263 ⁸²⁴⁸	.030
w/Tec. Engs.	XST458	458	.030
w/Teledyne R839 Engs.	---	4123 ⁸²⁴⁸	.030
w/Wisc. AENLD Engs.	---	386	.030
Twister 1400, 1600	XST3926	3926	.030

Trimmers



TC1000, TC2000, TC2010, TC3100, TC3105, TC3110	XST255	255	.030
TC3500, TC3510, TC5000, TC5010	XST255	255	.030
51620, 51638, 51652	XST255	255	.030
51653, 51660, 51675	XST255	255	.030
51903, 51906, 51908, 51909	XST2554	2554	.025
51911, 51916, 51918	XST2554	2554	.025
51918, 51920, 51926, 51927 (4-Cycle)	---	5438	.025
53002, 53003, 53008, 53009, 53010	XST2974	2974	.030
53011, 53020, 53021, 53030, 53201	XST2974	2974	.030

Turf Equipment

Aerators w/B&S 16 h.p. Vanguard	XST3924	3924	.030
Aerators w/B&S 3 & 3.5 h.p.	XST458	458	.030
Aerators w/Kohler 23 & 27 h.p. Command Pro (V-Twin)	XST3924	3924	.040
Aeroseeders w/B&S Vanguard	XST3924	3924	.040
Applicators w/Kohler 6 h.p. OHV	XST3924	3924	.040
Blower/Vacs	XST2974	2974	.030
Blowers 3091	XST2974	2974	.030
Blowers 30941	XST2974	2974	.030
Blowers 62901	XST2554	2554	.025
Blowers 62925	XST3924	3924	.040
Brush Chippers w/Kohler 25 h.p. (V-Twin)	XST3924	3924	.030
Cultivators	XST2554	2554	.030
Debris Blowers	XST3924	3924	.040
Debris Loaders w/Onan Engs.	AP106 ⁸²⁴⁹	106	.025
Debris Vacuum	XST458	458	.030
Dethatchers w/B&S 5 & 8 h.p.	XST458	458	.030
Dingo w/Honda 13 h.p. OHV	XST4265	4265 ⁸²⁴⁸	.030
Dingo w/Kohler 20, 22, 23, 25 & 27 h.p. Command Pro (V-Twin)	XST3924	3924	.040
Edgers 53030	XST2974	2974	.030
Edgers 58411, 58431, 58432	XST458	458	.030
Edgers 58450, 58452	XST2554	2554	.025
Edgers w/B&S Engs.	XST458	458	.030
Edgers w/Suzuki 2 h.p.	AP425 ⁸²⁴⁹	425	.030
Edgers w/Suzuki 3.5 h.p.	---	275	.030
Edgers w/Tec. Engs.	XST458	458	.030
Equipment w/Tec. 4-stroke Engs.	XST458	456	.030
Hedge Trimmers 53040, 53041	XST2554	2554	.025
Line Painters w/Kawasaki 6 h.p. OHV	XP64 ⁸²⁵⁰	64	.030
Log Splitters w/Robin 9 h.p. OHV	XS63 ⁸²⁵²	4263 ⁸²⁴⁸	.025
Mid Vac	XS63 ⁸²⁵²	4263	.025
Pro Force Debris Blowers w/Kohler 27 h.p. Command Pro (V-Twin)	XST3924	3924	.040
Pruners 53035	XST2974	2974	.030
Rake-O-Vac w/Kohler 22 h.p. (V-Twin)	XST3924	3924	.030
Rake-O-Vac w/Kohler 23 h.p.	---	216	.030
Sand Pro Bunker Rakes w/B&S "L" Head Engs.	XST458	295	.030
Sand Pro Bunker Rakes w/B&S 16 & 18 h.p. Vanguard (V-Twin)	XST3926	3926	.030
Seeders w/B&S 5 h.p.	XST458	458	.030



See Section 9 pour les remarques en français en bas de page. Ver Sección 9 para las páginas de notas de pie de página en español. ⁸²⁴⁸ Tapered electrode design ⁸²⁴⁹ Single Platinum ⁸²⁵⁰ Xtreme Performance ⁸²⁵² Xtreme Sport

Small Engine - Lawn & Garden Equipment

	XTREME START™	STANDARD STANDARD ESTANDAR	GAP ENCARTMENT ESPACIO		XTREME START™	STANDARD STANDARD ESTANDAR	GAP ENCARTMENT ESPACIO
TORO (Cont'd)				TRAILBARROW			
Turf Equipment (Cont'd)				Wheelbarrows			
Shredders, Tillers	XST255	255	.030	w/Honda 1.5 h.p. OHC	----	4194	.030
Sprayers w/B&S 3.5 h.p.	XST458	458	.030	TRAIL MATE			
Sprayers w/Kohler 6 h.p. OHV	XST3924	3924	.030	Edgers			
Sprayers w/Kohler 20 h.p. (V-Twin) ..	XST3924	3924	.030	w/B&S Eng.	XST458	458	.030
Stump Grinders w/Honda 6.5 & 13 h.p. OHV	XST4265	4265 ⁸²⁴⁸	.030	TRENCH DOCTOR			
Stump Grinders w/Kawasaki 26 h.p. (V-Twin)	XST4265	4265 ⁸²⁴⁸	.025	Trenchers			
Thatchers w/B&S 5 h.p.	XST458	458	.030	w/B&S Eng.	XST458	458	.030
Tillers w/B&S 3, 5 & 8 h.p.	XST458	458	.030	TRENCHERMAN			
Turf Sweepers w/B&S Vanguard	XST3924	3924	.030	w/B&S 5 & 8 h.p.	XST458	458	.030
Turf Sweepers w/Kohler (V-Twin) ...	XST3924	3924	.030	TRENCH MASTER			
Turf Sweepers w/Onan Eng.	AP106 ⁸²⁴⁹	106	.025	Edgers & Trenchers			
Vacuums w/B&S Eng.	XST458	458	.030	w/B&S 5 & 8 h.p.	XST458	458	.030
w/B&S "L" Head Eng.	XST458	458	.030	w/B&S 6.5 & 10 h.p. Intek OHV	XST3924	3924	.030
w/B&S 16 & 18 h.p. Vanguard (V-Twin)	XST3926	3926	.030	w/B&S 9 h.p. Vanguard	XST3924	3924	.030
w/Kawasaki 6 h.p. OHV	XP64 ⁸²⁵⁰	64	.030	w/Honda 4, 5.5, 6.5 h.p. OHV	XST4265	4265 ⁸²⁴⁸	.030
w/Kohler 18 & 22 h.p. (V-Twin)	XST3924	3924	.030	w/Honda 8, 9, 11 & 13 h.p. OHV	XST4265	4265 ⁸²⁴⁸	.030
w/Onan 20 & 24 h.p. (Twin)	AP106 ⁸²⁴⁹	106	.025	w/Wisc. 6 & 7.5 h.p.	AP425 ⁸²⁴⁹	425	.025
w/Robin 22 h.p. OHV (V-Twin)	XS63 ⁸²⁵²	4263	.025	TRENCH'N EDGE			
Utility Vehicles				Rotary Trenchers			
Workman HD w/Kohler 23 h.p.	XST3924	3924	.030	w/Honda 9 & 11 h.p. OHV	XST4265	4265 ⁸²⁴⁸	.030
Workman HDX w/B&S 31 h.p. Vanguard (Liquid Cooled 3-Cyl.) ..	XST3924	3924	.020	TRIM-A-LAWN			
Workman MD w/Kohler 12 & 16 h.p. Command Pro	XST3924	3924	.040	Trimmers			
Workman MDX w/B&S 14 h.p. Vanguard (V-Twin)	XST3926	3926	.030	153001	XST2554	2554	.025
Workman 1100	XST3924	3924	.040	152501, 153500, 153502	XST2976	2976	.025
Workman 2100, 2110, 3100	XST3924	3924	.030	153503, 153504, 152525	XST2976	2976	.025
Workman 3200, 4200	XST3924	3924	.020	153535, 152536	XST2976	2976	.025
TOTAL				TRIM-ALL			
Blowers				Brushcutters, Edgers & Trimmers			
TB50	XST2974	2974	.030	Edgers	XST2956	2956	.030
TOW-A-VAC				Brushcutters & Trimmers			
Pavement Vacuums				w/Mitsubishi Eng.			
w/B&S 16 & 18 h.p. Vanguard (V-Twin)	XST3926	3926	.030	TRIM-IT			
w/Honda 6 & 8 h.p. OHV	XST4265	4265 ⁸²⁴⁸	.030	Edgers/Trimmers			
w/Kawasaki 16 h.p. OHC (Twin)	XST3924	3924	.030	TRIMMER			
w/Kohler 6 h.p. Command Pro OHV ..	XST3924	3924	.030	Reel Mowers			
w/Kohler 8 h.p.	XST458	458	.025	w/B&S 3, 3.5 & 5 h.p.	XST458	458	.030
w/Kohler 16 h.p. OHV	XST3924	3924	.030	w/Honda 4 & 5.5 h.p. OHV	XST4265	4265 ⁸²⁴⁸	.030
w/Tec. Eng.	XST258	258	.030	TRIM RITE			
TRACK-O-MATIC				Edgers & Trimmers			
Garden Tractors				w/B&S 3, 3.5, 3.75 & 5 h.p.			
All Models	----	386	.025	w/Tec. 1.6 h.p.	XST2976	2976	.030
TRAC VAC				TROJAN			
Chipper/Vacuums & Dethatchers				Garden Tractors			
w/B&S 3.5, 5, 8, 11 & 16 h.p.	XST458	458	.030	All Models	----	386	.030
w/B&S 5.5, 6.5, 7 & 8 h.p. Intek OHV	XST3924	3924	.030				
w/B&S 9 h.p. Vanguard	XST3924	3924	.030				
w/B&S 16 h.p. Vanguard (V-Twin) ...	XST3926	3926	.030				
w/Honda 5.5 h.p. OHV	XST4265	4265 ⁸²⁴⁸	.030				
w/Kohler 6 h.p. OHV	XST3924	3924	.040				
w/Kohler 6 h.p. CS OHV	XST4265	4265 ⁸²⁴⁸	.040				



Se Section 9 pour les remarques en français en bas de page. Ver Seccion 9 para las páginas de notas de pie de página en español. ⁸²⁴⁸ Tapered electrode design ⁸²⁴⁹ Single Platinum ⁸²⁵⁰ Xtreme Performance ⁸²⁵² Xtreme Sport

Small Engine - Lawn & Garden Equipment

	XTREME START™	STANDARD ESTANDAR	GAP ENCARTMENT ESPACIO		XTREME START™	STANDARD ESTANDAR	GAP ENCARTMENT ESPACIO
TROY-BILT				TURBO TURF (Cont'd)			
Blowers, Chippers, Edgers, Log Splitters, Sicklebars, Sprayers, Tillers, Tractors, Trimmer/Mowers & Vacuums				Hydro Seeders, Ice Control Sprayers, Straw Blowers & Turf Sprayers (Cont'd)			
TB250B, TB310QS, TB320BV	XST2554	2554	.025	w/Kohler 16 h.p. Magnum	----	216	.030
w/B&S "L" Head Engs.	XST458	458	.030	w/Kohler 18 h.p. OHC (V-Twin)	XST3924	3924	.030
w/B&S 5.5, 6, 6.5, 6.75, 7, 10 & 18.5 h.p. Intek OHV	XST3924	3924	.030	w/Kohler 18, 20, 25, 27 & 30 h.p. Command Pro (V-Twin)	XST3924	3924	.040
w/B&S 9 & 17.5 h.p. OHV	XST3924	3924	.030	w/Robin 3.5 h.p.	AP425 ⁸²⁴⁹	425	.025
w/B&S 18, 20, 21, 24 & 26 h.p. Intek OHV (V-Twin)	XST3924	3924	.030	w/Robin 25 h.p. OHV	XS63 ⁸²⁵²	4263	.025
w/B&S 12.5, 13, 13.5 & 15 Vanguard	XST3924	3924	.030	w/Wisc. 30 h.p.	----	386	.025
w/B&S 16 & 18 h.p. Vanguard (V-Twin)	XST3926	3926	.030	TURF BLAZER			
w/B&S 21, 22 & 25 h.p. ELS (V-Twin)	XST3924	3924	.030	Garden Tractors			
w/Honda 1.5 h.p.	----	4194	.030	w/Ford 192 cid Engs.	----	216	.025
w/Honda 5.5 h.p. OHC	XST4265	4265 ⁸²⁴⁸	.030	w/Kawasaki 12.5 h.p.	XST255	255	.030
w/Honda 5, 5.5 & 8 h.p. OHV	XST4265	4265 ⁸²⁴⁸	.030	w/Kawasaki 14 & 17 h.p.	XST4265	4265 ⁸²⁴⁸	.030
w/Kohler 8 h.p.	XST458	458	.030	w/Kohler 18 & 23 h.p.	----	216	.030
w/Kohler 12.5 & 14 h.p. OHV	XST3924	3924	.040	w/Wisc. 18 h.p. (Twin)	----	386	.030
w/Kohler 18, 20 & 22 h.p. (V-Twin)	XST3924	3924	.030	TURF CHOICE			
w/Kohler 19 h.p. DOHC Courage	XST3924	3924	.030	Sprayers			
w/Lauson Engs.	XST458	295	.030	w/B&S 3.5 h.p.	XST458	458	.030
w/Tec. 1.6 h.p.	XST2976	2976	.030	TURFCO			
w/other Tec. Engs.	XST458	458	.030	Aerators, Edgers, Dethatchers, Drills, Pipe Pullers, Power Rakes & Sod Cutters			
Cultivator/Edgers	----	5438	.025	w/B&S 3, 3.5, 5, 8 & 10 h.p.	XST458	458	.030
144R (4-Cycle)	----	5438	.025	w/B&S 5.5 h.p. Intek OHV	XST3924	3924	.030
Edgers	----	5438	.025	w/B&S 6, 9 & 11 h.p. Vanguard	XST3924	3924	.030
554L, 25B-554E011	XST458	458	.030	w/Clinton Engs.	XST458	295	.030
25A-515-711 (4-Cycle)	----	5438	.025	w/Honda 4, 5, 5.5, 8 & 9 h.p. OHV	XST4265	4265 ⁸²⁴⁸	.030
TB25ET	XST2554	2554	.025	w/Kohler 14 & 20 h.p. (K-Series)	----	216	.025
Trimmers	----	5438	.025	TURF MAKER			
TB10CS, TB15CS, TB20, TB20CS, TB25CS, TB25ET	XST2554	2554	.025	Hydro-Mulchers			
TB65SS, TB70, TB70SS, TB75SS, TB75SSCA, TB90, TB90BC	XST2554	2554	.025	w/B&S 10 h.p. OHV	XST3924	3924	.030
TB2000, TB3000 (4-Cycle)	XST2554	2554	.025	w/B&S 16 h.p. Vanguard	XST3924	3924	.030
TB415CS, TB425CS, TB475SS, TB490BC (4-Cycle)	----	5438	.025	w/B&S Intek OHV Engs.	XST3924	3924	.020
TB525CS, TB575SS, TB4000, TBP6160 (4-Cycle)	----	5438	.025	w/B&S Vanguard (V-Twin) Engs.	XST3924	3924	.030
TRU-CUT				w/Honda 11 & 13 h.p. OHV	XST4265	4265 ⁸²⁴⁸	.030
Edgers & Mowers				w/Honda (V-Twin) Engs.	XST4265	4265 ⁸²⁴⁸	.030
w/B&S "L" Head Engs.	XST458	458	.030	w/Kohler 12 h.p. Command Pro CS OHV	XST4265	4265 ⁸²⁴⁸	.040
w/Honda 2.2 & 2.5 h.p.	XST258	258	.030	w/Kohler 16 h.p. Triad OHC (Twin)	XST3924	3924	.040
w/Honda 3.5, 4, 5 & 5.5 h.p. OHV	XST4265	4265 ⁸²⁴⁸	.030	w/Kohler Engs. (V-Twin)	XST3924	3924	.030
w/Robin 4.2 h.p.	XST255	255	.025	w/Robin 20.5 h.p. (V-Twin)	XST4265	4265 ⁸²⁴⁸	.025
TUFF BILT				TURFMASTER			
Garden Tractors				Sweepers & Thatchers			
w/B&S Engs.	XST458	458	.030	w/Honda 5.5 & 9 h.p. OHV	XST4265	4265 ⁸²⁴⁸	.030
w/Kohler Engs.	----	216	.025	TURF MASTER			
w/Tec. Engs.	XST458	458	.030	Riding Mowers & Tillers			
TURBO TURF				w/B&S Engs.	XST458	458	.030
Hydro Seeders, Ice Control Sprayers, Straw Blowers & Turf Sprayers				w/B&S Engs. (Twin)	XST458	458	.030
w/B&S "L" Head Engs.	XST458	458	.030	w/Tec. Engs.	XST458	458	.030
w/B&S 5.5 & 6.5 h.p. Intek OHV	XST3924	3924	.030	TURF-MITE			
w/B&S 13 h.p. Vanguard	XST3924	3924	.030	Ground Saws			
w/B&S 20 h.p. Vanguard (V-Twin)	XST3926	3926	.030	w/Honda 4 h.p.	XST4265	4265 ⁸²⁴⁸	.030
w/Honda 3.5 h.p.	XST258	258	.030				
w/Honda 4, 5.5, 6.5, 8, 9, 11 & 13 h.p. OHV	XST4265	4265 ⁸²⁴⁸	.030				
w/Honda 20 & 24 h.p. (V-Twin)	XST4265	4265 ⁸²⁴⁸	.030				



Se Section 9 pour les remarques en français en bas de page. Ver Section 9 para las páginas de notas de pie de página en español. ⁸²⁴⁸ Tapered electrode design ⁸²⁴⁹ Single Platinum ⁸²⁵² Xtreme Sport

Small Engine - Lawn & Garden Equipment

	XTREME START™	STANDARD STANDARD ESTANDAR	GAP ENCARTMENT ESPACIO		XTREME START™	STANDARD STANDARD ESTANDAR	GAP ENCARTMENT ESPACIO
TURF KING				ULTRA			
Trimmers				Chipper/Shredders, Cultivators, Edger/Trimmers & Lawn Tractors			
TK2145	XST2976	2976	.030	w/B&S 3.5, 5 & 8 h.p.	XST458	458	.030
TURF POWER				w/B&S 13 & 15 h.p.			
Riding Mowers & Tillers				w/B&S 18 h.p. (Twin)			
w/B&S Engs.	XST458	458	.030	w/Honda 20 h.p. (V-Twin)	XST4265	4265 ⁸²⁴⁸	.030
w/B&S Vanguard Engs.	XST3926	3926	.030	w/Tec. 1.6 h.p.	XST2976	2976	.030
TURF REVITALIZER				w/Tec. 8 h.p.			
Turf Equipment				UNDERWUNDER			
w/Kohler 6, 8.5 & 13 OHV	XST3924	3924	.030	Boring Machines			
w/Robin 6 h.p. OHV	----	4123 ⁸²⁴⁸	.025	w/B&S 5.5 h.p. Intek OHV	XST3924	3924	.030
w/Robin 9 & 13.5 h.p. OHV	XS63 ⁸²⁵²	4263	.025	w/Honda 5.5 h.p. OHV	XST4265	4265 ⁸²⁴⁸	.030
TURFSAVR				UNITRACTOR			
Dethatchers, Fertilizers, Seeders & Slicers				Garden Tractors			
w/B&S 9 h.p. Vanguard	XST3924	3924	.030	All Models	XST458	456	.025
w/Honda 9 h.p. OHV	XST4265	4265 ⁸²⁴⁸	.030	UNIVERSAL			
TURFTEK				All Models			
Chipper/Shredders				XST458			
w/B&S 18 h.p. One-Cyl. Engs.	XST458	458	.030	U.S. ENGINES			
w/B&S 14, 16 & 18 h.p. (Twin)	XST458	458	.030	Trimmers			
w/B&S 16, 18 & 20 h.p. Vanguard (V-Twin)	XST3926	3926	.030	w/U.S. 21/25 Series Engs.	XST2974	2974	.025
w/Honda 13, 18 & 20 h.p. OHV	XST4265	4265 ⁸²⁴⁸	.030	US PRAXIS			
w/Kohler 18 & 20 h.p. (V-Twin)	XST3924	3924	.030	Log Splitters, Stump Grinders & Wood Chippers			
w/Tec. 18 h.p.	XST4055	4055 ⁸²⁴⁸	.030	w/Honda 5.5, 6.5, 9 & 13 OHV	XST4265	4265 ⁸²⁴⁸	.030
TURF TEQ				w/Honda 21 h.p. (V-Twin)			
Brooms, Brushcutters, Edgers, Groomers & Trenchers				w/Robin 6, 7, 9 & 14 h.p. OHC			
w/B&S 10.5 h.p. Intek OHV	XST3924	3924	.030	w/Robin 25 h.p. (V-Twin)	XST4265	4265 ⁸²⁴⁸	.025
w/Honda 13 h.p. OHV	XST4265	4265 ⁸²⁴⁸	.030	VAC-MASTER			
TURF-TIL				Power Sweepers			
Tillers				XST255			
w/B&S Engs.	XST458	458	.030	VACSTAR			
w/Tec. Engs.	XST458	456	.030	Vacuums			
TURF VAC				w/Honda 9 h.p. OHV			
Turf Vacuums				w/Kohler 25 h.p. (V-Twin)			
w/B&S Engs.	XST458	458	.030	XST4265			
w/Ford 1.6L Engs.	XS63 ⁸²⁵²	4263 ⁸²⁴⁸	.030	4265 ⁸²⁴⁸			
w/Kohler Engs.	----	216	.030	3924			
w/Wisc. Engs.	----	386	.030	VALLEY INDUSTRIES			
TYGAR				Manure Handlers			
Curb Makers, Hydraulic Mixers, Sod Cutters & Bed Edgers				w/B&S 18 h.p. Vanguard (V-Twin) ...			
w/Honda 2.5 h.p.	XST258	258	.030	XST3926			
w/Honda 3 h.p. OHV	----	4194	.030	3926			
w/Honda 4, 5.5, 8 & 13 h.p. OHV	XST4265	4265 ⁸²⁴⁸	.030	VANDERMOLEN WINDMILL			
TYMCO				Blowers, Chippers & Hedgetrimmers & Misters			
Regenerative Air Sweepers				5-11KT			
Model 210 w/Wisconsin 37 h.p.	----	386	.025	8-11E			
U-CART				540BT, 542BT, 542BTx, 856BT			
Hydro-Seeders				850BTx, 960BYTx			
w/Robin 3.5 h.p.	----	4123 ⁸²⁴⁸	.025	1832Cr, 1824Cr, F1848cr			
				AM16D, TD18, TDF18			
				D15, D18			
				D17			
				F1832Cr, F1824Cr, F1848Cr, F1848G			
				F2330CrHD, F2330K, F2360CrHD ..			
				TD24, TD33			
				22, 55, 66, 88			
				26, 77, 848			
				28, 7-11			



Se Section 9 pour les remarques en français en bas de page. Ver Sección 9 para las páginas de notas de pie de página en español. ⁸²⁴⁸ Tapered electrode design ⁸²⁴⁹ Single Platinum ⁸²⁵² Xtreme Sport

Small Engine - Lawn & Garden Equipment

	XTREME START™	STANDARD STANDARD ESTANDAR	GAP ENCARTMENT ESPACIO		XTREME START™	STANDARD STANDARD ESTANDAR	GAP ENCARTMENT ESPACIO
VANDERMOLEN WINDMILL (Cont'd)				VERMEER (Cont'd)			
Blowers, Chippers & Hedge Trimmers & Misters (Cont'd)				Chippers, Core Saws, Log Splitters, Stump Cutters, Tree Spades & Trenchers (Cont'd)			
312, 2324, 2330, 2360	XST255	255	.030	w/Kohler 27 h.p. Command Pro (V-Twin)	XST3924	3924	.040
Tarpen Power Unit	XST458	295	.030	w/Onan NHB-MS Eng.	AP404 ⁸²⁴⁹	404	.025
w/B&S Eng.	XST458	458	.030	w/Wisc. 4H4D Eng.	----	386	.030
w/Kohler Eng.	----	216	.030	w/Wisc. SD12 Eng.	----	386	.030
Trimmers				w/Wisc. W4-1770 34 h.p.			
L1840F, L1840G, L1840K, L1845G, L2035G, L2415G	XST255	255	.030	w/Wisc. V465D Eng.	XST4265	65	.025
L2515K, L2515X, L2815G, L2815G3, L2815K, L2815K3	XST255	255	.030	VIGOR			
L2540K	XST2974	2974	.030	Brushcutters, Sprayers, Threshers, Tillers & Trimmers			
L3335G, L3335G1, L3335G3, X3335G, L4320K	XST255	255	.030	w/VG139F Eng.	----	4194	.030
VANN				w/VG168F & VG168F-1 Eng.			
Log Splitters	XST458	295	.030	w/VG1E36F Eng.	XST4055	4055 ⁸²⁴⁸	.030
Vacuums	XST458	295	.030	w/VG1E40F-B Eng.	XST255	255	.030
VARI-TRAC				w/VG1E40F-B Eng.			
Garden Tractors				w/VG1E40F-B Eng.			
w/Tec. Eng.	XST458	458	.030	VIKING			
VAUGHN				Garden Tractors			
w/7/8"-18 Threads	----	3076	.025	w/B&S 14mm Threads	XST458	458	.025
w/1/2"-14 Pipe Threads	----	3095	.025	w/B&S 18mm Threads	----	386	.025
VECTRA				w/Wisc. Eng.			
Riding Mowers				w/Wisc. Eng.			
w/B&S 11.5, 13 & 15 h.p.	XST458	458	.030	VILLAGE 21			
w/B&S 16.5 h.p. (Twin)	XST458	458	.030	Log Splitters			
w/Kohler 20 h.p. (Twin)	XP26 ⁸²⁵⁰	26	.025	w/B&S Eng.	XST458	458	.025
VENTRAC				VILLAGE BLACKSMITH			
Compact Articulating Tractors & Tri-Wheelers				Augers & Foggers			
w/B&S "L" Head Eng.	XST458	458	.030	Augers & Foggers	XST255	255	.030
w/B&S 9 h.p. Vanguard OHV	XST3924	3924	.030	Vivv			
w/B&S 21 & 31 h.p. Vanguard (V-Twin)	XST3924	3924	.030	String Trimmers			
w/B&S 23.5 & 31 h.p. Vanguard 3- Cyl. (Liquid Cooled)	XST3924	3924	.030	CH4-31S	----	4194	.030
w/Kawasaki 19 h.p. (V-Twin)	XST4265	4265 ⁸²⁴⁸	.025	JF4-35	XST255	255	.030
w/Kawasaki 21 & 25 h.p. (V-Twin) ...	XST4265	4265 ⁸²⁴⁸	.025	WACKER			
w/Kawasaki 25 & 27 h.p. (Liquid V-Twin)	AP66 ⁸²⁴⁹	66	.025	Tampers & Trimmers			
VERMEER				BTS10, 11, 13			
Chippers, Core Saws, Log Splitters, Stump Cutters, Tree Spades & Trenchers				BTS9, 12, 14			
w/B&S 35 h.p. Vanguard (V-Twin) ...	XST3926	3926	.030	BS700	AP425 ⁸²⁴⁹	425	.020
w/Chry. 225 cid Eng.	XP24 ⁸²⁵⁰	24	.030	DS62Y, DS105Y	----	306	.030
w/Ford 98, 134, 140, 172 & 192 cid Eng.	----	216	.025	WALKER			
w/Ford 300 GF	AP124 ⁸²⁴⁹	124	.025	Riding Mowers			
w/Ford LSG-423	XP104 ⁸²⁵⁰	104	.030	w/B&S 11 h.p.	XST458	458	.030
w/Honda 5.5, 9, 11 & 13 h.p. OHV ...	XST4265	4265 ⁸²⁴⁸	.030	w/B&S 18 h.p. Vanguard (V-Twin) ...	XST3924	3924	.030
w/Kawasaki 11.5 h.p. OHV	XST4265	4265 ⁸²⁴⁸	.030	w/Kawasaki 11, 11.5 & 13 h.p. OHV .	XST4265	4265 ⁸²⁴⁸	.030
w/Kohler 6 h.p. OHV Command Pro CS	XST4265	4265 ⁸²⁴⁸	.040	w/Kawasaki 13 h.p. OHV	XP64 ⁸²⁵⁰	64	.030
w/Kohler 12 h.p.	----	216	.030	w/Kawasaki 15 h.p. (V-Twin)	XST2976	2976	.025
w/Kohler 11, 13 & 15 h.p. OHV	XST3924	3924	.040	w/Kohler 16 h.p.	----	216	.030
w/Kohler 18 & 20 h.p. (Twin)	XP26 ⁸²⁵⁰	26	.025	w/Kohler 16 h.p. (Twin)	XP26 ⁸²⁵⁰	26	.025
w/Kohler 23, 25 & 27 h.p. (V-Twin) ..	XST3924	3924	.040	w/Kohler 16 h.p. OHC (Twin)	XST3924	3924	.030
				w/Kohler 16, 18, 20, 23, 25 & 27 h.p. (V-Twin)			
				w/Kohler 25 & 31 h.p. (Liquid V-Twin)			
				w/Kohler 25 & 31 h.p. (Liquid V-Twin)			
				w/Kohler 26 h.p. EFI (V-Twin)			
				w/Kubota WG600-B 21 h.p.			
				w/Kubota WG750-B 24.5 h.p.			



Se Section 9 pour les remarques en français en bas de page. Ver Seccion 9 para las páginas de notas de pie de página en español. ⁸²⁴⁸ Tapered electrode design ⁸²⁴⁹ Single Platinum ⁸²⁵⁰ Xtreme Performance

Small Engine - Lawn & Garden Equipment

	XTRME START™	STANDARD STANDARD ESTANDAR	GAP ENCARTMENT ESPACIO		XTRME START™	STANDARD STANDARD ESTANDAR	GAP ENCARTMENT ESPACIO
WARDS				WEED EATER (Cont'd)			
Trimmers				Brushcutters & Trimmers			
1926, 1927	XST255	255	.030	Featherlite, Plus, SST	XST2976	2976	.025
1930, 1931, 1932	XST258	258	.030	Prolite, Pro Trim	XST2976	2976	.025
Tractors & Tillers				Twist'N Edge, Ultratrim	XST2976	2976	.025
w/B&S Engs.	XST458	458	.030	Wild Thing	XST2976	2976	.025
w/Onan Engs.	----	437	.030	1400, 1500, 1600, 1700, 1900	XST258	258	.030
w/B&S Engs.	XST458	458	.030	1400T,1600T,1700A,1740	XST258	258	.030
w/Tec. Engs.	XST458	458	.030	BC24B, BC24W	XST2976	2976	.025
WARE				BC30B	XST258	258	.030
Riding Mowers				BC2400, BC3100	XST2976	2976	.025
w/B&S 16 h.p. Vanguard (V-Twin) ...	XST3926	3926	.030	BC2500LE, FL20, FL25, FL25LE, FLSST25, FL26	XST2974	2974	.025
WAYNE				FX25, FX26, MX550, TE475, WT3100	XST2974	2974	.025
w/Chry. 225 cid Engs.	XST4265	4265 ⁸²⁴⁸	.030	GHT17, GHT22	XST2976	2976	.030
w/Chry. 318 cid Engs.	XST4265	4265 ⁸²⁴⁸	.030	GTI15T, GTI16, GTI17C	XST258	258	.030
WEBB				GTI18T, GTI18KT	XST258	258	.030
Lawn Rollers & Tillers				GTI19T, GTI52	XST258	258	.030
w/B&S Engs.	XST458	458	.030	LT7000, LT7500	XST2976	2976	.030
WEBSTER				PL200, PL500, SE200, TE400, TE400CXL	XST2976	2976	.025
Deep Root Feeders				XR20, XR30, XR50, XR70, XR75 ...	XST258	258	.030
w/Tec. 1.6 h.p.	XST2976	2976	.030	XR80, XR90, XR95, XR100	XST258	258	.030
w/Tec. 2 h.p.	XST2974	2974	.030	XR105, XR125	XST258	258	.030
WEEDBOSS				XR200	XST255	255	.030
Brushcutters & Trimmers				XT20T, XT30D, XT40T, XT50T, XT85T	XST258	258	.030
BC-8, CS-16, SS-18	XST2554	2554	.030	XT25, XT35, XT55, XT65	XST2976	2976	.025
WEED EATER				XT90, XT100, XT125T, XT125KT ...	XST258	258	.030
w/B&S 5, 12.5 & 14.5 h.p.	XST458	458	.030	Featherlite XT200, XT300	XST2976	2976	.025
w/B&S OHV Engs.	XST3924	3924	.030	XT250, XT250LE, XT260, XT700, WT3100	XST2974	2974	.025
w/B&S 16 & 18.5 h.p. (Twin)	XST458	458	.030	XT400, XT600	XST2976	2976	.025
w/Fuji Engs.	XS4093 ⁸²⁵²	4093 ⁸²⁴⁸	.030	Riding Mowers			
w/Kawasaki Engs.	XST254	303	.030	WE12538, WE1538, WE1538LT, WE1642	XST458	458	.030
w/Kioritz Engs.	XST255	255	.030	WE14542	XST3924	3924	.030
w/Tec. Engs.	XST458	456	.030	WE18542, WE185H42	XST458	458	.030
Blowers, Edgers, Hedge Trimmers, Tillers & Vacuums				WET1742ST, WET2242ST	XST4055	4055 ⁸²⁴⁸	.030
599, 609, 698, 920, 925, 940	XST255	255	.030	WEGELE			
1000	XS4093 ⁸²⁵²	4093 ⁸²⁴⁸	.030	Mowers			
1920, 1925, 1960	XST255	255	.030	w/Kohler 13 & 15 h.p. OHV Engs. ...	XST3924	3924	.040
4000, 5000, 6000	XST258	258	.030	Models w/18mm Heads	----	386	.030
BV165, GBI20, GBI22, GBI30	XST2976	2976	.030	WEIBANG			
BV200, BV1850LE	XST2974	2974	.025	Aerators & Lawn Combers			
BV1650, BV1650LE, BV1800, , BV1800LE, 25HHT	XST2976	2976	.025	w/B&S 6 h.p. Intek OHV	XST3924	3924	.030
BV2000 Barracuda, BV200LE	XST2976	2976	.025	WESTHEFFER			
FL1500 Featherlite, FL1500LE, GBI22V	XST2976	2976	.025	Sprayers			
GBI30V	XST258	258	.030	w/Honda 5 & 8 h.p. OHV	XST4265	4265 ⁸²⁴⁸	.030
GE21	XST2976	2976	.030	WESTWOOD			
GHT180, GHT220 Excalibur	XST2976	2976	.025	Gemini Tillers			
GHT195, GHT225	XST2976	2976	.025	XST458	295	.030	
HP22, HP28, HP30	XST258	258	.030	WHEELBURRO			
PE550 Power Edge	XST2976	2976	.025	Wheelbarrows			
SB180 Twister	XST2976	2976	.025	w/B&S 5 h.p.	XST458	458	.030
SE200 Stick Edger	XST2976	2976	.025	WHEEL HORSE			
SV22, SV30 Barracuda	XST2976	2976	.025	w/B&S "L" Head Engs.	XST458	458	.030
WEF550, WER500 Tillers	XST458	458	.030				
WT200, WT200LE	XST2974	2974	.025				
SST45, Twister	XST258	258	.030				



Se Section 9 pour les remarques en français en bas de page. Ver Seccion 9 para las páginas de notas de pie de página en español. ⁸²⁴⁸ Tapered electrode design ⁸²⁵² Xtreme Sport

Small Engine - Lawn & Garden Equipment

	XTREME START™	STANDARD STANDARD ESTANDAR	GAP ÉNCARTMENT ESPACIO		XTREME START™	STANDARD STANDARD ESTANDAR	GAP ÉNCARTMENT ESPACIO
WHEEL HORSE (Cont'd)				WHITEMAN			
w/B&S 16, 18 & 20 h.p. Vanguard (V-Twin)	XST3926	3926	.030	Concrete Buggys			
w/Kawasaki 12.5 h.p. OHV	XST255	255	.030	w/B&S Vanguard engs.	XST3924	3924	.030
w/Kawasaki 17 h.p. OHV	XST4265	4265 ⁸²⁴⁸	.025	w/Honda 13 h.p. OHV	XST4265	4265 ⁸²⁴⁸	.030
w/Kawasaki 20 h.p. OHV (Liquid V-Twin)	XST255	255	.025	WHIZZ-WITCH (See Hoffco)			
w/Kohler 8 h.p. (K181)	XST458	458	.030	WIC			
w/Kohler 8, 10, 12 & 14 h.p.	----	216	.030	Mulchers			
w/Kohler 15 h.p. OHV	XST3924	3924	.030	w/Kohler 16 h.p.	----	216	.030
w/Kohler 16 & 20 h.p.	----	216	.030	Trimmers & Brushcutters			
w/Kohler 16, 17, 18 & 19 h.p. (Twin) .	XP26 ⁸²⁵⁰	26	.025	L1845G, L2035G, L2415G	XST255	255	.030
w/Kohler 17, 18, 20 & 22 h.p. OHV (V-Twin)	XST3924	3924	.030	L2525X, L3335G, X3335G	XST255	255	.030
w/Onan B43M Engs.	----	437	.030	WIKOV			
w/Onan XSL	AP106 ⁸²⁴⁹	106	.025	Riding Mowers			
w/Onan 12.5 & 14 h.p.	----	275	.025	w/B&S 12, 12.5 & 15.5 h.p.	XST458	458	.030
w/Onan 16, 18 & 20 h.p.	AP106 ⁸²⁴⁹	106	.025	w/B&S 15, 16, 18 & 20 h.p. Vanguard (V-Twin)	XST3926	3926	.030
w/Renault Engs.	----	4123 ⁸²⁴⁸	.030	w/Honda 13 h.p. OHV	XST4265	4265 ⁸²⁴⁸	.030
w/Tec. Engs.	XST458	458	.030	w/Honda 20 h.p. (V-Twin)	XST4265	4265 ⁸²⁴⁸	.030
WHEELER				w/Kohler 18 OHV (V-Twin)	XST3924	3924	.040
Lawn Tractors, Shredders & Tillers				WINDS			
w/B&S Engs.	XST458	458	.030	Dry Granular Spreaders			
w/Tec. Engs.	XST458	458	.030	w/B&S 10 h.p.	XST458	458	.030
WHIPPER CLIPPER				w/Honda 9 h.p. OHV	XST4265	4265 ⁸²⁴⁸	.030
Edgers/Trimmers				w/Kawasaki 11.1 h.p. OHV	XST4265	4265 ⁸²⁴⁸	.030
w/B&S Engs.	XST255	255	.030	w/Kohler 10 h.p.	----	216	.030
w/Honda 4, 5 & 5.5 h.p. OHV	XST4265	4265 ⁸²⁴⁸	.030	WISCON (Red Head)			
w/Tec. Engs.	XST458	458	.030	Garden Tractors			
WHITE				All Models	XST458	456	.025
Chipper/Shredders, Edger/Trimmers, Log Splitters, Riding Mowers, Tillers, Tractors & Vacuums				WISCONSIN			
w/B&S "L" Head Engs.	XST458	458	.030	TR-10D, TRA-10D	----	386	.030
w/B&S 5.5, 6.5, 13, 13.5, 15, 15.5, 18, 21 & 25 h.p. OHV	XST3924	3924	.030	WIZARD			
w/B&S 18 & 21 h.p. OHV (V-Twin) ...	XST3924	3924	.030	Edgers, Shredders, Tillers & Tractors			
w/B&S 16, 16.5 & 18 h.p. (Twin) ...	XST458	458	.030	w/B&S Engs.	XST458	458	.030
w/B&S 17, 17.5, 18 & 18.5 h.p. Intek OHV	XST3924	3924	.030	WOERNER			
w/B&S 13 & 15 h.p. Vanguard	XST3924	3924	.030	Turf Installer			
w/B&S 16, 18, 20 & 21 h.p. Vanguard (V-Twin)	XST3926	3926	.030	w/Kohler 18 & 22 h.p. (V-Twin)	XST3924	3924	.040
w/B&S 22 & 25 Intek (V-Twin)	XST3924	3924	.030	WOLF GARTEN			
w/B&S 25 h.p. Vanguard (Liquid Cooled 3-Cyl.)	XST3924	3924	.030	Riding Mowers			
w/Kawasaki 18 h.p. OHV (V-Twin) ..	XST4265	4265 ⁸²⁴⁸	.025	w/Tec. 6 h.p. OHV	XST4055	4055 ⁸²⁴⁸	.030
w/Kohler 8 h.p.	XST458	458	.030	WOODS			
w/Onan Engs.	AP106 ⁸²⁴⁹	106	.025	Chipper/Shredders & Lawn Tractors			
w/Tec. Side Valve Engs.	XST458	458	.030	w/B&S 12.5, 14, 16, 18 & 23 h.p. Vanguard (V-Twin)	XST3926	3926	.030
w/Tec. 5, 5.5, 6.5, 13, 17.5 & 18.5 h.p. OHV	XST4055	4055 ⁸²⁴⁸	.030	w/B&S 20 h.p. Intek OHV (V-Twin) ..	XST3924	3924	.030
w/Tec. 22 h.p. (V-Twin)	XST4055	4055 ⁸²⁴⁸	.030	w/Kawasaki 19 & 25 h.p. (V-Twin) ...	XST4265	4265 ⁸²⁴⁸	.025
Hedge Trimmers	XST2974	2974	.030	w/Kawasaki 20 h.p. (Liquid V-Twin) .	XST258	258	.025
Log Splitters	XST458	458	.030	w/Kohler 12 & 18 h.p.	----	216	.030
Shredders	XST255	255	.030	w/Kohler 20 h.p. (Twin)	XP26 ⁸²⁵⁰	26	.025
Trimmers	XST2974	2974	.030	w/Kohler 18, 20, 22 & 25 h.p. (V-Twin)	XST3924	3924	.030
WHITEHEAD				w/Kohler 27 h.p. (V-Twin)	XST3924	3924	.040
w/Chry. 86008	XS4093 ⁸²⁵²	4093 ⁸²⁴⁸	.030				


Se Section 9 pour les remarques en français en bas de page. Ver Seccion 9 para las páginas de notas de pie de página en español. ⁸²⁴⁸ Tapered electrode design ⁸²⁴⁹ Single Platinum ⁸²⁵⁰ Xtreme Performance ⁸²⁵² Xtreme Sport

Small Engine - Lawn & Garden Equipment

	XTREME START™	STANDARD STANDARD ESTANDAR	GAP ENCARTMENT ESPACIO		XTREME START™	STANDARD STANDARD ESTANDAR	GAP ENCARTMENT ESPACIO
WOODS (Cont'd)				WRIGHT (Cont'd)			
Chipper/Shredders & Lawn Tractors (Cont'd)				w/Kohler 20, 22, 23 & 25 h.p. (V-Twin) XST3924 3924 .030			
w/Kubota WG-600-B 21 h.p. XST3924 3924 .030				w/Kohler 23 & 25 h.p. (Liquid V-Twin) XST3926 3926 .040			
w/Kubota WG-750-B 24.5 h.p. XST3924 3924 .030							
w/Onan 20 h.p. (Twin) AP106 ⁸²⁴⁹ 106 .025							
Utility Vehicles							
w/Honda 18 & 20 h.p. (V-Twin) XST4265 4265 ⁸²⁴⁸ .030							
w/Kawasaki 13 h.p. (V-Twin) XST2976 2976 .030							
w/Robin 11 h.p. OHV XS63 ⁸²⁵² 4263 .025							
WOOD-MIZER				W-U			
Personal Sawmills				Power Carts			
w/Kohler 13 & 15 h.p. OHV XST3924 3924 .030				w/Honda 8 h.p. (G300) --- 275 .030			
w/Kohler 20 & 25 h.p. (V-Twin) XST3924 3924 .030							
WOODSMAN				W-W GRINDER			
Log Splitters				Chipper/Shredders & Power Sprayers			
w/B&S Engs. XST458 458 .030				BC250DL, BC260DUM, BC260DWM XST254 254 .030			
				BC324B, FBC12, FBC26 AP425 ⁸²⁴⁹ 425 .030			
				BC340FI, BC245E XST2974 2974 .030			
				BC430DWM, BC430FWM XST2974 2974 .030			
				FBC33 XST458 458 .030			
				Log Splitters XST255 255 .030			
				w/B&S Engs. XST458 458 .030			
				w/Wisc. VH4D Engs. --- 386 .030			
WOOD PRO				X-TREME VAC			
Chippers				Vacuums			
w/B&S (Twin) XST458 458 .030				w/Kawaski 27 h.p. (Liquid V-Twin) ... AP66 ⁸²⁴⁹ 66 .025			
w/B&S 9 h.p. Vanguard XST3924 3924 .030							
w/B&S 16 & 18 h.p. Vanguard (V-Twin) XST3926 3926 .030							
w/Kohler 14 h.p. OHV XST3924 3924 .030							
w/Kohler 22 h.p. Command (V-Twin) XST3924 3924 .030							
w/Kohler 22 h.p. Command Pro (V-Twin) XST3924 3924 .030							
WOOD WACKER				YAMAHA			
w/B&S Engs. XST458 458 .030				Riding Mowers			
				YT3600 XST4265 4265 ⁸²⁴⁸ .030			
				YT5700, YT6700, YT6800 --- 4123 ⁸²⁴⁸ .030			
WORK HORSE				Utility Vehicles			
w/B&S Engs. XST458 458 .030				Adventurer One, Adventurer Two ... XS65 8252 4265 ⁸²⁴⁸ .030			
w/B&S (Twin) XST458 458 .030				Concierge G20-A XS65 8252 4265 ⁸²⁴⁸ .030			
				Fairway Lounge XS65 8252 4265 ⁸²⁴⁸ .030			
				G11-A --- 4056 ⁸²⁴⁸ .030			
				G21-A XS65 8252 4265 ⁸²⁴⁸ .030			
				G-Max PTV XS65 8252 4265 ⁸²⁴⁸ .030			
				The Drive, The Drive PTV AP66 ⁸²⁴⁹ 66 .030			
				Pro Hauler 1000 XS65 8252 4265 ⁸²⁴⁸ .028			
				Pro Hauler 700 XS65 8252 4265 ⁸²⁴⁸ .028			
				U-Max G23-A XS65 8252 4265 ⁸²⁴⁸ .030			
				U-Max G27-A XS65 8252 4265 ⁸²⁴⁸ .030			
				U-Max G28-A XS65 8252 4265 ⁸²⁴⁸ .030			
				Yamahauler G-11 XS4164 ⁸²⁵² 4164 ⁸²⁴⁸ .030			
WORL DLAWN				YARD BEAST			
Mowers				Chippers			
w/B&S 9, 10.5, 11, 11.5 & 13 h.p. Intek OHV XST3924 3924 .030				w/B&S 6.5 h.p. Intek OHV XST3924 3924 .030			
w/Honda 11 & 13 h.p. OHV XST4265 4265 ⁸²⁴⁸ .030				w/Tec. 6 & 6.5 h.p. OHV XST4055 4055 ⁸²⁴⁸ .030			
w/Kawasaki 13, 15 & 17 h.p. (V-Twin) XST2976 2976 .025							
w/Kawasaki 21, 23, 25 & 27 h.p. (V-Twin) XST4265 4265 ⁸²⁴⁸ .030							
w/Kohler 15 & 18 h.p. OHV XST3924 3924 .040							
w/Kohler 22 & 23 h.p. (V-Twin) XST3924 3924 .040							
WORTHINGTON				YARD MACHINES			
All Models --- 386 .025				Blowers, Chipper/Shredders, Edgers, Log Splitters, Sweepers, Tillers & Trimmer Mowers			
WRIGHT				w/B&S "L" Head Engs. XST458 458 .030			
w/B&S 16, 18 & 20 h.p. Vanguard (V-Twin) XST3926 3926 .030				w/B&S 5, 5.5, 6, 6.5, 7.5, 14.5 & 15.5 h.p. OHV XST3924 3924 .030			
w/Kawasaki 12.5 h.p. OHV XST258 258 .025				w/B&S 6.5 & 17.5 h.p. Intek OHV ... XST3924 3924 .030			
w/Kawasaki 17, 19, 21, 23 & 25 h.p. OHV XST4265 4265 ⁸²⁴⁸ .030				w/B&S 20 h.p. Intek (V-Twin) XST3924 3924 .030			
w/Kawasaki 15, 17 & 19 h.p. (V-Twin) XST2976 2976 .025				w/B&S 16 & 20 h.p. Vanguard (V-Twin) XST3926 3926 .030			
w/Kawasaki 23, 24, 25, 26, 27 & 31 h.p. (V-Twin) XST4265 4265 ⁸²⁴⁸ .030				w/Honda 5 h.p. OHC XST4265 4265 ⁸²⁴⁸ .030			
				w/Tec. 3 & 3.5 h.p. XST458 456 .030			
				w/Tec. 4.5, 5 & 8 h.p. XST458 458 .030			
				w/Tec. 5.5, 6, 10 & 12.5 h.p. OHV ... XST4055 4055 ⁸²⁴⁸ .030			

Se Section 9 pour les remarques en français en bas de page. Ver Seccion 9 para las páginas de notas de pie de página en español. ⁸²⁴⁸ Tapered electrode design ⁸²⁴⁹ Single Platinum ⁸²⁵² Xtreme Sport

Small Engine - Lawn & Garden Equipment

	XTREME START™	STANDARD ESTANDAR	GAP ENCARTMENT ESPACIO
YARD MACHINES (Cont'd)			
Blowers, Chipper/Shredders, Edgers, Log Splitters, Sweepers, Tillers & Trimmer Mowers (Cont'd)			
120R Cultivator	XST2956	2956	.030
Riding Mowers & Tractors			
w/B&S 6.5, 8.5, 12.5 & 13 h.p.	XST458	458	.030
w/B&S 18 & 18.5 h.p. (Twin)	XST458	458	.030
w/B&S 5, 14, 14.5, 15.5, 16.5 & 17.5 h.p. OHV	XST3924	3924	.030
w/B&S 18, 21 & 20 h.p. Vanguard (V-Twin)	XST3924	3924	.030
w/Tec. 13, 13.5, 15 & 17.5 h.p. OHV ..	XST4055	4055 ⁸²⁴⁸	.030

YARDMAN

Blowers, Edgers, Chipper/Shredders, Lawn Sweepers, Log Splitters, Mowers, Riding Mowers, Tillers, Tractors & Vacuums

w/B&S "L" Head Engs.	XST458	458	.030
w/B&S Twin L-Head Engs.	XST458	458	.030
w/B&S 5, 14 & 15 h.p. OHV	XST3924	3924	.030
w/B&S 5.5, 6.5 & 17.5 h.p. Intek OHV	XST3924	3924	.030
w/B&S 17.5 h.p. ELS OHV	XST3924	3924	.030
w/B&S 18 h.p. Vanguard (V-Twin) ...	XST3926	3926	.030
w/B&S 20 & 22 h.p. Intek (V-Twin) ...	XST3924	3924	.030
w/B&S 25 h.p. ELS (V-Twin)	XST3924	3924	.030
w/Kawasaki Engs.	XST458	295	.030
w/Kohler 4 & 8 h.p.	XST458	458	.030
w/Kohler 14, 15 & 17 h.p. OHV	XST3924	3924	.040
w/Kohler 16 h.p.	----	216	.030
w/Kohler 18 & 20 h.p. (Twin)	XP26 ⁸²⁵⁰	26	.025
w/Kohler 20, 22 & 23 h.p. (V-Twin) ..	XST3924	3924	.030
w/Robin Engs.	AP425 ⁸²⁴⁹	425	.030
w/Tec. 2 h.p.	XST2976	2976	.030
w/Tec. 3.5 h.p.	XST458	456	.030
w/Tec. 3.75, 4, 5, 6 & 8 h.p.	XST458	458	.030
w/Tec. 5, 5.5, 6 & 16 h.p. OHV	XST4055	4055 ⁸²⁴⁸	.030
w/Tec. 12 & 12.5 h.p.	AP425 ⁸²⁴⁹	425	.030

YARD MARVEL


Aerators, Motor Rakes, Thatchers & Tillers

w/B&S 3, 3.5, 5 & 5.5 h.p.	XST458	458	.030
w/Honda 2.5 h.p. OHV	----	4194	.030
w/Honda 5.5 h.p. OHV	XST4265	4265 ⁸²⁴⁸	.030
w/Kawasaki 3.4 h.p.	XST458	458	.030
w/Kawasaki 3.6 h.p.	----	275	.025
w/Kawasaki 3.7 h.p.	XST2976	2976	.030
w/Kohler 4 h.p.	XST458	458	.030
w/Kohler 5 h.p. OHV	XST3924	3924	.040
w/Robin 5 h.p.	AP425 ⁸²⁴⁹	425	.030
w/Tec. 3 h.p.	XST458	458	.030
w/Tec. 5.5 h.p. OHV	XST4055	4055 ⁸²⁴⁸	.030

YARD PRO

Brush Cutters, Riding Mowers, Tillers & Trimmers

YGT18H46, YGT22H50	XST3924	3924	.030
YGT2046	XST3926	3926	.030
YP110, YP115, YP116, YP120	XST258	258	.030
YP130, YP140, YP145, YP150	XST258	258	.030
YP160	XST258	258	.030
YP200	XST255	255	.030
YP1342, YP1846	XST458	458	.030
YP1542, YP15H42	XST3924	3924	.030
YRT8, YRT9, YRT55	XST458	458	.030
w/B&S 3.5, 5 & 5.5 h.p.	XST458	458	.030
w/B&S 8, 9, 13, 15 & 19 h.p.	XST458	458	.030

	XTREME START™	STANDARD ESTANDAR	GAP ENCARTMENT ESPACIO
YARD PRO (Cont'd)			
Brush Cutters, Riding Mowers, Tillers & Trimmers (Cont'd)			
w/B&S 18 h.p. (Twin)	XST458	458	.030
w/B&S 20 h.p. Vanguard (V-Twin) ...	XST3926	3926	.030
w/Kohler 15 h.p. OHV	XST3924	3924	.030
w/Kohler 22 h.p. (V-Twin)	XST3924	3924	.030
w/Kohler 18, 20 & 22 h.p. (V-Twin) ..	XST3924	3924	.030

YARD SHARK

Chipper/Shredder/Mulchers & Mowers

w/B&S 5 & 8 h.p.	XST458	458	.030
w/B&S 9 h.p. Vanguard	XST3924	3924	.030
w/Honda 9 h.p. OHV	XST4265	4265 ⁸²⁴⁸	.030
w/Honda 20 & 24 h.p. (V-Twin)	XST4265	4265 ⁸²⁴⁸	.030
w/Kawasaki 21 & 25 h.p. (V-Twin) ...	XST4265	4265 ⁸²⁴⁸	.025
w/Kohler 15 h.p. OHV	XST3924	3924	.040
w/Kohler 18 h.p. (V-Twin)	XST3924	3924	.030

YARD VAC

Blowers, Edgers, Thatchers & Vacuums

w/B&S 4, 5 & 8 h.p.	XST458	458	.030
w/B&S 9 h.p. Vanguard	XST3924	3924	.030
w/Honda 4, 5 & 5.5 h.p. OHV	XST4265	4265 ⁸²⁴⁸	.030
w/Kohler 7 h.p.	XST458	458	.030
w/Robin 2-Cycle Engs.	AP425 ⁸²⁴⁹	425	.030
w/Tec. 5 h.p.	XST458	458	.030

YARK BRONC

Tractors

w/B&S Engs.	XST458	458	.030
w/Tec. Engs.	XST458	458	.030

YAZOO/KEES

Brushcutters, Mowers, Pluggers, Power Rakes & Tillers

w/B&S "L" Head Engs.	XST458	458	.030
w/B&S 6 h.p. Intek OHV	XST3924	3924	.030
w/B&S 16, 18 & 20 h.p. Vanguard (V-Twin)	XST3926	3926	.030
w/Honda 5.5 h.p. OHV	XST4265	4265 ⁸²⁴⁸	.030
w/Honda 11 h.p. (GV400)	XST2976	2976	.030
w/Kawasaki 12.5 h.p.	XST255	255	.030
w/Kawasaki 9 & 14 h.p. OHV	XST4265	4265 ⁸²⁴⁸	.030
w/Kawasaki 17 h.p. (V-Twin)	XST2976	2976	.030
w/Kawasaki 20 h.p. (Liquid V-Twin) ..	XST258	258	.030
w/Kohler 14 h.p. OHV	XST3924	3924	.040
w/Kohler 18 h.p. (1-Cyl.)	----	216	.030
w/Kohler 18 & 20 h.p. (V-Twin)	XST3924	3924	.030
w/Kohler 20 h.p. (Twin)	XP26 ⁸²⁵⁰	26	.025
w/Kohler 22 & 25 h.p. (V-Twin)	XST3924	3924	.030
w/Kohler 23 h.p. (V-Twin)	----	216	.030
w/Robin EY18W, EY18-3W	AP425 ⁸²⁴⁹	425	.030
w/Tec. 4 h.p.	XST458	458	.030
w/Wisc. AGND Engs.	----	386	.030
w/Wisc. TJD Engs.	----	386	.030

Edgers & String Trimmers

ET300, 301, 305	XST458	458	.030
YBC16, 23, 31	XST258	258	.030



YELLOWBIRD

Tillers

w/B&S Engs.	XST458	458	.030
------------------	--------	-----	------



Se Section 9 pour les remarques en français en bas de page. Ver Section 9 para las páginas de notas de pie de página en español. ⁸²⁴⁸ Tapered electrode design ⁸²⁴⁹ Single Platinum ⁸²⁵⁰ Xtreme Performance

Small Engine - Lawn & Garden Equipment

	XTREME START™	STANDARD STANDARD ESTANDAR	GAP ÉNCARTMENT ESPACIO		XTREME START™	STANDARD STANDARD ESTANDAR	GAP ÉNCARTMENT ESPACIO
YORK							
Powered Brooms							
w/B&S 5 h.p.	XST458	458	.030				
w/Honda 5.5 h.p.	XST4265	4265 ⁸²⁴⁸	.030				
ZALLY'S							
Wheelbarrows							
w/B&S 6 h.p.	XST458	458	.030				
ZENOAH							
Augers							
FAG10	XST254	303	.030				
Blowers							
EB20	XST254	254	.030				
EB40, EB43	AP425 ⁸²⁴⁹	425	.030				
Duster/Misters							
MD20AE	XST254	254	.030				
MD40AE	AP425 ⁸²⁴⁹	425	.030				
Trimmers							
BC153E1, BC174E	XST255	255	.030				
BC234B	XST254	254	.030				
BC250DL, BC260DUM, BC260DWM	XST254	254	.030				
BC324B, FBC12, FBC26	AP425 ⁸²⁴⁹	425	.030				
BC430FWM, BC430DWM	XST2976	2976	.030				
BK340FI, BC174E, BC254E	XST2976	2976	.030				
FBC33	XST254	303	.030				
Z-CART							
Mower Decks & Utility Vehicles							
w/B&S 18 & 20 h.p. Vanguard (V-Twin)	XST3926	3926	.030				
w/Kawasaki 17 h.p. (V-Twin)	XST2976	2976	.030				
w/Kawasaki 19 h.p. (V-Twin)	XST4265	4265 ⁸²⁴⁸	.030				
w/Kohler 17 h.p. (V-Twin)	XST3924	3924	.030				
Z-PLUG							
Pluggers							
w/Kawasaki 17 h.p. (V-Twin)	XST2976	2976	.030				
w/Kawasaki 19 h.p. (V-Twin)	XST4265	4265 ⁸²⁴⁸	.030				
ZIPPER							
Riding Mowers							
w/B&S 14 & 18 h.p. Vanguard (V-Twin)	XST3926	3926	.030				
w/B&S 31 h.p. Vanguard (Liquid Cooled)	XST3924	3924	.030				
w/Generac 33 h.p. (V-Twin)	XST3924	3924	.030				
w/Kawasaki 28 & 31 h.p. (V-Twin) ...	XST4265	4265 ⁸²⁴⁸	.030				
w/Kawasaki 28 & 31 h.p. (V-Twin) LPG	XST4265	4265 ⁸²⁴⁸	.020				
w/Kohler 18, 20, 22, 23 & 25 h.p. (V-Twin)	XST3924	3924	.030				
w/Onan 20 h.p. (Twin)	AP106 ⁸²⁴⁹	106	.025				
Z-SPRAY							
Aerators & Sprayers							
w/B&S 16 & 18 h.p. Vanguard (V-Twin)	XST3926	3926	.030				
w/Honda 4 h.p. OHV	XST4265	4265 ⁸²⁴⁸	.030				
w/Kawasaki 15 & 17h.p. (V-Twin) ...	XST2976	2976	.030				



Se Section 9 pour les remarques en français en bas de page. Ver Seccion 9 para las páginas de notas de pie de página en español. ⁸²⁴⁸ Tapered electrode design ⁸²⁴⁹ Single Platinum

Small Engine - Lawn Mowers

	XTREME START™	STANDARD STANDARD ESTANDAR	GAP ENCARTMENT ESPACIO		XTREME START™	STANDARD STANDARD ESTANDAR	GAP ENCARTMENT ESPACIO
ACE w/B&S 3.5, 4.0 & 5.0 h.p.	XST458	458	.030	ARIES w/B&S "L" Head Engs. w/Tec. Engs.	XST458 XST458	458 458	.030 .030
ACME All Models	XST458	458	.030	ARTISAN All Models	XST458	458	.030
AGWAY w/B&S "L" Head Engs. w/Tec. Engs.	XST458 XST458	458 458	.030 .030	ASTRO-KUT All Models	XST458	458	.030
AIRCAP w/B&S "L" Head Engs. w/Tec. Engs.	XST458 XST458	458 458	.030 .030	ATCO w/B&S "L" Head Engs. w/Suffolk Engs. w/Tec. Engs.	XST458 XST458 XST458	458 295 458	.030 .030 .030
ALDENS All Models	XST458	458	.030	ATLAS w/B&S "L" Head Engs. w/Tec. Engs.	XST458 XST458	458 458	.030 .030
AL-KO w/B&S "L" Head Engs.	XST458	458	.030	B-M All Models	XST458	458	.030
ALLEN w/B&S 4 h.p. w/Honda 2.5 h.p. OHC w/Honda 4.5 & 5.5 h.p. OHC w/Suzuki 120cc w/Tec. Engs.	XST458 ---- XST4265 XST2976 XST458	458 4194 4265 ⁸²⁴⁸ 2976 458	.030 .030 .030 .030 .030	BACHTOLD w/B&S "L" Head Engs. w/Kohler 8 h.p. (K181)	XST458 XST458	458 458	.030 .030
ALLIS-CHALMERS w/B&S "L" Head Engs.	XST458	458	.030	BAD BOY w/B&S OHV	XST3924	3924	.020
ALPINA w/Tec. 3.5 & 5 h.p. w/Honda 4 & 5.5 h.p.	XST458 XST4265	458 4265 ⁸²⁴⁸	.030 .030	BCS AMERICA w/B&S 3.5 h.p.	XST458	458	.030
AMERICAN w/B&S "L" Head Engs. w/All Other Models	XST458 XST458	458 295	.030 .025	BEARCAT w/B&S "L" Head Engs. w/B&S 6 h.p. Intek OHV w/Honda 5 h.p. OHV w/Honda 5.5 h.p. OHC	XST458 XST3924 XST4265 XST4265	458 3924 4265 ⁸²⁴⁸ 4265 ⁸²⁴⁸	.030 .030 .030 .030
AMF w/B&S "L" Head Engs. w/Tec. Engs.	XST458 XST458	458 458	.030 .025	BEAZLEY w/14mm Threads w/18mm Threads	XST458 ----	295 386	.030 .025
ARCTIC ENTERPRISES w/B&S "L" Head Engs. w/Sachs Engs.	XST458 AP425 ⁸²⁴⁹	458 2656	.030 .030	BIG SNAPPER All Models	XST458	458	.030
ARGO w/B&S "L" Head Engs.	XST458	458	.030	BIG WHEEL w/B&S "L" Head Engs.	XST458	458	.030
ARIENS w/B&S "L" Head Engs. w/B&S Intek 6.5 & 6.75 h.p. OHV ... w/Honda 5.5 h.p. OHC w/Honda 5.5 h.p. OHV w/Kawasaki 5 h.p. OHV w/Kawasaki 6 h.p. OHV w/Kohler 3.8 h.p. Courage XT-6 w/Kohler 4.8 h.p. Courage XT-7 w/Robin 6 h.p. w/Sachs SB140 Engs. w/Tec. Engs.	XST458 XST3924 XST4265 XST4265 XST4265 XP64 ⁸²⁵⁰ XS4164 ⁸²⁵² XST3924 ---- XST2974 XST458	458 3924 4265 ⁸²⁴⁸ 4265 ⁸²⁴⁸ 4265 ⁸²⁴⁸ 64 4164 ⁸²⁴⁸ 3924 275 2974 458	.030 .030 .030 .030 .030 .030 .030 .030 .025 .025 .030	BLAIR All Models	XST458	458	.030
				BMB All Models	XST458	458	.030
				BOB-A-LAWN All Models	XST458	458	.030
				BOBCAT w/B&S "L" Head Engs.	XST458	458	.030



Se Section 9 pour les remarques en français en bas de page. Ver Seccion 9 para las páginas de notas de pie de página en español. ⁸²⁴⁸ Tapered electrode design ⁸²⁴⁹ Single Platinum ⁸²⁵⁰ Xtreme Performance ⁸²⁵² Xtreme Sport

Small Engine - Lawn Mowers

	XTRME START™	STANDARD STANDARD ESTANDAR	GAP ÉNCARTMENT ESPACIO		XTRME START™	STANDARD STANDARD ESTANDAR	GAP ÉNCARTMENT ESPACIO
BOBCAT (Cont'd) w/B&S 6.5 h.p. Intek OHV	XST3924	3924	.030	CERTIFIED w/B&S "L" Head Engs.	XST458	458	.030
				w/Clinton Engs.	----	216	.025
BOLENS w/B&S "L" Head Engs.	XST458	458	.030	CHALLENGE All Models	----	3095	.025
w/B&S 6.75 h.p. Intek OHV	XST3924	3924	.030				
w/Orbit-Air & Suburban	XST458	458	.025	CHIEF All Models	XST258	308	.030
w/Tec. Engs.	XST458	458	.030				
BOTAG w/B&S 5.5 h.p.	XST458	458	.030	CHIEFTAIN w/B&S "L" Head Engs.	XST458	458	.030
BRADLEY w/B&S 6.5 h.p. "L" Head	XST458	458	.030	CHOREMASTER All Models	XST458	458	.030
w/B&S 6.75 h.p. Intek OHV	XST3924	3924	.030				
w/Kohler 7 h.p. Command Pro	XST3924	3924	.040	CHRIS-CUT All Models	XST458	458	.030
BRAVE w/B&S "L" Head Engs.	XST458	458	.030	CLARK All Models	XST458	458	.030
BRUTE w/B&S 625, 675 & 700 Series Engs. .	XST458	458	.030	CLEAN-CUT All Models	XST458	458	.030
BUCH All Models	XST458	458	.030	CLEMSON All Models	XST458	458	.030
BUNTON w/B&S 5 h.p. "L" Head	XST458	458	.030	CLINTON Chief	XST258	308	.030
w/B&S 6.5 h.p. Intek OHV	XST3924	3924	.030	Chieftain	XS85 ⁸²⁵²	4275 ⁸²⁴⁸	.030
w/Tec. 3.5 - 10 h.p.	XST458	458	.030	COLDWELL H30, G35, L25, M40 using Flint & Walling, Grey	----	3095	.025
CADILLAC Clipper	----	3136	.025	H30, G35, R25 using Fuller & Johnson	----	3076	.025
CAJUN CUTTER w/B&S 6.5 & 8 h.p. Intek OHV	XST3924	3924	.030	w/B&S "L" Head Engs.	XST458	458	.030
CANADIANA All Models	XST458	458	.030	w/Coldwell Engs.	----	3076	.025
CARETAKER All Models	XST458	458	.030	COLUMBIA All Models	XST458	458	.030
CARGILE w/Tec. 5.5 h.p.	XST458	458	.030	CON-SOL All Models	XST458	458	.030
CASE All Models	XST458	458	.030	CONTOUR All Models	XST458	458	.030
CASEY MOW All Models	XST458	458	.030	COOPER All Models	XST458	458	.030
CASTEL GARDEN w/B&S 3.5, 3.75, 5 & 5.5 h.p.	XST458	458	.030	CRAFTSMAN w/B&S "L" Head Engs.	XST458	458	.030
w/Honda 5 h.p. OHV	XST4265	4265 ⁸²⁴⁸	.030	w/B&S 6.5 h.p. Intek OHV	XST3924	3924	.030
w/Tec. 3.5, 4 & 5 h.p.	XST458	458	.030	w/Honda 5 & 5.5 h.p. OHV	XST4265	4265 ⁸²⁴⁸	.030
CENTRAL PARK w/B&S "L" Head Engs.	XST458	458	.030	w/Honda 5.5 h.p. OHC	XST4265	4265 ⁸²⁴⁸	.030
				w/Kawasaki 6 h.p. OHV	XP64 ⁸²⁵⁰	64	.030
				w/Tec. 3, 3.5, 4, 4.25 & 5 h.p.	XST458	458	.030
				w/Tec. 4.5, 5.0, & 6.25 h.p. OHV	XST4055	4055 ⁸²⁴⁸	.030



Se Section 9 pour les remarques en français en bas de page. Ver Sección 9 para las páginas de notas de pie de página en español. ⁸²⁴⁸ Tapered electrode design ⁸²⁵⁰ Xtreme Performance ⁸²⁵² Xtreme Sport

Small Engine - Lawn Mowers

	XTREME START™	STANDARD STANDARD ESTANDAR	GAP ÉNCARTMENT ESPACIO		XTREME START™	STANDARD STANDARD ESTANDAR	GAP ÉNCARTMENT ESPACIO
CRAFTSMAN (Cont'd) w/Tec. 6.75 h.p. OHV	XST458	458	.030	DYNAMARK w/B&S 3, 3.5, 3.75, 4 & 5 h.p.	XST458	458	.030
				w/Tec. 3.5 & 5 h.p.	XST458	458	.025
CUB CADET CC500, CC550SP, CC46ES, CC94M, CC98M, CC999, CC999ES	XS63 ⁸²⁵²	4263 ⁸²⁴⁸	.030	E-Z MO All Models	XST458	458	.030
w/B&S "L" Head Eng.	XST458	458	.030	E-Z ROLL w/B&S "L" Head Eng.	XST458	458	.030
w/B&S 6.5 & 6.75 h.p. OHV	XST3924	3924	.030	w/Tec. Eng.	XST458	458	.030
w/Honda 5.5 h.p. OHV	XST4265	4265 ⁸²⁴⁸	.030	EAGER BEAVER w/B&S "L" Head Eng.	XST458	458	.030
w/Kawasaki 5.5 h.p. OHV	XST4265	4265 ⁸²⁴⁸	.025	EASTERN TOOLS MS305, MXSZ56, MXSZ84	XST4265	65	.028
w/Kawasaki 6 & 6.5 h.p. OHV	XP64 ⁸²⁵⁰	64	.030	EASTMAN w/B&S 5.5 h.p. Intek OHV	XST3924	3924	.030
CUNNINGHAM All Models	XST458	458	.030	w/Honda 2 h.p. OHC (4-Stroke)	----	4194	.030
CUSHMAN w/OMC 218 Eng.	AP45 ⁸²⁴⁹	45	.030	w/Honda 4, 5 & 5.5 h.p. OHV	XST4265	4265 ⁸²⁴⁸	.030
DACON All Models	XST458	458	.030	w/Kawasaki 6 h.p. OHV	XST4265	4265 ⁸²⁴⁸	.025
DAVIS All Models	XST458	458	.030	w/Robin 2 h.p.	XS4093 ⁸²⁵²	4093 ⁸²⁴⁸	.025
DAYTON w/Tec. Eng.	XST458	458	.030	w/Suzuki 3.8 h.p.	XST2976	2976	.030
DEINES w/Onan Eng.	----	437	.030	EASY WAY All Models	XST458	458	.030
w/Tec. Eng.	XST458	458	.030	EATON w/B&S "L" Head Eng.	XST458	458	.030
DEUTZ-ALLIS w/B&S "L" Head Eng.	XST458	458	.030	w/Tec. Eng.	XST458	456	.030
w/Tec. Eng.	XST458	458	.030	ECHO LM204, LM204P, LM214, LM214P, RM303E	XST458	458	.025
DIXIE CHOPPER w/B&S 6.75 h.p. Intek OHV	XST3924	3924	.030	LM212, LMC212, LM212P, LM212PS	XST2976	2976	.025
w/Kohler 15 h.p. OHV	XST3924	3924	.030	ECLIPSE All Models	XST458	458	.030
DIXON All Models	XST458	458	.030	EDKO All Models	XST458	458	.030
DR TRIMMER/MULCHER w/B&S 3.75 & 5 h.p.	XST458	458	.030	ESKA All Models	XST458	458	.030
w/Tec. 3 h.p.	XST458	458	.030	ENCORE w/B&S 8.5 h.p.	XST458	458	.030
w/Tec. 6 h.p.	XST458	458	.030	ENVIROGARD w/B&S 31 h.p. Vanguard (Liquid 3- Cyl.) LPG	XST3924	3924	.020
DUCAR DC140	XS63 ⁸²⁵²	63	.030	w/Kawasaki 13, 15 & 17 h.p. (V-Twin) LPG	XST2976	2976	.020
DC173	XST4055	4055 ⁸²⁴⁸	.030	w/Kawasaki 19, 23, 25 & 28 h.p. (V- Twin) LPG	XST4265	4265 ⁸²⁴⁸	.020
DUNLAP w/B&S "L" Head Eng.	XST458	458	.030	EVERSHARP All Models	XST458	458	.030
w/Power Prod. Eng.	XST258	308	.025				
DUO-THERM All Models	XST458	458	.030				
DYNA MOW All Models	XST458	458	.030				



Se Section 9 pour les remarques en français en bas de page. Ver Seccion 9 para las páginas de notas de pie de página en español. ⁸²⁴⁸ Tapered electrode design ⁸²⁴⁹ Single Platinum ⁸²⁵⁰ Xtreme Performance ⁸²⁵² Xtreme Sport

Small Engine - Lawn Mowers

	XTREME START™	STANDARD STANDARD ESTANDAR	GAP ENCARTMENT ESPACIO		XTREME START™	STANDARD STANDARD ESTANDAR	GAP ENCARTMENT ESPACIO
EXCELLO w/Power Prod. Engs. All Other Models	XST258 XST458	308 295	.025 .025	FOX All Models	XST458	458	.030
EXMARK w/B&S 6.5 h.p. OHV	XST3924	3924	.030	FULTON All Models	----	386	.025
w/Honda 5.5 h.p. OHV	XST4265	4265 ⁸²⁴⁸	.030	GAMBLE-ALDENS All Models	XST458	458	.030
w/Kawasaki 6 h.p. OHV	XP64 ⁸²⁵⁰	64	.030	GARDEN PRIDE All Models	XST458	458	.030
EXPERT All Models	XST458	458	.030	GIANT MOW w/B&S 5 h.p.	XST458	458	.030
EZ All Models	XST458	458	.030	GIANT VAC w/B&S 5 h.p.	XST458	458	.030
E-Z MO w/B&S 8.5 h.p.	XST458	458	.030	GILSON w/B&S "L" Head Engs.	XST458	458	.030
F & N All Models	XST458	458	.030	w/Tec. Engs.	XST458	456	.025
FAIRBANKS MORSE All Models	XST458	458	.030	GOLDEN BOY All Models	XST458	458	.030
FALLS ROTO CLIPPER w/Power Prod. Engs.	XST255	255	.030	GOLDEN STAR w/Kawasaki 1.5 h.p.	XST254	254	.030
All Other Models	XST458	458	.030	w/Kawasaki 3.6 h.p.	----	275	.025
FEDWAY w/B&S "L" Head Engs.	XST458	458	.030	w/Kawasaki 5 h.p.	XST4265	4265 ⁸²⁴⁸	.030
w/Iron Horse Engs.	----	306	.030	w/Robin 1.9 & 3.7 h.p.	AP425 ⁸²⁴⁹	2656	.025
FERRIS w/Honda 5.5 h.p. OHV	XST4265	4265 ⁸²⁴⁸	.030	GOLDONI Remote Control Model	XST4265	4265 ⁸²⁴⁸	.030
w/Kawasaki 5 h.p.	AP425 ⁸²⁴⁹	2656	.030	GOLF w/B&S 3 & 5 h.p.	XST458	458	.030
w/Kawasaki 6 h.p. OHV	XP64 ⁸²⁵⁰	64	.030	GOODALL w/B&S "L" Head Engs.	XST458	458	.030
w/Kawasaki 6 h.p. OHV	XP64 ⁸²⁵⁰	64	.030	w/Lauson Engs.	XST458	458	.025
FLO-MOW w/B&S "L" Head Engs.	XST458	458	.030	w/MuCulloch Engs.	XST458	458	.025
w/Tec. Engs.	XST458	456	.025	w/Tec. Engs.	XST458	458	.025
FLYMO w/Aspera Engs.	XST458	295	.030	GRAN PRIX All Models	XST458	458	.030
w/B&S "L" Head Engs.	XST458	458	.030	GRASS CUT All Models	AP425 ⁸²⁴⁹	2656	.030
w/JLO Engs.	----	275	.030	GRASS HOUND All Models	XST458	458	.030
w/Kirby KAV74 Engs.	AP86 ⁸²⁴⁹	86	.030	GRASS MASTER w/B&S "L" Head Engs.	XST458	458	.030
w/Tec. 2 h.p.	XST2974	2974	.030	GRASS WAND All Models	XST458	458	.030
w/Tec. 3.5 h.p.	XST458	456	.030				
FMC w/B&S "L" Head Engs.	XST458	458	.030				
w/Tec. Engs.	XST458	458	.030				
FOLEY All Models	XST458	458	.030				
FORD w/B&S "L" Head Engs.	XST458	458	.030				



Se Section 9 pour les remarques en français en bas de page. Ver Sección 9 para las páginas de notas de pie de página en español. ⁸²⁴⁸ Tapered electrode design ⁸²⁴⁹ Single Platinum ⁸²⁵⁰ Xtreme Performance

Small Engine - Lawn Mowers

	XTREME START™	STANDARD STANDARD ESTANDAR	GAP ENCARTMENT ESPACIO		XTREME START™	STANDARD STANDARD ESTANDAR	GAP ENCARTMENT ESPACIO
GRAVELY				HOMKO			
Clean-Cut Model 24	XST458	295	.025	All Models	XST458	458	.030
w/B&S 6.5 h.p.	XST458	458	.030	HONDA			
w/B&S 6.75 h.p. Intek OHV	XST3924	3924	.030	H1011, H, R	XST4265	4265 ⁸²⁴⁸	.030
w/Honda OHV Eng.	XST4265	4265 ⁸²⁴⁸	.030	H2013	XST4265	4265 ⁸²⁴⁸	.030
w/Kawasaki 6 h.p. OHV	XST4265	4265 ⁸²⁴⁸	.025	HR17	XST258	258	.030
w/Kohler Courage Eng.	XST3924	3924	.030	HR173	XST258	258	.030
w/Kohler 4.5 h.p. Courage XT-7	XST3924	3924	.030	HR194, HR195	XST4265	4265 ⁸²⁴⁸	.030
w/Robin 6 h.p. OHV	----	4123 ⁸²⁴⁸	.025	HR21 Std. Ign. 2029059 on	XST255	255	.030
GREEN ACRES				HR21 Std. Ign. to 2029058	----	275	.030
All Models	XST458	458	.030	HR21 w/CDI 2029059 on	XST2976	2976	.038
GREEN MACHINE				HR21 w/CDI to 2029058	XST4265	4265 ⁸²⁴⁸	.038
500e	XST255	255	.025	HR214, HRA214	XST4265	4265 ⁸²⁴⁸	.030
2100P, 2100SP	AP425 ⁸²⁴⁹	2656	.025	HR215, HR215K1HMA, HR215K1HXA, HR215K1SXA	XST4265	4265 ⁸²⁴⁸	.030
w/Robin 6 h.p. OHV	AP425 ⁸²⁴⁹	2656	.025	HR215, HRC215K1PDA, HRC215K1SDA	XST4265	4265 ⁸²⁴⁸	.030
GREEN TEAM				HR215K1SXA, HRA215, HRB215, HRB215HXA	XST4265	4265 ⁸²⁴⁸	.030
w/B&S 5.5 h.p.	XST458	458	.030	HR216, HR215C, HRA216	XST4265	4265 ⁸²⁴⁸	.030
GULF				HRB215K4SXA, HRB215K4SDA, HRB215K4SXA	XST4265	4265 ⁸²⁴⁸	.030
w/B&S "L" Head Eng.	XST458	458	.030	HRB216TDA, HRB216TXA, HRB216HXA	XST4265	4265 ⁸²⁴⁸	.030
w/Tec. Eng.	XST458	458	.030	HRB217HXA, HRB217TDA	XST4265	4265 ⁸²⁴⁸	.030
HAHN				HRC215K1PDA, HRC215K1SDA, HRC215K1SXA	XST4265	4265 ⁸²⁴⁸	.030
All Models	XST458	458	.030	HRC216K1HXA, HRC216K2HXA, HR216PDA, HRC216K2PDA	XST4265	4265 ⁸²⁴⁸	.030
HANNIBAL				HRC216K1SXA, HR216HXA, HRM195PA, HRM215	XST4265	4265 ⁸²⁴⁸	.030
All Models	XST458	458	.030	HRC216K3PDA, HRC216K3HXA, HRC216K3PDA	XST4265	4265 ⁸²⁴⁸	.030
HARRY				HRM21, HRM215HXA, HRB215HXA	XST4265	4265 ⁸²⁴⁸	.030
w/B&S "L" Head Eng.	XST458	458	.030	HRM215K4HXA, HRM215PXA	XST4265	4265 ⁸²⁴⁸	.030
w/B&S 6 & 6.5 h.p. Intek OHV	XST3924	3924	.030	HRM215K4SXA, HRM215K1, HRM215K2	XST4265	4265 ⁸²⁴⁸	.030
w/Honda 5 & 5.5 h.p. OHV	XST4265	4265 ⁸²⁴⁸	.030	HRM215PDA, HRM215K4SDA	XST4265	4265 ⁸²⁴⁸	.030
w/Kawasaki 6 h.p.	XST4265	4265 ⁸²⁴⁸	.030	HRM215SXA, HRM215SDA, HRB215SXA, HRB215SDA	XST4265	4265 ⁸²⁴⁸	.030
w/Tec. 3.5 & 5 h.p.	XST458	458	.030	HRR216K2PDA, HRR216K2TDA, HRR216K5PDA	XST4265	4265 ⁸²⁴⁸	.030
HENDERSON				HRR216K3PDA, HRR216K3TDA, HRR216PDA	XST4265	4265 ⁸²⁴⁸	.030
All Models	XST458	458	.030	HRR216K3VXA, HRR216K5VKA, HRR216K5VXA	XST4265	4265 ⁸²⁴⁸	.030
HIGH WHEEL CHAMP				HRR216K5VKA, HRR216K5VZA, HRR216SDA, HRR216S3DA	XST4265	4265 ⁸²⁴⁸	.030
w/B&S "L" Head Eng.	XST458	458	.030	HRS21	XST4265	4265 ⁸²⁴⁸	.030
HOFFCO				HRS216K1PDA, HR216K2PDA, HRS216K1SDA	XST4265	4265 ⁸²⁴⁸	.030
w/B&S "L" Head Eng.	XST458	458	.030	HRS216K2SDA, HS622TA, HS1132TA/TAS	XST4265	4265 ⁸²⁴⁸	.030
w/Power Prod. Eng.	XST458	295	.030	HRS216PDA, HRS216K3PDA, HRS216K3SDA	XST4265	4265 ⁸²⁴⁸	.030
w/Robin Eng.	XST254	254	.030	HRT216K1PDA, HRT216SDA	XST4265	4265 ⁸²⁴⁸	.030
HOME LAWN (See Toro)				HRT216K1SDA, HRT216K1S3DA, HRT216K1TDA	XST4265	4265 ⁸²⁴⁸	.030
HOMELITE-JACOBSEN				HRT216K2TDA, HT3810	XST4265	4265 ⁸²⁴⁸	.030
w/B&S "L" Head Eng.	XST458	458	.030	HRX217HMA, HRX217HXA, HRX217TDA, HR217VKA	XS63 ⁸²⁵²	4263 ⁸²⁴⁸	.030
w/Tec. Eng.	XST458	458	.030	HRX217K2HMA, HRX217K2HXA, HRX217K2VKA	XS63 ⁸²⁵²	4263 ⁸²⁴⁸	.030
HOME PRO				HRZ216TDA	XST4265	4265 ⁸²⁴⁸	.030
w/B&S "L" Head Eng.	XST458	458	.030	HT3813	----	275	.030
w/Tec. Eng.	XST458	458	.030				



Se Section 9 pour les remarques en français en bas de page. Ver Seccion 9 para las páginas de notas de pie de página en español. ⁸²⁴⁸ Tapered electrode design ⁸²⁴⁹ Single Platinum ⁸²⁵² Xtreme Sport

Small Engine - Lawn Mowers

	XTREME START™	STANDARD STANDARD ESTANDAR	GAP ENCARTMENT ESPACIO		XTREME START™	STANDARD STANDARD ESTANDAR	GAP ENCARTMENT ESPACIO
HONDA (Cont'd)				HUSQVARNA (Cont'd)			
HT-R3009, HT-R3009-K1 w/GJ01 Engs.	XS63 ⁸²⁵²	4263 ⁸²⁴⁸	.030	w/B&S 6, 6.5, 6.75 & 7 h.p. Intek OHV	XST3924	3924	.030
HT-R3811 w/GJ01 Engs.	XS63 ⁸²⁵²	4263 ⁸²⁴⁸	.030	w/Honda 5, 5.5 & 6.5 h.p. OHV	XST4265	4265 ⁸²⁴⁸	.030
PDA, SDA w/Magneto Ign.	XST255	255	.025	w/Honda 5.5 h.p. OHC	XST4265	4265 ⁸²⁴⁸	.030
PXA, SXA w/CD Ign.	XST2976	2976	.025	w/Kawasaki 6 h.p. OHV	XP64 ⁸²⁵⁰	64	.030
w/Honda 2.4 h.p.	XST258	258	.030	w/Kawasaki 6.5 h.p. OHC	XS63 ⁸²⁵²	4263	.030
w/Honda 4.5 & 5.5 h.p. OHC	XST4265	4265 ⁸²⁴⁸	.030	w/Kawasaki 5.5 h.p. OHC	XST4265	4265 ⁸²⁴⁸	.030
w/Honda 3.5, 4.5, 5, 5.5, 6.5 & 11 h.p. OHV	XST4265	4265 ⁸²⁴⁸	.030	w/Kohler 4.8 h.p. Courage XT-7	XST3924	3924	.030
				w/Tec. 2 & 3.5 h.p.	XST458	458	.030
				w/Tec. 6 h.p.	XST458	458	.025
				w/Tec. 6 h.p. OHV	XST4055	4055 ⁸²⁴⁸	.030
				w/Robin 6 h.p. OHV	----	4114 ⁸²⁴⁸	.025
HOVER MOWER				HUSTLER			
HM 16R2 w/Robin 2 h.p.	XS4093 ⁸²⁵²	4093 ⁸²⁴⁸	.025	w/Honda 5.5 h.p. OHV	XST4265	4265 ⁸²⁴⁸	.030
HM 19H4 w/Honda 5.5 h.p. OHV	XST4265	4265 ⁸²⁴⁸	.030				
HM 19S2 w/Suzuki 3.8 h.p.	XST2976	2976	.030				
HUFFMAN				IDEAL			
All Models	XST458	458	.030	w/14mm Threads	XST458	458	.030
				w/18mm Threads	----	386	.025
HUFFY				INDUSTRIAL PRODUCTS			
All Models	XST458	458	.030	All Models	XST458	458	.030
HURRICANE				INTERNATIONAL			
All Models	XST458	458	.030	331, 332, 333, 334, 335	XST258	258	.030
				3309, 3310, 3311, 3312	XST258	258	.030
				3313, 3314, 3315, 3319	XST258	258	.030
				3320, 3321, 3322, 3323	XST258	258	.030
				3324, 3325	XST258	258	.030
				w/B&S "L" Head Engs.	XST458	458	.030
HUSKEE				ISLANDER			
w/B&S "L" Head Engs.	XST458	458	.030	All Models	XST458	458	.030
w/Tec. Engs.	XST458	458	.030				
HUSQVARNA				JACKSON			
50DK, 51, 56SF	XST458	458	.030	All Models	XST458	458	.030
51MDT, 56HT, 56HST	XST458	295	.025				
55B21HV, 55C21HV, 55R21HV, 55R21CHWV	XST4265	4265 ⁸²⁴⁸	.030	JACOBSEN			
56SFE, 56DH, 56DHS, 56H, 56HS ..	XST458	458	.030	w/B&S "L" Head Engs.	XST458	458	.030
510MDT, 560HT, 560HST	XST4055	4055 ⁸²⁴⁸	.030	w/B&S 6.5 h.p. Intek OHV	XST3924	3924	.030
510, 510MD, 530RS, 560SR, 560H, 560HS	XST3924	3924	.030	w/Ciinton Engs.	XST458	295	.025
560HH, 560HSH	XS63 ⁸²⁵²	4263 ⁸²⁴⁸	.030	w/Honda 3.5 h.p. OHV	XS63 ⁸²⁵²	4263 ⁸²⁴⁸	.030
580BBC, 580R, 580RS, 580RSE, 580RSW	XST3924	3924	.030	w/Jacobsen Engs.	XST458	458	.025
600C	----	4114 ⁸²⁴⁸	.025	JAMAKA			
5521BBC, 5521CH, 5521CHV, 5521CM, 5521RS	XST4265	4265 ⁸²⁴⁸	.030	w/B&S "L" Head Engs.	XST458	458	.030
6020MD, 6022CH, 6022SH	XST458	458	.030				
62522FE, 6521ES, 6521CHV, 6521RS	XST3924	3924	.030	JARI			
6522CH, 6522SH, 6522SL, 67521ES	XST3924	3924	.030	w/B&S "L" Head Engs.	XST458	458	.030
65021CHV, 67522E, 70R21HV, 7021CH1	XST3924	3924	.030	w/Ciinton Engs.	XST258	308	.025
7021CM, 7021RS, 7021RES	XST3924	3924	.030	w/Kohler Engs.	XST458	458	.030
7021RC	XS63 ⁸²⁵²	4263	.030	w/Tec. Engs.	XST458	458	.030
7021F, 7021P, 7021R, 7021RB, 7021RH	XST4265	4265 ⁸²⁴⁸	.030	JIANDONG			
HVT40	XST2976	2976	.030	JDS530A, JDZ530A w/5.5 h.p. Jiandong Engs.	XS63 ⁸²⁵²	4263 ⁸²⁴⁸	.030
HVT52, HTV1200, HTV1500, HTV2000	XST458	456	.030				
MK500	XST255	255	.030	JOHN DEERE			
Royal 48	XST458	458	.030	56, 57, 66, 68, R72, S28, S92	XST458	295	.030
Royal 53S	XST3924	3924	.030	12PB, 12SB	XST458	458	.030
W21, W21S, W21SB, WC21, WCB21, WCS21	XP64 ⁸²⁵⁰	64	.030	14PZ, 14SZ, F725	XST458	458	.030
XT721F, XT722FE	XST3924	3924	.030				
w/B&S "L" Head Engs.	XST458	458	.030				



Se Section 9 pour les remarques en français en bas de page. Ver Section 9 para las páginas de notas de pie de página en español. ⁸²⁴⁸ Tapered electrode design ⁸²⁵⁰ Xtreme Performance ⁸²⁵² Xtreme Sport

Small Engine - Lawn Mowers

	XTREME START™	STANDARD STANDARD ESTANDAR	GAP ENCARTMENT ESPACIO		XTREME START™	STANDARD STANDARD ESTANDAR	GAP ENCARTMENT ESPACIO
JOHN DEERE (Cont'd)				KOHLER			
14SB, 14SC, 14SE	XST4265	4265 ⁸²⁴⁸	.030	w/2-Cycle Engs.	XST458	456	.020
14SX, 14ST, 14PT	XST4265	4265 ⁸²⁴⁸	.030	KUBOTA			
20SR7	XST255	255	.030	w/Honda 5 h.p. OHV	XST4265	4265 ⁸²⁴⁸	.030
JA60, JA62, JA65, JS20, JS25, JS30, JS35, JS60	XST458	458	.030	KUT-KWICK			
JS26, JS36, JS40, JS45, JS46, JS60H, JS61, JS63/JS63C/JS63E	XST3924	3924	.030	w/B&S "L" Head Engs.	XST458	458	.030
JE75, JX75, JX85	XST4265	4265 ⁸²⁴⁸	.030	w/Kohler Engs.	----	216	.030
WE80, WE85	XP64 ⁸²⁵⁰	64	.030	LANDMARK			
w/B&S "L" Head Engs.	XST458	458	.030	w/B&S "L" Head Engs.	XST458	458	.030
w/B&S 6.5, 6.75, 7 & 8.75 h.p. Intek OHV	XST3924	3924	.030	w/Tec. Engs.	XST458	456	.030
w/Kawasaki 3.1, 3.8 h.p.	XST255	255	.030	LANDSCAPERS SUPPLY			
w/Kawasaki 5, 5.3, 5.5 & 6 h.p. OHV	XST4265	4265 ⁸²⁴⁸	.030	w/B&S 6 h.p.	XST458	458	.030
w/Kawasaki 6 h.p. OHV	XP64 ⁸²⁵⁰	64	.030	w/Honda 5.5 h.p. OHV	XST4265	4265 ⁸²⁴⁸	.030
w/Tec. Engs.	XST2974	2974	.030	LAWN CRUISER			
JOHNSON				All Models			
w/B&S "L" Head Engs.	XST458	458	.030	XST458	458	.030	
w/Clinton Engs.	XST458	295	.025	LAWN FLITE			
w/Cont. Engs.	XST458	295	.025	w/B&S "L" Head Engs.	XST458	458	.030
JOHNSTON				w/Lauson Engs.			
All Models	XST458	458	.025	XST458	295	.030	
JOLLYHOE				w/Power Prod. Engs.			
All Models	XST458	458	.030	XST458	295	.030	
JONSERED				LAWN LION			
w/B&S 3.5 & 5.5 h.p.	XST458	458	.030	All Models	XST458	458	.030
K & S				LAWN MASTER			
w/B&S "L" Head Engs.	XST458	458	.030	w/B&S "L" Head Engs.	XST458	458	.030
KATO				w/Tec. Engs.			
w/B&S "L" Head Engs.	XST458	458	.030	XST458	458	.030	
w/Honda G150 & G200 Engs.	AP425 ⁸²⁴⁹	425	.030	LAWN ROV'R			
w/Kohler Engs.	XST458	458	.030	All Models	XST458	458	.030
KEE				LAWN ROWER			
w/B&S "L" Head Engs.	XST458	458	.030	All Models	XST458	458	.030
w/Honda 5.5 h.p. OHV	XST4265	4265 ⁸²⁴⁸	.030	LAWN SCOUT			
w/Kohler 8 h.p. (K181)	XST458	458	.030	w/B&S "L" Head Engs.	XST458	458	.030
KEES, F.J.				w/Tec. Engs.			
w/B&S "L" Head Engs.	XST458	458	.030	XST458	458	.030	
w/Honda 2.2 h.p.	XST2974	2974	.030	LAWN-BOY			
KINCO				Goldpro Series w/6.5 h.p. 2-Cycle Engs.			
w/B&S "L" Head Engs.	XST458	458	.030	XST2976	2976	.030	
w/Tec. Engs.	XST458	456	.030	Silverpro Series w/6.5 h.p. 2-Cycle Engs.			
KING O'LAWN				XST2976			
All Models	XST458	458	.030	2976	2976	.030	
KLEEN KUT				Silver Series w/4-Cycle Engs.			
All Models	XST458	458	.030	XST458	458	.030	
K-MART				w/B&S "L" Head Engs.			
All Models	XST458	458	.030	XST458	458	.030	
LAWN-CHIEF				w/Tec. Engs.			
All Models	XST458	458	.030	XST458	458	.030	
LAWNCRAFT				w/Own Engs. Std. Ign.			
All Models	XST458	458	.030	XST258	258	.030	
LAWN-CRUISER				w/Own Engs. Elec. Ign.			
All Models	XST458	458	.030	XST258	258	.035	
LAWN-FLITE				w/Own Engs. 4535 CT, 8290			
All Models	XST458	458	.030	XST258	308	.030	



Se Section 9 pour les remarques en français en bas de page. Ver Seccion 9 para las páginas de notas de pie de página en español. ⁸²⁴⁸ Tapered electrode design ⁸²⁴⁹ Single Platinum ⁸²⁵⁰ Xtreme Performance

Small Engine - Lawn Mowers

	XXTREME START™	STANDARD STANDARD ESTANDAR	GAP ÉNCARTMENT ESPACIO		XXTREME START™	STANDARD STANDARD ESTANDAR	GAP ÉNCARTMENT ESPACIO
LAWN-CYCLE				MAXIM			
All Models	XST458	458	.030	w/B&S "L" Head Engs.	XST458	458	.030
LAZY BOY				w/B&S 6 & 6.5 h.p. OHV Intek	XST3924	3924	.030
All Models	XST458	458	.030	w/Honda 5 h.p. OHV	XST4265	4265 ⁸²⁴⁸	.030
LESCO				w/Tec.Engs.	XST458	458	.030
w/Honda 5.5 h.p. OHV	XST4265	4265 ⁸²⁴⁸	.030	McCULLOCH			
w/Kawasaki 5 h.p. OHV	XST4265	4265 ⁸²⁴⁸	.030	All Models	XST458	458	.030
LIFAN				McDONOUGH			
XSS50	XS63 ⁸²⁵²	63	.030	All Models	XST458	458	.030
XSS55	XST4055	4055 ⁸²⁴⁸	.030	McLANE			
LIMA				w/B&S 3.5, 4, 5, 5.5 & 6 h.p.	XST458	458	.030
w/Clinton Engs.	----	216	.025	w/Honda 2.5 h.p.	XST258	258	.025
w/Lauson Engs.	XST458	458	.030	w/Honda 3.5 h.p. G130	----	4194	.030
LITTLE WONDER				w/Honda 3.5 h.p. G150	AP425 ⁸²⁴⁹	2656	.030
w/B&S "L" Head Engs.	XST458	458	.030	w/Honda 4, 5 & 5.5 h.p. OHV	XST4265	4265 ⁸²⁴⁸	.030
w/Kohler Engs.	XST458	295	.030	w/Kawasaki 5 h.p.	XST4265	4265 ⁸²⁴⁸	.030
LOCKE				w/Kohler 4 h.p.	XST458	458	.030
w/B&S "L" Head Engs.	XST458	458	.030	MEADE			
M-C				All Models	XST458	458	.030
All Models	XST458	458	.030	MEP			
MAINLINE				w/B&S "L" Head Engs.	XST458	458	.030
w/Acme Engs.	AP425 ⁸²⁴⁹	2656	.030	w/Honda 2.5 h.p.	XST258	258	.025
w/B&S "L" Head Engs.	XST458	458	.030	w/Honda 5 h.p. OHV	XST4265	4265 ⁸²⁴⁸	.030
MANG				w/Honda 5.5 h.p. OHC	XST4265	4265 ⁸²⁴⁸	.030
w/B&S "L" Head Engs.	XST458	458	.030	w/Tec. 3.5, 3.8, 4, 5 & 5.5 h.p.	XST458	458	.030
w/Kohler 7 h.p.	XST458	458	.030	w/Tec. 5.5 h.p. OHV	XST4055	4055 ⁸²⁴⁸	.030
MARAUDER				MICHAELS			
w/B&S "L" Head Engs.	XST458	458	.030	w/B&S "L" Head Engs.	XST458	458	.030
w/Iron Horse Engs.	XST258	308	.025	w/Kohler 7 h.p.	XST458	458	.030
MASPORT				MIDDLESWORTH			
w/B&S OHV Engs.	XST3924	3924	.030	w/B&S "L" Head Engs.	XST458	458	.030
w/Honda OHV Engs.	XST4265	4265 ⁸²⁴⁸	.030	w/Kohler Engs.	----	216	.030
MASSEY-FERGUSON				MILBRADT			
All Models	XST458	458	.030	All Models	XST458	458	.030
MASTERCRAFT				MILWAUKEE			
w/B&S "L" Head Engs.	XST458	458	.030	All Models	----	386	.025
w/Tec. Engs.	XST458	458	.030	MONARK			
MASTER CUT				All Models	XST458	458	.030
w/B&S "L" Head Engs.	XST458	458	.030	MONO			
w/Tec. Engs.	XST458	458	.025	w/B&S "L" Head Engs.	XST458	458	.030
MAVERICK				w/Lauson Engs.	XST458	295	.030
All Models	XST458	458	.030	MONTGOMERY-WARD			
				w/B&S "L" Head Engs.	XST458	458	.030
				w/Lauson Engs.	XST458	295	.030
				MORRISON			
				w/B&S OHV Engs.	XST3924	3924	.030



Se Section 9 pour les remarques en français en bas de page. Ver Section 9 para las páginas de notas de pie de página en español. ⁸²⁴⁸ Tapered electrode design ⁸²⁴⁹ Single Platinum ⁸²⁵² Xtreme Sport

Small Engine - Lawn Mowers

	XTRME START™	STANDARD STANDARD ESTANDAR	GAP ENCARTMENT ESPACIO		XTRME START™	STANDARD STANDARD ESTANDAR	GAP ENCARTMENT ESPACIO
MOTT w/B&S "L" Head Engs.	XST458	458	.030	NOMA w/B&S 5 h.p.	XST458	458	.030
MOTO-MOWER w/14mm Threads w/18mm Threads	XST458 ----	458 386	.030 .025	NOVICO w/B&S "L" Head Engs.	XST458	458	.030
MOW-A-MAT All Models	XST458	458	.030	OLYMPIA All Models	XST458	458	.030
MOWAMATIC w/B&S "L" Head Engs. w/Clinton VS200 Engs.	XST458 XST258	458 308	.030 .025	OREGON (See Mang)			
MOW-CYCLE All Models	XST458	458	.030	PANTHER All Models	XST458	458	.030
MOW-MASTER w/Clinton Engs. w/Power Pak Engs. w/Propulsion Engs.	---- XST458 XST458	216 295 295	.030 .030 .035	PARMI w/B&S "L" Head Engs.	XST458	458	.030
MOW-MORE All Models	XST458	458	.030	PATHFINDER All Models	XST458	458	.030
MOW WING w/B&S "L" Head Engs.	XST458	458	.030	PEKTRA w/B&S "L" Head Engs. w/B&S 6.5 h.p. Intek OHV	XST458 XST3924	458 3924	.030 .030
MOZ-ALL All Models	XST458	458	.030	PENNCREST All Models	XST458	458	.030
MTD w/B&S "L" Head Engs. w/Kawasaki Engs. w/Tec. Engs.	XST458 XST4265 XST458	458 4265 ⁸²⁴⁸ 458	.030 .030 .030	PENNINGTON w/B&S "L" Head Engs. w/Clinton Engs.	XST458 XST458	458 458	.030 .030
MTD PRO w/Kawasaki 5.5 h.p. OHV	XST4265	4265 ⁸²⁴⁸	.030	PENNSYLVANIA w/B&S "L" Head Engs. w/Clinton Engs.	XST458 ----	458 216	.030 .030
MUNCIE All Models	XST254	303	.025	PINCOR w/B&S "L" Head Engs. w/Pincor 2-Cycle Engs. w/Pincor 4-Cycle Engs.	XST458 XST258 XST458	458 308 295	.030 .035 .025
MURRAY w/B&S "L" Head Engs. w/Tec. Engs.	XST458 XST458	458 458	.030 .030	PIONEER w/B&S "L" Head Engs. w/Tec. Engs.	XST458 XST458	458 458	.030 .030
MURRY All Models	XST458	458	.030	POLORON All Models	XST458	458	.030
MUSTANG w/B&S "L" Head Engs.	XST458	458	.030	PONY POWER All Models	XST458	458	.030
NATIONAL w/B&S 3 h.p. w/Wisconsin Engs.	XST458 ----	458 386	.030 .025	POULAN PO4QN22S, PO45QN20R, PQ4QN22SH PO45N21R, PO45N22S, PO45N22SH, PO600N22S PQ475N22S, PQ500N21RH, PQ500N21RH PP500, PP722, PP735, PP750 PP751, PP752, PP800M, PP835 ... PP2255, PP2260	XST458 XST458 XST458 XST458 XST458 XST458 XST458 XST458	458 458 458 458 458 458 458 458	.030 .030 .030 .030 .030 .030 .030 .030
NEW WAY All Models	----	388	.025				



Se Section 9 pour les remarques en français en bas de page. Ver Seccion 9 para las páginas de notas de pie de página en español. ⁸²⁴⁸ Tapered electrode design

Small Engine - Lawn Mowers

	XTREME START™	STANDARD STANDARD ESTANDAR	GAP ÉNCARTMENT ESPACIO		XTREME START™	STANDARD STANDARD ESTANDAR	GAP ÉNCARTMENT ESPACIO
POULAN (Cont'd)				PRO SERIES			
PP22R55, PP20375, PR65N21CH	XST458	458	.030	w/B&S "L" Head Engs.	XST458	458	.030
PR45Y22SP	XST458	458	.030	RALLY			
PR65N22SH, PR65Y21C	XST458	458	.030	w/B&S 3.5, 3.75, 4 & 5 h.p.	XST458	458	.030
PR55HHVP, PR55R21A, PR55Y21C	XST4265	4265 ⁸²⁴⁸	.030	w/Tec. 3.5 h.p.	XST458	458	.030
PR55Y21CH, PR55Y21RH	XST4265	4265 ⁸²⁴⁸	.030	RANSOMES			
PR600N21RH, PR600N22SH, PR600Y21RP	XST458	458	.030	w/B&S 5 h.p.	XST458	458	.030
PR600Y21RHP, PR600Y21RKP, PR600Y22SHP	XST458	458	.030	RAPID MOWER			
PR675HVP, PR675N21RH, PR675Y21RDP	XST458	458	.030	All Models	----	216	.030
PR675Y21RHP, PR675Y21RP, PR675Y22SHP	XST458	458	.030	RED BIRD			
PR7Y21RHP, PR675Y21CH	XST3924	3924	.030	All Models	XST458	458	.030
w/B&S "L" Head Engs.	XST458	458	.030	RED CAP			
w/B&S 6.75 h.p. Intek OHV	XST3924	3924	.030	All Models	XST458	458	.030
w/Honda 5.5 h.p. OHC	XST4265	4265 ⁸²⁴⁸	.030	REMINGTON			
w/Honda 5.5 h.p. OHV	XST4265	4265 ⁸²⁴⁸	.030	All Models	XST458	458	.030
w/Tec. 6 h.p.	XST458	458	.030	REO			
POWER KRAFT				RIDE-A-MOWERS			
w/B&S "L" Head Engs.	XST458	458	.030	All Models	XST458	458	.030
POWER MATIC				ROBERTON			
All Models	XST458	458	.030	All Models	XST458	458	.030
POWERMOW (Kees)				ROBERTSON			
All Models	XST458	458	.030	All Models	XST458	458	.030
POWER PAC				ROCKET			
All Models	XST458	458	.030	w/B&S "L" Head Engs.	XST458	458	.030
POWER PRINCE				ROOF			
All Models	XST458	458	.030	w/B&S 5, 8 & 8.5 h.p.	XST458	458	.030
POYNTER				w/Clinton Engs.			
All Models	XST458	458	.030		XST458	458	.030
PRECISION				w/Kawasaki 9 h.p. OHV			
All Models	XST458	458	.030		XST4265	4265 ⁸²⁴⁸	.030
PRECISION-BUILT				w/Tec. Engs.			
All Models	XST458	458	.030		XST458	458	.030
PRO				ROOT			
w/B&S "L" Head Engs.	XST458	458	.030	All Models	XST458	458	.030
w/Clinton 3.5 h.p.	----	216	.030	ROPER			
All Other Clinton Engs.	XST458	295	.025	w/B&S "L" Head Engs.	XST458	458	.030
w/Tec. Engs.	XST458	458	.030	w/Tec. Engs.	XST458	458	.030
PRO-MASTER				ROTH			
w/B&S "L" Head Engs.	XST458	458	.030	All Models	XST458	458	.030
w/Kohler 4 h.p.	XST458	458	.030	ROTO CLIPPER			
w/Robin EY18W Engs.	AP425 ⁸²⁴⁹	2656	.030	All Models	XST458	458	.030
PROPULSION				ROTOMATIC			
All Models	XST458	458	.030	All Models	XST458	458	.030



Se Section 9 pour les remarques en français en bas de page. Ver Seccion 9 para las páginas de notas de pie de página en español. ⁸²⁴⁸ Tapered electrode design ⁸²⁴⁹ Single Platinum

Small Engine - Lawn Mowers

	XTRME START™	STANDARD STANDARD ESTANDAR	GAP ENCARTMENT ESPACIO		XTRME START™	STANDARD STANDARD ESTANDAR	GAP ENCARTMENT ESPACIO
ROVER				SEARS (See Craftsman)			
w/B&S 3.75, 4.5, 5 & 5.5 h.p.	XST458	458	.030	SENSATION			
w/B&S 5.5 h.p. Intek OHV	XST3924	3924	.030	w/B&S "L" Head Engs.	XST458	458	.030
RPM				w/Ciinton 501 Engs.	XST258	308	.025
Rotoflo	XST458	458	.030	All Other Clinton Engs.	----	216	.025
Rototrim	XST458	458	.030	w/Honda Engs.	AP425 ⁸²⁴⁹	425	.030
w/B&S "L" Head Engs.	XST458	458	.030	w/Lauson Engs.	XST255	255	.030
w/Ciinton Engs.	XST458	295	.025	SENTINEL			
w/Iron Horse Engs.	XST258	308	.025	w/B&S 3.5, 3.75, 4 & 5 h.p.	XST458	458	.030
w/Power Prod. Engs.	----	306	.030	SGS			
RUGG				w/Kohler 12 h.p Command Pro CS. .	XST4265	4265 ⁸²⁴⁸	.040
All Models	XST458	458	.030	SIGMA			
RYAN (OMC)				w/B&S 3 & 5 h.p.	XST458	458	.030
w/B&S "L" Head Engs.	XST458	458	.030	w/Kawasaki 4 & 5 h.p. OHV	XST4265	4265 ⁸²⁴⁸	.030
w/Own Engs.	XST258	258	.025	w/Tec. 3 h.p.	XST458	458	.030
w/Tec. Engs.	XST458	458	.030	w/Tec. 7 h.p.	XST458	458	.030
SABRE				SIGNATURE			
M10, M21, M23	XST458	458	.030	w/B&S 4, 4.75, 5 & 5.5 h.p.	XST458	458	.030
w/B&S 5.5 & 6 h.p.	XST458	458	.030	SIMPLICITY			
SARLO				w/B&S "L" Head Engs.	XST458	458	.030
w/B&S "L" Head Engs.	XST458	458	.030	w/B&S "L" Head Engs.	XST458	458	.030
w/B&S 6.75 & 11.5 h.p. Intek OHV ..	XST3924	3924	.030	w/Tec. Engs.	XST458	458	.030
w/Honda 4 & 5 h.p. OHV	XST4265	4265 ⁸²⁴⁸	.030	SMC			
w/Kawasaki 9 h.p. OHV	XST4265	4265 ⁸²⁴⁸	.030	w/Kawasaki Engs.	XST254	254	.030
w/Kohler 4 & 8 h.p. (K181)	XST458	458	.030	w/Kioritz Engs.	XST255	255	.030
SATURN				SMITHCO			
w/Tec. 5 h.p.	XST255	255	.030	w/B&S "L" Head Engs.	XST458	458	.030
SAVAGE				w/Kohler 8 h.p. (K181)	XST458	458	.030
w/B&S "L" Head Engs.	XST458	458	.030	w/Tec. Engs.	XST458	458	.030
w/Ciinton 2-Cycle Engs.	XST258	258	.025	SNAPPER			
w/Ciinton 4-Cycle Engs.	XST458	295	.025	w/B&S "L" Head Engs.	XST458	458	.030
w/Lauson Engs.	XST458	295	.025	w/B&S 6.25, 6.5 & 6.75 h.p. 600 Series	XST458	458	.030
w/Power Prod. Engs.	XST258	308	.025	w/B&S 6, 6.5, 6.75 & 7 h.p. Intek OHV	XST3924	3924	.030
SCHISSEL				w/B&S 7 h.p. 700 Series	XST3924	3924	.030
A-20, B-18, G-20, H-20	XST458	458	.030	w/B&S 8.25 & 8.75 h.p. 800 Series ..	XST3924	3924	.030
SEMITAR				w/B&S 8.75 h.p. Professional Series OHV	XST3924	3924	.030
All Models	XST458	458	.030	w/Honda 5.5 h.p. OHC	XST4265	4265 ⁸²⁴⁸	.030
SCOTTS				w/Honda OHV Engs.	XST4265	4265 ⁸²⁴⁸	.030
F2105-040, F2155-050	XST458	458	.030	w/Kawasaki 5, 5.5 & 6 h.p. OHV	XST4265	4265 ⁸²⁴⁸	.030
F2155-150, F2155-000	XST458	458	.030	w/Robin 3.5 h.p.	AP425 ⁸²⁴⁹	2656	.025
F2155-000	XS63 ⁸²⁵²	4263 ⁸²⁴⁸	.030	w/Robin 4 h.p.	XST258	308	.025
w/B&S 3.5, 4.0, 4.5 h.p. "L" Head Engs.	XST458	458	.030	w/Robin 4.8 h.p.	AP425 ⁸²⁴⁹	425	.025
w/B&S 5.0 & 5.5 h.p. "L" Head Engs.	XST458	458	.030	w/Robin 6 & 6.5 h.p. OHV	AP425 ⁸²⁴⁹	2656	.025
w/B&S 5 h.p. OHV	XST3924	3924	.030	w/Tec. Engs.	XST458	458	.030
w/B&S 6.5 h.p. Intek OHV	XST3924	3924	.030	SNAPPIN' TURTLE			
w/Honda 5 h.p. OHV	XST4265	4265 ⁸²⁴⁸	.030	w/14mm Threads	XST458	458	.030
SCYTHETTE				w/18mm Threads	----	386	.025
All Models	XST258	308	.030				



Se Section 9 pour les remarques en français en bas de page. Ver Seccion 9 para las páginas de notas de pie de página en español. ⁸²⁴⁸ Tapered electrode design ⁸²⁴⁹ Single Platinum ⁸²⁵² Xtreme Sport

Small Engine - Lawn Mowers

	XTRME START™	STANDARD STANDARD ESTANDAR	GAP ENCARTMENT ESPACIO		XTRME START™	STANDARD STANDARD ESTANDAR	GAP ENCARTMENT ESPACIO
SOLO				SUNDIRO			
540X, 547X, 547RX, 551RX, 548RX, 553RX	XST458	458	.030	w/B&S 6 h.p. Intek OHV	XST3924	3924	.030
545, 545R, 546, 546R/RS/RT, 548R, 550, 550R/RS	XST458	458	.030	SUTECH STEALTH			
551R, 553S, 554, 559, 559M, 582, 582SM, 582T, 585	XST458	458	.030	w/B&S 4 & 8 h.p. "L" Head	XST458	458	.030
518, 519, 526-60M, 546HR, 546HRM, 550HR, 550HRM	XST4265	4265 ⁸²⁴⁸	.030	w/B&S 6.5 h.p. Intek OHV	XST3924	3924	.030
552HR, 553SL (w/Honda), 585H, 585HM	XST4265	4265 ⁸²⁴⁸	.030	SWISHER			
553S, 553SL w/B&S Intek OHV	XST3924	3924	.030	w/B&S 3.5, 3.75 & 8 h.p.	XST458	458	.030
Piano-581 Mower	XS4093 ⁸²⁵²	4093 ⁸²⁴⁸	.030	w/Robin 4 h.p. 2-Cycle	XST258	308	.025
Pro-Mower 549, 580	AP425 ⁸²⁴⁹	2656	.030	w/Robin 4 h.p. 4-Cycle OHV	XST4055	4055 ⁸²⁴⁸	.030
All Other Models	XS4093 ⁸²⁵²	4093 ⁸²⁴⁸	.030	w/Tec. 4 h.p.	XST458	458	.030
w/B&S "L" Head Eng.	XST458	458	.030	SYCAMORE			
w/B&S 6 H.P. Intek OHV	XST3924	3924	.030	w/B&S "L" Head Eng.	XST458	458	.030
w/Honda 4 & 5.5 h.p. OHV	XST4265	4265 ⁸²⁴⁸	.030	w/Tec. Eng.	XST458	458	.030
w/Honda 4.5 & 5.5 h.p. OHC	XST4265	4265 ⁸²⁴⁸	.030	TEMPO			
SOUTHLAND				TIELBURGER			
w/B&S 3, 3.5, 3.75 & 4 h.p.	XST458	458	.030	w/B&S "L" Head Eng.	XST458	458	.030
w/B&S 5, 5.25, 5.5 & 6 h.p.	XST458	458	.030	TIGER			
w/Tec. Eng.	XST458	458	.030	w/B&S "L" Head Eng.	XST458	458	.030
SPERRY-NEW HOLLAND				TOPFLITE			
All Models	XST458	458	.030	w/B&S "L" Head Eng.	XST458	458	.030
SPIEGEL				TOPPO			
All Models	XST458	458	.030	w/B&S OHV Eng.	XST3924	3924	.030
SPINAWAY				TORO			
All Models	XST458	458	.030	w/B&S "L" Head Eng.	XST458	458	.030
STANDARD				TRAIL MATE			
w/14mm Threads	XST458	458	.030	w/B&S "L" Head Eng.	XST458	458	.030
w/18mm Threads	----	386	.025	TRAMS			
STEARNS				TRIM-A-LAWN			
w/14mm Threads	XST458	458	.030	w/B&S "L" Head Eng.	XST458	458	.030
w/18mm Threads	----	386	.025	w/Tec. Eng.	XST458	458	.030
STEPHEN				TRIM-ALL			
All Models	XST458	458	.030	All Models	XST458	458	.030
STIGA				SUNBEAM			
w/B&S 3.5, 4 & 5 h.p.	XST458	458	.030	w/B&S "L" Head Eng.	XST458	458	.030
w/Honda 5 h.p. OHV	XST4265	4265 ⁸²⁴⁸	.030	w/Tec. Eng.	XST458	458	.030
STRUNK				SUNBEAM			
All Models	XST458	458	.030	w/Victa Eng.	XST255	255	.030
SUFFOLK				SUNBEAM			
All Models	XST458	458	.030	SUNBEAM			
SUNBEAM				SUNBEAM			
w/B&S "L" Head Eng.	XST458	458	.030	SUNBEAM			
w/Tec. Eng.	XST458	458	.030	SUNBEAM			
w/Victa Eng.	XST255	255	.030	SUNBEAM			



Se Section 9 pour les remarques en français en bas de page. Ver Sección 9 para las páginas de notas de pie de página en español. ⁸²⁴⁸ Tapered electrode design ⁸²⁴⁹ Single Platinum ⁸²⁵⁰ Xtreme Performance ⁸²⁵² Xtreme Sport

Small Engine - Lawn Mowers

	XTREME START™	STANDARD STANDARD ESTANDAR	GAP ENCARTMENT ESPACIO		XTREME START™	STANDARD STANDARD ESTANDAR	GAP ENCARTMENT ESPACIO
TRIMMER w/B&S 3, 3.5 & 5 h.p. XST458 458 .030 w/Honda 4 & 5.5 h.p. XST4265 4265 ⁸²⁴⁸ .030				VULCAN (Cont'd) w/Tec. 3.5 h.p. XST458 458 .030			
TROY-BILT w/B&S "L" Head Eng. XST458 458 .030 w/B&S 6.5, 6.75, 7 h.p. Intek OHV ... XST3924 3924 .030 w/Honda 5.5 h.p. OHV XST4265 4265 ⁸²⁴⁸ .030 w/Tec. 3.5, 5, 5.5 h.p. XST458 458 .030				WARD LAKESIDE All Models XST458 458 .030			
TRU-CUT Reel Mowers w/B&S 3, 3.5 & 5 h.p. ... XST458 458 .030 Reel Mowers w/Honda 3.5 h.p. XS63 ⁸²⁵² 4263 ⁸²⁴⁸ .030 Reel Mowers w/Honda 4, 5 & 5.5 h.p. XST4265 4265 ⁸²⁴⁸ .030 Rotary Mowers w/B&S 3 & 5 h.p. XST458 458 .030 Rotary Mowers w/Honda 4, 5 & 5.5 h.p. XST4265 4265 ⁸²⁴⁸ .030				WEBB All Models XST458 458 .030			
TRUE-TEST All Models XST458 458 .030				WEED EATER w/B&S "L" Head Eng. XST458 458 .030 w/Kioritz Eng. XST255 255 .030 w/Robin Eng. XST254 254 .030 w/Tec. Eng. XST458 458 .030			
TURF CHAMP w/B&S "L" Head Eng. XST458 458 .030				WEG ELF All Models --- 386 .025			
TURF POWER w/B&S "L" Head Eng. XST458 458 .030 w/Tec. Eng. XST458 458 .030				WEIBANG w/B&S "L" Head Eng. XST458 458 .030 w/Kawasaki 6 h.p. OHV XP64 ⁸²⁵⁰ 64 .030			
TURF-TRIM w/B&S "L" Head Eng. XST458 458 .030				WHEELER w/B&S 3.5, 3.75, 4 & 5 h.p. XST458 458 .030 w/Tec. 5 h.p. XST458 458 .030			
UTILIMOTOR All Models --- 386 .025				WHEEL HORSE w/B&S 3.5 h.p. XST458 458 .030			
ULTRA w/B&S 4.75, 5 & 5.5 h.p. XST458 458 .030				WHIRL CUT All Models XST458 458 .030			
VECTRA w/B&S 4, 4.75, 5 & 5.5 h.p. XST458 458 .030				WHIRLER-GLIDE All Models XST458 458 .030			
VEMCO All Models XST458 458 .030				WHIRLWIND w/14mm Threads XST458 458 .030 w/18mm Threads --- 386 .025			
VICTA All Models XST458 458 .030				WHITE w/B&S "L" Head Eng. XST458 458 .030 w/B&S 6 & 6.5 h.p. OHV XST3924 3924 .030			
VIGOR w/ViG1P64FV Eng. XS63 ⁸²⁵² 63 .030				WHIZ-MOW All Models --- 216 .030			
VOGT All Models XST458 458 .030				WHIZZ WITCH (See Hoffco)			
VOLLRATH w/Clinton VS200 --- 216 .030 w/Clinton VS300, Lauson & Power Products Eng. XST458 458 .030				WIEGLE Scooter Mower --- 386 .025			
VULCAN w/B&S 3 & 5 h.p. XST458 458 .030				WIZARD w/Clinton 2-Cycle Eng. --- 216 .025 w/Clinton 4-Cycle Eng. XST255 255 .025 w/Propulsion VE901R Eng. --- 306 .030 w/Power Pak Eng. XST458 295 .025 w/Power Prod. Eng. XST255 255 .030			



Se Section 9 pour les remarques en français en bas de page. Ver Seccion 9 para las páginas de notas de pie de página en español. ⁸²⁴⁸ Tapered electrode design ⁸²⁵⁰ Xtreme Performance ⁸²⁵² Xtreme Sport

Small Engine - Lawn Mowers

	XTREME START™	STANDARD STANDARD ESTANDAR	GAP ÉNCARTMENT ESPACIO		XTREME START™	STANDARD STANDARD ESTANDAR	GAP ÉNCARTMENT ESPACIO
WOODWARDS							
w/B&S "L" Head Engs.	XST458	458	.030				
WORCHESTER							
w/B&S "L" Head Engs.	XST458	458	.030				
w/Ciinton 2-Cycle Engs.	XST258	308	.030				
w/Ciinton 4-Cycle Engs.	XST458	295	.025				
w/Lauson Engs.	XST458	295	.025				
w/Power Prod. Engs.	XST258	308	.025				
WORLD LAWN							
w/B&S "L" Head Engs.	XST458	458	.030				
w/B&S 6.5 Intek OHV	XST3924	3924	.030				
YAMAHA							
Model YML 466 w/OHV	XST4265	4265 ⁸²⁴⁸	.030				
YARD MACHINES							
w/B&S "L" Head Engs.	XST458	458	.030				
w/B&S 6.5 h.p. Intek OHV	XST3924	3924	.030				
w/Tec. Engs.	XST458	458	.030				
YARDMAN							
w/B&S "L" Head Engs.	XST458	458	.030				
w/B&S 6, 6.5 & 6.75 h.p. Intek OHV .	XST3924	3924	.030				
w/Honda 5.5 & 6.5 h.p. OHV	XST4265	4265 ⁸²⁴⁸	.030				
w/Tec. Engs.	XST458	458	.030				
YARDPRO							
w/B&S 5, 5.5 & 6 h.p.	XST458	458	.030				
YARDSMITH							
All Models	XST458	458	.030				
YARDSTER							
All Models	XST458	458	.030				
YAZOO							
w/B&S 5, 5.5, 6, 8.5 & 9 h.p.	XST458	458	.030				
w/B&S 6 h.p. Intek OHV	XST3924	3924	.030				
w/Kawasaki 9 & 14 h.p. OHV	XST4265	4265 ⁸²⁴⁸	.030				
w/Kawasaki 12.5 h.p.	XST258	258	.025				
w/Robin EY18W, EY18-3W	AP425 ⁸²⁴⁹	2656	.030				
YETTER ROTARY							
All Models	XST458	458	.030				
YORK							
All Models	XST458	458	.030				



Se Section 9 pour les remarques en français en bas de page. Ver Seccion 9 para las páginas de notas de pie de página en español. ⁸²⁴⁸ Tapered electrode design ⁸²⁴⁹ Single Platinum

Small Engine - Chain Saws

	XTREME START™	STANDARD STANDARD ESTANDAR	GAP ENCARTMENT ESPACIO		XTREME START™	STANDARD STANDARD ESTANDAR	GAP ENCARTMENT ESPACIO
AGWAY				BEAIRD-POULAN (Also See Poulan)			
754	XST254	303	.030	20 XX, 20D, 25 XXV, 25D, 25DA ...	XST255	255	.025
PL-4, PL-5, PL-6	XST254	254	.030	245A, 306A, 306SA, 361	XST255	255	.025
AIRCRAFT SPECIALTIES				BE-BO			
Farmlite BLP, Tree Farmer AL, ALP ..	XST255	255	.030	Be-Bo	XST255	255	.020
ALLIS CHALMERS				BOLENS			
65, 75, 75A, 85, 95, 195, 295	XST255	255	.030	3B1, 3B55, 3300M	XST255	255	.025
ALLSTATE (Sears)				BRADLEY			
All Models	XST458	456	.025	All Models	XST458	456	.025
ALPINA				BRUSH KING			
A40, A40E, A70, A330, A380, A432, A438, AP70, AP90	XST2974	2974	.030	All Models	XST458	456	.035
EURO35, EURO40	XST2974	2974	.030	BRUSH MASTER			
O-70, O-70S	XST2974	2974	.030	All Models	----	306	.025
P34, P34S, P40, P41, P45, P55, P65, P90, P120	XST2974	2974	.030	BURNETT (Canada)			
P400, P450, P540, P540i, P600, P600i, P700, P800	XST2974	2974	.030	B6, B-29, B30	----	386	.025
Pro 40, 41, 45, 45SE, 55, 55E, 56 ...	XST2974	2974	.030	BURNS			
Pro 65, 65E, 66, 70, 90, 120, 540, 600	XST2974	2974	.030	20 Hi-Speed	XST258	258	.040
Super Pro 70, 70S, 90, 120	XST2974	2974	.030	21 Hi-Speed, 22, 106, 206	----	216	.040
330, 380, 432, 438, 540i, 600i	XST2974	2974	.030	C & B			
AMERICAN BRICK SAW CO.				CAMPBELL-HAUSFELD			
Brick & Masonry Saws				Models 2000, 3000, 3001			
w/B&S 6 & 9 h.p.	XST255	255	.030	Models 3002, 3003	XST2956	2956	.030
w/Honda 5.5, 6.5, 8, 9 & 13 h.p.					XST2956	2956	.030
OHV	XST4265	4265 ⁸²⁴⁸	.030	CANADIEN			
AMERICAN-LINCOLN				All Models			
All Models	XST254	254	.025	All Models	XST254	303	.025
AMERIND-MACKISSIC				CASTOR			
9-P	XST255	255	.030	C40, C70	XST2974	2974	.020
ATKINS				CP41, CP45			
All Models	----	386	.025	330, 380, 438	XST2974	2974	.030
BAKER PRODUCTS				C.C. ENGINEERING			
Board Edgers & Sawmills				Blue Streak Minor			
w/B&S 16 h.p. Vanguard (V-Twin) ...	XST3926	3926	.030	Blue Streak Major MA, MB, MC	----	306	.025
w/Honda 5, 9 & 13 h.p. OHV	XST4265	4265 ⁸²⁴⁸	.030	CHIEF			
w/Honda 20 & 24 h.p. (V-Twin)	XST4265	4265 ⁸²⁴⁸	.030	D15, E75, E95	XST255	255	.025
BARKER				D35			
C4, Super C4, C6, Super C6, Super C25, C30 Sportsman, Super C40 ..	XST255	255	.030		XST458	456	.025
Super 44 Klipper, Super 55 Klipper, H61, Super 66 Klipper, Super C70	XST255	255	.030	AGWAY			
H70, H71, H72, H77, Super C80, H88, H91	XST255	255	.030	754	XST254	303	.030
WB500	XST258	258	.030	PL-4, PL-5, PL-6	XST254	254	.030
BAY STATE POWER EQUIPMENT				AIRCRAFT SPECIALTIES			
55, 55V, 200	XST255	255	.030	Farmlite BLP, Tree Farmer AL, ALP ..	XST255	255	.030



Se Section 9 pour les remarques en français en bas de page. Ver Seccion 9 para las páginas de notas de pie de página en español. ⁸²⁴⁸ Tapered electrode design

Small Engine - Chain Saws

	XTREME START™	STANDARD STANDARD ESTANDAR	GAP ENCARTMENT ESPACIO		XTREME START™	STANDARD STANDARD ESTANDAR	GAP ENCARTMENT ESPACIO
CHIPPET				CRAFTSMAN (Cont'd)			
800G, Chippet II w/B&S Engs.	XST255	255	.030	35119, 35124, 35134, 35156, 35158, 35201, 35216	XST2974	2974	.030
CHOREMASTER				35148, 35171, 35177, 35187, 31197	XST254	254	.030
3B3, 3BM, 3B55, 5B55	XST255	255	.025	35203, 35205, 35206	XST255	255	.030
CHRYSLER				352030, 352060, 352070	XST255	255	.030
Powerheads				35207, 35209, 35211, 35232	XST255	255	.030
2731	----	216	.040	352090, 352321, 352351	XST255	255	.030
2772	XST258	258	.040	35238, 35251, 35255	XST255	255	.030
50000, 58007, 58008, 70008	----	216	.030	35251, 35255, 35256	XST255	255	.030
50004, 50008, 50010	XST255	255	.030	35263, 35266, 35267, 35371	XST255	255	.030
61006, 82006	XS4092 ⁸²⁵²	4092 ⁸²⁴⁸	.030	35269, 35365, 35505	XST2956	2956	.030
CLINTON				35363, 35366, 35367, 35369	XST255	255	.030
3A, 3A Bow Saw, 4A, 5A, 323, 424, 525, 577, D3	XST255	255	.025	35372, 35373, 35375, 35376	XST254	254	.030
D2, D2-D, D4	----	216	.025	35481, 35483, 35487	XST2976	2976	.030
D15, D25, E75, E95	XST255	255	.030	35484, 35608, 35609, 35610, 35611, 35614, 35885	XST2976	2976	.030
D31, D35, D55, D65	XST255	255	.030	35505, 35506, 35507, 35512, 35514, 35515	XST255	255	.030
E10	XST254	254	.025	35516, 35713, 35714, 35717, 36096, 36212, 36235	XST255	255	.030
CLIPPER CHIPPER				35607, 35628, 35633, 35718	XST254	254	.030
Beaver w/Wisconsin Engs.	----	386	.025	35623, 35624, 35624 Turbo, 35723, 35736, 358356	XST2974	2974	.030
Chipmunk w/B&S Engs.	XST255	255	.030	357120, 357160, 358860	XST255	255	.030
CMC				35727, 35728, 35881, 35889	XST2976	2976	.030
All Models	----	386	.030	358810, 358840	XST254	254	.030
COBRA				35883, 35886, 35887, 35889, 35904 358850	XST254	254	.030
Bow Saw, C-6, C-6B, C-6G, C-6GR, C-6R	----	216	.030	59741, 59886, 59716, 59816	XST2976	2976	.030
CT-6, CT-6R, C-7, C-7B, C-7G, C7-GR, C-7R, CT-7	----	216	.030	59820, 59918	XST2976	2976	.030
Econo, 3CD, C-3, C-3R, C-4, C-4R, 7CUS, 30CV, 35CV, 36G	XST255	255	.030	351.23001	XST254	254	.020
50 Beaver, 50G, 70CV, 447H, 447HS, 458H	XST255	255	.030	355.8313, 355.50130	XST255	255	.030
461H, 482H, 561-H, 582-H	XS4092 ⁸²⁵²	4092 ⁸²⁴⁸	.030	3.5/20, 4.5/23, 2.5	XST2956	2956	.030
COMASCO				271-1.8, 271-2.7A/VL	XST255	255	.030
w/Wisc. Engs.	----	386	.030	271-4.3A/VL	XST255	255	.030
COMET				1.9PS, 2.0, 2.1A, 3.6	XST255	255	.030
D4, D47, D47A, G47, G47A, D58, D58B, G58, T58, D81	XST255	255	.030	3.7, 3.7A, 3.7PS	XST254	254	.030
D51, 645	----	216	.035	Barracuda	XST254	254	.030
COX				Beaver 1.9	XST2956	2956	.030
140-1 Beaver	XST255	255	.025	D44, D49	XST255	255	.030
CRAFTSMAN				CRESCENT			
3400, 3401, 3402, 3408, 3411	XST255	255	.030	06	----	414	.025
3412, 3415, 3416, 3418, 3425	XST255	255	.030	CUB CADET			
3455, 3460, 3461, 3465, 3466	XST255	255	.030	Chain Saws			
3476, 3481, 34071, 34094	XST255	255	.030	CS3916	XST255	255	.030
35016, 35026, 35086, 35088, 35104, 35106, 35114	XST2974	2974	.030	CS5018	XST255	255	.030
35018, 35028, 35108, 35118, 35120, 35138, 35147	XST254	254	.030	CS5220	XST255	255	.030
35082, 35091, 35093, 35094	XST255	255	.030	Pole Saws			
35096, 35201, 35202	XST255	255	.030	HB26, PS26	XST2974	2974	.030
CRAFTSMAN				DAIDEM			
3400, 3401, 3402, 3408, 3411	XST255	255	.030	w/B&S Engs.	XST255	255	.030
3412, 3415, 3416, 3418, 3425	XST255	255	.030	DANARM (Canada)			
3455, 3460, 3461, 3465, 3466	XST255	255	.030	110, 110 Auto., 125, 125 Auto.	XST255	255	.030
3476, 3481, 34071, 34094	XST255	255	.030	1-36 MKI, 2-36SS, 55, 76, 1-71SS ..	XST254	254	.025
35016, 35026, 35086, 35088, 35104, 35106, 35114	XST2974	2974	.030	1-36 MKII	XST2956	2956	.025
35018, 35028, 35108, 35118, 35120, 35138, 35147	XST254	254	.030	1-36 MKIV, 1-36 MKIV VIP	XST254	254	.025
35082, 35091, 35093, 35094	XST255	255	.030	1-36, 1-36-SS, 36AV	XST254	254	.025
35096, 35201, 35202	XST255	255	.030	1-71, 2-36-SS	XST254	254	.025
CRAFTSMAN				98 Hi-Baller, 250 Hi-Baller	----	386	.025



Se Section 9 pour les remarques en français en bas de page. Ver Seccion 9 para las páginas de notas de pie de página en español. ⁸²⁴⁸ Tapered electrode design ⁸²⁵² Xtreme Sport

Small Engine - Chain Saws

	XTREME START™	STANDARD STANDARD ESTANDAR	GAP ENCARTMENT ESPACIO		XTREME START™	STANDARD STANDARD ESTANDAR	GAP ENCARTMENT ESPACIO
DAVID BRADLEY				DR			
2 1/2 h.p.	XST254	303	.025	Chain Saws			
5 h.p.	XST458	456	.025	14"/36cc	XST2974	2974	.030
DAYTON				16"/45cc	XST2974	2974	.030
2Z-461, 2Z-462, 2Z-463	XST255	255	.030	18"/51cc	XST2974	2974	.030
2Z-463B, 4Z-109C	XST255	255	.030	Pole Pruner	XST2974	2974	.030
2Z-573, 2Z-760	XST255	255	.030	DYNAMARK			
2Z-970, 2Z-970B, 2Z-971	XST255	255	.030	4201, 4221, 4222, 4223, 4241	XST2974	2974	.030
4Z-022, 4Z-023, 4Z-023B	XST255	255	.030	4242, 4243, 4244, 4421, 4422	XST2974	2974	.030
4Z-251A	XST2976	2976	.030	EARTHQUAKE			
4Z-252	XST254	254	.030	Chain Saws			
DISSTON				CS3814, CS3816, CS4116, CS4518	XST2974	2974	.025
DA-211, G11-AY	XST254	254	.025	CS4518	XST2974	2974	.025
DH-120, DO-100, DO-101	XST255	255	.025	EATON			
G-10, KB6-A, KB6-AX, KB6-AY, KB7-AY, KB7-B, KE7-AY	XST254	254	.025	8767, 8768-9	XST255	255	.030
DITCH DEVIL				8930, 8932-3	XST255	255	.030
Concrete Saws				ECHO			
w/B&S 9 h.p. Vanguard	XST3926	3926	.030	Chain Saws			
w/Honda 9, 11 & 13 h.p.	XST4265	4265 ⁸²⁴⁸	.030	280E, 290EVL, 300EVL, 400EVL,			
w/Onan 12.5 h.p. OHV	---	4123 ⁸²⁴⁸	.035	500EVL	XST2976	2976	.025
w/Robin 9 h.p.	XST2976	2976	.025	2900, 2800, 3000, 3400, 3450, 4000	XST2974	2974	.025
w/Robin 11 h.p.	AP425 ⁸²⁴⁹	425	.025	290EVL, 290EVL, 302S, 330EVL,			
DOLMAR				330EVL, 330EVL, 330EVL, 330EVL,	XST2974	2974	.025
Chain Saws				304, 315, 330, 351VL, 601	XST255	255	.025
100, 100 Super, 100S, 102, 110i, 120,				3000, 3450, 3900, 4000EVL, 4400,	XST2974	2974	.025
120 Super	XST2554	2554	.020	4500	XST2974	2974	.025
100 Hobby, 101 Hobby, 101MS	XST255	255	.025	4600, 5000, 6700, 8000	XST2974	2974	.025
103, 104HD, 104 Hobby, 105, 108 ..	XST255	255	.025	410EVL, 440EVL, 440EVL, 510,			
109, 109HS, 110, 110 Extra, 111, 111i,				510EVL, 550EVL	XST2974	2974	.025
112, 113, 114, 115	XST2974	2974	.020	451VL, 452VL	XST255	255	.025
115i, 115 Extra, 116, 116Si, 116				550EVL, 601EVL, 602VL, 610EVL,			
Super, 117, 118, 118 Super	XST2974	2974	.030	610EVL, 620VL	XST2974	2974	.025
119, 120, 120Si, 120 Super, 122, 122				601S, 601SVL, 602EVL	XST255	255	.025
Super, 123	XST2974	2974	.030	60S, 80Z, 100, 280EP	XST255	255	.025
128 KMS4 Rotary, 133, 133 Super,				650EVL, 701VL, 701SVL	XST255	255	.025
143, 144, 152	XST2974	2974	.030	650EVL, 660EVL, 660EVL, 660VL,			
153, 166, 310	XST2974	2974	.030	670, 852EVL	XST2974	2974	.025
CA, CC, CC neu, CC Super, CC				702VL, 702EVL, 750EVL, 750EVL,	XST2974	2974	.025
Super neu, CT2G	XST254	254	.020	801, 801S, 802, 802S	XST255	255	.025
CT	XST2974	2974	.020	900EVL, 1001VL	XST2974	2974	.025
D Jr. 34	XST254	254	.025	CS60S, CS280E, CS290EVL,			
CS9000	XST2974	2974	.030	CS300EVL, CS302	XST255	255	.025
PS34, PS340, PS341	XST2554	2554	.020	CS100	XST254	254	.025
PS45	XST2974	2974	.020	CS300, CS301, CS305, CS306,			
PS342	XST2976	2976	.020	CS330T, CS330MX4, CS340	XST2976	2976	.025
PS400, PS401, SD40	XST2554	2554	.020	CS302S, CS315, CS330EVL, CS351,			
PS350, PS420, PS460, PS510,				CS400EVL	XST255	255	.025
PS540	XST2974	2974	.020	CS341, CS345, CS346, CS360T,			
PS3300TH	XST255	255	.025	CS370, CS400, CS440, CS510 ..	XST2976	2976	.025
PS3410TH/TLC, PH3410TH/TLC ..	XST2974	2974	.020	CS440EVL, CS451VL, CS452VL,			
PS5100S, PS6000i, PS6800i,				CS500P, CS500VL	XST255	255	.025
PS9000, PS9010	XST2974	2974	.020	CS310, CS450, CS450P, CS530	XST2974	2974	.025
PS6400, PS7300, PS7900, PS9010 ..	XST2974	2974	.020	CS520, CS510EVL, CS550EVL,			
Cut Off Saws				CS550P, CS670, CS680	XST2976	2976	.025
143, 309-1, 343-1	XST2974	2974	.020	CS601VL, CS602VL, CS701VL,			
PC6212, PC6214, PC7312	XST2974	2974	.020	CS802	XST255	255	.025
PC6430, PC6435	XST2974	2974	.020	CS600P, CS610EVL, CS650EVL,			
PC7314	XST254	254	.020	CS660EVL, CS680, CS702,			
PC7330, PC7330 C, PC7335,				CS750	XST2974	2974	.025
PC7335 C	XST2974	2974	.020	CS900EVL, CS1001VL, CS3900 ..	XST2974	2974	.025
PC8135, PC8140	XST2974	2974	.020	CS3000, CS3400, CS3450, CS4400,			
				CS8000	XST2976	2976	.025



Se Section 9 pour les remarques en français en bas de page. Ver Seccion 9 para las páginas de notas de pie de página en español. ⁸²⁴⁸ Tapered electrode design ⁸²⁴⁹ Single Platinum

Small Engine - Chain Saws



	XTREME START™	STANDARD STANDARD ESTANDAR	GAP ENCARTMENT ESPACIO		XTREME START™	STANDARD STANDARD ESTANDAR	GAP ENCARTMENT ESPACIO
ECHO (Cont'd)				FORD			
Chain Saws (Cont'd)				Hawk I, Hawk II, Eagle I, Eagle II ... XST255 255 .030			
CS4000, CS4100, CS4500, CS4600, CS5500, CS6700	XST2974	2974	.025	FORESTER			
QV670, QV675	XST2974	2974	.025	CS-100, CS-350, CS-580 ... XST258 258 .030			
QV680, QV685	XST2976	2976	.025	FRONTIER-TML (Quadra)			
QV6700, QV6750, QV8000, QV8050	XST2974	2974	.025	F35, F35 VIP, FB35, F35 VIP, FB35			
S290, 300EVL, 301, 302, 302S	XST255	255	.025	VIP ... XST254 254 .030			
Cut Off Saws				Einhell, Fercad, Rocky ... XST254 254 .030			
CSG670, CSG680, CSG6700	XST2976	2976	.025	Green B, Pioneer, Ranch ... XST254 254 .030			
ECLIPSE				Mark I, Mark I V1P ... XST254 254 .030			
Wasp	XST255	255	.030	Star Diffusion ... XST254 254 .030			
EFCO				GRAINGER			
Chain Saws				2Z573, 2Z760, 2Z970, 2Z971, 4Z022, 4Z023 ... XST255 255 .020			
132S, 156, 165	XST2974	2974	.030	GREEN MACHINE			
147, 152	XST2976	2976	.030	20 ... XST2554 2554 .030			
935DF, 932, 940, 947, 951, 952	XST2974	2974	.030	30, 33, 38 ... XST2974 2974 .030			
956, 962, 962C, 970, 971, 980, 981	XST2974	2974	.030	7100 ... XST255 255 .030			
MT3500, MT3700	XST2976	2976	.030	7200-4, 7200-14 ... XST255 255 .030			
MT4000	----	4194	.025	7400-6, 7400-16 ... XST255 255 .030			
MT7200, MT8200	XST2974	2974	.030	7600, 7600-0, 7600-0P Pro, 7600-6, 7600-6P Pro ... XST2976 2976 .030			
Cut Off Saws				7600-8, 7600-8P Pro, 7600-16, 7600-18, 7600-20 ... XST2976 2976 .030			
265TTA, 285TTA, 962TTA, 980TTA, 1000TTA	XST2974	2974	.030	7700-0, 7700-0P Pro, 7700-24P Pro, 7700-6 ... XST2976 2976 .030			
963TTA, 983TTA	XST2974	2974	.030	7700-6P Pro, 7700-8, 7700-8P Pro, 7700-16 ... XST2976 2976 .030			
Pole Pruners				7700-18, 7700-20, 7700-24, 7700-24p ... XST2976 2976 .030			
PT2500	XST2974	2974	.025	GREENS			
EINHELL				B30, B35, B40AV ... XST254 254 .025			
MKS 30, MKS 40AV	XST254	254	.025	GROUNDSMAN			
ELECTROLUX (Also See Poulan)				Turf Cutters			
3300	XST254	254	.025	w/Honda 5.5 h.p. OHV ... XST4265 4265 ⁸²⁴⁸ .030			
3800	XST2976	2976	.030	HAHN ECLIPSE			
ELITE				700, 800, 1100, Wasp ... XST255 255 .030			
Concrete Saws				900 ... ---- 216 .040			
w/B&S 9 h.p. Vanguard	XST3926	3926	.030	HMC			
w/Honda 9, 11 & 13 h.p.	XST4265	4265 ⁸²⁴⁸	.030	Green Machines w/Xenoah Engs. ... XST254 254 .030			
w/Onan 12.5 h.p. OHV	----	4123 ⁸²⁴⁸	.035	HOFFCO			
w/Robin 9 h.p.	XST2976	2976	.025	3V ... ---- 216 .030			
w/Robin 11 h.p.	AP425 ⁸²⁴⁹	425	.025	88, 88, 88M, 645, Super 645 ... ---- 216 .040			
FALLS PRODUCTS				4+4, 510, 510M, 480, Super 480, Super 510, Super 510CR ... XST258 258 .040			
47, 81, SKE, SKM	XST458	456	.030	2756, 2756B, S480, S510 ... XST255 255 .035			
FARMCREST				2779, MP638, P7, PH966H, V3 ... XST255 255 .025			
3B3, 3BM, 3B55, D40F Econo	XST255	255	.025	52, H.D. 528, H.D.F 52, P8 ... XST458 456 .035			
D50F-G1 Super Ranger, D60F-G1 Super Speedmaster	XST255	255	.025	5645, D, F, H, HD ... ---- 216 .030			
D50F Ranger, D59F Sabre, D60F Speedmaster	----	216	.025	D4, D58, T4, T47, T47A, T58, T58B-15, T81 ... XST255 255 .030			
FARMER				D51, S510 & Others w/West Bend Engs. ... ---- 216 .030			
F55, F55A, F65	XST254	254	.030	S480 Series, R47, R47A, R58 ... XST255 255 .030			
FLEETWOOD							
55V, 7414, 7514, 7614, 7714	XST255	255	.030				

Se Section 9 pour les remarques en français en bas de page. Ver Seccion 9 para las páginas de notas de pie de página en español. ⁸²⁴⁸ Tapered electrode design ⁸²⁴⁹ Single Platinum

Small Engine - Chain Saws



	XTREME START™	STANDARD ESTANDAR	GAP ENCARTMENT ESPACIO		XTREME START™	STANDARD ESTANDAR	GAP ENCARTMENT ESPACIO
HOFFCO (Cont'd)				HOMELITE (Cont'd)			
Super 70, Super 90	XS4092 ⁸²⁵²	4092 ⁸²⁴⁸	.030	Chain & Cut Off Saws (Cont'd)			
Super 88	----	216	.030	Super XP-1050 Auto, XP-1130 Auto,			
Timberline T47	XST255	255	.030	XP1130 G Auto	XST254	254	.025
Timberline T81	XST254	303	.030	VI Super 2 SL	XST2956	2956	.025
HOMELITE				VI Super Mini SL	XST2956	2956	.025
Chain & Cut Off Saws				VI-123, VI-944, VI-955, V-1123	XST254	254	.025
4-20, 5-20, 5-20A, 5-30, 6-22, 7-19, 7-19C	XST254	254	.025	WIZ, WIZ-55	XST254	254	.025
7-21, 7-21C, 7-21CFM, 7-29, 8-29, 9-23, 9-26	XST254	254	.025	XL Automatic, XL-Auto Gear Drive	XST254	254	.025
17, 20MCS, 26LCS, 5-63, 6-63, 7-63	XST254	254	.025	XL, XL-2	XST2956	2956	.025
20, 20AV, 23, 23AV	XST2974	2974	.025	XL-1 AO, XL-Mini, XL-Mini Auto	XST2956	2956	.025
150, 150 Auto, 190, 200, 240, 240-18, 240SL, 240 Super	XST2956	2956	.025	XL-12, XL-12 Automatic, XL-15, XL-75, XL-76, XL100A	XST255	255	.025
180, 180-16, 192, 200	XST2554	2554	.025	XL-100, XL101, XL102, XL-102 Automatic, XL103, XL103E	XST254	254	.025
2100 Super	XST254	254	.025	XL-104, XL113, XL114, XL-120, XL-122, XL-123	XST254	254	.025
245, 245 HG, SL, 252	XST2554	2554	.020	XL-400 Automatic, XL-500 Automatic, XL-660F, XL-700	XST254	254	.025
250, 290, 300, 340, 545, 8800	XST2974	2974	.025	XL-800, XL-800AM, XL-850, XL-870, XL-875, XL-900E, XL900EAM	XST254	254	.025
330, 350SL Auto	XST2956	2956	.025	XL-901, XL-902AM, XL-903, XL-903E, XL-903EAM,	XST254	254	.025
350, 360, 360-AO	XST254	254	.025	XL-904, XL-913, XL-914, XL-921, XL-922 SL, XL-923	XST254	254	.025
410, 410 SLF, 540	XST2554	2554	.025	XL-923A, XL-923 Super, XL-924, XL-925	XST254	254	.025
450, 450-AO, 550	XST2956	2956	.025	XL-944, XL-955, XL-98D	XST254	254	.025
500, 600-D, 650, 660-D, 663, 700-D, 700-G	XST254	254	.025	Multi-Purpose	XST254	254	.025
700-G FM, 707-D, 707-G, 750, 750E, 770-D	XST254	254	.025	XP-1000, XP-1100	XST255	255	.025
770-G, 770-GS, 775-D, 775-G, 900-D, 900-G	XST254	254	.025	XP-1020, XP1020A, XP1050 Auto, XP-1130	XST254	254	.025
909-D, 909-G, 945, 955, 990-D, 990-G, 995-D, 995-G	XST254	254	.025	z3330, z3350	XST2974	2974	.025
1050 Automatic, 1130-G Automatic, 2000, 2100, 2100-S, 3100-G	XST254	254	.025	z3350b, z3850b	XST2974	2974	.025
2000-E-Automatic, 2000-P-Automatic	XST255	255	.025	ZIP, ZIP-5, ZIP-6	XST254	254	.025
Big Red SXL, BUZ, Old Blue SXL	XST254	254	.025	HORNET (Canada)			
C-5, C-5G, C-51, C-51G, C-52, C-7, C-7G	XST254	254	.025	D, DJ-3500H, DJ-3600H, HJ	XST255	255	.025
C-71, C-71G, C-72, C-9, C-9G, C-91, C-91G, EZ-6	XST254	254	.025	HUSKY			
CS-40	XST2554	2554	.025	35, 35VR	XST254	254	.025
CS-50, CS-4018CC	XST2974	2974	.025	HUSQVARNA			
d3300, d3350b, d3800, d3850b	XST2974	2974	.025	Chain Saws			
DM-20 Multi-Purpose	XST254	254	.025	1R, 16, 18, 22R, 22RL, 23, 24, 25RL, 26RCL	XST2974	2974	.020
DM-40, DM-54 Multi-Purpose	XST2554	2554	.025	32R, 32, 32RCL, 36, 38VR, 40, 41, 42	XST2974	2974	.020
DM-50 Multi-Purpose	XST2956	2956	.025	33, 34, 35, 35VR, 37, 38	XST254	254	.020
E-Z, E-Z Auto, EZ 250 Auto	XST2956	2956	.025	44, 45, 49, 50, A65, L65, 65K, L77, 160S, L65	XST2974	2974	.020
LX30, Little Red XL	XST2554	2554	.025	70	----	414	.020
Mini Models	XST2956	2956	.025	133SE/SG, 136, 137, 140, 140S, 141, 142, 154, 154SE/SG	XST2974	2974	.020
MP38, MP88 Multi-Purpose	XST254	254	.025	160CD, 160SG, 162FE, 162FG, 162SE, 162SG	XST2974	2974	.020
Super 1050, 1050-AO, 1130G	XST254	254	.025	163S, 163SE, 165, 165R, 165RX, 180S	XST2974	2974	.020
Super 1130G, 2100 Auto, 2100S, 3100G	XST254	254	.025	181SE/SG, 185CD, 234SE/SG, 235, 235 e-Series, 235ex	XST2974	2974	.020
Super 2, Super 240, VI-Super-2	XST2956	2956	.025	238, 238SE/SG, 240 e-Series, 240S, 240SE/SG	XST2974	2974	.020
Super 2000, 2000 Automatic	XST255	255	.025	242, 242XP, 244, 246, 250PS Pole Saw	XST2974	2974	.020
Super EZ, EZ-AO, EZ Automatic	XST2956	2956	.025	254, 254XP/XPG, 257, 260CD, 260, 261	XST2974	2974	.020
Super SXL	XST254	254	.025	Se Section 9 pour les remarques en français en bas de page. Ver Seccion 9 para las páginas de notas de pie de página en español.			
Super WIZ, 55, 66, 77, 80	XST254	254	.025	8248 Tapered electrode design 8252 Xtreme Sport			
Super XL, XL-AO, XL Auto, 35SL	XST254	254	.025				
Super XL-12, XL-12 Automatic, XL-15, XL-130	XST255	255	.025				
Super XL922 SL, XL-925, V1-944, V1-955	XST254	254	.025				
Super XP-1020, XP-1020A, XP-1050E	XST254	254	.025				

Small Engine - Chain Saws

	XTRME START™	STANDARD STANDARD ESTANDAR	GAP ENCARTMENT ESPACIO		XTRME START™	STANDARD STANDARD ESTANDAR	GAP ENCARTMENT ESPACIO
HUSQVARNA (Cont'd)				INDIAN (Cont'd)			
Chain Saws (Cont'd)							
262XP/XPG/XP, 263CD, 266, 266SE/SG, 266XP	XST2974	2974	.020	351A, 351D	XST255	255	.025
266SE, 268, 268XP, 272XP/XPG, 280G	XST2974	2974	.020	561H, 582H	XS4093 ⁸²⁵²	4093 ⁸²⁴⁸	.030
280S, 280CD, 281, 281XP/XPG, 285CD, 288XP, 288XP Lite, 298XP	XST2974	2974	.020	Apache, Sioux	XST255	255	.030
326P4 Pole Saw, 326P5x Pole Saw, 334T, 335XP, 335XPT	XST2974	2974	.020	Super 50, Super 60	----	216	.025
336, 338XPT, 338XPT, 339XP, 340, 340SE/SG	XST2974	2974	.020	Thunderbolt, 651	----	216	.025
345, 345 e-Series, 346XP/XPG	XST2974	2974	.020	JAQUES			
350, 351, 353, 353 E-Tech/G E-Tech	XST2974	2974	.020	w/B&S Engs.	XST255	255	.025
357XP/XPG, 359, 359 E-Tech, 362XP, 365, 385, 371XP/XPG	XST2974	2974	.020	w/Ford Engs.	----	216	.025
372XP/XPG/XPW, 380CD, 380K, 380S, 385XP/XPG/XPW	XST2974	2974	.020	JEONIL			
390XP/XPG/XPW, 394XP/XPG, 395XP/XPG/XPW	XST2974	2974	.020	Concrete Saws			
435, 435x, T435, 440 e-Series, 444, 444SE/SG, 444FE, 444FG	XST2974	2974	.020	w/Honda 20 h.p. (V-Twin)	XST4265	4265 ⁸²⁴⁸	.030
445, 445 e-Series, 445x, 450, 450 e-Series, 455, 455 e-Series/455, 455 Rancher/Tool-Less	XST2974	2974	.020	w/Robin 20.5 h.p. (V-Twin)	XS63 ⁸²⁵²	4263	.025
460, 460 Rancher, 480CD, 480K, 570, 575XP/XPG/XPW, 576XP/XPG/XPW	XST2974	2974	.020	JIM SAVAGE			
1100CD, 2100CD, 2101XP, 2405, 2540XPG, 3120XP, 3130	XST2974	2974	.020	Super 100, Maxi 350, Pro 580	XST255	255	.030
2100CDW	XST254	254	.020	JOBU			
B77, L77, S77	XST2974	2974	.020	L6, L8, L86S	XST2974	2974	.030
G90, A100, SM150	XS4093 ⁸²⁵²	4093 ⁸²⁴⁸	.020	LP6, LP6B, LF50	XST2956	2956	.030
Husky Models 22, 23 Compact, 35, 37	XST254	254	.020	Micro 25, 25CVA, SL3, L35	XST255	255	.030
Husky Models 246, A65, B65	XST2974	2974	.020	SL2, SL21, 941S	XST254	254	.030
Husky Models 33, 34, 35, 35VR, 36, 36R, 38, 39R	XST2974	2974	.020	JOHN DEERE			
Husky Models 40, 41, 42, 44, 44 Rancher, 45, 49	XST2974	2974	.020	Chain Saws			
Husky Models 50, 50 Rancher, 50 Special	XST2974	2974	.020	8, 9, 12, 14, 15, 17, 18	XST254	254	.030
Husky Models 51, 55, 55 Rancher	XST2974	2974	.020	19, 50V, 61, 81, 91	XST254	254	.030
Husky Models 61, 61 Rancher, 65, 66, 77, A77	XST2974	2974	.020	23, 28, 30, 40V, 50, 50V	XST255	255	.030
Pole Saws				Cut Off Saws			
326P4, 326P5x, 327P4, 327P5x	XST2974	2974	.030	70V, R70EV, 72, 80EV, S80, S82	XST2974	2974	.030
Power Cutters				JOHN DEERE			
268K, 272K	XST2976	2976	.020	Chain Saws			
371K, 375K, 3120K	XST2974	2974	.020	8, 9, 12, 14, 15, 17, 18	XST254	254	.030
K750, K760, K960, K970, K1250	XST2974	2974	.020	19, 50V, 61, 81, 91	XST254	254	.030
I.E.L. (Canada)				JOHN DEERE			
AB Pioneer, Beaver, DA Super Pioneer, DB, DC, DD	XST255	255	.025	23, 28, 30, 40V, 50, 50V	XST255	255	.030
HA, HB, HC, HM, JA, JB, JC	XST255	255	.025	70V, R70EV, 72, 80EV, S80, S82	XST2974	2974	.030
PB, PC, PD Super Twin, PE, PF, PG, PH, PT, RA	XST255	255	.025	25EV, 35EV, 45EV, 46EV, 51SV, 55EV, 55SV	XST2974	2974	.030
F, G, M	----	306	.025	65EV, 65SV, 66SV, 80EV, 450V, 800V	XST2974	2974	.030
L	----	386	.025	820, 840, 200CS, 230CS, 300CS, 550CS	XST2974	2974	.030
INDIAN				JOHN DEERE			
50	XST254	303	.025	350CS	XST254	254	.030
40, 47, 5-12, Super 5-12, 547H, 547HS	XST255	255	.030	CS36, CS36LE, CS40, CS40LE, CS46	XST2974	2974	.030
				JOHN DEERE			
				Chain Saws			
				45, 45ES, 49SP, 50, 51, 52, 52E, 52ES, 60, 62			
				XST2974 2974 .030			
				66E, 66ES, 70, 70E, 75, 80, 90, 90W, 110, 111S, 111 Super			
				XST2974 2974 .030			
				361, 365, 370, 380, 425, 435, 450			
				XST2974 2974 .030			
				410, 420			
				XST2554 2554 .030			
				451E, 451EV, 452, 455, 510SP, 521EV, 525, 535, 535 Classic			
				XST2974 2974 .030			
				490, 510, 510M, 510SP, 520, 520SP, 521, 521EV, 525, 535			
				XST2554 2554 .030			
				590, 601, 621, 625, 625 II, 630, 630 Super			
				XST2974 2974 .030			
				630 Super II, 630 West Coast, 630S, 670			
				XST2974 2974 .030			
				670 Champ, 670S, 670 Super, 670 Super II			
				XST2974 2974 .030			
				670 West Coast, 751, 801, W801, 820, 830, 840, 910			
				XST2974 2974 .030			



Se Section 9 pour les remarques en français en bas de page. Ver Seccion 9 para las páginas de notas de pie de página en español. ⁸²⁴⁸ Tapered electrode design ⁸²⁵² Xtreme Sport

Small Engine - Chain Saws

	XTREME START™	STANDARD ESTANDAR	GAP ENCARTMENT ESPACIO		XTREME START™	STANDARD ESTANDAR	GAP ENCARTMENT ESPACIO
JONSERED (Cont'd)				LANCASTER (Cont'd)			
910D, 910E/EV, 920, 920S, 930, 930S, 1020, 2030 Turbo	XST2974	2974	.030	500, 600	----	216	.025
2036, 2036 Turbo, 2040, 2040 Turbo, 2041, 2041 Turbo	XST2974	2974	.030	50HL, 50/L, 60HL	XST255	255	.035
2045, 2045 Turbo Classic, 2050, 2050 Turbo Classic	XST2974	2974	.030	540, 547, 550, 645, 655, 670, 3550	XST255	255	.030
2051, 2051 Turbo, 2054, 2054 Turbo, 2055 Turbo	XST2974	2974	.030	555, 560	XST255	255	.030
2055 CAT, 2055 Turbo, 2059 Turbo	XST2974	2974	.030	558, 650, 658	XST254	303	.030
2063, 2063 Turbo, 2065, 2065 Turbo	XST2974	2974	.030	585	----	216	.030
2071 Turbo, 2071W Turbo, 2077, 2077 Turbo, 2083 II, 2083 Turbo	XST2974	2974	.030	600HL, 700HL	XST255	255	.035
2094, 2094 Turbo, 2095 Turbo	XST2976	2976	.030	L20	XST254	303	.030
2135 T, 2135 Turbo, 2137, 2138 C, 2145 S, 2145 Turbo	XST2974	2974	.030	L37	XST254	254	.025
2141 Turbo, 2149, 2149 Turbo, 2149W Turbo	XST2976	2976	.030	L50, L60	XST255	255	.025
2150 Turbo, 2152, 2152 C, 2152 CHW, 2156 C, 2156 CHW	XST2974	2974	.030	Four-40, Five-40, Forty-IL	XST255	255	.030
2159 C, 2159 CHW, 2159 Turbo, 2159W Turbo	XST2974	2974	.030	Mini-Twelve, Mini Auto, SLA/20	XST255	255	.030
2163, 2163 Turbo, 2163W Turbo, 2165, 2165 Turbo	XST2976	2976	.030	Models 500 & 600	----	216	.030
2171 Turbo, 2171WH Turbo	XST2974	2974	.030	Six-10, Eight-20	XS4093 ⁸²⁵²	4093 ⁸²⁴⁸	.030
2186 Turbo, 2186 WH Turbo	XST2976	2976	.030	LESCO			
HP36 Power Pruner	XST2974	2974	.030	LCS4500, LCS5100	XST2974	2974	.030
L1LJ, M36, M361, M361AV, 365	XST254	254	.030	LICKETY CHIPPER			
M50, M52, M60, M62, M75, M80, M110	XST2974	2974	.030	KPM-4	XST458	456	.025
M601, M621, M751	XST2974	2974	.030	WPM-4	----	386	.025
MK70, MK80, RS45	XST2974	2974	.030	LINDIG			
Mini Sawmill 600+ w/2095 Turbo	XST2976	2976	.030	Apache, M-4, M-8, M-10, M-12, KM-10	XST458	456	.025
Bandsaw Mill 6000+ w/2095 Turbo	XST2976	2976	.030	Kajon w/B&S Engs., Concho	XST458	456	.025
Pro 35, Super III	XST2974	2974	.030	Kajon w/Kohler 10 h.p. K-Series	----	216	.025
KAAZ				KT-15, KT-15X, XR930	----	386	.025
w/Kawasaki 1.2 & 1.8 h.p.	XST255	255	.030	Series 900 Chippers w/Wisconsin V465D	XST4265	65	.025
w/Kawasaki 1.3 & 1.5 h.p.	XST254	254	.030	Series 900 Chippers w/Wisconsin VVH4D	----	386	.025
w/Mitsubishi T50	XST255	255	.030	XR12130, XR16130 w/Ford 300 cid	----	124	.025
w/Xenoah G2C, G2D	XST254	254	.030	XR1265 w/Ford 172 cid	----	216	.025
w/Xenoah G3C, G4C, G5C	AP425 ⁸²⁴⁹	425	.030	XR16160 w/Ford 330 cid	----	124	.025
KATEX				XR965	XST4265	65	.030
KAT-10, KAT-25 DAEX	XST255	255	.030	LOMBARD			
KAT-3.4	XST2976	2976	.030	3, 3 Woodlot Wizard, 3A Woodlot Wizard, 3C Woodlot Wizard	XST255	255	.030
KING O'LAWN				3-1/2, 3-1/2D Woodlot Wonder	XST255	255	.030
Mark II	XST255	255	.025	4, 4D, 5, 5A, 5B, 7, 30, 30 Black Bantam, 34, 35, 36, 37	XST255	255	.030
KNIGHT				44, 44A, 46, 46A, 68, 69, 70	XST255	255	.030
14mm Threads	XST458	456	.025	648, 648 Goliath, 650, 650 Wonder, 651 Tempest, 658	XST255	255	.030
18mm Threads	----	386	.025	AL42, AL51 & Automatic	XST254	254	.030
KUT-KWICK				AP22, AP22-1, AP22D AP22D-1, AP24, AP24-1, AP24D	XST2974	2974	.030
All Models	----	386	.025	AP24SE, AP42, AP42-1, AP42AV, AP42D, AP42DAV, AP42SE	XST2974	2974	.030
LANCASTER				DD-2D, DD-2F	XST2974	2974	.030
200A, 200 Nifty, 200A Nifty, 325, 350A, 350B, 400B	XST255	255	.030	DD, D40 Gladiator, D40A Gladiator	XST255	255	.030
318A, 318PI, 400A	XST258	308	.030	F-54, 68, 69, 70, 660, L30, L-55, L-80, L100	XST255	255	.030
325 Wildcat, 350, 350-A Handyman	XST255	255	.030	Comango, Comango Automatic, GLP-500, GLP-500 Automatic	XST254	254	.025
350-B Handyman, 400S, 425, 440, 447, 450, 450 Log Jiffy	XST255	255	.030	Lightning I, II, III, IV, V	XST254	254	.025
400S Super, 500 Timber Cruiser	XST258	258	.040	Little Lightning, Deluxe, Super Deluxe	XST2974	2974	.030
				Pony	XST2956	2956	.030
				Super AL 42 & Automatic	XST254	254	.025
				Super Comango, Super Comango Automatic, Super Comango AV	XST254	254	.030
				Super L100	XS85 ⁸²⁵²	85	.030



Se Section 9 pour les remarques en français en bas de page. Ver Seccion 9 para las páginas de notas de pie de página en español. ⁸²⁴⁸ Tapered electrode design ⁸²⁴⁹ Single Platinum ⁸²⁵² Xtreme Sport

Small Engine - Chain Saws

	XTRME START™	STANDARD STANDARD ESTANDAR	GAP ENCARTMENT ESPACIO		XTRME START™	STANDARD STANDARD ESTANDAR	GAP ENCARTMENT ESPACIO
LOMBARD (Cont'd)				McCULLOCH (Cont'd)			
Super L30, L50, L60	XST255	255	.030	1-40, 1-41, 1-42, 1-43, 1-45, 1-46, 1-50, 1-51, 1-52, 1-53	XST255	255	.025
Super L55, L70, L80, L90	XST255	255	.030	1-60, 1-61, 1-62, 1-63, 1-70, 1-71, 1-72, 1-75, 1-76, 1-80	XST255	255	.025
Super Lightning, Super Lightning AV Tornado 52	XST2974 XST255	2974 255	.030 .030	1-81, 1-81HD, 1-82, 1-85, 1-86, 1-92, 1-93	XST255	255	.025
LOWTHER				2-10, 2-10A, Super 2-10A, 2-10G, 2-10PS			
All Models	----	373	.025	3-10, 3-10E, 4-10	XST2956	2956	.025
LUTHER				3-25 Chain Saw, 3-25 Bow Saw			
3B2	XST255	255	.025	4-30, 4-30A Chain Saw, 4-30A Bow Saw, 5-49, 7-55, 12-25A	XST255	255	.025
MAGNUM DIAMOND				5-10, 5-10A, 5-10E, 5-10G, LG-6, LG-6A, 6-10			
Pavement Saws				6-10, 6-10A, S6-10A, 7-10A			
w/B&S 9, 16 & 18 h.p. Vanguard	XST3926	3926	.030	10-10, 10-10E, 10-10L, S10-10, S10- 10E, S10-10L	XST2956	2956	.025
w/Honda 9, 11 & 13 h.p. OHV	XST4265	4265 ⁸²⁴⁸	.030	10-10A, PM55	XST2956	2956	.025
w/Wisc. 37 h.p.	----	386	.025	33, 33A, 33B, 33B Bow Saw, 35, 39, 47, 47 Bow Saw, 49	XST255	255	.025
w/Wisc. 65 h.p.	XST4265	65	.025	55, 73, 77, 99, 99 Bow Saw, 200, 250, S250, 380, 380A	XST255	255	.025
MAKITA				440, 550, S550, 640, 650, 660, 840, 940			
Chain Saws				350, 740, 790, 795, 795L, 797			
DCS34, DCS330, DCS330S, DCS330TH, DCS340	XST2976	2976	.025	890, 895, 895C, PM-6A, PM570, CP55	XST2956	2956	.025
DCS341, DCS342, DCS390, DCS391	XST2976	2976	.025	BP-1, D30	XST255	255	.025
DCS400, DCS401, DCS430, DCS431	XST2976	2976	.025	CP-70, CP-70L	XST2956	2956	.025
DCS520, DCS520i, DCS5200i	XST2976	2976	.025	CP-125, CP-125S	XST2956	2956	.025
DCS540, DCS6000i, DCS6800i, DCS6800iFL/FW	XST2974	2974	.025	D33 Le Sabre, D36, D44, D45	XST255	255	.025
DCS6401, DCS7301, DCS7901	XST2974	2974	.025	G-70, SP80, PM-60, SP-81	XST2956	2956	.025
DCS9000FL/FW, DCS9010	XST2974	2974	.025	PM-6, P-10-10A, PM-105	XST2956	2956	.025
Cut Off Saws				PH 390 & PM 690 Cuts-All			
DPC6200, DPC6201	XST2974	2974	.025	S2-10A, SLG-2, 3-10, 3-10E, 10-10 ..	XST2956	2956	.025
DPC7000, DPC7001, DPC7300	XST2974	2974	.025	S10-10LA; 795, 795L, 797, S797 ...	XST2956	2956	.025
DPC7301, DPC9500, DPC9501	XST2974	2974	.025	SP-40, SP-60, SP105, SP-125C ...	XST2956	2956	.025
MALL				Double Eagle, Double Eagle 50, Double Eagle 80			
General Purpose, Golden Logmaster, Silver Logmaster	XST254	254	.025	Eager Beaver 2.0, 2.1, 2.3, 3.4, 3.7 ..	XST2956	2956	.025
OMG, OMG Pinchless	XST254	254	.025	Eager Beaver 10, 12, 14, 16	XST2956	2956	.025
1MG Chain Saw, 1MG Bow Saw, 1MG Pinchless	XST254	254	.025	Eager Beaver 2000 Series	XST2554	2554	.025
2MG Chain Saw, 2MG-42, 2MGB Bow Saw, 2MGP Pinchless	XST254	254	.025	Eager Beaver 2100AV Series	XST2554	2554	.025
3MG, 4MG, 5, 5MG, 7 Chain Saw, 7 Bow Saw, 7G, 8	XST254	254	.025	Eager Beaver Super 2300AV Series ..	XST2554	2554	.025
10 Chain Saw, 10 Bow Saw, 11, 12, 12A Chain Saw	XST254	254	.025	Mac 10 Series: 4-10, 5-10	XST2956	2956	.025
12AB Bow Saw, 12AP Pinchless ...	XST254	254	.025	Mac 15, 35, 35A	XST255	255	.025
6	----	386	.025	Mac 100, 110, 120, 130, 130C	XST2956	2956	.025
MASSEY-FERGUSON				Mac 140, 140C, 160, 160S, 160SC ..			
190, 190A, 250	XST2956	2956	.030	Mac 3210, 3212, 3214, 3216	XST2554	2554	.025
370, 370A, 370AR	XST255	255	.030	Mac 3516AV, 3818AV	XST2554	2554	.025
MATELEST				Mac 4600, 4600AV, 4600 AV-18, 4900			
MAT-101-10, 101-12	XST255	255	.030	Mac 4900 AV-18, 4900 AV-20, 5500 ..	XST2956	2956	.025
MAT-106, MAT-EX	XST255	255	.030	Mac 6200-16, 6200-18	XST2956	2956	.025
McCULLOCH				Mac Cat 16, Super 16AV, 18, Super 18AV			
1.9, 2.3	XST2974	2974	.025	Mat-101-10, Mat-101-12, Mat-EX, Mat-106	XST2554	2554	.025
1-10	XST2956	2956	.025	Mini Mac 1, 1A, 6, 6A, 25, 30, 35, 35 AS, CP-55	XST2956	2956	.025
				MS1432, MS1432NAV, MS1435, MS1435NAV	XST2554	2554	.025
				MS1635, MS1635AV, MAS1635NAV MS1635VAVCC, MS1838AV, MS1838AVCC	XST2554	2554	.025
				PM310, 410, 605, 605-20, 610-20, 610-S, 700	XST2956	2956	.025



Se Section 9 pour les remarques en français en bas de page. Ver Seccion 9 para las páginas de notas de pie de página en español. ⁸²⁴⁸ Tapered electrode design

Small Engine - Chain Saws

	XTREME START™	STANDARD STANDARD ESTANDAR	GAP ENCARTMENT ESPACIO		XTREME START™	STANDARD STANDARD ESTANDAR	GAP ENCARTMENT ESPACIO
McCULLOCH (Cont'd)				MONARK SILVER KING			
Power Mac 6, 6A, 310, 310C, 320, 320C, 330	XST2956	2956	.025	Silver King 18, DD, G8.1, 4.7, 8.1 ...	XST255	255	.030
Power Mac 340, 375, 380, 390, 410, PM 410	XST2956	2956	.025	G6.5	----	216	.040
Power Mac 605, 605-20, 610, 1000	XST2956	2956	.025	MONO			
Pro Mac 36, 40, 55, 60, 105, 155, 165	XST2956	2956	.025	1-16, 4, 7, 20, 25-10, 25-14, 32, 34, 35, 40, 42	XST255	255	.030
Pro Mac 380	XST2554	2554	.025	43, 46, 47, 50, 55, 60, 62, 63, 64, 65, 67, 80	XST255	255	.030
Pro Mac 430, 430VC, 435, 435VC, 440, 440VC	XST2956	2956	.025	82, 83, 84, 85, 94, 94-14B, 550, 550B, 650	XST255	255	.030
Pro Mac 510, 515, 555, 570	XST2956	2956	.025	249, SL-149	XS85 ⁸²⁵²	85	.030
Pro Mac 605, 610, 655, 650, 690	XST2956	2956	.025	SL-145, SL-146, SL-147, SL-245	XST255	255	.035
Pro Mac 700, 1000, 10-10, 10-10S	XST2956	2956	.025	MTA			
Pro Mac 800, 850, 850 Super	XST2956	2956	.025	Cut Off Saws			
Pro Mac 2500, 3205AV-14, 3505AV-16	XST2554	2554	.025	309, 343	XST2976	2976	.020
Pro Mac 3200, 4700AV, 5000, 5000AV	XST2956	2956	.025	NAUDER			
Pro Mac 3800, 3805, 3805AV-18, 3850, 8200, 8200AV	XST2956	2956	.025	NAU-10, NAU-12	XST255	255	.030
Pro Mac 5700, 5700AV, 5720, 6300AV	XST2956	2956	.025	NOGMATIC			
Silver Eagle SE2012, SE2012b, SE2014	XST2554	2554	.025	6CV (All)	XST2976	2976	.030
Silver Eagle SE2014k, SE2016, SE2116	XST2554	2554	.025	NOG10, NOG12, 4CV (All)	XST255	255	.030
Silver Eagle SE2316, SE2318	XST2554	2554	.025	O & R			
Silver Eagle SE2818avs, SE3020avs	XST2956	2956	.025	1 h.p., 13A, 13B, 13S, Chip-A-Saw	XST255	255	.030
Silver Eagle SE3420, SE3720av	XST2956	2956	.025	20A, 20S	XST254	254	.030
Super 6-10A, LG 2 Automatic, LG-6A, 10-10A, 10-10E, 797	XST2956	2956	.025	OLEO-MAC			
Super 33, 44, 44A, 55, 55A, 250	XST255	255	.025	Agristar, Agristar AF	XST2974	2974	.020
Super Pro 60, 70, 80, 81, 81E, 105, 125, 125C	XST2956	2956	.025	233, 240, 251, 251B, 251 Super, 252, 252F, 252 Super	XST2974	2974	.020
Super Pro Mac 610	XST2956	2956	.025	254, 254F, 260, 261, 261G, 261GS, 264, 264 Deluxe	XST2974	2974	.020
Thrifty Mac	XST255	255	.025	264F Deluxe, 271, 271MP, 272, 272F, 272G, 272GMP	XST2974	2974	.020
Timber Bear	XST2956	2956	.030	281, 281MP, 282, 284F, 284MP, 335, 335F, 340, 340F	XST2974	2974	.020
Titan 7, 35, 40, 50, 57, 70	XST2956	2956	.025	350, 350AF, 350 Super, 350AF Super, 355, 355A, 355AF	XST2974	2974	.020
Titan 560, 620	XST2974	2974	.025	480, 481, 481MP, 482, 482MP, 935DF, 940, 942, 946P	XST2974	2974	.020
Wildcat 18	XST2956	2956	.025	947, 951F, 952, 956, 962F, 971, 981, 999F	XST2974	2974	.020
MALL				OLYMPYK			
14mm Threads	XST254	303	.025	Chain Saws			
18mm Threads	----	386	.025	234, 234F, 240, 241, 241F, 244, 244F, 244AV, 250A	XST2974	2974	.030
MATELEST				250 Super, 251, 251 Super, 252, 252F, 254, 254F	XST2974	2974	.030
Mat-101-10, Mat-101-12, Mat-EX, Mat-106	XST255	255	.025	261, 264 Deluxe, 264DF, 264F, 264F Deluxe, 264FD	XST2974	2974	.030
MERCURY				264TTA, 264VS, 265TTA, 271, 272, 272AV, 272F	XST2974	2974	.030
All Models	XST254	303	.025	274TTA, 284, 284AV, 284F, 284MFP, 284TTA, 285TTA	XST2974	2974	.030
MILLER STURDI-SAW				340F, 350, 350A, 350AF, 355, 355A, 355AF, 355AV	XST2974	2974	.030
Mini-Saw, MCS1	XST4265	4265 ⁸²⁴⁸	.030	355DF, 355F, 355F Deluxe, 480, 480A, 481, 481 Super	XST2974	2974	.030
w/Honda 8, 11 & 13 h.p. OHV	XST4265	4265 ⁸²⁴⁸	.030	482MP, 930F, 935DF, 935F, 940, 941, 942, 945, 945AF	XST2974	2974	.030
MITTS & MERRILL				Chain Saws			
M-2 w/Ford 172 cid	----	216	.025	234, 234F, 240, 241, 241F, 244, 244F, 244AV, 250A	XST2974	2974	.030
M-3, M-4, M-6 w/Ford 240 cid	----	124	.025	250 Super, 251, 251 Super, 252, 252F, 254, 254F	XST2974	2974	.030
M-7, M-8, M-11, M-12 w/Ford 300 cid	----	124	.025	261, 264 Deluxe, 264DF, 264F, 264F Deluxe, 264FD	XST2974	2974	.030
M-9, M-13 w/Ford 330 cid	----	124	.025	264TTA, 264VS, 265TTA, 271, 272, 272AV, 272F	XST2974	2974	.030



Se Section 9 pour les remarques en français en bas de page. Ver Seccion 9 para las páginas de notas de pie de página en español. ⁸²⁴⁸ Tapered electrode design ⁸²⁵² Xtreme Sport

Small Engine - Chain Saws

	XTREME START™	STANDARD STANDARD ESTANDAR	GAP ENCARTMENT ESPACIO		XTREME START™	STANDARD STANDARD ESTANDAR	GAP ENCARTMENT ESPACIO
OLYMPYK (Cont'd)				PARTNER (Cont'd)			
Chain Saws (Cont'd)				Power Cutters (Cont'd)			
945AV, 945F, 946, 950, 950A, 950AF, 950AV, 950DF	XST2974	2974	.030	K950 Rescue, K950 Ring, K1250 Active, K1250 Rail	XST2974	2974	.020
950F, 950F Deluxe, 950 Super, 950F Super, 951, 962	XST2974	2974	.030	Stump Grinders			
970, 980, 980C, 999, 999F, 99TTA, 1000TTA	XST2974	2974	.030	S650	XST2974	2974	.020
OMC				PECO			
All Models	XST255	255	.030	Concrete Saws			
OPEM				w/Kohler 12 h.p.			
140AV	XST254	254	.025		----	216	.030
ORLINE				w/Honda 11 & 13 h.p.			
129, 149	XST255	255	.030	PEERLESS			
Challenger Mark IID, 11S, Mustang 13, Midget	XST255	255	.030	150, E10	XST254	254	.025
Yard-Arm	XST258	258	.030	250, 550, 650, 750, 950,	XST255	255	.030
OTTAWA				D25, D55, D65, E59, E75, E95			
All Models	----	3095	.025	PIONEER			
PARTNER				6-20, Super 6-20, 11-10, 11-20, 11-30, 11-50, 11-60			
Chain Saws				14-10A, 14-10 Wildcat II, 14-20, 14-50			
Mini P, Mini PA, Mini PI, Mini PII, Mini PIII, Mini PIV	XST254	254	.025	For Sub-Zero 14-10, 14-10A, 14-20, 14-50			
Partner Mini III, IV	XST2956	2956	.030	400, 400A, 410, 450, 550, 600, 600A, 600G, 610	XST255	255	.030
A55, F55, F55A, F65, F65A	XST254	254	.020	650, 700, 700D, 700G, 750, 800, 850	XST255	255	.030
F55A, K20, K40	XST2974	2974	.030	970, 970 Holiday II, 1072, 1072 Holiday II, 1073, 1074	XST255	255	.030
K12	----	275	.020	1074UB, 1074E, 1100, 1100G, 1100W, 1100Y	XST255	255	.030
K500 Mark II, K650 Super, K700	XST2974	2974	.020	1200, 1200A, 1560, 1750, 1850, 2200, 2270	XST255	255	.030
K850 Mark II, K1200 Mark II	XST2974	2974	.020	1520, 1770, 1771, 2071, 2073	XST254	254	.030
P15, R11, R12, R14, R14S, R14T, P15, TS, X21	----	414	.020	2400, 2460, 3071, 3200, 3270, 3270S, 3270SC	XST255	255	.030
P48	XST2954	2954	.030	For Sub-Zero 2400, 2460	XST258	258	.030
P50, P51, P55, P70, P85	XST254	254	.020	Farmsaw, Farmsaw II	XST2974	2974	.030
R85, P100, P100 Super	XST2974	2974	.030	F, G, M	XST258	308	.030
P7000, P400, P5000 Plus	XST2974	2974	.030	HA, HB, One Man, Twin	XST254	303	.030
R15, R16, R17, R17T, R18, R18T, R19, R20, R20T, R21, R21T	XST254	254	.020	HC, RA, 400, 410, NU-17	XST255	255	.030
R22, R23, R30, R30B, R30T, R35, R40	XST254	254	.020	Holiday G, Holiday GT, Holiday GTA	XST255	255	.030
R40T, R44T, R417T	XST2974	2974	.030	L	----	386	.030
R117, R119, R417, R418, R420, R420T, R421T, R435	XST254	254	.020	P10, P12, P14, P20, P25, P26, P28, P51S	XST254	254	.030
R440, R440T, R517, R517T, R522, R523, S50, S55, S65	XST254	254	.020	P21, P21B, P21S, P21SB, P26E	XST255	255	.030
330, 340, 350, 400, 650, 5000 Plus, 7000 Plus	XST2974	2974	.030	P28B, P28E, P28S, P28SB	XST255	255	.030
500, 5000, P500, P5000	XST2554	2554	.020	P30, P30S, P40, P40 Light Service, P11, P38, P38 Farmlite, P39, P41, P42W	XST255	255	.030
550	XST2976	2976	.020	P41S, P35, P35S, P50, P55, P55S, NU-17	XST255	255	.030
933, 944, 946, 947, 1610, 1611, 1612, 1613	XST2956	2956	.030	P51, P52W, P60, P61, P62, P62W Super, Super Twins, Twin	XST2974	2974	.030
1614, 1614C, 1616, 1616C, 1705, 1712	XST2956	2956	.030		XST254	303	.030
1629, 1630, 1631, 1644, 1645, 1660, 1661, 1690	XST254	303	.030	PISTON POWERED PRODUCTS			
1632, 1632C, 1646, 1646C, 1647C	XST254	254	.030	Super Saws	XST2956	2956	.030
1655, 1655B, 2055, 2055B, 7000	XST254	254	.030	P.M. (Canada)			
Power Cutters				19, 19A Pacemaker, 21 Canadian, 22 Canadian			
K650 Active III, K700 Active III, K950 Active, K950 Chain	XST2974	2974	.020	175, 177, 187, 270, 271, 275, 276, 330, 340, 350, 360	XST255	255	.025
				210 Canadian, 220 Canadian	XST255	255	.025



Se Section 9 pour les remarques en français en bas de page. Ver Seccion 9 para las páginas de notas de pie de página en español. ⁸²⁴⁸ Tapered electrode design

Small Engine - Chain Saws

	XTREME START™	STANDARD STANDARD ESTANDAR	GAP ENCARTMENT ESPACIO		XTREME START™	STANDARD STANDARD ESTANDAR	GAP ENCARTMENT ESPACIO
P.M. (Canada) (Cont'd)				POULAN (Cont'd)			
Redhead, Rocket K1, Rocket K2, Rocket K3	XST255	255	.025	4400, 4900, 5400	XST254	254	.025
Torpedo, Universal, Universal A, Woodboss D	XST255	255	.025	5200CVA	XST255	255	.025
PORTER CABLE				POULAN (Cont'd)			
Speedomatic KG8	XST255	255	.025	4200, 5200, 5500, 6000, 8510	XST254	254	.025
POULAN				POULAN (Cont'd)			
PPS23 Arbor Pro	XST2974	2974	.025	6900, 6900 PUO, 7700, 7700 PUO, 8500, 8500 PUO	XST254	254	.025
PP S25, S25AV, S25DA	XST2974	2974	.025	B520	XST258	258	.025
PP180, 190, 190 Arborist	XST2974	2974	.025	S33, 53A, 54, S68, 71A, 72, S72, 76, 92	XST255	255	.025
PP200, 205, 210, 215, 220, 225, 230, 235	XST2974	2974	.025	S6000	XST2974	2974	.025
PP236, 255, 260, 295	XST2974	2974	.025	POWER MACHINERY (Canada)			
PP285, 305, 335, 336	XST254	254	.025	19	---	306	.025
PP310, 315, 325, 330, 365, 380, 405, 415	XST2974	2974	.025	All Others	XST458	456	.025
PP375, 395	XST2976	2976	.025	PRECISION (Canada)			
PP335 Predator	XST254	254	.025	17	XST255	255	.025
PP425, 445, 455, 475, 505, 525, 655, KS412	XST2974	2974	.025	PRO			
POULAN				PRO			
PP446ET Pole Saw	XST2974	2974	.030	10, 20, 30, 40, 50, BD-10	XST254	254	.030
POULAN				PROPULSION			
PP3516AVX, 3816AV, 4218AV, 4218AVX, 4620AVX	XST2974	2974	.025	4100, 4200	XST254	303	.025
Bad Boy 3450	XST254	254	.025	RACINE			
Bad Boy 3750, Wild Thing 2175, 2375, S23	XST2974	2974	.025	14mm Threads	XST458	456	.025
20, 20D, 25, 25SN, S25, S25AV, S25DA, S25DA-16SN	XST255	255	.025	18mm Threads	---	386	.025
31, Super 31, 32, Super 33, 41, 42, 43, 44, 45	XST254	254	.025	RAM TOOL			
46, 47, 48, 51, 53, 53A, 54, 61, 62, 63, 64, 65, S65	XST254	254	.025	Power Guide RC-18D	XST255	255	.030
66, Super 66, 67, 68, Super 68, 71, 71A, 72, S72	XST254	254	.025	RANCH			
76, 225, 235, 245A, 245SA, 252A, 306, 306A, 306SA, 361	XST255	255	.025	100, 110, 120, 130	XST254	254	.025
81, 82, 83, 84, 85, 86, 91, 92	XST254	254	.025	REDLINE			
205, 220, 295, 355, 405, 415, 455, 525, 655	XST2974	2974	.025	740PC, 840PC	XST2974	2974	.030
285, 305, 335	XST254	254	.025	RED MAX			
325, 375, 395	XST2976	2976	.025	Chain Saws			
1800, 1900, 1900LE, 1950, 1950LE, 1975LE, 2000, 2300, 2350	XST2974	2974	.025	G300AVS, G300T, G300TS, G300TS14	XST2976	2976	.030
2000-14SN, 2300-CVA-16SN	XST2974	2974	.025	G310TS, G450AVS, G455AVS, G455AVS16, G561AV	XST2974	2974	.025
2050, 2055, 2055LE, 2075C, 2100, 2150, 2155, 2175, 2250, 2250LE	XST2974	2974	.025	G621AVS18, G561AVS, G561AVS16, G561AVS20	XST2974	2974	.025
2275, 2300, 2300-CVA, 2300-CVA-16SN, 2375, 2375LE, 2400	XST2974	2974	.025	G621, G621AV, G621AVS, G621AVS16, G21AVS24, G2500	XST2974	2974	.025
2450, 2500, 2550, 2600, 2750, 2775, 900, 3050	XST2974	2974	.025	G2500TS, G3100, G3100T, G3100TS	XST2974	2974	.025
2700, 2800, 2800-16SN, 3000, 3000-16SN, 3100	XST254	254	.025	G3800, G3800AVS, G5000, G5000AVS	XST2974	2974	.025
3300, 3350, 3450	XST254	254	.025	G3200, G3200EZ	XST2974	2974	.025
3314, 3400, 3400 Bow, 3400-18SN, 3416, 3700, 3800	XST2976	2976	.025	GZ4000, GZ4000AVS	---	4194	.025
3450, 3500, 3600, 3750	XST2974	2974	.025	PSZ2401	---	4194	.025
4000, 4000 Bow, 4000 PUO, 4000-20SNR, 4018WT	XST2976	2976	.025	PSZ2500	XST2974	2974	.025
4200CVA, 6000CVA	XST2974	2974	.025	Cut Off Saws			
				HC510-DV	XST2976	2976	.030



Se Section 9 pour les remarques en français en bas de page. Ver Seccion 9 para las páginas de notas de pie de página en español.

Small Engine - Chain Saws

	XTREME START™	STANDARD STANDARD ESTANDAR	GAP ENCARTMENT ESPACIO		XTREME START™	STANDARD STANDARD ESTANDAR	GAP ENCARTMENT ESPACIO
REED-PRENTICE				SEARS (See Craftsman)			
50, 52 Timberhog	XST255	255	.025	SHINDAIWA			
Timberhog Bantam w/Power Products Engs.	----	306	.025	Chain Saws			
REMINGTON				300, 345, 350, 415	XST2976	2976	.025
2MG, Bantam, ADL, G, GP, P, Special	XST254	254	.025	285s, 300s, 300s-14, 285s, 352s, 326T, 357, 357-14	XST2974	2974	.025
GL-7, GL-7R, GL-7RP	XST254	254	.025	357 Top Handle, 360, 360-16, 377, 377-16	XST2974	2974	.025
Golden Logmaster, Logger	XST254	254	.025	416, 450, 451, 500	XST2976	2976	.025
Jobmaster, Yardmaster	XST2974	2974	.025	446s, 488, 488-18, 488P, 490, 502s, 577, 757, 757-20, 757c, 7570	XST2974	2974	.025
MM100, 200, 300, 400, 500, 600	XST2974	2974	.025	550, 575, 577P, 680, 695	XST2976	2976	.025
Mighty-Mite, Automatic, Bantam, Deluxe, Electric Start	XST254	254	.025	E345, E350, E406	XST2976	2976	.025
Mighty-Mite Super Deluxe, Weekender, Pow-R-Cut	XST254	254	.025	E440, E480, E680AV	XST2976	2976	.025
Mighty-Mite II, III	XST254	254	.025	YB301, YB401, YB501	XST2976	2976	.025
Model SL5 After Serial #FD8455	XST254	254	.025	YB601, YB701, YB901	XST2976	2976	.025
Outdoorsman, Sportsman, Sportsman's Special	XST254	254	.025	Cut Off Saws			
Outdoorsman II, Sportsman II, Sportsman II Fast Sharp	XST2974	2974	.025	EC350	XST255	255	.025
PL-4, PL-5, PL-5A, PL-6, PL-6A, PL-7A, PL-55, PL-55A	XST254	254	.025	EC7500, EC7500W, EC7600, EC7600W	XST2974	2974	.025
Pro 88, Pro 88G	XST254	254	.025	Pruners			
Rancher, Silver Logmaster	XST254	254	.025	P230, P231	XST255	255	.025
SL-4, SL-4A, SL-5, SL-5G, SL-5GB, SL-5GP, SL5P	XST254	254	.025	SILVER KING			
SL-5R, SL-5RP, SL-7, SL-7A, SL-7R, SL-9, SL-9A	XST254	254	.025	37	XST255	255	.030
SL-10, SL-10A, SL-11, SL-11A, SL-14, SL-16, SL-16A, SL-55A	XST254	254	.025	65, G65, 81, G81	XST254	303	.025
Super 65, 75, 75A, 75G, 75GB, 75GP	XST254	254	.025	Economatic 14 & 18	XST458	456	.025
Super 660, 660G, 663, 754, 760, 770, 770G	XST254	254	.025	S.K. Float, S.K. Diaphragm	XST458	456	.025
Super 770GB, 773, 880, 880G, 990	XST254	254	.025	SKILSAW (See Partner)			
Woodsmen, Yardsman	XST254	254	.025	1614C, 1616C, 1705, 1712	XST2956	2956	.030
YM812, YM814, YM816, YM816AV	XST2974	2974	.025	933, 946	XST2956	2956	.025
YM840AV, YM850AV, YM860AV	XST2974	2974	.025	944, 945, 947, 1610, 1611, 1612, 1613, 1614	XST254	254	.025
RIDGID TOOL				1616, 1629, 1630, 1631, 1632C, 1644, 1645	XST254	254	.025
305-10, 305-14, 380-16AV, 590-17, 690-21AV, 850	XST255	255	.030	1620, 1622, 1624, 1634, 1636	XST255	255	.025
ROOT				1646C, 1647C, 1645, 1660, 1661	XST254	254	.025
47, Lumber Jack, Whiz	XST255	255	.030	1670, 1680, 1685, 1690	XST254	254	.025
82	XS4092 ⁸²⁵²	4092 ⁸²⁴⁸	.030	1641	XST2976	2976	.025
ROPER				Partner Mini III, IV	XST2956	2956	.025
C110, C121	XST2956	2956	.025	SMARTS (Canada)			
C332, C343, C354, C611	XST254	254	.025	All Models	----	306	.025
C3327, C3437, C3327AR, C3437AR	XST254	254	.025	SOLO			
C6117, C6257, C6367	XST2956	2956	.025	Chain Saws			
C6257AR, C6367AR	XST2956	2956	.025	70	XST255	255	.025
C11047, C12147	XST2956	2956	.025	101, 600 Mini, 610, 610AV	XST2974	2974	.020
C33237, C34337, C35437	XST254	254	.025	600B, 603, 606, 616AV, 605AV, 606AV	XST2974	2974	.020
ProAm 412, 414, 415	XST2956	2956	.025	600, 605, 605AV, 606AV, 631, 631KA, 632, 632AV, Twin 100	XST254	254	.020
ProAm 615, 617	XST254	254	.025	611, 630, 640, 642	XST255	255	.025
SACHS-DOLMAR (See Dolmar)				615, 615AV, 616, 616AV, 620, 620AV	XST2974	2974	.020
SANKEY				626	AP425 ⁸²⁴⁹	425	.025
P54	XST258	258	.025	633, 634, 635, 636, 637, 638, 639, 641, 643, 643 IP, 644	XST2974	2974	.020
				644H, 644SP, 644AV, 645, 646, 647, 650, 650AV, 651, 651SP	XST2974	2974	.020
				652, 654, 656, 656 SP, 662, 655AV, 660, 660AV, 665, 667, 667W	XST2974	2974	.020



Se Section 9 pour les remarques en français en bas de page. Ver Sección 9 para las páginas de notas de pie de página en español. ⁸²⁴⁸ Tapered electrode design ⁸²⁴⁹ Single Platinum ⁸²⁵² Xtreme Sport

Small Engine - Chain Saws

	XTREME START™	STANDARD STANDARD ESTANDAR	GAP ENCARTMENT ESPACIO		XTREME START™	STANDARD STANDARD ESTANDAR	GAP ENCARTMENT ESPACIO
SOLO (Cont'd)				STIHL (Cont'd)			
Chain Saws (Cont'd)				Chain Saws (Cont'd)			
670, 670W, 675, 680, 680W, 681, 690, 690D, 690WD, 694	XST2974	2974	.020	036 Pro, 036 Pro Arctic, 036QS, 036QS II, 038AV	XST2974	2974	.020
Rex, Super Rex	XST255	255	.025	038AVE, 038AVE Farm Boss	XST2974	2974	.020
Cut Off Saws				038AVME, 038AVMEQ, 038AVMEQ Magnum			
671AV C, 672AV C	XST2974	2974	.025	038AVMERQZ, 038AVSE Magnum	XST2974	2974	.020
SPARTAN				038AVSEQFB, 038AVSEQ Farm Boss			
34, 34AV, 34AV12	XST254	254	.025	038AVS, 038AVSEQSP, 038FB Farm Boss, 038SP	XST2974	2974	.020
Standard, Deluxe	XST254	254	.030	038 Magnum, 038 Magnum II, 038 MIII, 038S, 039			
SPEAR & JACKSON				040, 040G Normal Service			
Junior	---	386	.025	040, 040G Severe Service	XST254	254	.020
SPEEDMATIC				040AV, 040G Light Service			
KG8	XST255	255	.025	041, 041AV, 041AVE, 041AVE Super, 041Farm Boss, 041G	XST2974	2974	.020
STEPHEN				042AV, 042AVE, 042AVEQ, 044, 044AV, 044AVE, 044CSA			
All Models	XST255	255	.025	044 Arctic, 044 Heated, 044R, 045AV, 045AVE, 045AVSE	XST2974	2974	.020
STIHL				0V45AVE Super, 045AVE Super II, 046, 046M Arctic			
Chain Saws				046 Magnum, 046 Magnum Arctic, 048AV			
Contra, Contra G, Lightning	---	4123 ⁸²⁴⁸	.020	048AVE, 048AVE Super, 048AVSEQ, 050AV	XST2974	2974	.020
Contra S, S-10	XST2974	2974	.020	051, 051AV, 051AVE, 051AVEQ, 051AVE Pro Former	XST2974	2974	.020
06, 07, 07S, 08, 08H	---	275	.020	056, 056AV, 056AVE, 056AVMEQ Magnum II	XST2974	2974	.020
08S, 08SE, 08SEQ, 08SQ, 008L, 009, 009AV, 009E, 009EQ	XST2974	2974	.020	056AVS, 056AVSE, 056AVSE Super, 056AVSEQ	XST2974	2974	.020
009EQZ, 009L, 009LEQ, 009LES, 009 Mini Boss, 010AV	XST2974	2974	.020	056M, 056 Magnum II, 056MR	XST2974	2974	.020
011AV, 011AVE, 011AVEQ, 011AVT, 011AVTEQ	XST2974	2974	.020	064, 064AVE, 064AVEP, 064AVEQ, 064AVREQ, 064R	XST2974	2974	.020
011T, 012, 012AVE, 012AVEL, 012AVEQ, 012AVP, 012AVS	XST2974	2974	.020	065, 066, 066 MAG, 066M Magnum, 066 Magnum	XST2974	2974	.020
012AVTEQ, 015, 015AV, 015AVP, 015AVS, 015L	XST2974	2974	.020	070, 070AV, 075AV, 075AVE, 076AV, 076AVE	XST2974	2974	.020
015LE, 015R, 017, 018, 018C, 019T, 020, 020AV	XST2974	2974	.020	078AVE, 084, 084AVE, 084AVEQ, 084AVREQ, 084R, 084Z, 088, 088 Magnum, 090	XST2974	2974	.020
020AVH, 020AVS, 020AVP, 020AVSEQ, 020AVT	XST2974	2974	.020	090AV, 090E, 090G, 090N, 090R, 090R Duro, 090S	XST2974	2974	.020
020S, 020T, 021, 021 Wood Boss, 023	XST2974	2974	.020	1106-Contra 1601	XST2974	2974	.020
023 Wood Boss, 023AV, 023C, 023L, 024, 024AV	XST2974	2974	.020	MS170, MS180C, MS180C-B, MS180C-BE	XST2974	2974	.020
024AVEQ, 024AVEQWB, 024AVS, 024AVSEQ	XST2974	2974	.020	MS171, MS181, MS211, MS211C-BE	---	4194	.020
024AVSEQ Super, 024AVSEQ Wood Boss	XST2974	2974	.020	MS191T, MS192C-E, MS192T, MS192TC-E, MS200, MS200T	XST2974	2974	.020
024VS, 024WB, 024 Wood Boss	XST2974	2974	.020	MS210, MS210C-BE, MS210C, MS230, MS230C-BE, MS230C-BE Duro	XST2974	2974	.020
025, 025C, 025 Wood Boss, 025AVH, 026, 026AVP	XST2974	2974	.020	MS250, MS250C, MS250C-BE, MS260, MS260 Pro	XST2974	2974	.020
026 Pro, 026 Artic, 026S, 028AV, 028AVE	XST2974	2974	.020	MS261, MS261C-Q, MS270, MS270C, MS270C-B, MS270CQS	XST2974	2974	.020
028AVE Super Wood Boss, 028AVQWB	XST2974	2974	.020	MS280, MS280C-BQ, MS280CQS, MS290 Farm Boss	XST2974	2974	.020
028AVS, 028AVSEQ, 028AV Type 2, 028AVSEQWB, 028WB, 028 Wood Boss	XST2974	2974	.020	MS310, MS311, MS360 Pro, MS360QS, MS361, MS362, MS362C-Q	XST2974	2974	.020
029, 029 Farm Boss, 029 Super, 030AV, 031AV, 031AVE	XST2974	2974	.020				
031AVEQ, 032AV, 032AVE, 034, 034AVE, 034AVEQ	XST2974	2974	.020				
034AVEQWB, 034AVSEQ, 034S	XST2974	2974	.020				
034WB, 034 Wood Boss, 036, 036AV, 036AVSEQ	XST2974	2974	.020				



Se Section 9 pour les remarques en français en bas de page. Ver Seccion 9 para las páginas de notas de pie de página en español. ⁸²⁴⁸ Tapered electrode design

Small Engine - Chain Saws

	XTRME START™	STANDARD STANDARD ESTANDAR	GAP ENCARTMENT ESPACIO		XTRME START™	STANDARD STANDARD ESTANDAR	GAP ENCARTMENT ESPACIO
STIHL (Cont'd)				TANAKA (Cont'd)			
Chain Saws (Cont'd)				TCS-3401, 3401S XST2974 2974 .020			
MS361 Magnum, MS361C, MS361C-B, MS361C-Q Magnum, MS390, MS391 XST2974 2974 .020				w/Kawasaki Engs. XST254 254 .030			
MS440 Magnum, MS440 Magnum Arctic, MS441 Magnum, MS441C-Q Magnum XST2974 2974 .020				TAS (See Tanaka)			
MS441 Magnum Arctic, MS460 Magnum, MS460 Magnum Arctic XST2974 2974 .020				TECUMSEH			
MS460R Magnum Rescue, MS650 Magnum XST2974 2974 .020				Powerheads			
MS660 Magnum, MS880 Magnum .. XST2974 2974 .020				AH-47, AH-58, AH-81, AH-82, AH-440 XST255 255 .030			
Cut Off Saws				AH-470, AH-480, AH-490, AH-520, AH-580 XST255 255 .035			
TS08 #X18 735 398 & Below AP425 ⁸²⁴⁹ 425 .020				AH-750 XS85 ⁸²⁵² 85 .035			
TS08 #X18 735 399 & Above XST2974 2974 .020				TELES SMITH			
TS50, TS200, TS360 XST2974 2974 .020				SLCS, SWB, SW7, Teles ---- 386 .025			
TS350 X17 451 127 & Below AP425 ⁸²⁴⁹ 425 .020				TERMIT			
TS350 X17 451 128 & Above XST2974 2974 .020				Termit XST254 254 .025			
TS350S, TS360AVE, TS400, TS410, TS410A, TS420, TS420A XST2974 2974 .020				TERRILL			
TS460, TS480, TS510, TS510AVE, TS700, TS760, TS760AVE, TS800 XST2974 2974 .020				50 XST258 258 .040			
Pole Pruners				60 ---- 216 .040			
HT56C-E, HT100, HT101, HT130, HT131 ---- 4194 .020				CS-5, CS-5A, CS-5B, CS-5C XST258 258 .040			
STOW				CS-6, CS-6A ---- 216 .040			
R12, R14 XST458 456 .025				CS-7, CS-7A ---- 216 .040			
STRUNK				FA XST258 258 .040			
3-19, P-3, PD-3 XST255 255 .030				TIMBER HOG			
Big Machete, Big Timber ---- 216 .040				All Models XST255 255 .025			
Big Timber Pro ---- 216 .030				TITAN			
Big Timber, SpeeDemon, SpeeDemon Machete 5.1, Strunk 90 XST258 258 .040				40, 40 Bow, 45A, 85, 200 Junior XST254 254 .025			
Busy Beaver, Custom Pro, Eager Beaver, Most Kut XST255 255 .030				30, 30 Bow, XST258 258 .040			
SpeeDemon Deluxe, SpeeDemon Special XST255 255 .030				50, 51, 52, 53, 54 ---- 216 .030			
Speed Kut, SpeeDemon Machete 4.7, Tall Timber XST255 255 .030				70, 4000, 4100, 4400, 4500, 4600, 4700, 4800, 4900 XST255 255 .030			
TANAKA				4200 XST254 254 .030			
EBC-1, ECS-3, ECS-5 XST254 254 .030				5000, 5100, 5200, 5300, 5400, 5500, 5600, 5700 ---- 216 .040			
ECS-35, ECS-35B, ECS-35E XST255 255 .030				7400, 7500, 7600, 7700 XST458 456 .030			
ECS-290, ECS-290/12, ECS-300, ECS-300/12 XST255 255 .030				Blue Streak ---- 386 .025			
ECS-307, ECS-320, ECS-330, ECS-350, ECS-351 XST255 255 .030				Sportsman XST255 255 .025			
ECS-355, ECS-356, ECS-357, ECS-370 XST255 255 .030				Super 85 XST254 303 .028			
ECS-405, ECS-415, ECS-505 XST2976 2976 .030				All Others XST254 303 .025			
ECS-506, ECS-650, ECS-650/16 .. XST2976 2976 .030				TOPSO			
ES-650/20, ES-650/24, ESC-655 ... XST2976 2976 .030				E510AVB, E610AVB XST254 254 .025			
ECS-3301, ECS-3351 XST255 255 .030				TRAMS			
ESC-3500/14, ESC-3500/16, ECS-3500B XST255 255 .030				36G, 50G, 75 Homesteader XST255 255 .030			
ECS-4000/16, ECS-4000B XST2976 2976 .030				TURBO-MATIC			
ECV-4501, ECV-5601 XST2974 2974 .030				2-27 XST258 258 .025			
EHC-120, EHC-140, EHG-120 XST255 255 .030				VAUGHN			
TCS-3301PFS, 3351PFS (Pure Fire) XST2974 2974 .020				All Models ---- 3095 .025			
				VENT MASTER			
				Chain Saws			
				Fire Rescue Chain Saws XST2974 2974 .020			





Se Section 9 pour les remarques en français en bas de page. Ver Seccion 9 para las páginas de notas de pie de página en español. ⁸²⁴⁹ Single Platinum ⁸²⁵² Xtreme Sport

Small Engine - Chain Saws

	XTREME START™	STANDARD STANDARD ESTANDAR	GAP ENCARTMENT ESPACIO		XTREME START™	STANDARD STANDARD ESTANDAR	GAP ENCARTMENT ESPACIO
VENT MASTER (Cont'd)				WIZARD (Western Auto)			
Cut-Off Saws				010, 012, 014, AV14, AV16 XST255 255 .030			
371K, 385K XST2974 2974 .020				110, 112, 114, 212, 214, 314 XST255 255 .030			
WACKER				316AV, 420, 430, 430B XST255 255 .030			
BTS9, BTS10, BTS11 XST2974 2974 .020				AV10, AV16 XST255 255 .030			
BTS12, BTS13, BTS14 XST2974 2974 .020				AV18, BO13 XST2976 2976 .030			
WADE				WOODBOS (Canada)			
All Models --- 3095 .025				All Models XST255 255 .025			
WARDS				WOODCHUCK			
2407-8 XS85 ⁸²⁵² 85 .030				w/Ford 172 cid --- 216 .025			
24000A, 24001A, 24002A XST254 254 .030				w/Ford 300 & 330 cid --- 124 .025			
24002B, 24002C, 24003A XST254 254 .030				WOODLOT WONDER			
24005A, 24005B, 24006A XST254 254 .030				All Models XST458 456 .030			
24006B, 24007A, 24007B XST254 254 .030				WRIGHT			
24008A, 24008B, 24025A XST254 254 .030				100, 104, 104D, 111, 121, 122A, 122CVA XST255 255 .030			
24025B, 24027A, 24028A XST254 254 .030				136, 136A, 137A, 140, 141A, 145A XST255 255 .030			
24030A, 24031A, 24033A XST254 254 .030				B316 AP86 ⁸²⁴⁹ 86 .030			
24032A XST254 254 .030				B520 XST255 255 .025			
24034A, 24035A, 24036A XST254 254 .030				C40, C40A, C40D, C70, C70D, C70G XST254 254 .030			
24036B, 24036C, 24036D XST254 254 .030				C50D, C50G, C50SG XST255 255 .025			
24037A, 24038A, 24040A XST254 254 .030				GS2016 AP86 ⁸²⁴⁹ 86 .030			
24040B, 24040C, 24045A XST254 254 .030				GS218, GS2520, C50, C50D, C50SG XST258 308 .030			
24050A, 24052A, 24062 XST2974 2974 .030				GS4520, GS5020, GS5020A, GS4520, B520 XST258 258 .030			
24054A, 24056A, 24064 XST2974 2974 .030				XENOAH			
24066, 24068, 24078 XST2974 2974 .030				G36AV, G36AVS, G50AV XST2974 2974 .030			
24075C, 24085A, 24095A XST254 254 .030				G320AV, G320AVS XST2976 2976 .030			
24084, 24086 XST2974 2974 .030				G380AV, G380AVS XST2976 2976 .030			
24087A, 24089A, 24090A XST254 254 .030				G560AV, G560AVS XST2974 2974 .030			
24094A, 24096A, 30000A XST254 254 .030				G620AV, G620AVS XST2974 2974 .030			
24102-9, 24100-1, 24103-6 XST255 255 .030				YANKEE CLIPPER			
24148 XST255 255 .030				1-36 MKI, 2-36-SS XST254 254 .030			
30004A, 30008A, 30012A XST254 254 .030				1-36 MKII XST2956 2956 .030			
30016A, 30020A, 30024A XST254 254 .030				55LH, 55RH, 76, 1-71-SS XST254 254 .030			
TMC 24060A XST254 254 .030				110125 XST255 255 .030			
TMC 24072A, 24075A, 24075B, 24085A, 24095A XST254 254 .030							
WAYNE							
w/Chrysler 225 & 318 cid AP66 ⁸²⁴⁹ 66 .025							
WEEDEATER (Also See Poulan)							
1800, 2000, 2300AV, 2300CVA, 2350CVA, 2400 XST255 255 .025							
2800, 3000 XST254 254 .025							
WEST BEND							
All Models XST255 255 .030							
WHITE							
WM19, WM21, WM360, WM360A XST255 255 .030							
WHITEHEAD							
20, 108 MAG --- 216 .030							
21, M-113 XST255 255 .030							
WILTON							
All Models --- 306 .030							





Se Section 9 pour les remarques en français en bas de page. Ver Seccion 9 para las páginas de notas de pie de página en español. ⁸²⁴⁹ Single Platinum ⁸²⁵² Xtreme Sport

Small Engine - Snowblowers

		XTREME START™	STANDARD STANDARD ESTANDAR	GAP ENCARTMENT ESPACIO			XTREME START™	STANDARD STANDARD ESTANDAR	GAP ENCARTMENT ESPACIO
AGCO-ALLIS					ARIENS (Cont'd)				
w/Tec. 5 & 7 h.p.		XST458	458	.030	ST1028DL, ST1032DL w/Tec. 10 h.p.		XST458	458	.030
w/Tec. 8, 9 & 10 h.p.		XST4055	4055 ⁸²⁴⁸	.030	ST1124DLE w/Tec. 11.5 h.p. OHV		XST4055	4055 ⁸²⁴⁸	.030
AGRI-FAB					ARIENS (Cont'd)				
w/Tec. 11 h.p. OHV		XST4055	4055 ⁸²⁴⁸	.030	ST1128LE w/Tec. 11 h.p. OHV		XST4055	4055 ⁸²⁴⁸	.030
ALLIS-CHALMERS					ARIENS (Cont'd)				
w/B&S "L" Head Eng.		XST458	458	.030	ST1128LE, ST1128DLE w/Tec. 11.5 h.p. OHV		XST4055	4055 ⁸²⁴⁸	.030
w/Tec. 2-Cycle Eng.		AP86 ⁸²⁴⁹	86	.035	ST1130DLE, ST1130LET w/Tec. 11 h.p. OHV		XST4055	4055 ⁸²⁴⁸	.030
w/Tec. 4-Cycle Eng.		XST458	458	.030	ST11526DLE w/Tec. 11.5 h.p. OHV		XST4055	4055 ⁸²⁴⁸	.030
AMF					ARIENS (Cont'd)				
w/B&S "L" Head Eng.		XST458	458	.030	ST11528LE, ST11528DLE, ST11528DLET w/B&S 11.5 h.p. Intek OHV		XST3924	3924	.030
w/Tec. Eng.		XST458	458	.030	ST11528LE, 11528DLE w/Tec. 11.5 h.p. OHV		XST4055	4055 ⁸²⁴⁸	.030
ARIENS					ARIENS (Cont'd)				
528SB Sno-Brush w/Tec. 5 h.p. OHV		XST4055	4055 ⁸²⁴⁸	.030	ST1236DL w/Tec. 12 h.p.		AP425 ⁸²⁴⁹	425	.030
5528SB Sno-Brush w/B&S 5.5 h.p. OHV		XST3924	3924	.030	ST1332DLE, ST1332DLET w/B&S 13 h.p. Intek OHV		XST3924	3924	.030
7-23 w/Tec. 7 h.p.		XST458	458	.030	ST1328DLE, ST1332, ST1332LE, ST1332DLE w/Tec. 13 h.p. OHV		XST4055	4055 ⁸²⁴⁸	.030
9-26E w/Tec. 9 h.p.		XST458	458	.030	ST1336LE, ST1336DLE w/Tec. 13 h.p. OHV		XST4055	4055 ⁸²⁴⁸	.030
936 Power Brush w/B&S Eng.		XST458	458	.030	ST5520, ST5520E, ST5524E w/Tec. 5.5 h.p.		XST458	458	.030
936PB Power Brush w/Tec. 9 h.p. OHV		XST4055	4055 ⁸²⁴⁸	.030	ST7524E w/Tec. 7.5 h.p. OHV		XST4055	4055 ⁸²⁴⁸	.030
936PB Power Brush w/Tec. 9 h.p. OHV		XST4055	4055 ⁸²⁴⁸	.030	ST8524DL, ST8524DLE Classic w/Tec. 8.5 h.p. OHV		XST458	458	.030
10-30E w/Tec. 10 h.p.		XST458	458	.030	ST8524L, ST8524LE w/Tec. 8.5 h.p. OHV		XST458	458	.030
PB36 Power Brush 36 w/Robin 9 h.p. OHC		XS4093 ⁸²⁵²	4093 ⁸²⁴⁸	.025	ST8526LE w/Tec. 8.5 h.p. OHV		XST458	458	.030
SB28 Sno-Brush 28 w/B&S 400-900 Series Intek		XST3924	3924	.020	ST921017, 921018 w/B&S Snow Series Eng.		XST3924	3924	.030
SB36 Sno-Brush 36 w/B&S 1350-1650 Series Intek		XST3924	3924	.020	ST921022, 921013 w/B&S Snow Series Eng.		XST3924	3924	.030
SS322, M21 w/Tec. 3 h.p.		XST2976	2976	.030	ST921023, 926042, 926043 w/B&S Snow Series Eng.		XST3924	3924	.030
ST24DLE, ST26DLE, ST28DLE, ST30DLE, ST32DLE, ST36DLE		XST3924	3924	.020	ST926037, 926038, 926039 w/B&S Snow Series Eng.		XST3924	3924	.030
ST26DLET, ST28DLET, ST32DLET		XST3924	3924	.020	ST926040, 926104, 926105 w/B&S Snow Series Eng.		XST3924	3924	.030
ST20E, ST24E		XST3924	3924	.020	ST9526DLE, 9526DLET w/Tec. 9.5 h.p. OHV		XST4055	4055 ⁸²⁴⁸	.030
ST24ET		XST3924	3924	.020	ST938022 w/B&S OHV Eng.		XST3924	3924	.030
ST27LE, ST30LE		XST3924	3924	.020	ST939401, ST920402, 920403 w/LCT 6.5 h.p. StormForce 208		XS63 ⁸²⁵²	4263 ⁸²⁴⁸	.030
ST27LET, ST30LET		XST3924	3924	.020	w/B&S "L" Head Eng.		XST458	458	.030
ST520, ST520E, ST520EC w/Tec. 5 h.p. OHV		XST4055	4055 ⁸²⁴⁸	.030	w/B&S 700-1600 Series		XST3924	3924	.020
ST522, ST522E, ST522EC w/Tec. 5 h.p. 2-Stroke		XST2976	2976	.030	w/B&S 400-900 Series Intek		XST3924	3924	.020
ST524, ST524E, ST5+2, SS522 w/Tec. 5 h.p.		XST2976	2976	.030	w/B&S 1350-1650 Series Intek		XST3924	3924	.020
ST624, ST624E w/Tec. 6 h.p. OHV		XST4055	4055 ⁸²⁴⁸	.030	w/B&S Intek OHV Eng.		XST3924	3924	.030
ST722, ST722EC w/Tec. 7 h.p. 2-Stroke		XST2976	2976	.030	w/B&S Snow Series Eng.		XST3924	3924	.030
ST724 w/Tec. 7 h.p. 2-Stroke		XST2976	2976	.030	w/Clinton Eng.		----	216	.025
ST724 w/Tec. 7 h.p. 4-Stroke		XST458	458	.030	w/Kawasaki 9 h.p. OHV		XST4265	4265 ⁸²⁴⁸	.025
ST724E w/Tec. 7 h.p. OHV		XST4055	4055 ⁸²⁴⁸	.030	w/Lauson Eng.		XST458	295	.020
ST824DL, ST824LC w/Tec. 8 h.p.		XST458	458	.030	w/LCT 6.5 h.p. StormForce 208		XS63 ⁸²⁵²	4263 ⁸²⁴⁸	.030
ST824E w/Tec. 8 h.p.		XST458	458	.030	w/Robin 5.7 h.p. OHC		AP425 ⁸²⁴⁹	425	.025
ST924, ST924DLE, ST924LET w/Tec. 9 h.p.		XST458	458	.030	w/Robin 9 h.p. OHC		XS4093 ⁸²⁵²	4093 ⁸²⁴⁸	.025
ST926DLE Classic, ST936, 936PB Power Brush w/Tec. 9 h.p. OHV		XST4055	4055 ⁸²⁴⁸	.030	w/Tec. 2 Stroke Eng.		XST2976	2976	.030
ST926LE w/Tec. 9.25 h.p.		XST458	458	.030	w/Tec. 4 Stroke Eng.		XST458	458	.030
ST927LE, 927LET w/Tec. 9 h.p.		XST458	458	.030	w/Tec. OHV Eng.		XST4055	4055 ⁸²⁴⁸	.030
ST1024 w/Tec. 10 h.p.		XST458	458	.030	ATLAS				
ST1027LE w/Tec. 10 h.p.		XST458	458	.030	w/B&S "L" Head Eng.		XST458	458	.030
					w/Lauson Eng.		XST458	295	.030
					w/Tec. Eng.		XST458	458	.030



Se Section 9 pour les remarques en français en bas de page. Ver Seccion 9 para las páginas de notas de pie de página en español. ⁸²⁴⁸ Tapered electrode design ⁸²⁴⁹ Single Platinum ⁸²⁵² Xtreme Sport

Small Engine - Snowblowers

 	XTREME START™	STANDARD STANDARD ESTANDAR	GAP ENCARTMENT ESPACIO	 	XTREME START™	STANDARD STANDARD ESTANDAR	GAP ENCARTMENT ESPACIO
BEAR CAT				DAYTON			
w/Honda 8 h.p. OHV	XST4265	4265 ⁸²⁴⁸	.030	All Models	XST458	458	.030
w/Tec. Side Valve Eng.	XST458	458	.030	DEUTZ-ALLIS			
w/Tec. OHV Eng.	XST4055	4055 ⁸²⁴⁸	.030	w/B&S "L" Head Eng.	XST458	458	.030
BERCO				w/Tec. Eng.	XST458	458	.030
ATV Mounted				DUCAR			
w/Kohler 23 h.p. (V-Twin)	XST3924	3924	.040	DB624E, DB1332E	XST4055	4055 ⁸²⁴⁸	.030
BLUE DIAMOND				DYNAMARK			
All Models	XST458	458	.030	w/Tec. 4.5 h.p.	XST2976	2976	.025
BOBCAT				All Other Models	XST458	458	.030
w/B&S "L" Head Eng.	XST458	458	.030	EAGLESTAR			
BOLENS				w/Tec. Eng.	XST458	458	.030
w/B&S "L" Head Eng.	XST458	458	.030	ECHO			
w/Lauson Eng.	XST458	295	.030	ST-4500, ST-4500E w/4.5 h.p.	XST2976	2976	.025
w/Tec. Eng.	XST458	458	.030	ST-5000, ST-5000E	XST2976	2976	.025
BROS				ST-5024, ST-8027E, ST-1033E	XST458	295	.030
All Models	XST458	458	.030	w/Tec. 2-Stroke Eng.	XST2976	2976	.025
BRUTE				w/Tec. 4-Stroke Eng.	XST458	458	.030
w/B&S 11.5 & 13.5 h.p. OHV	XST3924	3924	.030	ESKA			
CANADIANA (Brute)				All Models	XST458	458	.030
w/B&S "L" Head Eng.	XST458	458	.030	F.M.C.			
w/Tec. Eng.	XST458	458	.030	w/Tec. Eng.	XST458	458	.030
COLUMBIA				FORD			
w/Tec. Eng.	XST458	458	.030	w/B&S "L" Head Eng.	XST458	458	.030
w/Tec. 12 h.p.	AP425 ⁸²⁴⁹	425	.030	w/Tec. Eng.	XST458	458	.030
CRAFTSMAN				GILSON			
w/B&S "L" Head Eng.	XST458	458	.030	w/B&S "L" Head Eng.	XST458	458	.030
w/B&S OHV Eng.	XST3924	3924	.030	w/Lauson Eng.	XST458	295	.030
w/Tec. 2-Cycle Eng.	XST2976	2976	.030	w/OMC 2-Cycle Eng.	XST258	258	.025
w/Tec. 4 Cycle Eng.	XST458	458	.030	w/Tec. 2-Cycle Eng.	AP86 ⁸²⁴⁹	86	.030
w/Tec. OHV Eng.	XST4055	4055 ⁸²⁴⁸	.030	w/Tec. 4-Cycle Eng.	XST458	458	.030
CUB CADET				GRAVELY			
321, 421 R, 520E, 520 R	XST2976	2976	.030	All Models	XST458	458	.030
522E	XST4055	4055 ⁸²⁴⁸	.030	HABAN			
524, 524 T, 524 SWE, 526 WE, 528				w/B&S "L" Head Eng.	XST458	458	.030
SWE	XS63 ⁸²⁵²	4263 ⁸²⁴⁸	.030	w/Tec. Eng.	XST458	458	.030
530 SWE, 721 E, 724 WE, 730 STE .	XST4055	4055 ⁸²⁴⁸	.030	HAHN			
724 E, 724 TE	XST458	295	.030	w/B&S "L" Head Eng.	XST458	458	.030
726 TDE, 828WE	XST458	458	.030	w/Kohler Eng.	----	216	.030
826, 826 T, 926 E	XST458	295	.030	w/Tec. Eng.	XST458	458	.030
926 TE, 1030 E, 1030 W	XST458	295	.030	HOMELITE-JACOBSEN			
926 SWE, 930 SWE, 1028 STE, 1028				Snowburst	XST258	308	.030
4x4, 1130 SWE	XST458	458	.030	Sno-Blitz	XST258	258	.035
928 SWE, 933 SWE, 945 SWE, 1345				320, 320E, 420, 420E	XST2976	2976	.035
SWE	XST4055	4055 ⁸²⁴⁸	.030	523, 624, 824	XST458	458	.030
w/B&S "L" Head Eng.	XST458	458	.030	w/B&S "L" Head Eng.	XST458	458	.030
w/Tec. 3 & 4.5 h.p. (2-Cycle)	XST2976	2976	.030	w/Jacobsen Eng.	XST258	308	.030
w/Tec. 5, 8.5, 9.5, 10.5 h.p.	XST458	458	.030	w/Tec. Eng.	XST458	456	.030
w/Tec. 5.5, 7, 10, 11 & 13 h.p. OHV .	XST4055	4055 ⁸²⁴⁸	.030				
w/Tec. 7, 8, 9 & 10 h.p.	XST458	458	.030				





Se Section 9 pour les remarques en français en bas de page. Ver Seccion 9 para las páginas de notas de pie de página en español. ⁸²⁴⁸ Tapered electrode design ⁸²⁴⁹ Single Platinum ⁸²⁵² Xtreme Sport

Small Engine - Snowblowers

	XTREME START™	STANDARD STANDARD ESTANDAR	GAP ENCARTMENT ESPACIO		XTREME START™	STANDARD STANDARD ESTANDAR	GAP ENCARTMENT ESPACIO
HOMKO				HUSQVARNA (Cont'd)			
All Models	XST458	458	.030	1330SBb-XLS, 16530SB-XLS w/B&S 16.5 h.p. OHV	XST3924	3924	.030
HONDA				13524SB-XLS w/B&S 13.5 h.p. OHV	XST3924	3924	.030
HS35, HS70	AP425 ⁸²⁴⁹	425	.030	14527SB-LS w/B&S 14.5 h.p. OHV	XST3924	3924	.030
HS50	----	275	.030	15530SB-LS, 15530SB-XLS w/B&S 15.5 h.p. OHV	XST3924	3924	.030
HS55, HS55K1, HS55K2	XST4265	4265 ⁸²⁴⁸	.030	924SB, 1827SB, 12524SB	XS63 ⁸²⁵²	4263 ⁸²⁴⁸	.030
HS80, HS80K1, HS828	XST4265	4265 ⁸²⁴⁸	.030	INDIAN			
HS520A, HS520AS	XST4265	4265 ⁸²⁴⁸	.030	All Models	XST458	458	.030
HS521, HS521K1, HS522	XST4265	4265 ⁸²⁴⁸	.030	INTERNATIONAL			
HS621, HS621AS, HS622, HS622TA	XST4265	4265 ⁸²⁴⁸	.030	Models 8, 10	XST255	255	.030
HS624KIWAS, HS624KITA, HS724TA	XST4265	4265 ⁸²⁴⁸	.030	Models 265, 268, 328	XST458	458	.030
HS724WA, HS828K1WAS, HS828K1TAS	XST4265	4265 ⁸²⁴⁸	.030	w/B&S "L" Head Engs.	XST458	458	.030
HS928WA, HS928WAS, HS928TA	XST4265	4265 ⁸²⁴⁸	.030	w/Tec. AH520 Engs.	AP86 ⁸²⁴⁹	86	.030
HS928TAS, HS929TAS, HS1132TA	XST4265	4265 ⁸²⁴⁸	.030	JARI			
HS1132TAS, HS1336	XST4265	4265 ⁸²⁴⁸	.030	All Models	XST458	458	.030
10mm Heads	----	4194	.030	JOHN DEERE			
w/Honda OHC Engs.	XST4265	4265 ⁸²⁴⁸	.030	320, 321, 322, 520, 522, 522E	XST458	458	.030
w/Honda OHV Engs.	XST4265	4265 ⁸²⁴⁸	.030	524D, 526, 726, 732	XST458	458	.030
HUSQVARNA				726E, 827E, 928E, 1028E, 1130SE, 1332PE, 1338PE	XST3924	3924	.030
ST20, ST20E w/Tec. 4.5 h.p.	XST2976	2976	.030	824, 826D, 828D	XST458	458	.030
ST21, ST21E w/Tec. 5 h.p.	XST2976	2976	.030	1026, 1032D	XST458	458	.030
ST521, ST521E, ST522H w/Tec. 5 h.p.	XST2976	2976	.030	1026 w/Kioritz Engs.	XST458	458	.030
ST523, ST826E w/Tec. 5 & 8 h.p.	XST458	458	.030	724D, 924DE, 1128DE	XST4055	4055 ⁸²⁴⁸	.030
ST623C, ST624E w/Tec. 6 h.p.	XST458	458	.030	1128DDE, 1332DDE	XST4055	4055 ⁸²⁴⁸	.030
ST723C, ST723R, ST724 w/Tec. 7 h.p.	XST458	458	.030	ST0320M, ST0521E, ST0521M	XST2976	2976	.030
ST824E w/Tec. 8 h.p.	XST458	458	.030	ST0522, ST0524	XST458	458	.030
ST926EC, ST927E w/Tec. 9 h.p.	XST458	458	.030	ST0726, ST0927, ST1028, ST1028S, ST1129, ST1130S	XST3924	3924	.030
ST1030EC w/Tec. 10 h.p.	XST458	458	.030	ST1332, ST1332S, ST6524, ST7526, ST8526, ST9528	XST3924	3924	.030
521SSE w/Tec. 5 h.p.	XST2976	2976	.030	TRS21, TRS21E	XST2976	2976	.030
524S, 524ST w/Tec. 5 h.p.	XST2976	2976	.030	TRS22, TRS24, TRX24, TRS26	XST458	458	.030
924SB, 924SB-XLS, 924SBE w/Tec. 9 h.p.	XST458	458	.030	TRS26, TRX26, TRS27, TRS32	XST458	458	.030
924SBb, 924SBb-XLS w/B&S 13.5 h.p. OHV	XST3924	3924	.030	w/B&S "L" Head Engs.	XST458	458	.030
5021E, 5021R w/B&S 5 h.p.	XST458	458	.030	w/B&S Intek OHV Engs.	XST3924	3924	.030
5524SB, 5524SE w/Tec. 5.5 h.p.	XST458	458	.030	w/B&S Snow Series MAX OHV Engs.	XST3924	3924	.030
5524ST w/Tec. 5 h.p. OHV	XST4055	4055 ⁸²⁴⁸	.030	w/Tec. 2-Cycle Engs.	XST2976	2976	.030
5524ST, 5524STE w/Tec. 5.5 h.p. OHV	XST4055	4055 ⁸²⁴⁸	.030	w/Tec. 4-Cycle Engs.	XST458	458	.030
8024STE w/Tec. 8 h.p. OHV	XST4055	4055 ⁸²⁴⁸	.030	w/Tec. 4-Cycle OHV Engs.	XST4055	4055 ⁸²⁴⁸	.030
8524STE, 8527SBE w/Tec. 8.5 h.p.	XST458	458	.030	KLAUER			
8527STE w/Tec. 8.5 h.p. OHV	XST4055	4055 ⁸²⁴⁸	.030	All Models	XST458	458	.030
9027BE-XP, 9027STE, 9027STE-XP w/Tec.9 h.p. OHV	XST4055	4055 ⁸²⁴⁸	.030	LAMBERT			
10527SBb, 10527SBb-LS w/B&S 14.5 h.p. OHV	XST3924	3924	.030	w/Tec. Engs.	XST458	458	.030
10527, 10527SBE, 10527STE, 10530SBE w/Tec. 10.5 h.p.	XST458	458	.030	LANDMARK			
10527SB, 10527SB-LS w/Tec. 10.5 h.p.	XST458	458	.030	w/Tec. Engs.	XST458	458	.030
1130SB-XLS, 1130SBE, 1130SBE-OV, 1130SBE-XP w/Tec.11 h.p. OHV	XST4055	4055 ⁸²⁴⁸	.030	LAWN-BOY			
1130SBb-LS, 1130SBb-XLS w/B&S 15.5 h.p. OHV	XST3924	3924	.030	120R	XST258	258	.030
1130SB-LS w/Tec. 11 h.p.	XST458	458	.030	320R, 320E	XST2976	2976	.030
1130STE, 1130STE-XP w/Tec.11 h.p. OHV	XST4055	4055 ⁸²⁴⁸	.030	522R	XST255	255	.030
1330SB-XLS, 1330SBE-XP w/Tec.13 h.p. OHV	XST4055	4055 ⁸²⁴⁸	.030	824E	XST458	458	.030
				1850, 1851, 1871	XST258	258	.030
				ST320, ST320e	XST2976	2976	.030



Se Section 9 pour les remarques en français en bas de page. Ver Sección 9 para las páginas de notas de pie de página en español. ⁸²⁴⁸ Tapered electrode design ⁸²⁴⁹ Single Platinum ⁸²⁵² Xtreme Sport

Small Engine - Snowblowers

		XTREME START™	STANDARD STANDARD ESTANDAR	GAP ENCARTMENT ESPACIO			XTREME START™	STANDARD STANDARD ESTANDAR	GAP ENCARTMENT ESPACIO
LAWN-BOY (Cont'd)					POLORON				
ST524		XST255	255	.030	All Models		XST458	458	.030
ST824, ST826, ST1032		XST458	458	.030	POULAN				
w/B&S "L" Head Eng.		XST458	458	.030	PP524, PP927ES, PP8527ES,				
w/Tec. 3 h.p.		XST2976	2976	.030	PP10527ES		XST4055	4055 ⁸²⁴⁸	.030
w/Tec. 5 h.p.		XST255	255	.030	PP1130ES, PP5524ES		XST4055	4055 ⁸²⁴⁸	.030
w/Tec. 8 & 10 h.p.		XST458	458	.030	PP5524ES, PP8527ES		XST458	458	.030
w/Own 2-Cycle Eng.		XST258	258	.025	ROPER				
LAZY BOY					w/B&S "L" Head Eng.		XST458	458	.030
w/B&S "L" Head Eng.		XST458	458	.030	w/Tec. Eng.		XST458	458	.030
LESCO					ROTO-HOE				
w/Tec. 5 h.p.		XST2976	2976	.030	w/B&S "L" Head Eng.		XST458	458	.030
w/Tec. 9 h.p.		XST458	458	.030	w/Tec. Eng.		XST458	458	.030
LOFTNESS					SEARS (See Craftsman)				
A.T.V. Snowblower					SIGNATURE				
w/B&S 18 h.p. Vanguard (V-Twin) ...		XST3926	3926	.030	320M, 320E, 521M, 521E		XST2976	2976	.030
MAINLINE (BCS)					522E, 523M, 824E, 825DE		XST458	295	.030
All Models		AP425 ⁸²⁴⁹	425	.030	825ET, 929DE, 1031DE		XST458	295	.030
MASSEY-FERGUSON					1029ET		AP425 ⁸²⁴⁹	425	.030
MF305, MF308		XST458	295	.030	w/Tec. 3 & 5 h.p. (2-Cycle)		XST2976	2976	.030
w/Tec. Eng.		XST458	458	.030	w/Tec. 5, 8, 9 & 10 h.p. (4-Cycle)		XST458	458	.030
MASTERCRAFT					w/Tec. 12 h.p. (4-Cycle)		AP425 ⁸²⁴⁹	425	.030
w/Tec. 2-Cycle Eng.		XST2976	2976	.030	SIMPLICITY				
w/Tec. 4-Cycle Eng.		XST458	458	.030	w/B&S 5, 5.25, 7.5, 8 & 8.5 h.p.		XST458	458	.030
w/Tec. 12 h.p.		AP425 ⁸²⁴⁹	425	.030	w/B&S 7.5 Vanguard OHV		XST3924	3924	.030
MASTERCUT					w/B&S 9.5, 10.5, 11.5 & 13 h.p. Intek OHV		XST3924	3924	.030
w/Tec. Eng.		XST458	458	.030	w/B&S Professional Series OHV Eng.		XST3924	3924	.030
w/Tec. 12 h.p.		AP425 ⁸²⁴⁹	425	.030	w/B&S Snow Series Max OHV Eng.		XST3924	3924	.030
MAXIM					w/Tec. 2-Cycle Eng.		XST2976	2976	.030
w/B&S 3.75, 4 & 6 h.p.		XST458	458	.030	w/Tec. 4 Cycle Eng.		XST458	458	.030
w/Honda 5 h.p. OHV		XST4265	4265 ⁸²⁴⁸	.030	w/Tec. OHV Eng.		XST4055	4055 ⁸²⁴⁸	.030
McDONOUGH					SNAPPER				
All Models		XST458	458	.030	w/B&S "L" Head Eng.		XST458	458	.030
MTD					w/B&S Intek OHV Eng.		XST3924	3924	.030
w/Tec. 3 & 4.5 h.p. (2-Cycle)		XST2976	2976	.030	w/B&S Professional Series OHV Eng.		XST3924	3924	.030
w/Tec. 4, 5, 8 & 10 h.p.		XST458	458	.030	w/B&S Snow Series 4-Cycle		XST458	458	.030
w/Tec. 12 h.p. OHV		AP425 ⁸²⁴⁹	425	.030	w/B&S Snow Series Max OHV Eng.		XST3924	3924	.030
MURRAY					w/Tec. 2-Cycle Eng.		XST2976	2976	.030
w/Tec. 2-Cycle Eng.		XST2976	2976	.030	w/Tec. 4 Cycle Eng.		XST458	458	.030
w/Tec. 4-Cycle Eng.		XST458	458	.030	w/Tec. OHV Eng.		XST4055	4055 ⁸²⁴⁸	.030
w/Tec. OHV Eng.		XST4055	4055 ⁸²⁴⁸	.030	SNO-BLO				
NOMA					w/Cushman Eng.		---	386	.030
w/Tec. 4.5 h.p.		XST2976	2976	.030	All Other Models		XST458	295	.030
w/Tec. 3, 5, 8, 10 & 12 h.p.		XST458	458	.030	SNOFLITE				
PARMI					w/Tec. Eng.		XST458	458	.030
w/B&S "L" Head Eng.		XST458	458	.030	SNO POWER				
WARRANTY					w/Tec. 2-Cycle Eng.		XST2976	2976	.030
WARRANTY					w/Tec. 4-Cycle Eng.		XST458	458	.030



Se Section 9 pour les remarques en français en bas de page. Ver Seccion 9 para las páginas de notas de pie de página en español. ⁸²⁴⁸ Tapered electrode design ⁸²⁴⁹ Single Platinum

Small Engine - Snowblowers

	XTRME START™	STANDARD STANDARD ESTANDAR	GAP ENCARTMENT ESPACIO		XTRME START™	STANDARD STANDARD ESTANDAR	GAP ENCARTMENT ESPACIO
SNO POWER (Cont'd)				TORO (Cont'd)			
w/Tec. 12 h.p.	AP425 ⁸²⁴⁹	425	.030	4-Cycle Engines (Cont'd)			
SNOGO				Power Clear 421Q	XST255	255	.030
All Models	----	3076	.025	Power Max 726OE w/B&S Snow Series Max OHV Eng.	XST3924	3924	.030
SNOW CHAMP				Power Max 726TE w/Toro R*Tek 7 h.p.	XST2976	2976	.030
w/B&S "L" Head Eng.	XST458	458	.030	Power Max 826LE w/Tec. 8 h.p. OHV	XST4055	4055 ⁸²⁴⁸	.030
w/Tec. Eng.	XST458	456	.030	Power Max 826OE, 826OXE w/B&S Snow Series Max OHV Eng.	XST3924	3924	.030
SNOW CHIEF				Power Max 828LE, 828LXE w/Tec. 8 h.p. OHV	XST4055	4055 ⁸²⁴⁸	.030
w/B&S 5 & 14 h.p.	XST458	458	.030	Power Max 1028OXE w/B&S Snow Series Max OHV Eng.	XST3924	3924	.030
w/Tec 3, 4, 4.5 & 5 h.p.	XST458	458	.030	Power Max 1028LE, 1028LXE w/Tec. 10 h.p. OHV	XST4055	4055 ⁸²⁴⁸	.030
w/Tec 8 & 10 h.p.	XST458	458	.030	Power Max 1128OXE w/B&S Snow Series Max OHV Eng.	XST3924	3924	.030
SNOW FLITE				Power Max 1128OE, 1128OXE w/Tec. 11 h.p. OHV	XST4055	4055 ⁸²⁴⁸	.030
All Models	XST458	458	.030	Power Max 6000 w/Toro R*Tek.7 h.p.	XST2976	2976	.030
SNOW TRAC				Power Shift 924 w/Tec. 9 h.p.	XST458	458	.030
w/B&S "L" Head Eng.	XST458	458	.030	Power Shift 1028 w/Tec. 10 h.p.	XST458	458	.030
w/Tec. Eng.	XST458	456	.030	Power Shift 1232 w/Tec. 12 h.p. OHV	XST4055	4055 ⁸²⁴⁸	.030
SPERRY-NEW HOLLAND				Power Shift 1332 w/Tec. 13 h.p. OHV	XST4055	4055 ⁸²⁴⁸	.030
All Models	XST458	458	.030	Power Throw 522 w/Tec. 5 h.p.	XST458	458	.030
STIGA				Power Throw 622 w/Tec. 6 h.p.	XST458	458	.030
320, 524, 929e, 1130e, Snow Buster w/B&S 3, 5, 8, 8.5 & 10.5 h.p.	XST458	458	.030	Power Throw 722E w/B&S Snow Series Max OHV Eng.	XST3924	3924	.030
	XST458	458	.030	Power Throw 724 w/Tec. 7 h.p.	XST458	458	.030
SUNBEAM				Power Throw 824, 824 XL w/Tec. 8 h.p.	XST458	458	.030
w/B&S "L" Head Eng.	XST458	458	.030	Snow Commander w/Toro R*Tek 7 h.p.	XST2976	2976	.030
w/Tec. Eng.	XST458	458	.030	All Other 4-Cycle Eng.	XST255	255	.030
SWEEPSTER				TROY-BILT			
All Models	XST458	458	.030	w/B&S "L" Head Eng.	XST458	458	.030
TECUMSEH				w/Tec. 4, 5, 8 & 10 h.p.	XST458	458	.030
All Models	XST255	255	.030	w/Tec. 5, 5.5 & 7 h.p. OHV (4-Cycle) .	XST4055	4055 ⁸²⁴⁸	.030
THEO TURGEON				w/Tec. 7.5, 8.5, 9.5, 10, 10.5, 11 & 13 h.p. (4-Cycle)	XST4055	4055 ⁸²⁴⁸	.030
All Models	XST458	458	.030	TURFMASTER			
TORO				w/B&S "L" Head Eng.	XST458	458	.030
2-Cycle Engines				w/Tec. Eng.	XST458	458	.030
CCR 1000 w/Tec. 3.5 h.p.	XST2976	2976	.030	WARDS			
CCR 2000 w/Tec. 4.5 h.p.	XST2976	2976	.030	All Models	XST458	458	.030
CCR 2400 w/Tec. 4 h.p.	XST2976	2976	.030	WHITE			
CCR 2450 w/Toro 5 h.p.	XST2976	2976	.030	6BHE	XST4055	4055 ⁸²⁴⁸	.030
CCR 2500 w/Tec. 5 h.p.	XST2976	2976	.030	6GLF, 6LLG	XST458	458	.030
CCR 3000 GTS w/Suzuki 5 h.p.	XST2976	2976	.030	235, SB-30, SB-50, SB-55, SB-300, SB-350	XST2976	2976	.030
CCR 3650 w/Toro R*Tek 6 h.p.	XST2976	2976	.030	SB-45, SB-400, SB-410, SB-500, SB-510	XST458	458	.030
CCR 3650 w/Toro R*Tek 6.5 h.p.	XST2976	2976	.030	SB-550, SB-721	XST4055	4055 ⁸²⁴⁸	.030
CCR 2450 w/Toro 5 h.p.	XST2976	2976	.030	SB-750, SB-750T	XST4055	4055 ⁸²⁴⁸	.030
Power Clear 210, 221, 221Q	XST2976	2976	.030	SB-800ST, SB-850 W, SB-855 4x4, SB-855W	XST458	458	.030
Power Clear 421Q	XST255	255	.030	SB-950, SB-950T, SB-1050	XST458	295	.030
S-140	AP86 ⁸²⁴⁹	86	.030	4-Cycle Engines			
S-200	AP86 ⁸²⁴⁹	86	.030	521	XST458	295	.030
S-521 w/Tec. 5 h.p.	AP86 ⁸²⁴⁹	86	.030				
S-620 w/Tec. 7 h.p.	XST2976	2976	.030				



Se Section 9 pour les remarques en français en bas de page. Ver Seccion 9 para las páginas de notas de pie de página en español. ⁸²⁴⁸ Tapered electrode design ⁸²⁴⁹ Single Platinum

Small Engine - Snowblowers

	XTREME START™	STANDARD ESTANDAR	GAP ENCARTMENT ESPACIO		XTREME START™	STANDARD ESTANDAR	GAP ENCARTMENT ESPACIO
WHITE (Cont'd)				YARDMAN (Cont'd)			
SB-928, SB-955 4x4, SB-955T	XST458	458	.030	H5Q3G w/Tec. 9.5 h.p.	XST458	458	.030
SB-933, SB945, SB-1050 W, SB-1150 T, SB-1150 W, SB-1350 W	XST4055	4055 ⁸²⁴⁸	.030	H763G w/Tec. 10 h.p.	XST458	458	.030
w/Tec. 3, 4.5, 5.5 h.p. (2-Cycle)	XST2976	2976	.030	20" w/Tec. 5 h.p.	XST458	458	.030
w/Tec. 4, 5, 8, 8.5, 9, 10 & 10.5 h.p. (4-Cycle)	XST458	458	.030	21" w/Tec. 5 h.p.	XST458	458	.030
w/Tec. 5.5, 7, 11 & 13 h.p. OHV (4-Cycle)	XST4055	4055 ⁸²⁴⁸	.030	21" w/Tec. 7 h.p.	XST458	458	.030
w/Tec. 12 h.p. (4-Cycle)	AP425 ⁸²⁴⁹	425	.030	22" w/Tec. 5.5 h.p.	XST458	458	.030
WIZARD				YARDMAN (Cont'd)			
w/B&S "L" Head Engs.	XST458	458	.030	24" w/Tec. 7 h.p.	XST458	458	.030
w/Tec. Engs.	XST458	458	.030	26" w/Tec. 8.5 h.p.	XST458	458	.030
YARD MACHINES				YARDMAN (Cont'd)			
3BAD w/Tec. 5 h.p. (4-Cycle)	XST458	458	.030	26" w/Tec. 9 h.p.	XST458	458	.030
3BAD729 w/Tec. 5.5 h.p. (4-Cycle)	XST458	458	.030	28" w/Tec. 9.5 h.p.	XST458	458	.030
3DDE729 w/Tec. 7 h.p. (4-Cycle)	XST458	458	.030	28" w/Tec. 10 h.p.	XST458	458	.030
5MLG729 w/Tec. 10.5 h.p. (4-Cycle)	XST458	458	.030	30" w/Tec. 10 h.p.	XST458	458	.030
6BCD w/Tec. 5 h.p. (4-Cycle)	XST458	458	.030	30" w/Tec. 12 h.p.	AP425 ⁸²⁴⁹	425	.030
6FEF729 w/Tec. 8 h.p. (4-Cycle)	XST458	458	.030	33" w/Tec. 13 h.p.	XST4055	4055 ⁸²⁴⁸	.030
116 Snow Buster	XST2956	2956	.030	45" w/Tec. 13 h.p.	XST4055	4055 ⁸²⁴⁸	.030
140 w/Tec. 3.5 h.p.	XST458	458	.030	w/B&S "L" Head Engs.	XST458	458	.030
240 w/Tec. 3.5 h.p.	XST458	458	.030	YARD MARVEL			
250 w/Tec. 4.5 h.p.	XST2976	2976	.030	w/B&S "L" Head Engs.	XST458	458	.030
611D w/Tec. 5 h.p.	XST458	458	.030				
E150 w/Tec. 4.5 h.p.	XST2976	2976	.030				
E160 w/Tec. 5 h.p.	XST2976	2976	.030				
E640F w/Tec. 8 h.p.	XST458	458	.030				
S6BEE w/Tec. 5 h.p. (4-Cycle)	XST458	458	.030				
S6FCE w/Tec. 8 h.p. (4-Cycle)	XST458	458	.030				
S6FEF w/Tec. 8 h.p. (4-Cycle)	XST458	458	.030				
S250 w/Tec. 4.5 h.p.	XST2976	2976	.030				
S610E w/Tec. 5 h.p.	XST458	458	.030				
S611D w/Tec. 5 h.p.	XST458	458	.030				
S644E w/Tec. 8 h.p.	XST458	458	.030				
YAMAHA							
YS220, YS524, YS624, YS828	----	275	.028				
YS240 "Ricky"	XST4265	65	.028				
YS240TB, YS624T, YS624TA, YS624TC, YS624TE, YS624T-1	----	4123 ⁸²⁴⁸	.028				
YS624TEA, YS624TEC, YS624TEN, YS624TEP, YS624TM	----	4123 ⁸²⁴⁸	.028				
YS624TN, YS624W, YS624WM, YS624WEN, YS624WN	----	4123 ⁸²⁴⁸	.028				
YS828TE, YS828TEC, YS828TEN, YS828TEO, YS828TM	----	4123 ⁸²⁴⁸	.028				
YS828TN, YS828TP, YS828WM, YS828WN, YS828WEN	----	4123 ⁸²⁴⁸	.028				
YARDMAN							
140 w/Tec. 3 h.p.	XST2976	2976	.030				
611D w/Tec. 5 h.p.	XST458	458	.030				
740F w/Tec. 8 h.p.	XST458	458	.030				
E150 w/Tec. 4.5 h.p.	XST2976	2976	.030				
E285 w/Tec. 5 h.p.	XST458	458	.030				
E295 w/Tec. 7 h.p.	XST458	458	.030				
E640F w/Tec. 8 h.p.	XST458	458	.030				
E644E w/Tec. 8 h.p.	XST458	458	.030				
E660G w/Tec. 10 h.p.	XST458	458	.030				
E663H w/Tec. 10 h.p.	XST458	458	.030				
E9801 w/Tec. 12 h.p.	AP425 ⁸²⁴⁹	425	.030				
E993I, E993J w/Tec. 13 h.p.	XST4055	4055 ⁸²⁴⁸	.030				
H5C3F w/Tec. 8.5 h.p.	XST458	458	.030				



Se Section 9 pour les remarques en français en bas de page. Ver Seccion 9 para las páginas de notas de pie de página en español. ⁸²⁴⁸ Tapered electrode design ⁸²⁴⁹ Single Platinum

Small Engine - Generators

	XTREME START™	STANDARD STANDARD ESTANDAR	GAP ENCARTMENT ESPACIO		XTREME START™	STANDARD STANDARD ESTANDAR	GAP ENCARTMENT ESPACIO
ACME				BALDOR (Cont'd)			
Gasoline				Standby Generators (Cont'd)			
w/B&S 16 & 18 h.p. Vanguard (V-Twin)	XST3926	3926	.030	w/Ford 2.5L Enggs. (LPG & Natural Gas)	XP104 ⁸²⁵⁰	104	.025
Other 14mm Heads	AP425 ⁸²⁴⁹	425	.030	w/Kohler 23 h.p. (V-Twin) (LPG & Natural Gas)	XST3924	3924	.030
w/18mm Heads	----	386	.030				
Kerosene				BEAIRD-POULAN (See Poulan)			
w/14mm Heads	AP425 ⁸²⁴⁹	425	.030	BE PRESSURE SUPPLY			
w/18mm Heads	----	386	.030	Generators			
OHC				w/Honda 5, 5.5, 6.5 & 9 h.p. OHV ...			
ACT280 w/9 h.p. Engs.	XST3924	3924	.030	XST4265	4265 ⁸²⁴⁸		.030
ACT340 w/11 h.p. Engs.	XST3924	3924	.030				
AG-TRONIC				BLUE MAX			
w/B&S Engs.	XST458	458	.025	03165 3200 Watts	XS63 ⁸²⁵²	4263 ⁸²⁴⁸	.030
w/Kawasaki Engs.	XST458	458	.025	03237 4000 Watts	XS63 ⁸²⁵²	4263 ⁸²⁴⁸	.030
w/Suzuki Engs.	XS63 ⁸²⁵²	4263 ⁸²⁴⁸	.025				
ALFCOLITE				BRIGGS & STRATTON			
Generators				Portable Generators			
6 Alfcolite	XST254	303	.025	w/B&S 2.5, 4, 6.5, 9, 10, 11 & 15 h.p. OHV	XST3924	3924	.030
10, 12, 15 Alfco	----	386	.030	w/B&S 10, 11, 14.5, 16.5, 20 & 21 h.p. Intek OHV	XST3924	3924	.030
ALL-POWER AMERICA				w/B&S 7.5, 13 & 15 h.p. Vanguard ..			
APG3002 w/6.5 h.p.	XS63 ⁸²⁵²	4263 ⁸²⁴⁸	.030	w/B&S 16 & 18 h.p. Vanguard (V-Twin)	XST3926	3926	.030
APG3005 w/13 h.p.	XS63 ⁸²⁵²	4263 ⁸²⁴⁸	.030	w/B&S 1650 & 2100 Series OHV Engs.	XST3924	3924	.030
APG3008E w/6.5 h.p.	XS63 ⁸²⁵²	4263 ⁸²⁴⁸	.030	Standby Generators			
APG3009 w/13 h.p.	XS63 ⁸²⁵²	4263 ⁸²⁴⁸	.030	w/B&S ELS OHV Engs. (LPG & Natural Gas)	XST3924	3924	.020
APG3012 w/6.5 h.p.	XS63 ⁸²⁵²	4263 ⁸²⁴⁸	.030	w/B&S Extended Life Series OHV Engs. (LPG & Natural Gas)	XST3924	3924	.020
APG3075 w/13 h.p.	XS63 ⁸²⁵²	4263 ⁸²⁴⁸	.030	w/B&S Intek OHV Engs. (LPG & Natural Gas)	XST3924	3924	.020
APG3090 w/15 h.p.	XS63 ⁸²⁵²	4263 ⁸²⁴⁸	.030	w/B&S Vanguard (V-Twin) Engs. (LPG & Natural Gas)	XST3926	3926	.020
APG3535 w/6.5 h.p. (LPG)	XS63 ⁸²⁵²	4263 ⁸²⁴⁸	.020	w/GM 3.0L Engs. (LPG & Natural Gas)	XP103 ⁸²⁵⁰	103	.035
APG3560 w/13 h.p. (LPG)	XS63 ⁸²⁵²	4263 ⁸²⁴⁸	.020	w/GM 5.0L Engs. (LPG & Natural Gas)	XP104 ⁸²⁵⁰	104	.040
AQUABUG				BUDA			
AQB-250D, AQB-300	XST255	255	.025	Generators			
ARCTIC POWER				w/7/8"-18 Heads			
AC750GD, AC750GT, AC1000GD, AC1400G, AC1800GD	----	275	.025	w/1/2"-14 Pipe heads	----	3076	.025
AC2200GD, AC2500G, AC2500GD, AC3000GD2	----	275	.025				
AC4000G2, AC4000GD2E	----	275	.025	CAMPBELL-HAUSFELD			
AC7500GD2E	XST4055	4055 ⁸²⁴⁸	.025	w/B&S 5, 5.5, 8, 10 & 11 h.p.	XST458	458	.030
ATLAS				w/B&S 6 h.p. Intek			
w/B&S 3, 5 & 8 h.p.	XST458	458	.030	w/B&S 16, 18 & 20 h.p. Vanguard (V-Twin)	XST3926	3926	.030
AUTOMATIC				w/Honda 13 h.p. OHV			
All Models	----	3076	.025	XST4265	4265 ⁸²⁴⁸		.030
BALDOR				CATERPILLAR			
Portable Generators				13000 (Gas Conversion)			
w/B&S 16 & 18 h.p. Vanguard (V-Twin)	XST3926	3926	.030	Other 14mm Heads	XST258	308	.025
w/Honda 5.5, 8, 9 & 11 h.p. OHV	XST4265	4265 ⁸²⁴⁸	.030	w/7/8"-18 Heads	----	3076	.025
w/Honda 20 h.p. (V-Twin)	XST4265	4265 ⁸²⁴⁸	.030				
w/Robin 2.5 h.p. OHV	XST255	255	.030	CHAMPION			
w/Robin 6 & 8.5 h.p. OHV	----	4123 ⁸²⁴⁸	.025	Generators			
w/Robin 11 h.p. OHV	XS63 ⁸²⁵²	4263	.025	40005, 40008, 40010, 40011	XS4064	4054 ⁸²⁴⁸	.030
Standby Generators							
w/B&S 16& 18 h.p. Vanguard (V-Twin) (LPG & Natural Gas)	XST3926	3926	.020				



Se Section 9 pour les remarques en français en bas de page. Ver Seccion 9 para las páginas de notas de pie de página en español. ⁸²⁴⁸ Tapered electrode design ⁸²⁴⁹ Single Platinum ⁸²⁵⁰ Xtreme Performance ⁸²⁵² Xtreme Sport

Small Engine - Generators

	XTREME START™	STANDARD ESTANDAR	GAP ENCARTMENT ESPACIO		XTREME START™	STANDARD ESTANDAR	GAP ENCARTMENT ESPACIO
CHAMPION (Cont'd)				COLEMAN (Cont'd)			
Generators (Cont'd)				Portable Generators (Cont'd)			
40023, 40026, 40027, 40030, 40039, 40046, 40048, 40049, 40046.				w/Robin 2.5 h.p.	XS4093 ⁸²⁵²	4093 ⁸²⁴⁸	.025
40048	XS4064	4054 ⁸²⁴⁸	.030	w/Tec. Engs.	XST458	458	.030
40049, 40050, 40051, 40058, 41111, 41112, 41153, 41302, 41303, 41311				w/Tec. OHV Engs.	XST4055	4055 ⁸²⁴⁸	.030
41312, 41313, 41331, 41351, 41365, 41511, 42011, 42013	XS4064	4054 ⁸²⁴⁸	.030	Standby Generators			
42431	XS4093 ⁸²⁵²	4093 ⁸²⁴⁸	.030	Power Station 10000H w/Honda 20 h.p. V-Twin (LPG & Natural Gas) ..	XST4265	4265 ⁸²⁴⁸	.020
46511, 46514, 46515, 46533, 46534, 46535, 46538, 46551, 49011, 49055, 49056	XS4064	4054 ⁸²⁴⁸	.030	Power Station 11500H w/Honda 24h.p. V-Twin (LPG & Natural Gas) ..	XST4265	4265 ⁸²⁴⁸	.020
C41155CSA, C41255, C42412-1, C46535, C46540, C46535CSA, C71350E	XS4064	4054 ⁸²⁴⁸	.030	Power Station 10000 w/B&S 18 h.p. V-Twin (LPG & Natural Gas) ..	XST3924	3924	.020
CSA40015, CSA40017, CSA40020, CSA40025, CSA40032, CSA40036	XS4064	4054 ⁸²⁴⁸	.030	Power Station 15000 w/B&S 31 h.p. Liquid Cooled (LPG & Natural Gas) ..	XST3924	3924	.020
CSA40037, CSA40038, CSA40043, CSA40045, CSA41155E, CSA42412	XS4064	4054 ⁸²⁴⁸	.030	Power Station 25000 w/Ford 2.5L Engs. (LPG & Natural Gas) ..	XP104 ⁸²⁵⁰	104	.025
CHICAGO ELECTRIC				CONSOLIDATED			
w/B&S 5, 8 & 16 h.p.	XST458	458	.030	D615, D925	----	386	.025
w/B&S 16 h.p. Vanguard (V-Twin) ...	XST3926	3926	.030	D1430, D1850	----	3077	.025
CLARKE				G210, G415			
w/B&S 5, 8 & 11 h.p.	XST458	458	.030	G930 w/Gasoline	----	3076	.025
w/Honda 8 h.p. OHV	XST4265	4265 ⁸²⁴⁸	.030	Kerosene or Distillate Engs.	----	3076	.025
w/Robin 8 h.p.	AP425 ⁸²⁴⁹	425	.030	CONSTRUCTION MACHINERY CO.			
CLINTON				5GO, 6GO			
350W, 750W, & Chief Miniature	XST258	308	.025	10EL	----	216	.025
COLEMAN				10LS, 15DAL/20, W3D/206, W3S, W3S/206			
Portable Generators				15HK, 25HN, 36JT			
PMO522000, PMO524000, PMO525000	XST458	295	.030	358RS, 68AL/20	XST254	303	.025
PMO454024, PMO454025, PMO455024	XST458	458	.030	CORONADA			
PMO456025, PMO544202, PMO544222	XST458	458	.030	Com. 1B, 10LS, 103L			
PM05300.17, PM0545005	XST3924	3924	.030	CRAFTSMAN			
PMO545202, PMO554222	XST458	458	.030	w/B&S "L" Head Engs.			
PM0545004.17, PMO545305	XST3924	3924	.030	w/B&S OHV Engs.			
PM0555523	XST4055	4055 ⁸²⁴⁸	.030	CUMMINS ONAN			
PM0610023	XST3924	3924	.030	Portable Generators			
Dual Power				2400, 3500, 5500, 6500			
Compressor/Generators	XST4265	4265 ⁸²⁴⁸	.030	2.7 AJ Spec. K-N	XST255	255	.025
Maxa 3000 OHV-ER	XST4055	4055 ⁸²⁴⁸	.030	2.8 Micro	----	275	.030
Maxa 4000, Maxa 5000 ER, Maxa 5000 ER+	XST458	458	.030	3.6, 4.0 Micro	AP66 ⁸²⁴⁹	66	.025
Premium Plus 5000, 500 ER, Industrial 10,000	XST3924	3924	.030	3.0 AJ, 4.0 BGD/E	AP106 ⁸²⁴⁹	106	.025
Premium Plus 6500, Pro Series 11,000	XST4265	4265 ⁸²⁴⁸	.030	4.0 BF, 4.0BFA, 5.0 BG, 5.0 BGA ..	----	437	.025
Pulse 1850, Pulse 1855, Sport 1851, Ultra 2500	XST458	458	.030	6.5 NH Spec. A & D	----	216	.025
Ultimate 1100 Watts	XS4093 ⁸²⁵²	4093 ⁸²⁴⁸	.025	6.5 NH Spec. J & K	----	4056 ⁸²⁴⁸	.025
w/B&S Engs.	XST458	458	.030	6.5 NH-3CR-16004N	----	4056 ⁸²⁴⁸	.025
w/B&S OHV Engs.	XST3924	3924	.030	6.5 NH/3CR/16004P	AP106 ⁸²⁴⁹	106	.025
w/B&S Vanguard Engs.	XST3924	3924	.030	6.5 NHE, NHD/E	AP106 ⁸²⁴⁹	106	.025
w/Honda OHV Engs.	XST4265	4265 ⁸²⁴⁸	.030	4CKM, 5CKM	XP26 ⁸²⁵⁰	26	.030
w/Kaw. 3.1 h.p.	XST255	255	.030	7CCKM21RV, 7CKM21RV, 7CM21RV	----	216	.030
				BF, BG	----	437	.030
				AJ, BF Gimini, NH Gimini	----	216	.020
				CCK Series, CCKB-MS	----	216	.030
				CCK Series (Light Service)	----	216	.030
				CCK Series (Nat. Gas)	----	353	.015
				Marquis I/III	AP106 ⁸²⁴⁹	106	.025
				Pro 4000, 4000E	----	4123 ⁸²⁴⁸	.025
				Pro 5000, 5000E, 6000E	AP106 ⁸²⁴⁹	106	.025



Se Section 9 pour les remarques en français en bas de page. Ver Section 9 para las páginas de notas de pie de página en español. ⁸²⁴⁸ Tapered electrode design ⁸²⁴⁹ Single Platinum ⁸²⁵⁰ Xtreme Performance ⁸²⁵² Xtreme Sport

Small Engine - Generators

	XTREME START™	STANDARD STANDARD ESTANDAR	GAP ÉNCARTMENT ESPACIO		XTREME START™	STANDARD STANDARD ESTANDAR	GAP ÉNCARTMENT ESPACIO
CUMMINS ONAN (Cont'd)				DELCO-LITE (Cont'd)			
Portable Generators (Cont'd)				Portable Models B6, B12, 2B6, 2B12,			
w/Honda 9 h.p. OHV	XST4265	4265 ⁸²⁴⁸	.025	200W	----	3136	.025
Marine Generators				W/Hercules Eng. 5 & 6KW			
2.5, 3.0 MAJB	----	216	.025		----	3076	.025
3.5, 5.5, 6.5 MCK	----	2247	.025	DE WALT			
4.5, 6.5 MCE	AP106 ⁸²⁴⁹	106	.025	Generators			
8.0, 9.0 MME	XST4265	4265 ⁸²⁴⁸	.025	DE2900, DE4300, DG2900, DG3000,			
MAJ, MJA, MCK, MJB, MJC, MKH	----	216	.025	DG3000C			
Standby Generators				XST4265			
RS12000 w/Honda 24 h.p. V-Twin	XST4265	4265 ⁸²⁴⁸	.020	DG3000C			
(LPG/Natural Gas)				DG4300, DG4400B, DG4400BC			
RS20000 w/Ford 2.5L Eng. (LPG/	XP104 ⁸²⁵⁰	104	.025	DG6000, DG6000E, DG6300B,			
Natural Gas)				DG6300BC, DW6000			
RS30000 w/GM 3.0L Eng. (LPG/	XP103 ⁸²⁵⁰	103	.035	DG7000, DG7000B, DG7000BC,			
Natural Gas)				DG7000E, DW7000E			
RS45000 w/Ford 4.2L V6 Eng.	XP104 ⁸²⁵⁰	104	.025				
(LPG/Natural Gas)				DOLMAR			
CUSHMAN				G5800, G6100R			
w/18mm Heads	----	373	.025	XST4055	4055 ⁸²⁴⁸	.030	
w/7/8"-18 Heads	----	3076	.025	DUCAR			
CUTLER-HAMMER				Generators			
Generators				DF1200H, DF1200H-B, DF1200H-D,			
w/B&S Vanguard (V-Twin) Eng.	XST3926	3926	.030	DF1500H			
				XST2974	2974	.030	
C.Y.C.				DF1800X, DF2500H, DF3000H,			
All Models	----	3095	.025	DF3500H			
				XST4055	4055 ⁸²⁴⁸	.030	
DANAM				DF3800H, DF5000H, DF6500H,			
Alternators w/B&S Eng.	XST458	458	.030	DF6500H-D, DFJ6500H			
Alternators w/Wisc.-Robin EY-18-3W	AP425 ⁸²⁴⁹	2656	.030	DF8000H, DF9000H			
& EY27 Eng.				XST4055	4055 ⁸²⁴⁸	.030	
Alternators w/Wis-con Total Power	----	386	.030	DF8000HF, DF9000HF			
TRA12D Eng.				XST4055	4055 ⁸²⁴⁸	.030	
				XST4265	4265 ⁸²⁴⁸	.030	
DANARM				Welders			
w/B&S Eng.	XST458	458	.025	DH100, DH190, DH190D			
w/Robin Eng.	AP425 ⁸²⁴⁹	425	.025	XST4055	4055 ⁸²⁴⁸	.030	
DA-V-LITE				DUPLEX			
All Models	----	386	.025	PE127			
				----	386	.025	
				----	306	.025	
DAYTONLITE				DYNA			
Generators				w/B&S 5, 8 & 11 h.p.			
All Models	----	3095	.025	XST458	458	.030	
				XST3924	3924	.030	
DELCO-LITE				w/B&S Vanguard Eng. (V-Twin)			
6G3, 8 Series A3, B3, BK3, C3	XST458	295	.025	XST3926	3926	.030	
8 Series EAB3, EB3, G3, M3	XST458	295	.025	XST4265	4265 ⁸²⁴⁸	.030	
8 Series EABW3, EBW3, ECW3	----	386	.025	XST255	255	.030	
8 Series ERBW3, EW3, GW3	----	386	.025	XST255	255	.030	
15 Series A1, B1, BP, C1, FA1, H1	----	386	.025	AP106 ⁸²⁴⁹	106	.025	
20 Series AB3	XST458	295	.025	XST4055	4055 ⁸²⁴⁸	.030	
25 Series AD1, CK1, HD1, RD1	XST458	295	.025	w/Honda 9 & 11 h.p. OHV			
50 Series AA1, AD1	XST458	295	.025	w/Kaw. 3.1 & 5.2 h.p.			
50 Series HA1, HD1, RA1	----	386	.025	w/Onan 24 h.p. (Twin)			
60 Series AD1, RD1	----	386	.025	w/Tec. 18 h.p.			
400W, 800W, 1000W, 2500W	XST458	295	.025				
1500W (14mm Heads)	XST458	295	.025				
1500W (18mm Heads)	----	386	.025				
DYNAMIGHT (See Winco)				DYNELECTRIC			
Generators				Generators			
All Models	----	3095	.025	All Models			
				----	3076	.025	
EASTERN TOOLS				Generators			
ETQ3000	XST4265	65	.028	ETQ3000			
IN800 i	----	4194 ⁸²⁴⁸	.030	IN800 i			
TG72K12	XS63 ⁸²⁵²	4263 ⁸²⁴⁸	.030	TG72K12			
TG1200 2-Cycle	XST4265	65	.028	TG1200 2-Cycle			
TG3000	XST4265	65	.028	TG3000			
TG4000	XS63 ⁸²⁵²	4263 ⁸²⁴⁸	.030	TG4000			
TG5000 (E)	XST4265	65	.028	TG5000 (E)			
TG7000	XST4265	65	.028	TG7000			



Se Section 9 pour les remarques en français en bas de page. Ver Sección 9 para las páginas de notas de pie de página en español. ⁸²⁴⁸ Tapered electrode design ⁸²⁴⁹ Single Platinum ⁸²⁵⁰ Xtreme Performance ⁸²⁵² Xtreme Sport

Small Engine - Generators

	XTREME START™	STANDARD ESTANDAR	GAP ENCARTMENT ESPACIO		XTREME START™	STANDARD ESTANDAR	GAP ENCARTMENT ESPACIO
EASTLITE Generators				GENERAC/GUARDIAN (Cont'd)			
All Models --- 3095 .025				Portable Generators (Cont'd)			
ECHO				3250XE, 3500XEP XST4055 4055 ⁸²⁴⁸ .030			
EG-550, 650, 750 XST2974 2974 .025				C2400, C4000, C5000, C5000E XST458 458 .030			
EG-1200 AP425 ⁸²⁴⁹ 425 .025				C8000, C10000, EPS-8-AC XST3926 3926 .030			
EG-1500, 2300 --- 275 .025				EPS-12, EPS-20 XST4265 4265 ⁸²⁴⁸ .035			
EG-1800, 2600 XST458 458 .025				EPS-25 XS63 ⁸²⁵² 4263 ⁸²⁴⁸ .030			
EG-2400, 3501, 4300, 4300E, 5500E --- 275 .025				G1000, G1600 XST255 255 .025			
EG-4600 --- 216 .030				G2600, R4000, S1600 AP425 ⁸²⁴⁹ 425 .025			
EG-4601, EG-5601, EG-7601 XST3926 3926 .030				G4000 --- 275 .025			
EG-5600E, 7600E XST3924 3924 .040				Generac II w/16 h.p Vanguard (V-Twin) XST3926 3926 .030			
w/B&S 5 h.p. XST458 458 .025				Generac II w/1.2L Eng. XS63 ⁸²⁵² 4263 ⁸²⁴⁸ .035			
w/B&S 9 & 11 h.p. Vanguard XST3924 3924 .030				GP1800, GP3250, GP5000, GP5500, GP6500, GP7000, GP7000E XST3924 3924 .030			
w/B&S 16 h.p. Vanguard (V-Twin) ... XST3926 3926 .030				GP7500, GP7500E, GP8000, GP8000E, GP15000E, XST3924 3924 .030			
w/Kohler 8 h.p. --- 216 .030				GP175000E XST3924 3924 .030			
w/Kohler 11 & 14 h.p. OHV XST3924 3924 .040				GPS 12500, GPS 15000 XST3924 3924 .030			
ELECTRON Generators				Home & Away 1850 XST458 458 .030			
All Models --- 3076 .025				IM60G XST258 308 .030			
FAIRBANKS-MORSE				iX800, iX1400, iX1600, iX2000 XST3924 3924 .030			
w/14mm Heads XST458 295 .025				L4000, L4000E, L5000, L5000E XST458 458 .030			
w/18mm Heads --- 386 .025				MC Series 1-Cyl OHV XST3924 3924 .030			
A (1 h.p.), ZC (6 & 8 h.p.) --- 3076 .025				MC Series (V-Twin) XST3926 3926 .030			
All Other 7/8"-18 Heads --- 3076 .025				NP45G, NP55G, NP65G XST3926 3926 .030			
FARM ELECTRIC				Mega 2500, 2500T XST458 458 .030			
All Models --- 3095 .025				Mega 3000 XST4055 4055 ⁸²⁴⁸ .030			
FLOLIGHT Generators				MF6500 XST3926 3926 .030			
One and two cylinder models --- 3076 .025				NP80G, NP100G XS63 ⁸²⁵² 4263 ⁸²⁴⁸ .025			
Hercules 1XB 4-Cyl. --- 3076 .025				R6000, R8000, R8000E XST3926 3926 .030			
All other four cylinder models XST458 295 .025				R3500XL, R10000, R10000E XST3926 3926 .030			
FORD				S1000 XST254 254 .025			
172 cid Eng. (1975) --- 216 .035				S1500, S2400, S4000, S4000E, S5000 XST458 458 .030			
300, 330, 361, 391, 534 cid Eng. ... AP124 ⁸²⁴⁹ 124 .035				S2600 --- 275 .025			
KOH-175 w/B&S 4 h.p. XST458 458 .030				S4000, SVP500T XST458 295 .030			
KOH-350 w/Kohler 8 h.p. --- 216 .030				SG012, SG016, SG020 XS63 ⁸²⁵² 4263 ⁸²⁴⁸ .035			
KOH-500 w/Kohler 12 h.p. --- 216 .025				SG015, SG020 XP104 ⁸²⁵⁰ 104 .035			
FULLER & JOHNSON				SV1850, SV2400, SV4200, SVT4200 XST458 458 .030			
Model J --- 3095 .025				SVT5000, SVP5000, SVP5000E ... XST458 458 .030			
All Other Models --- 3076 .025				XE Series 1-Cyl OHV XST3924 3924 .030			
GARY				XG4000, XG6500, XG7000, XG7000E, XG8000, XG8000E, XG10000E XST3924 3924 .030			
All Models XST458 295 .025				XL Series 1-Cyl OHV XST3924 3924 .030			
GENCO				XL Series (V-Twin) XST3926 3926 .030			
All Models --- 3076 .025				XP4000, XP6500E, XP8000E, XP10000E XST3924 3924 .030			
GENERAC/GUARDIAN Portable Generators				w/B&S 10 h.p. OHV XST3924 3924 .030			
004551, 004582 XST3924 3924 .030				w/B&S One-Cyl. & Twin Cyl. Eng. ... XST458 458 .030			
1645, 1470 w/Generac 7.8 & 14 h.p. OHV XST3924 3924 .030				w/B&S Vanguard 1-Cyl. Eng. OHV . XST3924 3924 .030			
1646 XST3924 3924 .030				w/B&S Vanguard Eng. (V-Twin) XST3926 3926 .030			
GENERAC/GUARDIAN (Cont'd)				w/Generac 14.5, 15, 27, 27 & 30 h.p. XST3924 3924 .030			
Generators				w/Generac 562SXL Eng. --- 275 .025			
All Models XST458 295 .025				w/Generac 7.8 & 14 h.p. OHV XST3924 3924 .030			
GENCO				w/Generac MC40 Eng. --- 275 .025			
All Models --- 3076 .025				w/Generac TXP45 Eng. XST458 295 .025			
GENERAC/GUARDIAN Portable Generators				w/Honda 9 h.p. OHV XST4265 4265 ⁸²⁴⁸ .030			
004551, 004582 XST3924 3924 .030				w/Kaw. 5 h.p. AP425 ⁸²⁴⁹ 425 .025			
1645, 1470 w/Generac 7.8 & 14 h.p. OHV XST3924 3924 .030				w/Kaw. 1.6 & 3 h.p. XST255 255 .025			
1646 XST3924 3924 .030				w/Lauson Eng. XST458 295 .030			
GENERAC/GUARDIAN (Cont'd)				w/Robin Eng. AP425 ⁸²⁴⁹ 425 .025			
Generators				w/Tec. 10 h.p. XST458 458 .030			
All Models XST458 295 .025				w/Tec. 5.5 h.p. XST458 458 .030			
GENCO				w/Tec. 6 & 6.5 h.p. OHV XST4055 4055 ⁸²⁴⁸ .030			
All Models --- 3076 .025				w/Wisc. Eng. --- 386 .030			



Se Section 9 pour les remarques en français en bas de page. Ver Seccion 9 para las páginas de notas de pie de página en español. ⁸²⁴⁸ Tapered electrode design ⁸²⁴⁹ Single Platinum ⁸²⁵⁰ Xtreme Performance ⁸²⁵² Xtreme Sport

Small Engine - Generators

	XTREME START™	STANDARD STANDARD ESTANDAR	GAP ENCARTMENT ESPACIO		XTREME START™	STANDARD STANDARD ESTANDAR	GAP ENCARTMENT ESPACIO
GENERAC/GUARDIAN (Cont'd)				GILLETTE (Cont'd)			
RV Generators				Portable Generators (Cont'd)			
36G plus II, 40G, 50G (Gasoline) ...	XST3924	3924	.030	w/Honda 20 h.p. (V-Twin)	XST4265	4265 ⁸²⁴⁸	.030
36LP plus II, 50LP (LPG)	XST3924	3924	.020	w/Kohler 20 & 25 h.p. (V-Twin)	XST3924	3924	.030
55G, 70G (Gasoline) w/Generac OHVI V-Twin	XST3924	3924	.030	w/Robin Eng.	AP425 ⁸²⁴⁹	425	.025
55LP, 70LP (LPG) w/Generac OHVI V-Twin	XST3924	3924	.020	Standby Generators			
QP40G, QP45G, QP55G, QP65G, QP75G, PP50G	XST3924	3924	.020	w/B&S Vanguard Eng. (LPG & Natural Gas)	XST3926	3926	.020
QP40LP, QP55LP, QP65LP, QP75LP, PP50LP (LPG)	XST3924	3924	.020	w/Ford 1.1L Eng. (LPG & Natural Gas)	XS63 ⁸²⁵²	4263 ⁸²⁴⁸	.035
Standby Generators				w/GM 3.0L Eng. (LPG & Natural Gas)	XP103 ⁸²⁵⁰	103	.035
04389 w/Generac 14.5 h.p. Eng. (LPG & Natural Gas)	XST3924	3924	.030	w/GM 4.3L Eng. (LPG & Natural Gas)	XP104 ⁸²⁵⁰	104	.040
4916, 04390, 04456 (LPG & Natural Gas)	XST3924	3924	.020	w/GM 5.7L Eng. (LPG & Natural Gas)	XP104 ⁸²⁵⁰	104	.040
04721, 04723, 04725 (LPG & Natural Gas)	XP64 ⁸²⁵⁰	64	.025	w/GM 8.1L Eng. (LPG & Natural Gas)	XP5245 ⁸²⁵⁰	5245	.040
4917, 4988 (LPG & Natural Gas)	XP104 ⁸²⁵⁰	104	.040	w/Honda Eng. OHV (Gasoline)	XST4265	4265 ⁸²⁴⁸	.030
5012, 04992 (LPG & Natural Gas) ..	AP5224 ⁸²⁴⁹	5224	.040	w/Honda Eng. OHV (LPG & Natural Gas)	XST4265	4265 ⁸²⁴⁸	.020
5028, 5030, 5031, 5053, 5054, 5040 005882-0, 005883-0, 005884-0 (LPG & Natural Gas)	AP766 ⁸²⁴⁹	766	.034	GLOBE LIGHT			
w/Chrysler 3.9L Eng.	AP5224 ⁸²⁴⁹	5224	.040	All Models	----	3076	.025
w/Fiat 1.6L Eng.	XS63 ⁸²⁵²	4263 ⁸²⁴⁸	.030	GOODALL			
w/Ford 2.5L Eng.	AP766 ⁸²⁴⁹	766	.034	Powerlite 2000	XST255	255	.025
w/Ford Eng.	XP104 ⁸²⁵⁰	104	.040	Powerlite 3000 w/B&S Eng.	XST458	458	.030
w/Generac OHV & V-Twin Eng.	XST3924	3924	.020	Powerlite 3000 w/Tecumseh Eng. ...	XST458	295	.025
w/Generac 1.0 & 1.2L Eng.	XS63 ⁸²⁵²	4263 ⁸²⁴⁸	.035	Powerlite 4000 w/All Eng. (exc. Tecumseh)	XST458	458	.030
w/GMC 153 cid (2.5L) Eng.	AP404 ⁸²⁴⁹	404	.025	Powerlite 4000 w/Tecumseh Eng. ...	XST458	295	.025
w/GMC 5.7L & 7.4L Eng.	XP25 ⁸²⁵⁰	25	.035	Start-All 100, 300, 705	XST458	458	.030
w/Mitsubishi 1.5L OHC Eng.	XP64 ⁸²⁵⁰	64	.025	Start-All w/B&S Eng.	XST458	458	.030
w/Nissan 1.2L Eng.	XST4265	4265 ⁸²⁴⁸	.035	Start-All 708 w/Kohler Eng.	XST458	458	.030
w/Opel 1000 & 1100cc Eng.	----	4123 ⁸²⁴⁸	.025	Start-All 708 w/Tecumseh Eng.	XST458	295	.025
GENERAL				Start-All 712			
w/Kawasaki Eng.	XST255	255	.025	Start-All 716	----	216	.025
GEN-E-MOTOR (See Pioneer)				Start-All 716			
GEN-PRO				w/B&S Eng.			
GP-30, GP-50, GP-50E	XST3926	3926	.025	w/Kohler Eng.	XST458	458	.030
GP-40, GP-40E, GP-48, GP-48E ...	XST255	255	.025	w/Tec. Eng.	XST458	295	.025
GP-45, GP-45E, GP-60, GP-60E ...	XST458	458	.030	GRASS WAND			
GP-60, GP-60E	XST255	255	.025	500A	XST255	255	.025
GP-75E, GP-90E, GP105E	XST3926	3926	.025	GRAY			
GP-98E w/B&S 18 h.p. (Twin)	XST458	458	.030	All Models	XST458	295	.025
GP-110E w/Kohler 20 h.p. (Twin) ...	XP26 ⁸²⁵⁰	26	.025	GROBAN			
GP-150E, GP200E	XS63 ⁸²⁵²	4263 ⁸²⁴⁸	.035	w/B&S 5, 8 & 11 h.p.	XST458	458	.030
GP-28H, GP-45H, GP-60H, GP-70EH	XST4265	4265 ⁸²⁴⁸	.030	w/B&S 18 h.p. (Twin)	XST458	458	.030
GP2-30H, GP2-40H w/Honda 8 h.p. .	XST4265	4265 ⁸²⁴⁸	.030	w/B&S 16 & 18 h.p. Vanguard (V-Twin)	XST3926	3926	.030
GP2-50, GP2-50E w/B&S Vanguard (V-Twin)	XST3926	3926	.030	w/Ford 1.1L Eng.	XP103 ⁸²⁵⁰	103	.035
GP2-65H, GP2-65EH w/Honda 11 h.p.	XST4265	4265 ⁸²⁴⁸	.030	w/Ford 300 cid Eng.	AP124 ⁸²⁴⁹	124	.030
GP2-90E w/B&S Vanguard	XST3926	3926	.030	w/Ford 460 cid Eng.	XP24 ⁸²⁵⁰	24	.035
GILLETTE				w/Honda 5, 8, 11 & 13 h.p. OHV ...	XST4265	4265 ⁸²⁴⁸	.030
Portable Generators				w/Honda 18 & 20 (V-Twin)	XST4265	4265 ⁸²⁴⁸	.030
w/B&S 5, 8 & 11 h.p.	XST458	458	.030	HAWK POWER			
w/B&S 5.5 & 9 h.p. Vanguard	XST3924	3924	.030	Generators			
w/B&S Vanguard (V-Twin)	XST3926	3926	.030	HPA1300, HPA1800, HPA2900	XST4265	4265 ⁸²⁴⁸	.030
w/GM 4.3L Eng.	XP104 ⁸²⁵⁰	104	.040	HPE1800, HPE2900, HPE3800, HPE4000	XST4265	4265 ⁸²⁴⁸	.030
w/Honda 5.5, 8, 9, 11 & 13 h.p.	XST4265	4265 ⁸²⁴⁸	.030				



Se Section 9 pour les remarques en français en bas de page. Ver Sección 9 para las páginas de notas de pie de página en español. ⁸²⁴⁸ Tapered electrode design ⁸²⁴⁹ Single Platinum ⁸²⁵⁰ Xtreme Performance ⁸²⁵² Xtreme Sport

Small Engine - Generators

	XTREME START™	STANDARD STANDARD ESTANDAR	GAP ENCARTMENT ESPACIO		XTREME START™	STANDARD STANDARD ESTANDAR	GAP ENCARTMENT ESPACIO
HAWK POWER (Cont'd)				HONDA			
Generators (Cont'd)				E600, E800A, E900 --- 4194 ⁸²⁴⁸ .025			
HP E4800, HPE5800, HP6700	XST4265	4265 ⁸²⁴⁸	.030	E1000, ED1000, ED1000A AP425 ⁸²⁴⁹ 425 .025			
Welders				E1500, E1500K1, E1500K2, E1500K3 AP425 ⁸²⁴⁹ 425 .025			
HPW150, HPW200	XST4265	4265 ⁸²⁴⁸	.030	E1500K4, EG1500, EG1500K4, ER1500 AP425 ⁸²⁴⁹ 425 .025			
HEARTH				E2000 XS4093 ⁸²⁵² 4093 ⁸²⁴⁸ .025			
All Models	XST458	295	.025	E2500, E2500K1, E2500K2, E2500K3 AP425 ⁸²⁴⁹ 425 .025			
HOBART				E2500K4, E3500, E3500K1, E3500K2 AP425 ⁸²⁴⁹ 425 .025			
Portable Generators				EB5000X, EB5000XK1 XST4265 4265 ⁸²⁴⁸ .025			
w/Chrysler H170, HT413 Engs.	AP404 ⁸²⁴⁹	404	.025	EB2200X, EM2200X XS63 ⁸²⁵² 4263 ⁸²⁴⁸ .025			
w/Chrysler H225 Thru 1974	AP404 ⁸²⁴⁹	404	.025	EB2500XK1A, EG2500XK1A XST4265 4265 ⁸²⁴⁸ .025			
w/Chrysler H225 1975 & Up	XP24 ⁸²⁵⁰	24	.025	EB3000, EB4000 AP425 ⁸²⁴⁹ 425 .025			
w/Chrysler HB361 Engs.	XS85 ⁸²⁵²	4275 ⁸²⁴⁸	.025	EB3000C, EB3000cKAG XST4265 4265 ⁸²⁴⁸ .025			
w/Chrysler HB383 Engs.	----	4056 ⁸²⁴⁸	.025	EB3500X, EB3500XK1, EB3500XK1A, EB3800, EB3800XA XST4265 4265 ⁸²⁴⁸ .025			
w/Chrysler Ind. 30, 32 Engs.	XST258	308	.025	EB5000XK1, EB5000, EB5000i, EB5000XK1A, EB5000XK2A, EB6500 XST4265 4265 ⁸²⁴⁸ .025			
w/Ford 170 cid Engs.	AP45 ⁸²⁴⁹	45	.025	EB6500SX, EB6500SXA, EB6500XA, EB7000i, EB11000, EB11000K1A XST4265 4265 ⁸²⁴⁸ .025			
w/Ford 200 cid Engs.	AP124 ⁸²⁴⁹	124	.025	EC1500, EG1500K3 AP425 ⁸²⁴⁹ 425 .025			
w/IHC UV-549 Engs.	XST254	303	.030	EG650, EM650, EX650, EX1000 ... XST258 258 .025			
w/Kohler 20 h.p. (V-Twin)	XST3924	3924	.030	EG1000, EG1000A AP425 ⁸²⁴⁹ 425 .025			
w/Onan 20 h.p. (Twin)	AP106 ⁸²⁴⁹	106	.025	EG1400X, EG1400XK1 XST4265 4265 ⁸²⁴⁸ .025			
w/Willys Engs.	XST458	295	.025	EG1400Z, EG2200X, EG3500XK1A AP425 ⁸²⁴⁹ 425 .025			
w/Wisc. THD, VF-4, JD Engs.	----	386	.025	EG2200X, EX2200 XS63 ⁸²⁵² 4263 ⁸²⁴⁸ .025			
Generator/Welders				EG2500, EG2500XK1, EG2500XK1A XST4265 4265 ⁸²⁴⁸ .025			
Champion 4500	XST3924	3924	.030	EG3500, EG3500XK1, EG3500XK1A XST4265 4265 ⁸²⁴⁸ .025			
Champion 10,000	XST3924	3924	.040	EG5000, EG5000XK1, EG5000XK1A XST4265 4265 ⁸²⁴⁸ .025			
HOME-GARD				EL5000, EV4000 --- 4123 ⁸²⁴⁸ .025			
w/B&S 8 & 11 h.p.	XST458	458	.025	EM500, EM500K1, EM600 XST2976 2976 .025			
w/Kawasaki 3.1 & 5.2 h.p.	XST255	255	.025	EM1600 AP425 ⁸²⁴⁹ 425 .025			
HOMELITE				EM1800, EM2200, EM3000 --- 275 .025			
176R142A	----	4123 ⁸²⁴⁸	.025	EM1600X, EM1800X XS63 ⁸²⁵² 4263 ⁸²⁴⁸ .025			
176BI40A	XST458	458	.030	EM1800XK1, EM1800XK1A, EM2500XK1A XST4265 4265 ⁸²⁴⁸ .025			
178V152	XST3926	3926	.030	EM3000C, EM3000cKAG, EM3500X, EM3800S, EM3800SXA XST4265 4265 ⁸²⁴⁸ .025			
178HI48, 180HIE63, CG5200	XST4265	4265 ⁸²⁴⁸	.030	EM3500SXX1A, ES3500 AP425 ⁸²⁴⁹ 425 .025			
180R162, 180RIE62	AP425 ⁸²⁴⁹	425	.025	EM4000, EMS4000 --- 275 .025			
190HY50	XST458	458	.030	EM5000iS, EM5000S, EM5000SXX1, EM5000SXX1A, EM5000SXX2A XST4265 4265 ⁸²⁴⁸ .025			
CG4800/178H148, CG6300/180H163	XST4265	4265 ⁸²⁴⁸	.030	EM5000iSAB, EM5000X, EM6000GPA, EM6500S XST4265 4265 ⁸²⁴⁸ .025			
CGE6300/180H1E63, CHY5000/190HHY50	XST4265	4265 ⁸²⁴⁸	.030	EM6500SXX1A, EM7000iS, EM7000iSAB XST4265 4265 ⁸²⁴⁸ .025			
EH2500HD, EH4400HD, EHE4400HD	XST458	458	.030	EM6000GP (LPG) XST4265 4265 ⁸²⁴⁸ .020			
EH5500HD, EHE5500HD, EHRL4400HD	XST458	458	.030	EMS4500, ES4500, ES4500K1 --- 275 .025			
HG50-1400, HG50-2000, HG50-2500	AP425 ⁸²⁴⁹	425	.025	EN2500 w/Honda 5 h.p. OHV XST4265 4265 ⁸²⁴⁸ .025			
HG600	XST2976	2976	.025	EN2500AL w/Honda 5 h.p. OHC XS63 ⁸²⁵² 4263 ⁸²⁴⁸ .030			
HG3500, HGE3500, HL2500, HL4400	XST458	458	.025	EP2500CX XST4265 4265 ⁸²⁴⁸ .025			
HLE4400, LR2500, LR4400, LRE4400	XST458	458	.030	ES3500K1, ES3500K2, ES6500, ES6500K1, ES6500K2, ES6500K2A --- 275 .025			
LR5500, LRE5500, LRI2500, LRI4400	XST458	458	.030	EU1000iA2, EX700c --- 4194 ⁸²⁴⁸ .030			
LRIE4400, LRI5500, LRE5500, LRIE5500	XST458	458	.030	EU2000i, EU2000iA, EU3000i, EU3000iS XST4265 4265 ⁸²⁴⁸ .025			
w/B&S 5, 7, 8, 10 & 11 h.p.	XST458	458	.030	EU3000iSA, EU6500iSA XST4265 4265 ⁸²⁴⁸ .025			
w/B&S 9 h.p. Vanguard	XST3924	3924	.030				
w/Homelite Engs.	XST254	303	.025				
w/Robin 7.6 h.p.	----	4123 ⁸²⁴⁸	.025				
w/Robin 11 h.p.	AP425 ⁸²⁴⁹	425	.025				
w/Tec. 10 h.p.	XST458	458	.030				
w/18mm Heads	----	386	.025				



Se Section 9 pour les remarques en français en bas de page. Ver Section 9 para las páginas de notas de pie de página en español. ⁸²⁴⁸ Tapered electrode design ⁸²⁴⁹ Single Platinum ⁸²⁵⁰ Xtreme Performance ⁸²⁵² Xtreme Sport

Small Engine - Generators

	XTREME START™	STANDARD STANDARD ESTANDAR	GAP ENCARTMENT ESPACIO		XTREME START™	STANDARD STANDARD ESTANDAR	GAP ENCARTMENT ESPACIO
HONDA (Cont'd)				JIANDONG (Cont'd)			
EV4010, EVD4010, E4500, E4500K1 ---- 275 .025				Tradition Series (Cont'd)			
EV6010, EX800 ---- 275 .025				JD3000/E w/6.5 h.p. Jiandong Engs. XS63 ⁸²⁵² 4263 ⁸²⁴⁸ .030			
EW140, EW171K1, EW171K1AD8 .. XST4265 4265 ⁸²⁴⁸ .025				JD6500/E w/13 h.p. Jiandong Engs. XS63 ⁸²⁵² 4263 ⁸²⁴⁸ .030			
EX350 XST255 255 .025				Vc Series			
EX700c ---- 4194 ⁸²⁴⁸ .030				JD2000-Vc w/5.5 h.p. Jiandong Engs. XS63 ⁸²⁵² 4263 ⁸²⁴⁸ .030			
EX3300S, EX3300SK1, EM3500SXX1 XST4265 4265 ⁸²⁴⁸ .025				JOHN DEERE			
EX4500S, EX4500SK1A, EX4500SXX1, EX4500SXX1A ... XST4265 4265 ⁸²⁴⁸ .025				Compressortors			
EX5500, EX5500K1, EX5500K2, EX5500K2A ---- 275 .025				AC1-CG16H, AC2-CG35H-P XST4265 4265 ⁸²⁴⁸ .030			
EZ1400A w/Honda 4 h.p. OHV XST4265 4265 ⁸²⁴⁸ .030				Generators			
EZ2500A w/Honda 5.5 h.p. OHV XST4265 4265 ⁸²⁴⁸ .030				1750W, 3000W, 4000W XST458 295 .025			
EZ3500A w/Honda 8 h.p. OHV XST4265 4265 ⁸²⁴⁸ .030				5000W XS4093 ⁸²⁵² 4093 ⁸²⁴⁸ .025			
EZ5000A w/Honda 11 h.p. OHV XST4265 4265 ⁸²⁴⁸ .030				225, 325, 375, 500, 550, 650 XST255 255 .025			
w/Honda Mini 4-Stroke OHC Engs. .. ---- 4194 ⁸²⁴⁸ .030				250G, 440G, 550GE XST458 458 .025			
w/Honda OHC Engs. XST4265 4265 ⁸²⁴⁸ .030				750, 1000, 1400, 1800 XST255 255 .025			
w/Honda OHV Engs. XST4265 4265 ⁸²⁴⁸ .030				AC-G2500S, AC-G4000S, AC-G5000S XS4093 ⁸²⁵² 4093 ⁸²⁴⁸ .025			
HONEYWELL				AC-G3000H, AC-3010H, AC-G4000H, AC-G6000H XST4265 4265 ⁸²⁴⁸ .030			
Portable Generators				AC-6000H-E, AC0601H, AC-G7500H, AC-G7500H-E, AC-7510H XST4265 4265 ⁸²⁴⁸ .030			
HW1000i ---- 4194 ⁸²⁴⁸ .025				AC-7510H-E, AC-G12000H, AC-12010H, AC-G13010S XST4265 4265 ⁸²⁴⁸ .030			
HW2000i ---- 4194 ⁸²⁴⁸ .025				AC-G3200i, AC-4010S, AC-G4300i . XS4093 ⁸²⁵² 4093 ⁸²⁴⁸ .025			
HW3000, HW3000L XS63 ⁸²⁵² 63 .030				AC-G6000S, AC-G6000S-E, AC-G6010S, AC-6010S-E, AC-G8000S XS63 ⁸²⁵² 4263 .025			
HW4000, HW4000L XS63 ⁸²⁵² 63 .030				AC-G8000S-E, AC-8010S, AC-8010S-E, AC-G12000S XS63 ⁸²⁵² 4263 .025			
HW5500, HW5500E, HW5500EL, HW5500L XS63 ⁸²⁵² 63 .030				DP6000 XST3924 3924 .030			
HW6200, HW6200L XS63 ⁸²⁵² 63 .030				G2500K, G4400K, G5500K, G5500KE XST4265 4265 ⁸²⁴⁸ .030			
HW7000EH XS63 ⁸²⁵² 63 .030				HR-G1100, HR-1700i XST258 258 .025			
HW7500E, HW7500EL XS63 ⁸²⁵² 63 .030				KATOLIGHT			
HUSQVARNA				One-cyl. Air Cooled D.C. XST458 295 .025			
w/B&S 14.5 h.p. Intek XST3924 3924 .030				Two-cyl. Water Cooled D.C. ---- 216 .025			
w/Honda 9 & 13 h.p. OHV XST4265 4265 ⁸²⁴⁸ .030				Four-cyl. Water Cooled D.C. ---- 386 .025			
w/Mitsubishi 4 h.p. OHV XST4265 4265 ⁸²⁴⁸ .030				A.C. Plants w/Wisconsin Engs. ---- 386 .025			
JACKSON				w/B&S Engs. XST458 458 .025			
All Models ---- 386 .030				w/Chrysler Ind. 24 ---- 4056 ⁸²⁴⁸ .025			
JIANDONG				w/Chrysler Ind. 32 XST254 303 .025			
Angel Series				w/Cont. F-162, M330, Y69, Y112 ---- 386 .025			
JD2000-ANGEL, JD2500-ANGEL w/5.5 h.p. Jiandong Engs. XS63 ⁸²⁵² 4263 ⁸²⁴⁸ .030				w/IHC U-450 XST254 303 .025			
JD3000-ANGEL w/6.5 h.p. Jiandong Engs. XS63 ⁸²⁵² 4263 ⁸²⁴⁸ .030				KAWASAKI			
JD6500-ANGEL w/13 h.p. Jiandong Engs. XS63 ⁸²⁵² 4263 ⁸²⁴⁸ .030				GA550A1, GD700A1, GD700AS1 ... XST255 255 .025			
Dual Voltage				Ninja 700, Ninja 700AS XST255 255 .025			
JD2000BST, JD2500BST w/5.5 h.p. Jiandong Engs. XS63 ⁸²⁵² 4263 ⁸²⁴⁸ .030				GA1000A1, GA1400A1 XST458 295 .025			
JD3000BST w/6.5 h.p. Jiandong Engs. XS63 ⁸²⁵² 4263 ⁸²⁴⁸ .030				GA1800A1, GA2300A ---- 275 .025			
JD6500BST w/13 h.p. Jiandong Engs. XS63 ⁸²⁵² 4263 ⁸²⁴⁸ .030				GA2800A, GA3200A ---- 275 .025			
F Series				GD550, GD700A, AS XST255 255 .025			
JD2000BSTF, JD2500BSTF w/5.5 h.p. Jiandong Engs. XS63 ⁸²⁵² 4263 ⁸²⁴⁸ .030				GE2200A, GE2900A (OHV) XST4265 4265 ⁸²⁴⁸ .025			
JD3000BSTF w/6.5 h.p. Jiandong Engs. XS63 ⁸²⁵² 4263 ⁸²⁴⁸ .030				GE4000, GE4300A, GE4500A (OHV) XST4265 4265 ⁸²⁴⁸ .025			
JD6500BSTF w/13 h.p. Jiandong Engs. XS63 ⁸²⁵² 4263 ⁸²⁴⁸ .030				GE5000AS (OHV) XST4265 4265 ⁸²⁴⁸ .025			
Tradition Series				KG500, KG600, KG700, KG750 AP425 ⁸²⁴⁹ 425 .025			
JD2000/E, JD2500/E w/5.5 h.p. Jiandong Engs. XS63 ⁸²⁵² 4263 ⁸²⁴⁸ .030				KG750B1, KG900, KG1000, KG1100 XST458 295 .025			
				KG1300 ---- 275 .025			
				KG1500, KG1600 AP425 ⁸²⁴⁹ 425 .025			
				KG2300, KG2600, KG2900 XST458 295 .025			
				KG4000A51, KG5000A53 AP425 ⁸²⁴⁹ 425 .025			



Se Section 9 pour les remarques en français en bas de page. Ver Seccion 9 para las páginas de notas de pie de página en español. ⁸²⁴⁸ Tapered electrode design ⁸²⁴⁹ Single Platinum ⁸²⁵² Xtreme Sport

Small Engine - Generators

	XTREME START™	STANDARD ESTANDAR	GAP ENCARTMENT ESPACIO		XTREME START™	STANDARD ESTANDAR	GAP ENCARTMENT ESPACIO
KAWASAKI (Cont'd)				KOHLER (Cont'd)			
PP4000, PP6000 (OHV) XST4265 4265 ⁸²⁴⁸ .025				Portable Generators (Cont'd)			
KINGSTON				10CCE, 10CEZ, 10CEFZ w/Ford 1.3L Eng. (LPG) XP103 ⁸²⁵⁰ 103 .025			
King Aurora XST258 308 .025				12CCE, 12CEZ, 12CEFZ w/Ford 1.3L Eng. (Gasoline) XP103 ⁸²⁵⁰ 103 .035			
KIPOR				12CCE, 12CEZ, 12CEFZ w/Ford 1.3L Eng. (LPG) XP103 ⁸²⁵⁰ 103 .025			
Inverters				18RY, 18RZ w/Ford 2.5L Eng. (LPG/ Natural Gas) XP104 ⁸²⁵⁰ 104 .035			
IG1000, IG2000, IG2000p, IG2000s . ---- 4194 ⁸²⁴⁸ .030				20RZ w/Ford 2.5L Eng. (Gasoline) . XP104 ⁸²⁵⁰ 104 .035			
IG3000, KGE3000Ti XST4265 4265 ⁸²⁴⁸ .030				20RZ w/Ford 2.5L Eng. (LPG/ Natural Gas) XP104 ⁸²⁵⁰ 104 .025			
IG6000, IG6000h, KGE6000Ti, KGE6000THi XST4265 4265 ⁸²⁴⁸ .030				30RZG, 35RZG, 45RZG w/GM 4.3L Eng. (LPG/Natural Gas) XP104 ⁸²⁵⁰ 104 .040			
Generators				50RZGB w/GM 5.0L Eng. (LPG/ Natural Gas) XP104 ⁸²⁵⁰ 104 .040			
IG3000E XST4265 4265 ⁸²⁴⁸ .030				60RZG w/GM 5.7L Eng. (LPG/ Natural Gas) XP104 ⁸²⁵⁰ 104 .040			
KGE2400X, KG5500E XS63 ⁸²⁵² 4263 ⁸²⁴⁸ .030				80RZG, 100RZG w/GM 8.1L Eng. (LPG/Natural Gas) XP5245 ⁸²⁵⁰ 5245 .040			
KODIAK				125RZG w/GM 8.1L Turbo Eng. (LPG/Natural Gas) ---- 5243 .040			
w/Honda 4, 5, 5.5, 8, 9, 11 & 13 h.p. OHV XST4265 4265 ⁸²⁴⁸ .030				75R81, 50KW, 100KW (Gasoline) ... ---- 386 .025			
w/Honda 20 h.p. OHV (V-Twin) XST4265 4265 ⁸²⁴⁸ .030				COM-6 w/Kohler 20 h.p. V-Twin (LPG/Natural Gas) XST3924 3924 .020			
w/Mitsubishi 4 h.p. OHV XST4265 4265 ⁸²⁴⁸ .030				KT17, KT19, KT21 XP25 ⁸²⁵⁰ 25 .025			
KOHLER				L160, L161, 5KW-L160 XST458 295 .025			
Portable Generators				L654 XST458 295 .025			
350 Watt w/K7 Eng. XST258 308 .025				S, D, 1KW w/D Eng. 18mm Heads . ---- 386 .025			
500 Watt K90, K91, 1KW-K160 XST458 295 .025				w/Daihatsu FE Eng. AP404 ⁸²⁴⁹ 404 .025			
750 Watt w/K12 Eng. XST258 308 .025				w/Wisc. VH4D Eng. ---- 386 .025			
800 Watt w/B&S Eng. 14mm Heads XST458 458 .025				Marine Generators			
800 Watt w/B&S Eng. 18mm Heads ---- 386 .025				3.5CFZ, 3.5EFZ, 4CZ & 4ESZ w/ Honda 13 h.p.(Liquid) ---- 4123 ⁸²⁴⁸ .025			
800 Watt w/B&S Eng. (For Fouling) ---- 386 .025				5CFZ, 5EFZ, 6.5CZ & 6.5ESZ w/ Honda 13 h.p.(Liquid) ---- 4123 ⁸²⁴⁸ .025			
1.5KW-K90, K91, K330, K331 XST458 295 .025				4EF, 4EFCD, 5E & 5ECD w/Kawasaki 16 h.p. (Liquid V-Twin) XST258 258 .025			
1.5KW MM25, 3KW 3MM25 XST458 295 .025				6EF, 6EFCD, 7.3E & 7.3ECD w/ Kawasaki 16 h.p. (Liquid V-Twin) .. XST258 258 .025			
2KW, 3.5KW, 5KW-L600 Eng. XST258 308 .025				8C, 8E, 10E & 12.5E w/Ford 1.3L Eng. XP103 ⁸²⁵⁰ 103 .035			
2KW-K241, 4KW-4CM21 ---- 216 .025				10EG, 13EG & 15EG w/Ford 1.6L Eng. XS63 ⁸²⁵² 63 .035			
2.5KW-K160, K161, K181 XST458 295 .025				12.5CF, 15C w/Ford 2.5L Eng. XP104 ⁸²⁵⁰ 104 .035			
3.5KW-K331, K660 XST458 295 .025				16CF, 17.5CF, 20C w/Ford 2.5L Eng. XP104 ⁸²⁵⁰ 104 .035			
5KW-5CMK21 ---- 216 .025				Standby Generators			
5KW-K662, 6.5KW-K662 XST258 308 .025				8.5RES w/Kohler 20 h.p. V-Twin (LPG/Natural Gas) XST3924 3924 .020			
5KW & 10KW w/FC Eng. 18mm Heads ---- 386 .030				12RES w/Kohler 27 h.p. V-Twin (LPG/ Natural Gas) XST3924 3924 .020			
10KW w/Waukesha 180GLB Eng. . ---- 386 .025				15RZY w/GM 1.6L OHC Eng. (LPG/ Natural Gas) XST3924 3924 .035			
15KW w/Waukesha 185GLB Eng. . ---- 386 .025				8.5RMY w/Kohler 20 h.p. V-Twin (LPG/Natural Gas) XST3924 3924 .020			
35KW w/Waukesha 195GL Eng. ---- 386 .030				11RMY w/Kohler 25 h.p. V-Twin (LPG/Natural Gas) XST3924 3924 .020			
50KW, 100KW Natural Gas ---- 373 .017				17RY w/Ford 1.3L Eng. (LPG/ Natural Gas) XP103 ⁸²⁵⁰ 103 .025			
1.75MBFM, 2.25MBFM25, 2.25MBFM45 XST255 255 .025				22RY w/Ford 1.3L Eng. (LPG/ Natural Gas) XP103 ⁸²⁵⁰ 103 .025			
1.75MBM25, 2.25MBM25, 175MFM . XST458 295 .025				25RZGB, 30RZGB w/GM 3.0L Eng. (LPG/Natural Gas) XP103 ⁸²⁵⁰ 103 .035			
25R81, 25KW (Gasoline) XST254 303 .025				30RYG w/GM 1.6L OHC Eng. (LPG/ Natural Gas) XST3924 3924 .035			
25R81, 25KW (LPG) XST254 303 .017							
3.5MBFM45, 3.5MBFM65, 3.5MBM25 XST255 255 .025							
3.5MBM65, 5MBM25, 5MBM65 XST255 255 .025							
3.5MM25, 2.5MV55, K161 XST458 295 .025							
3.5MM65, 3MMV55 XST458 295 .025							
3A-27 ---- 2243 .025							
4A-23, 7.5A-23 XST458 295 .025							
4EFRKM, 5ERKM w/Kohler 12 h.p. OHV XST4265 4265 ⁸²⁴⁸ .040							
5MFM45, 3.5MFM65, 1.75MM25 ... XST458 295 .025							
5MM25, 5MM65 ---- 216 .025							
6EFR, 7ER w/Kawasaki 16 h.p. (Liquid V-Twin) XST258 258 .025							
10CCE, 10CEZ, 10CEFZ w/Ford 1.3L Eng. (Gasoline) XP103 ⁸²⁵⁰ 103 .035							



Se Section 9 pour les remarques en français en bas de page. Ver Section 9 para las páginas de notas de pie de página en español. ⁸²⁴⁸ Tapered electrode design ⁸²⁴⁹ Single Platinum ⁸²⁵⁰ Xtreme Performance ⁸²⁵² Xtreme Sport

Small Engine - Generators

	XTREME START™	STANDARD STANDARD ESTANDAR	GAP ENCARTMENT ESPACIO		XTREME START™	STANDARD STANDARD ESTANDAR	GAP ENCARTMENT ESPACIO
KOHLER (Cont'd)				LIFAN (Cont'd)			
Standby Generators (Cont'd)				Generators (Cont'd)			
30RZG, 35RZG, 45RZG w/GM 4.3L Engs. (LPG/Natural Gas)	XP104 ⁸²⁵⁰	104	.040	5GF-3, 5GF-4, 5GF-5	XST4055	4055 ⁸²⁴⁸	.030
50RZGB w/GM 5.0L Engs. (LPG/Natural Gas)	XP104 ⁸²⁵⁰	104	.040	5GF-Y	XST4055	4055 ⁸²⁴⁸	.030
60RZG w/GM 5.7L Engs. (LPG/Natural Gas)	XP104 ⁸²⁵⁰	104	.040	LF1200-A	XST2974	2974	.030
80RZG, 100RZG, 125RZG, 150RZGB w/GM 8.1L Engs. (LPG/Natural Gas)	XP5245 ⁸²⁵⁰	5245	.040	Generator/Welders			
				AXQ1-190	XST4055	4055 ⁸²⁴⁸	.030
KUBOTA				LINCOLN ELECTRIC			
450	XST258	258	.025	w/B&S 8 h.p.	XST458	458	.030
A650, A1000, A1400, A2200	----	275	.025	LITTLE WONDER			
A3000, A3500, A5000	----	275	.025	w/B&S Engs.	XST255	255	.030
AE2200, AE3500, AE4500, AE6500 ..	----	275	.025	w/Kioritz Engs.	XST255	255	.025
ARX2500, ARX4000	----	4123 ⁸²⁴⁸	.025	w/Kohler Engs.	XST458	295	.025
ARX5500, ARX5500B, ARX6500B ..	----	275	.025	w/Tecumseh Engs.	XST458	456	.030
AV1600, AV2500, AV3800	----	4123 ⁸²⁴⁸	.025	LUCK-E-LITE			
AV4500, AV5500B, AV6500B	----	4123 ⁸²⁴⁸	.025	All Models	----	3076	.025
LALLEY-LIGHT				LUCOLITE			
Generators				Generators			
All Models	----	3095	.025	All Models	----	3076	.025
LAUNTOP				MAKITA			
Portable Generators				Generators			
LT1200C, LT1200CL	----	275	.030	G1200R, G2400R, G3500R	AP425 ⁸²⁴⁹	425	.030
LT1800C, LT2500C, LT3000C,	----	63	.030	G2410R, G3510R, G3511R	AP425 ⁸²⁴⁹	425	.030
LT3800C, LT5000C, LT6500C	XS63 ⁸²⁵²	63	.030	G3501R, G5500R, G5501R	----	275	.030
LT2500CL, LT3000CL, LT3800CL,	XS63 ⁸²⁵²	63	.030	G3510R, G3511R	AP425 ⁸²⁴⁹	425	.030
LT5000CL, LT6500CL	XS63 ⁸²⁵²	63	.030	G5710R, G5711R	XST4055	4055 ⁸²⁴⁸	.030
Generator/Welders				MALL			
LTW200A	XS63 ⁸²⁵²	63	.030	w/14mm Heads	XST254	303	.025
				w/18mm Heads	----	386	.025
LEAR				MASE			
w/McCulloch Engs.	XST2956	2956	.025	SX 2200 w/Robin 6 h.p.	----	4123 ⁸²⁴⁸	.025
w/Roper Engs.	XST254	254	.025	MASTER			
LED-O-LITE				Generators			
D1	----	3095	.025	LTG235	XST458	295	.025
D2 (2-Cycle)	----	3076	.025	MG1500, MG2000, MG3000,			
D2 (4-Cycle)	----	3095	.025	MG4000	XST458	295	.025
D3, D3A	----	3076	.025	MGH3000, MGH3000PR, MGH4000,			
D4 (2-Cycle) Slow	----	3095	.025	MGH4000BI	XST4265	4265 ⁸²⁴⁸	.030
D4 (2-Cycle) High	----	3076	.025	MGH4000C, MGH4000CI,			
D4 (4-Cycle)	----	3076	.025	MGH5000, MGH5000BI	XST4265	4265 ⁸²⁴⁸	.030
D5 (2-Cycle)	----	388	.025	MGH5000D, MGH5000DI,			
D5 (4-Cycle)	----	3076	.025	MGH5000DIE, MGH5000-TRI	XST4265	4265 ⁸²⁴⁸	.030
D6	----	386	.025	MGH6000, MGH6000BI,			
WG	----	388	.025	MGH6000D, MGH6000DI,			
Engs. w/18mm Heads	----	386	.025	MGH7000	XST4265	4265 ⁸²⁴⁸	.030
Engs. w/7/8"-18 Heads	----	3076	.025	MGH7000BI, MGH7000D,			
Engs. w/1/2"-14 Pipe Heads	----	3095	.025	MGH7000DI, MGH10000,			
LIFAN				MATTHEWS			
Generators				Generators			
1.3GF-1, 1.3GF-3, 1.5GF-3	XST4055	4055 ⁸²⁴⁸	.030	w/18mm Heads	----	388	.025
1.8GF-K	XST4055	4055 ⁸²⁴⁸	.030	w/7/8"-18 Heads	----	3076	.025
1.8GF-T	XST4055	4055 ⁸²⁴⁸	.030	w/Honda 5, 5.5, 8, 9, 11, & 13 h.p. ...	XST4265	4265 ⁸²⁴⁸	.030
2.8GF-3, 2.8GF-4	XST4055	4055 ⁸²⁴⁸	.030	w/Honda 20 h.p. (V-Twin)	XST4265	4265 ⁸²⁴⁸	.030
2GF-1, 2GF-2, 2GF-3, 2GF-4	XST4055	4055 ⁸²⁴⁸	.030				
4GF-3, 4GF-4	XST4055	4055 ⁸²⁴⁸	.030				



Se Section 9 pour les remarques en français en bas de page. Ver Sección 9 para las páginas de notas de pie de página en español. ⁸²⁴⁸ Tapered electrode design ⁸²⁴⁹ Single Platinum ⁸²⁵⁰ Xtreme Performance ⁸²⁵² Xtreme Sport

Small Engine - Generators

	XTREME START™	STANDARD STANDARD ESTANDAR	GAP ENCARTMENT ESPACIO		XTREME START™	STANDARD STANDARD ESTANDAR	GAP ENCARTMENT ESPACIO
McCULLOCH				MILLER ELECTRIC (Cont'd)			
H-1500, H-2000, H-3000	XST458	295	.025	Generator/Welders (Cont'd)			
HP-1200, HP-2000, HP-3000,				Trailblazer 302 w/ Robin 22 h.p. (V-Twin)			
HP-3500	XST458	295	.025		XS63 ⁸²⁵²	4263	.025
HP-3500 Deluxe, HP-5000, HP-5000 Deluxe	XST458	295	.025	Wildcat 200 w/Robin 14 h.p. OHC			
Mark I, II, III	XST458	295	.025		XS4093 ⁸²⁵²	4093 ⁸²⁴⁸	.025
MPP1500E, MPP2300E, MPP3500E	----	4123 ⁸²⁴⁸	.025	MITSUBISHI			
MPP600E, MPP800E	XST2976	2976	.025	MG650-D, MG1300-D, MG2000-D, MG3000-D			
Pro 1500E, 2300E, 3500E	----	4123 ⁸²⁴⁸	.025		XST255	255	.025
Pro 600E, 800E	XST2976	2976	.025	MGA1300-F02, MGA1800DX-F02, MGA2900, MGC1101			
RA120, RA150, RA200, RA330, RA330ES	XST255	255	.025		XST4265	4265 ⁸²⁴⁸	.030
w/B&S Engs.	XST458	458	.030	MGB1800, MGA2900, MGB2900, MGE2900			
All Other Models	XST255	255	.025		XST4265	4265 ⁸²⁴⁸	.030
MERC-O-TRONIC				MGB4000, MGB40001, MGB4800, MGB48001			
Lighting Alternator/Generator	XST458	295	.025		XST4265	4265 ⁸²⁴⁸	.030
MEYERLITE				MGE1800-F02, MGE2900-F02, MGE4000-R02			
All Models	----	3076	.025		XST4265	4265 ⁸²⁴⁸	.030
MIDCO				MGE4800-R02, MGE5800-R02, MGE6700-R02			
w/Lauson Engs.	XST458	458	.025		XST4265	4265 ⁸²⁴⁸	.030
w/Wisc. Engs.	----	386	.025		XST4265	4265 ⁸²⁴⁸	.030
MILCO				MGA2900X-F02, MGW150A, MGW200A			
w/B&S Engs.	XST458	458	.030		XST4265	4265 ⁸²⁴⁸	.030
MILLER ELECTRIC				MGW1500-F02, MGW1800, MGW18001, MGW200A-F02			
Generator/Welders				MOR POWER			
Blue Star 185 w/Kohler Command Pro 12 h.p.OHV	XST3924	3924	.040	Generators			
Blue Star 3500 w/Honda 9 h.p. OHV	XST4265	4265 ⁸²⁴⁸	.030	w/B&S 10 h.p. OHV			
Blue Star 3500 w/Kohler 8 h.p. Command Pro CS	XST4265	4265 ⁸²⁴⁸	.040		XST3924	3924	.030
Blue Star 6000 w/Honda 13 h.p. OHV	XST4265	4265 ⁸²⁴⁸	.030	w/Honda 11 & 13 h.p. OHV			
Blue Star 6000 w/Kohler 12 h.p. Command Pro CS	XST4265	4265 ⁸²⁴⁸	.040		XST4265	4265 ⁸²⁴⁸	.030
Bobcat 225 w/Kohler 20 h.p. V-Twin (Gasoline)	XST3924	3924	.040	w/Honda 18 h.p. (V-Twin)			
Bobcat 225 w/Kohler 20 h.p. V-Twin (LPG)	XST3924	3924	.030		XST4265	4265 ⁸²⁴⁸	.030
Bobcat 225 w/ Robin 22 h.p. (V-Twin)	XS63 ⁸²⁵²	4263	.025	w/Robin 7.5 h.p.			
Bobcat 250 w/Kohler 20 h.p. V-Twin (Gasoline)	XST3924	3924	.040		AP425 ⁸²⁴⁹	2656	.025
Bobcat 250 w/Kohler 20 h.p. V-Twin (LPG)	XST3924	3924	.030	w/Robin 9 & 11.5 h.p. OHV			
Bobcat 250 w/ Robin 22 h.p. (V-Twin)	XS63 ⁸²⁵²	4263	.025	Standby Generators			
Renegade 180 w/Kohler 10 h.p. OHV Command Pro CS	XST4265	4265 ⁸²⁴⁸	.040	w/B&S 18 h.p. Vanguard V-Twin (LPG & Natural Gas)			
Trailblazer 275 DC w/Kohler 20 h.p. V-Twin (Gasoline)	XST3924	3924	.040		XST3926	3926	.020
Trailblazer 275 DC w/Kohler 20 h.p. V-Twin (LPG)	XST3924	3924	.030	w/GM 3.0L Engs. (LPG & Natural Gas)			
Trailblazer 275 DC w/ Robin 22 h.p. (V-Twin)	XS63 ⁸²⁵²	4263	.025		XP103 ⁸²⁵⁰	103	.035
Trailblazer 302 w/Kohler 20 h.p. V-Twin (Gasoline)	XST3924	3924	.040	w/Robin 25 h.p. V-Twin (LPG & Natural Gas)			
Trailblazer 302 w/Kohler 20 h.p. V-Twin (LPG)	XST3924	3924	.030		XS63 ⁸²⁵²	4263	.020
MOTOR GENERATOR				MQ POWER			
424, 595, 596, 597, 606, 609	XST458	295	.025	Generators			
619, 620, 621	----	306	.030	w/Honda 5.5, 8, 11 & 13 h.p. OHV			
622, 623, 624, 625, 626	XST458	295	.025		XST4265	4265 ⁸²⁴⁸	.030
MTD				w/Honda 18 h.p. (V-Twin)			
w/B&S Engs.				XST458	458	.030	
w/B&S Engs. (Twin)				XST458	458	.030	
NAN-KI-VEL				w/Robin EY-25, EY-40DS Engs.			
All models				----	3076	.025	



Se Section 9 pour les remarques en français en bas de page. Ver Seccion 9 para las páginas de notas de pie de página en español. ⁸²⁴⁸ Tapered electrode design ⁸²⁴⁹ Single Platinum ⁸²⁵⁰ Xtreme Performance ⁸²⁵² Xtreme Sport

Small Engine - Generators

	XTREME START™	STANDARD STANDARD ESTANDAR	GAP ENCARTMENT ESPACIO		XTREME START™	STANDARD STANDARD ESTANDAR	GAP ENCARTMENT ESPACIO
NISSAN				PINCOR (Cont'd)			
GX1000, GX1600	XST255	255	.030	w/Wisconsin Eng.	----	386	.025
GX2600 w/Kawasaki 5.0 h.p.	AP425 ⁸²⁴⁹	425	.030	PIONEER			
GX4000 w/Kawasaki 7.5 h.p.	----	275	.030	700F, 700G Light Service	XST458	295	.025
NORTHERN PRO				700F, 700G Heavy Service	----	353	.025
w/B&S Eng.	XST458	458	.030	w/B&S Eng.	XST458	458	.030
w/B&S 8, 11 & 13 h.p. Vanguard	XST3924	3924	.030	w/B&S Eng. (Twin)	XST458	458	.030
w/B&S 16, 18 & 20 h.p. Vanguard (V-Twin)	XST3926	3926	.030	w/Wisc. Eng.	----	386	.025
w/Honda 8, 9 & 13 h.p. OHV	XST4265	4265 ⁸²⁴⁸	.030	PLUS POWER			
w/Honda 20 h.p. (V-Twin)	XST4265	4265 ⁸²⁴⁸	.030	DLG1200, DLG2000	AP425 ⁸²⁴⁹	425	.025
w/Kohler 20, 23 & 25 h.p. (V-Twin) ..	XST3924	3924	.030	DLG3500, DLG3500S	AP425 ⁸²⁴⁹	425	.025
NORTHLITE				DLG5000, DLG5000S	----	275	.025
All models	----	3095	.025	w/Wisc. 3, 4 & 8 h.p.	AP425 ⁸²⁴⁹	425	.025
NORTHSTAR				w/Wisc. 11 h.p.	----	275	.025
Portable Generators				POLARIS			
w/B&S 8, 9, 11 & 13 h.p. Vanguard ..	XST3924	3924	.030	Generators			
w/B&S 16 h.p. Vanguard (V-Twin) ...	XST3926	3926	.030	P1300 w/Robin 3.5 h.p.	AP425 ⁸²⁴⁹	425	.025
w/Honda 5 h.p. OHC	XST4265	4265 ⁸²⁴⁸	.030	P2800 w/Robin 6 h.p. OHV	----	4123 ⁸²⁴⁸	.025
w/Honda 8, 9, 11 & 13 h.p. OHV	XST4265	4265 ⁸²⁴⁸	.030	P4100 w/Robin 8.5 h.p. OHV	----	4123 ⁸²⁴⁸	.025
w/Honda 18 & 20 h.p. OHV (V-Twin) ..	XST4265	4265 ⁸²⁴⁸	.030	P6100 w/Robin 11 h.p. OHV	XS63 ⁸²⁵²	4263 ⁸²⁴⁸	.025
w/Kohler 8.5 h.p. CS OHV	XST4265	4265 ⁸²⁴⁸	.040	P7500, P12000	XS63 ⁸²⁵²	4263 ⁸²⁴⁸	.025
w/Kohler 25 h.p. OHV (V-Twin)	XST3924	3924	.030	PORTER CABLE			
w/Tec. 8 h.p.	XST458	458	.030	w/B&S 11 h.p.	XST458	458	.030
Standby Generators				w/B&S 6 & 10 h.p. OHV	XST3924	3924	.030
w/Honda 20 h.p. OHV (V-Twin)	XST4265	4265 ⁸²⁴⁸	.030	w/B&S 13 h.p. Vanguard	XST3924	3924	.030
O & R (Orline)				w/B&S 14 h.p. Vanguard (V-Twin) ...	XST3924	3924	.030
All Models	XST255	255	.025	w/Honda 5, 6.5, 9 & 13 h.p. OHV	XST4265	4265 ⁸²⁴⁸	.030
OVER-LITE				w/Honda 20 h.p. (V-Twin)	XST4265	4265 ⁸²⁴⁸	.030
Generators, Lights & Blowers				w/Tec. 6 h.p. OHV	XST4055	4055 ⁸²⁴⁸	.030
w/B&S Eng.	XST458	458	.030	w/Tec. 10 h.p.	XST458	295	.030
w/Onan CCK Eng.	----	216	.025	POULAN			
w/Robin Eng.	AP425 ⁸²⁴⁹	425	.025	Alternators: PA1250, PA2250,			
w/Tec. 10 h.p.	XST458	458	.025	PA35001	XST458	295	.025
OWEN				PA4000, PA5000-I, PA5000IES	XST458	295	.025
w/18mm Heads	----	386	.025	POWER BOSS			
w/7/8"-18 Heads	----	3076	.025	w/Honda 13 h.p. OHV	XST4265	4265 ⁸²⁴⁸	.030
PALMER				POWER BOX			
w/18mm Heads	----	386	.025	Portable Power Source			
w/7/8"-18 Heads (Gasoline)	----	3076	.025	w/Kohler 11, 13 & 15 h.p. OHV	XST3924	3924	.040
w/7/8"-18 Heads (Diesel)	----	3077	.040	w/Kohler 20 & 25 h.p. (V-Twin)	XST3924	3924	.030
PERFECTION				w/Kohler 27 h.p. (V-Twin)	XST3924	3924	.040
All Models	----	3076	.025	POWER EASE			
PHELPS				Generators			
w/Hummer Eng.	----	386	.025	w/Honda 5, 5.5, 6.5 & 9 h.p. OHV ...	XST4265	4265 ⁸²⁴⁸	.030
w/Lauson Eng.	----	386	.025	POWERHORSE			
w/Wisc. Eng.	----	3095	.030	All Models	XS63 ⁸²⁵²	63	.030
PINCOR				POWERHOUSE			
w/B&S Eng.	XST458	458	.030	PH3100Ri	XS63 ⁸²⁵²	4263 ⁸²⁴⁸	.030
w/B&S Eng. (Twin)	XST458	458	.030	POWERLITE			
w/Robin Eng. (Except EY21)	AP425 ⁸²⁴⁹	425	.025	4013	----	216	.025
w/Robin EY21 Eng.	XST458	295	.025	4902, 4903, 4904	----	216	.025



Se Section 9 pour les remarques en français en bas de page. Ver Seccion 9 para las páginas de notas de pie de página en español. ⁸²⁴⁸ Tapered electrode design ⁸²⁴⁹ Single Platinum ⁸²⁵² Xtreme Sport

Small Engine - Generators

	XTREME START™	STANDARD STANDARD ESTANDAR	GAP ENCARTMENT ESPACIO		XTREME START™	STANDARD STANDARD ESTANDAR	GAP ENCARTMENT ESPACIO
POWERLITE (Cont'd)				QUICKSILVER			
4905, 4906, 4907, 4908, 4908A, 4912	----	373	.025	QS-4.0G, QS-6.5G, QS-8.0G	XS63 ⁸²⁵²	4263 ⁸²⁴⁸	.035
4914	----	306	.025	REINER			
4915, 4916, 4917, 4918, 4922	----	373	.025	CRF2, CRF3	AP425 ⁸²⁴⁹	425	.025
4923, 4924	----	306	.025	ERF2, ERF3	XST255	255	.025
4925 thru 4931	----	373	.025	w/Wisc. Eng.	----	386	.025
4934 thru 4942	----	373	.025	REMINGTON			
4944	----	216	.025	All Models	XST254	303	.025
4945, 4946 (14mm Threads)	XST254	303	.025	RICE			
4945, 4946 (18mm Threads)	----	373	.025	All Models	----	386	.025
4948, 4949, 4950, 4961	----	216	.025	RIGID			
4962, 4963, 4964	----	373	.025	Portable Generators			
4965	----	306	.025	w/Robin 14 h.p. OHC	XS4093 ⁸²⁵²	4093 ⁸²⁴⁸	.025
5102, 5106	----	373	.025	w/Yamaha MZ360 Eng.	XST4265	4265 ⁸²⁴⁸	.028
5125, 5129, 5135, 5138, 5139, 5140, 5144, 5145	----	216	.025	RIISE			
5146	----	373	.025	w/18mm Heads	----	386	.025
5147, 5148, 5180, 5181, 5190, 5191, 5192	----	216	.025	w/7/8"-18 Heads	----	3076	.025
Eng. w/7/8" Threads	----	3076	.025	ROBIN SUBARU			
POWERMATE				R1100, R1700i			
PM500	XST254	254	.025	R1300, RG10C, RG10DC, RG15, RG15C	XST258	258	.025
PM800, 1500, 3000	XST255	255	.025	RG17, RG17D, RG25, RG25D	AP425 ⁸²⁴⁹	425	.025
PM1600, PM2800 OHV	XS63 ⁸²⁵²	4263 ⁸²⁴⁸	.025	RG121DC, RG201, RG201D, RG301	AP425 ⁸²⁴⁹	425	.025
PM3500	----	275	.025	RG2800, RG4300DY	AP425 ⁸²⁴⁹	425	.025
PM4500	XST2976	2976	.025	RGK161, RGK301, RGX5500	XS4093 ⁸²⁵²	4093 ⁸²⁴⁸	.025
POWER PARTNER				RGRG33, RG33D, RG121C			
PP4000, PP6000 (OHV)	XST4265	4265 ⁸²⁴⁸	.025	RG3200, RG3200i, RG3200iS	AP425 ⁸²⁴⁹	425	.025
POWER TRAIN				RG4300i, RG4300iS			
PTG1000	XST3924	3924	.030	RGRG301D, RG401, RG401D	XS4093 ⁸²⁵²	4093 ⁸²⁴⁸	.025
PTG2500XCS	XST3924	3924	.030	RGV1300, RGX2400, RGX3500	AP425 ⁸²⁴⁹	425	.025
PTG3500EXCS	XST3924	3924	.030	RGV2800, RGV4100, RGV4101	AP425 ⁸²⁴⁹	425	.025
PTG4500XCS	XST3924	3924	.030	RGV6100, RGV6100E, RGV6101, RGV7500, RGV7500E	----	4114 ⁸²⁴⁸	.025
PTG6500EXCS	XST3924	3924	.030	RGV12000, RGV12100, RGV13000T, RGV13100T	XS63 ⁸²⁵²	4263 ⁸²⁴⁸	.025
POWR-PAK				RGX2900, RGX2900C, RGX3000, RGX3600, RGX3600C			
w/B&S 5, 8 & 11 h.p.	XST458	458	.025	RGX3800, RGX4800, RGX4800E, RGX5100, RGX7100, RGX7800	XS4093 ⁸²⁵²	4093 ⁸²⁴⁸	.025
w/B&S 16 h.p. (Twin)	XST458	458	.025	ROCO			
PRAMAC LIFTER				All Models			
Portable Generators				Signal Unit			
C1400 Atoll, C1400MHHP	XST4265	4265 ⁸²⁴⁸	.030	ROYAL			
EG2500 V, EG5000	XST458	458	.030	SANDING			
EG2800, EG2800 T Bar, EG2800HHPI	XST4265	4265 ⁸²⁴⁸	.030	Generators			
E3100MHHP, E3600MHHP, E4500MHHP, E5000MHHP	XST4265	4265 ⁸²⁴⁸	.030	SDQF10D, SDQF10SD w/B&S 24 h.p. (V-Twin)	XST3924	3924	.030
E3100SHHP, E3600SHHP, E4500SHHP, ES3000, E5000SHHP	XST4265	4265 ⁸²⁴⁸	.030	SDQF8.5D, SDQF8.5SD w/B&S 20 h.p. (V-Twin)	XST3924	3924	.030
ES5000SHHP, ES7500SHHP, ES7500SHEP	XST4265	4265 ⁸²⁴⁸	.030	ROCO			
ES5000MHHP, ES7500MHHP, ES7500MHEPI	XST4265	4265 ⁸²⁴⁸	.030	All Models			
ES10000MVEPI, ES11000MVEPI	XST3926	3926	.030	Signal Unit			
ES8000, ES12000MHEPI	XST4265	4265 ⁸²⁴⁸	.030	ROYAL			
HG2800, HG2800 T Bar	XST4265	4265 ⁸²⁴⁸	.030	SANDING			
S5000, S7500, S7500MHEPI	XST4265	4265 ⁸²⁴⁸	.030	Generators			
S10000SVEP, S12000SVEP	XST3926	3926	.030	SDQF10D, SDQF10SD w/B&S 24 h.p. (V-Twin)	XST3924	3924	.030
S12000SHEP, S3100, S3100HHPI	XST4265	4265 ⁸²⁴⁸	.030	SDQF8.5D, SDQF8.5SD w/B&S 20 h.p. (V-Twin)	XST3924	3924	.030
SM8250MVEG, SM8250MVEL	XST3926	3926	.020	ROCO			



Se Section 9 pour les remarques en français en bas de page. Ver Seccion 9 para las páginas de notas de pie de página en español. ⁸²⁴⁸ Tapered electrode design ⁸²⁴⁹ Single Platinum ⁸²⁵² Xtreme Sport

Small Engine - Generators

	XTREME START™	STANDARD STANDARD ESTANDAR	GAP ENCARTMENT ESPACIO		XTREME START™	STANDARD STANDARD ESTANDAR	GAP ENCARTMENT ESPACIO
SEARS (See Craftsman)				TANAKA (Cont'd)			
SHINDAIWA				REG-80, SEG-100, DEG-600 XST458 295 .025			
EGR6000 ---- 4056 ⁸²⁴⁸ .025				REG-800, REG-1000 XST254 303 .025			
G1000, G2000, G3000 AP425 ⁸²⁴⁹ 425 .025				SEG-221 AP425 ⁸²⁴⁹ 425 .025			
G4000 ---- 275 .025				TAS (See Tanaka)			
SKIL				THOR			
Alternators w/B&S Engs. XST458 458 .025				w/Ciinton Engs. XST458 308 .025			
SNAPPER				w/Wisc. Engs. ---- 386 .025			
w/B&S 6.5, 10 & 11 h.p. Intek OHV .. XST3924 3924 .030				TIGER POWER			
w/B&S Gentek OHV Engs. XST3924 3924 .030				Standby Generators			
w/Mitsubishi 2.5 h.p. OHV XST4265 4265 ⁸²⁴⁸ .030				w/Honda 24 h.p. V-Twin (LPG & Natural Gas) XST4265 4265 ⁸²⁴⁸ .020			
SOLO				TITAN			
837 ---- 275 .020				Generators			
STEARNS				TG-8500M, TG-9000ES w/11 h.p. Engs. XS63 ⁸²⁵² 4263 ⁸²⁴⁸ .030			
All Models ---- 3076 .025				TML			
STEELE				All 34 cc Engs. XST254 254 .025			
Generators				TORO			
SP-GG120 w/2.8 h.p. XP64 ⁸²⁵⁰ 64 .030				T2500, T300D, T400D ---- 275 .025			
SP-GG120CM w/2.8 h.p. XP64 ⁸²⁵⁰ 64 .030				TROY-BILT			
SP-GG200TD 86cc Engs. ---- 4194 ⁸²⁴⁸ .030				w/B&S 6.75 & 10 h.p. OHV XST3924 3924 .030			
SP-GG300 6.5 h.p. XP64 ⁸²⁵⁰ 64 .030				w/B&S 7 h.p. Intek OHV XST3924 3924 .030			
SP-GG350 6.5 h.p. XS63 ⁸²⁵² 4263 ⁸²⁴⁸ .030				w/B&S 15 h.p. Vanguard XST3924 3924 .030			
SP-GL350E 6.5 h.p. XS63 ⁸²⁵² 4263 ⁸²⁴⁸ .030				w/Mitsubishi 2.5 h.p. OHV XST4265 4265 ⁸²⁴⁸ .030			
SP-GG600 13 h.p. XS63 ⁸²⁵² 4263 ⁸²⁴⁸ .030				TSURUMI			
SP-GG750 13 h.p. XS63 ⁸²⁵² 4263 ⁸²⁴⁸ .030				w/Honda 5, 8, 11 & 13 h.p. OHV XST4265 4265 ⁸²⁴⁸ .030			
SP-GG900E 15 h.p. XS63 ⁸²⁵² 4263 ⁸²⁴⁸ .030				UNITED			
SP-GG1000E 15 h.p. XS63 ⁸²⁵² 4263 ⁸²⁴⁸ .030				All Models ---- 3076 .025			
STOW				UNIVERSAL			
w/Robin 6 & 9 h.p. OHV XS4093 ⁸²⁵² 4093 ⁸²⁴⁸ .025				w/B&S Engs. XST458 458 .025			
STRUNK				w/Wisc. Engs. ---- 386 .025			
w/B&S Engs. XST458 458 .025				U.S. MOTORS			
SUN LITE				S30N18, S35N18 w/AMC 232 & 258 cid XS985 ⁸²⁵² 985 .035			
All Models ---- 3076 .025				S40N18, S45N18 w/AMC 304 & 360 cid AP404 ⁸²⁴⁹ 404 .035			
SUZUKI				w/B&S 14mm Heads XST458 458 .025			
SE500-A, SE700-A XST255 255 .025				w/B&S 18mm Heads ---- 386 .025			
SE1500, SE2500, SE3000AD ---- 275 .025				w/Hercules ZX, ZXB, BXB ---- 216 .025			
SV1400, SV1800, SV2200, SV4000D XS63 ⁸²⁵² 4263 ⁸²⁴⁸ .025				w/Hercules (Other 14mm Heads) ... XST458 295 .025			
SWARTZ				w/Hercules 7/8"-18 Heads ---- 3076 .025			
All models ---- 3095 .025				w/Lauson Engs. (14mm Heads) XST458 295 .025			
SYCAMORE PROFESSIONAL				w/Lauson Engs. (18mm Heads) ---- 386 .025			
Generators				w/Own Engs. XST255 255 .030			
E.G.S 3.2 w/Subaru EX21 XS4093 ⁸²⁵² 4093 ⁸²⁴⁸ .030				w/Stover DV2 Engs. ---- 216 .025			
E.G.S 4.8 w/Subaru EX27 XS4093 ⁸²⁵² 4093 ⁸²⁴⁸ .030				w/Waukesha WAK Engs. ---- 3076 .025			
E.G.S 7.2 w/Subaru EH41 XS63 ⁸²⁵² 4263 ⁸²⁴⁸ .030				VIGOR			
TANAKA				w/VG152F Engs. XST2974 2974 .030			
DEG-600, QEG-300, QEG-250 XST255 255 .025							
QEG-250, QEG-300, LEG1200 XST458 295 .025							



Se Section 9 pour les remarques en français en bas de page. Ver Seccion 9 para las páginas de notas de pie de página en español. ⁸²⁴⁸ Tapered electrode design ⁸²⁴⁹ Single Platinum ⁸²⁵⁰ Xtreme Performance ⁸²⁵² Xtreme Sport

Small Engine - Generators

	XTREME START™	STANDARD ESTANDAR	GAP ENCARTMENT ESPACIO		XTREME START™	STANDARD ESTANDAR	GAP ENCARTMENT ESPACIO
VIGOR (Cont'd)				WINCHARGER			
w/VG168F, VG168F-1, VG173F, VG182F & VG188F Engs.	XST4055	4055 ⁸²⁴⁸	.030	w/B&S Engs.	XST458	458	.025
w/VG1E45F Engs.	----	275	.030	w/Clinton Engs.	XST458	295	.025
VOLT MASTER				WINCO			
w/B&S "L" Head Engs.	XST458	458	.030	Portable Generators			
w/B&S Engs. (Twin)	XST458	458	.030	w/B&S "L" Head Engs.	XST458	458	.025
w/B&S OHV Engs.	XST3924	3924	.030	w/B&S 5.5, 8 & 11 h.p. Intek OHV ...	XST3924	3924	.030
w/B&S Vanguard Engs. OHV	XST3924	3924	.030	w/B&S 9 h.p. Vanguard OHV	XST3924	3924	.030
w/B&S Vanguard Engs. V-Twin (Gasoline)	XST3924	3924	.030	w/B&S 16 & 18 h.p. Vanguard (V-Twin)	XST3926	3926	.030
w/B&S Vanguard Engs. V-Twin (LPG or Natural Gas)	XST3924	3924	.020	w/Honda 5 h.p. OHC	XST4265	4265 ⁸²⁴⁸	.030
w/Honda OHV Engs.	XST4265	4265 ⁸²⁴⁸	.030	w/Honda 5.5, 9 & 11 h.p. OHV.	XST4265	4265 ⁸²⁴⁸	.030
w/Honda OHV Engs. (V-Twin)	XST4265	4265 ⁸²⁴⁸	.030	w/Honda 20 h.p. (V-Twin)	XST4265	4265 ⁸²⁴⁸	.030
w/Kohler Engs. (V-Twin)	XST3924	3924	.030	w/Kawasaki FA Series	XST458	295	.025
w/Onan 24 h.p. (Twin)	AP106 ⁸²⁴⁹	106	.025	w/Kawasaki 8.2 h.p.	AP425 ⁸²⁴⁹	425	.030
w/Robin OHV Engs.	XS63 ⁸²⁵²	4263	.025	w/Tec. 8 h.p.	XST458	458	.030
WACKER Generators				Standby Generators			
G 2.5A/B w/B&S 5.5 h.p.	XST458	458	.030	w/B&S 16 h.p. Vanguard V-Twin (LPG & Natural Gas)	XST3926	3926	.020
G 2.5A/B w/Honda 5.5 h.p.	XST4265	4265 ⁸²⁴⁸	.030	w/Chrysler LH-318	AP404 ⁸²⁴⁹	404	.030
G 3.7A w/Honda 8 h.p. OHV	XST4265	4265 ⁸²⁴⁸	.030	w/Ford 1.3L Engs. (LPG & Natural Gas)	XP103 ⁸²⁵⁰	103	.025
G 4.5A/B w/B&S 10 h.p.	XST458	458	.030	w/Ford LSG-423	XP104 ⁸²⁵⁰	104	.020
G 4.5A/B w/Honda 9 h.p.	XST4265	4265 ⁸²⁴⁸	.030	w/Ford 460 cid Engs.	XP24 ⁸²⁵⁰	24	.030
G 5.6A w/Honda 11 h.p. OHV	XST4265	4265 ⁸²⁴⁸	.030	w/GM 3.0L Engs. (LPG & Natural Gas)	XP103 ⁸²⁵⁰	103	.035
GS 5.5A/B w/B&S 11 h.p.	XST458	458	.030	w/GM 4.3L Engs. (LPG & Natural Gas)	XP104 ⁸²⁵⁰	104	.040
GS 5.5A/B w/Honda 11 h.p.	XST4265	4265 ⁸²⁴⁸	.030	w/GM 5.7L Engs. (LPG & Natural Gas)	XP104 ⁸²⁵⁰	104	.040
GS 5.6A w/Honda 11 h.p. OHV	XST4265	4265 ⁸²⁴⁸	.030	w/GM 7.4L Engs. (LPG & Natural Gas)	XP104 ⁸²⁵⁰	104	.040
GS 6.5A/B w/Honda 13 h.p.	XST4265	4265 ⁸²⁴⁸	.030	w/Honda 11 h.p. OHV (Gasoline) ...	XST4265	4265 ⁸²⁴⁸	.030
GS 8.5V w/B&S 16 h.p. Vanguard (V-Twin)	XST3924	3924	.030	w/Honda 11 h.p. OHV (LPG & Natural Gas)	XST4265	4265 ⁸²⁴⁸	.020
GS 9.7V w/B&S 18 h.p. Vanguard (V-Twin)	XST3924	3924	.030	w/Honda 24 h.p. V-Twin (LPG & Natural Gas)	XST4265	4265 ⁸²⁴⁸	.020
GH 3500E w/Wisc. 8 h.p.	----	4123 ⁸²⁴⁸	.025	WINPOWER			
HGG3/180/240	XST458	295	.025	CD2500, 4400E, 5500E, 5500ES ...	XST458	458	.025
WECO				CHD11000KES, 15000KES			
All Models	----	386	.025	COV3000H, 4400H, 4400HE, 4500HE			
WESCO				XST4265			
w/18mm Heads	----	386	.025	4265 ⁸²⁴⁸			
w/7/8"-18 Heads	----	3076	.025	.025			
WESTERBEKE Marine Generators				XST4265			
4 KW 2-Cyl.	XS63 ⁸²⁵²	4263 ⁸²⁴⁸	.035	.025			
7 KW 3-Cyl.	XS63 ⁸²⁵²	4263 ⁸²⁴⁸	.035	.025			
4.5, 6.5 & 9 KW 3-Cyl.	XST4265	4265 ⁸²⁴⁸	.035	.025			
6.5, 8, 8.5 KW 4-Cyl.	XST4265	4265 ⁸²⁴⁸	.035	.025			
11, 12.5, 15 & 20 KW 4-Cyl.	XST4265	4265 ⁸²⁴⁸	.035	.030			
WESTINGHOUSE				XST458			
B2, G, J	----	386	.025	.030			
H (6KW to 100 KW)	----	3076	.025	.030			
All Others w/18mm Threads	----	386	.025	.030			
All Others w/7/8"-18 Threads	----	3076	.025	.030			
WILLYS LITE				XST3924			
All Models	----	3076	.025	.030			


Se Section 9 pour les remarques en français en bas de page. Ver Seccion 9 para las páginas de notas de pie de página en español. ⁸²⁴⁸ Tapered electrode design ⁸²⁴⁹ Single Platinum ⁸²⁵⁰ Xtreme Performance ⁸²⁵² Xtreme Sport

Small Engine - Generators

	XTREME START™	STANDARD STANDARD ESTANDAR	GAP ÉNCARTMENT ESPACIO		XTREME START™	STANDARD STANDARD ESTANDAR	GAP ÉNCARTMENT ESPACIO
WINPOWER (Cont'd)				YARDMAN			
w/Wisc. V465D Engs.	AP404 ⁸²⁴⁹	404	.025	5 & 8 h.p. Engs.	XST458	295	.025
WITTE							
98 (7.5 KVA)	----	386	.025				
260	XS4093 ⁸²⁵²	414	.025				
B (5, 7 KVA)	----	386	.025				
C (5, 12 KVA)	----	386	.025				
w/14mm Heads	AP425 ⁸²⁴⁹	425	.020				
w/18mm Heads	----	386	.025				
YAMAHA							
EC2000, EC2800, EC4000DV, EC4000DV, EC5000DV	----	4123 ⁸²⁴⁸	.025				
EC5000DVE, EF1000, EF1200, EF1400	----	4123 ⁸²⁴⁸	.025				
EF100IS, EF1000IS, EF1000ISC ...	----	4194 ⁸²⁴⁸	.025				
EF600	XST2976	2976	.025				
EF1000, EF1000AX, EF1200, EF1400, EF1600, EF1600R	----	4123 ⁸²⁴⁸	.025				
EF1600X, EF1800, EF2000, EF2000iS, EF2400, EF2400iS, EF2400iSHC, EF2500, EF2500R .	----	4123 ⁸²⁴⁸	.025				
EF2600, EF2800, EF2800i, EF3800, EF3800DV, EF3800DVE, EF3800E	----	4123 ⁸²⁴⁸	.025				
EF1600AX, EF2400AX, EF2400IS, EF2600A, EF2600AX, EF2600C ..	XST4265	65	.025				
EF2600X, EF2800i, EF3000iSE, EF3000iSEB	XST4265	65	.025				
EF3800R, EF4000DV, EF4000DVE, EF5000DV, EF5000DVE	----	4123 ⁸²⁴⁸	.025				
EF6600DEX, YG2600	AP66 ⁸²⁴⁹	66	.025				
EF6000EA	----	275	.025				
EF5000E, EF6000E	XP64 ⁸²⁵⁰	64	.025				
EF4000DE, EF4000DEC, EF4000DEX, EF4500iSE	XST4265	65	.025				
EF4600A, EF4600AX, EF4600DEX, EF5000EA, EF5200DE	XST4265	65	.025				
EF5200DEC, EF5200DEX, EF5200DEY, EF6300iSDE, EF6600AX	XST4265	65	.025				
EF6600DE, EF6600DEC, EF6600DEY, EF6600DEX, EF6000DVE	XST4265	65	.025				
EF1000DE, EF12000DE, EF12000DEC, EF12000DEX	XS63 ⁸²⁵²	63	.025				
EFC1400, EFC2000, EFC2800, EC2000, YG2600, YG300S, YG400D	----	4123 ⁸²⁴⁸	.025				
ET1500	AP425 ⁸²⁴⁹	425	.025				
ET500, ET600, ET900	----	4056 ⁸²⁴⁸	.025				
YG300S, YG400D, YG450D	----	4123 ⁸²⁴⁸	.025				
YG500D, YG600D, YG600DE	XP64 ⁸²⁵⁰	64	.025				
YG550D, YG650D, YG650DE	XST4265	65	.025				
YG2600X, YG2800i, YG4000D, YG4000DX	XST4265	65	.025				
YG4600DX	XP64 ⁸²⁵⁰	64	.025				
YG4600D, YG6600D, YG6600DE ..	AP66 ⁸²⁴⁹	66	.025				
YG5200D, YG5200DY, YG5200DX, YG6600DE, YG6600DEX, YG6600DY	XST4265	65	.025				
YANMAR							
YSG1300BE, YSG2000BE	----	275	.025				
YSG3000BE, YSG3800BE	----	275	.025				



Se Section 9 pour les remarques en français en bas de page. Ver Sección 9 para las páginas de notas de pie de página en español. ⁸²⁴⁸ Tapered electrode design ⁸²⁴⁹ Single Platinum ⁸²⁵⁰ Xtreme Performance ⁸²⁵² Xtreme Sport

Small Engine - Pumps

	XTREME START™	STANDARD ESTANDAR	GAP ENCARTMENT ESPACIO		XTREME START™	STANDARD ESTANDAR	GAP ENCARTMENT ESPACIO
AALADIN				ALL SEASONS EQUIPMENT			
High Pressure Washers				Water Pumps			
w/B&S 5, 8, 11 & 18 h.p.	XST458	458	.030	w/Honda 2.2 h.p.	XST258	258	.030
w/B&S Vanguard Eng. (V-Twin) ...	XST3926	3926	.030	ALL SIZE			
w/Honda OHV Eng.	XST4265	4265 ⁸²⁴⁸	.030	High Pressure Washers			
w/Honda LPG OHV Eng.	XST4265	4265 ⁸²⁴⁸	.020	w/Honda OHV Eng.	XST4265	4265 ⁸²⁴⁸	.030
w/Kohler 10, 12 & 23 h.p.	----	216	.030	w/Honda OHV (V-Twin) Eng.	XST4265	4265 ⁸²⁴⁸	.030
w/Kohler Eng. OHV	XST3924	3924	.030	ALLSTATE			
w/Kohler Eng. (Twin)	XP26 ⁸²⁵⁰	26	.030	All Models	XST458	458	.030
w/Tec. Eng.	XST458	458	.030	AMAZING MACHINERY			
w/Wisc. 11 h.p.	----	386	.025	Drain Jettors			
ACE				w/B&S 16, 18 & 21 h.p. Vanguard			
Centrifugal Pumps				(V-Twin)			
w/B&S 3 & 5 h.p.	XST458	458	.030	XST3924	3924	.030	
w/B&S 16, 18 & 20 h.p. Vanguard	XST3926	3926	.030	w/Honda 6.5 & 13 h.p. OHV	XST4265	4265 ⁸²⁴⁸	.030
(V-Twin)	XST3926	3926	.030	w/Honda 18, 20 & 24 h.p. (V-Twin) ..	XST4265	4265 ⁸²⁴⁸	.030
w/Honda 5.5 & 9 h.p. OHV	XST4265	4265 ⁸²⁴⁸	.030	w/Robin 9 h.p. OHV	XS63 ⁸²⁵²	4263 ⁸²⁴⁸	.025
w/Honda 18 & 20 h.p. (V-Twin)	XST4265	4265 ⁸²⁴⁸	.030	High Pressure Washers			
ACME				w/B&S 6.5 h.p. Intek OHV			
Gasoline Pumps				w/B&S 13 h.p. Vanguard OHV			
14mm Heads	AP425 ⁸²⁴⁹	425	.030	XST3924	3924	.030	
18mm Heads	----	386	.030	w/B&S 16, 18 & 21 h.p. Vanguard	XST3924	3924	.030
Kerosene Pumps				(V-Twin)			
14mm Heads	AP425 ⁸²⁴⁹	425	.030	XST3924	3924	.030	
18mm Heads	----	386	.030	w/Honda 5.5, 9, 11 & 13 h.p. OHV ...	XST4265	4265 ⁸²⁴⁸	.030
OHC Pumps				w/Honda 20 & 24 h.p. (V-Twin)			
ACT280 w/9 h.p. Eng.	XST3924	3924	.030	XST4265	4265 ⁸²⁴⁸	.030	
ACT340 w/11 h.p. Eng.	XST3924	3924	.030	w/Robin 9 h.p. OHV	XS63 ⁸²⁵²	4263 ⁸²⁴⁸	.025
AIR KING (See Worthington)				AMERICAN CLEANING EQUIPMENT			
ALBIN MOTORS				w/B&S 5, 8 & 11 h.p.			
Pumps				w/B&S 9 h.p. Vanguard OHV			
w/Chry. 82009	XS4093 ⁸²⁵²	4093 ⁸²⁴⁸	.025	XST3924	3924	.030	
ALKOTA				w/B&S 16 h.p. Vanguard (V-Twin) ...			
High Pressure Washers				w/Honda OHV Eng.			
w/B&S 11 h.p.	XST458	458	.030	XST4265	4265 ⁸²⁴⁸	.030	
w/B&S 9 & 11 h.p. Vanguard OHV ...	XST3924	3924	.030	w/Kohler 18 & 20 h.p. (Twin)	XP26 ⁸²⁵⁰	26	.025
w/B&S 16, 18 & 20 h.p. Vanguard	XST3926	3926	.030	w/Wisc. 30 h.p. (Twin)	----	4056 ⁸²⁴⁸	.035
(V-Twin)	XST3926	3926	.030	AMERICAN IMC			
w/Honda 5.5, 11 & 13 h.p. OHV	XST4265	4265 ⁸²⁴⁸	.030	Air Compressors			
w/Kohler 12.5 & 15 h.p. OHV	XST3924	3924	.030	w/B&S 5.5 h.p. Intek OHV	XST3924	3924	.030
w/Kohler 18 & 25 h.p. (V-Twin)	XST3924	3924	.030	w/B&S 9 h.p. Vanguard OHV	XST3924	3924	.030
w/Tec. 5.5 h.p. OHV	XST4055	4055 ⁸²⁴⁸	.030	w/Honda 5, 5.5, 6.5, 9 & 11 h.p.	XST4265	4265 ⁸²⁴⁸	.030
w/Tec. 8 h.p.	XST458	458	.030	OHV	XST4265	4265 ⁸²⁴⁸	.030
ALL AMERICAN				w/Kohler 8.5, 10 & 12 h.p. Command			
w/B&S 16 & 18 h.p. Vanguard				Pro CS OHV			
(V-Twin)	XST3926	3926	.030	XST4265	4265 ⁸²⁴⁸	.040	
w/Honda 5, 5.5, 6.5, 9, 11 & 13 h.p.	XST4265	4265 ⁸²⁴⁸	.030	w/Robin 6 h.p. OHV	----	4123 ⁸²⁴⁸	.025
OHV	XST4265	4265 ⁸²⁴⁸	.030	w/Robin 9 h.p. OHV	XS63 ⁸²⁵²	4263 ⁸²⁴⁸	.025
w/Honda 20 & 24 h.p. (V-Twin)	XST4265	4265 ⁸²⁴⁸	.030	AMERITECH			
w/Kohler Command 18 & 25 h.p.	XST3924	3924	.030	High Pressure Washers			
(V-Twin)	XST3924	3924	.030	w/Honda 13 h.p. OHV	XST4265	4265 ⁸²⁴⁸	.030
w/Robin 7 h.p. OHC	XS4093 ⁸²⁵²	4093 ⁸²⁴⁸	.025	w/Honda 20 & 24 h.p. (V-Twin)	XST4265	4265 ⁸²⁴⁸	.030
ALL-POWER AMERICA				APW			
APW5102 w/6.5 h.p. OHV				Hot & Cold High Pressure Washers			
XS63 ⁸²⁵²	4263 ⁸²⁴⁸	.030		w/B&S 6.5 h.p. Intek OHV	XST3924	3924	.030
AQUA BLAST				w/B&S 18 h.p. Vanguard (V-Twin) ...			
w/B&S "L" Head Eng.				w/Honda 5.5, 6.5 & 13 h.p. OHV			
XST458	458	.030		XST4265	4265 ⁸²⁴⁸	.030	
w/B&S OHV Eng.	XST3924	3924	.030	w/Honda 18, 20 & 24 h.p. (V-Twin) ..	XST4265	4265 ⁸²⁴⁸	.030
w/B&S Intek OHV Eng.	XST3924	3924	.030	APW			



Se Section 9 pour les remarques en français en bas de page. Ver Section 9 para las páginas de notas de pie de página en español. ⁸²⁴⁸ Tapered electrode design ⁸²⁴⁹ Single Platinum ⁸²⁵⁰ Xtreme Performance ⁸²⁵² Xtreme Sport

Small Engine - Pumps

	XTRME START™	STANDARD STANDARD ESTANDAR	GAP ÉNCARTMENT ESPACIO		XTRME START™	STANDARD STANDARD ESTANDAR	GAP ÉNCARTMENT ESPACIO
AQUA BLAST (Cont'd)				BARNES (Peabody) (Cont'd)			
w/B&S Vanguard OHV Engs.	XST3924	3924	.030	w/Teledyne/Wisc. (LPG) Engs.	----	373	.020
w/B&S Vanguard (V-Twin) Engs.	XST3926	3926	.030	BARTON			
w/Honda OHV Engs.	XST4265	4265 ⁸²⁴⁸	.030	w/Chry. T-118	XST254	303	.025
w/Robin 6 & 6.5 h.p.	AP425 ⁸²⁴⁹	425	.025	w/Wisc. AKN, AKS, VF	----	386	.025
w/Robin 25 h.p. OHV	XS63 ⁸²⁵²	4263	.025	BAUER			
AQUA PRO				Air Compressors			
High Pressure Washers				Utilus 10-G w/Honda 5.5 h.p. OHV ..			
w/B&S Vanguard OHV Engs.	XST3924	3924	.030	XST4265	4265 ⁸²⁴⁸	.030	
w/Honda OHC Engs.	XST4265	4265 ⁸²⁴⁸	.030	BEAIRD-POULAN (See Poulan)			
w/Honda OHV Engs.	XST4265	4265 ⁸²⁴⁸	.030	BELAIRE			
AQUA STRIPPER				Air Compressors			
w/B&S 5, 8 & 11 h.p.	XST458	458	.030	w/B&S 10 h.p. Intek OHV	XST3924	3924	.030
w/B&S 5.5 & 10 h.p. Intek OHV	XST3924	3924	.030	w/Honda 11 & 13 h.p. OHV	XST4265	4265 ⁸²⁴⁸	.030
w/B&S 9, 13 & 16 h.p. Vanguard OHV	XST3924	3924	.030	w/Kohler 12 h.p. OHV	XST3924	3924	.030
w/Honda 5.5, 11 & 13 h.p. OHV	XST4265	4265 ⁸²⁴⁸	.030	w/Robin 9 h.p. OHV	XS63 ⁸²⁵²	4263 ⁸²⁴⁸	.025
w/Tec. 5, 6, 8 & 10 h.p.	XST458	458	.030	BELL & GOSSETT			
w/Tec. 5.5 h.p. OHV	XST4055	4055 ⁸²⁴⁸	.030	w/IHC Engs.	XST254	303	.025
ATLANTIC PRESSURE WASHERS				All Other Models w/14mm Threads ..			
w/B&S 18 h.p. Vanguard (V-Twin) ...	XST3926	3926	.030	XST458	295	.025	
w/Honda 4, 5, 5.5, 6, 6.5 & 13 h.p. OHV	XST4265	4265 ⁸²⁴⁸	.030	BE PRESSURE SUPPLY			
w/Honda 20 & 24 h.p. (V-Twin)	XST4265	4265 ⁸²⁴⁸	.030	High Pressure Washers			
w/Robin 7 h.p. OHC	XS4093 ⁸²⁵²	4093 ⁸²⁴⁸	.025	w/Honda 5 h.p. OHC	XST4265	4265 ⁸²⁴⁸	.030
Sewer Cleaners				w/B&S 4.75 & 6.5 h.p. Intek OHV ...	XST3924	3924	.030
w/Honda 13 h.p. OHV	XST4265	4265 ⁸²⁴⁸	.030	w/B&S 13 Vanguard OHV	XST3924	3924	.030
ATWATER				w/Honda 4, 5, 5.5, 6, 6.5, 9, 11 & 13 h.p. OHV	XST4265	4265 ⁸²⁴⁸	.030
Pumps				w/Honda 20 & 24 h.p. (V-Twin)	XST4265	4265 ⁸²⁴⁸	.030
All Models	----	216	.025	Hydrostatic Testers			
BAKER				w/Honda 5.5 h.p. OHV	XST4265	4265 ⁸²⁴⁸	.030
Contractor Pumps				Transfer Pumps			
w/Honda 5.5 & 9 h.p. OHV	XST4265	4265 ⁸²⁴⁸	.030	w/Honda 5.5 h.p. OHV	XST4265	4265 ⁸²⁴⁸	.030
BANJO				Water & Trash Pumps			
Pumps				w/Honda 1.5 h.p. Mini 4-Stroke	----	4194 ⁸²⁴⁸	.030
w/B&S 3.5, 5 & 8 h.p.	XST458	458	.030	w/Honda 4, 5, 5.5, 8 & 11 h.p. OHV ..	XST4265	4265 ⁸²⁴⁸	.030
w/B&S 5, 5.5, 6.5 & 8 h.p. Intek OHV	XST3924	3924	.030	w/Honda 5 h.p. OHC	XST4265	4265 ⁸²⁴⁸	.030
w/B&S 6 & 6.5 h.p. Vanguard	XST3924	3924	.030	BERKELEY			
w/B&S 16 h.p. Vanguard (V-Twin) ...	XST3926	3926	.030	Pumps			
w/Honda OHV Engs.	XST4265	4265 ⁸²⁴⁸	.030	w/B&S One-Cyl. Engs.	XST458	458	.030
w/Kohler 18 & 20 h.p. (V-Twin)	XST3924	3924	.030	w/Ford 4-cyl. Engs.	----	216	.025
w/Tec. 5 & 8 h.p.	XST458	458	.030	w/Ford 6-cyl. Engs.	----	216	.025
BARNES (Peabody)				w/Wisc. Engs.	----	386	.025
3N	XST458	295	.025	BINKS			
7M, 7MK, 10M, 15M, 20M, 30M, 40M, 40MW	XST458	295	.025	Air Compressors			
90M	XST258	308	.025	33-1129, 1141, 1143, 1144	XST458	295	.025
w/B&S One-Cyl. Engs.	XST458	458	.030	33-1150, 1151, 1154, 1157, 1174	XST458	295	.025
w/Ford 172 cid (Gasoline)	----	216	.035	33-1173, 1220, 1221, 1256	----	386	.030
w/Ford 172 cid (LPG or CNG)	AP425 ⁸²⁴⁹	425	.030	33-1258, 1259	----	386	.030
w/Ford 240 & 300 cid	AP124 ⁸²⁴⁹	124	.030	33-1280	XST4265	65	.030
w/Ford 361, 477 & 534 cid	AP124 ⁸²⁴⁹	124	.030	BLUE BIRD (ITALY)			
w/Kohler 12 & 18 h.p.	----	216	.030	Pumps			
w/Kohler 4, 7, 8, 14 & 24 h.p.	XST458	458	.030	SA27E	XST254	254	.025
w/Robin EY18, EY25W & E27W	AP425 ⁸²⁴⁹	425	.025	SA38E	AP425 ⁸²⁴⁹	425	.025
w/Teledyne/Wisc. (Gasoline) Engs. .	----	386	.025	SE52E	XST2974	2974	.025



Se Section 9 pour les remarques en français en bas de page. Ver Sección 9 para las páginas de notas de pie de página en español. ⁸²⁴⁸ Tapered electrode design ⁸²⁴⁹ Single Platinum ⁸²⁵² Xtreme Sport

Small Engine - Pumps

	XTREME START™	STANDARD ESTANDAR	GAP ENCARTMENT ESPACIO		XTREME START™	STANDARD ESTANDAR	GAP ENCARTMENT ESPACIO
BLUE MAX				CAMPBELL-HAUSFELD			
Water Pumps				Air Compressors & High Pressure Washers			
03164	XS63 ⁸²⁵²	4263 ⁸²⁴⁸	.030	w/B&S 3.75, 4, 5, 5.5, 6 & 8 h.p.	XST458	458	.030
BRADSON				w/B&S 6 h.p. Intek OHV	XST3924	3924	.030
High Pressure Washers				w/B&S 13 h.p. Vanguard OHV	XST3924	3924	.030
w/B&S 9 h.p. Vanguard OHV	XST3924	3924	.030	w/Honda 5.5 h.p. OHC	XST4265	4265 ⁸²⁴⁸	.030
w/Honda 5, 5.5, 6.5 & 9 h.p. OHV ...	XST4265	4265 ⁸²⁴⁸	.030	w/Honda 5.5, 6.5, 9 & 11 h.p. OHV ..	XST4265	4265 ⁸²⁴⁸	.030
w/Tec. 3.8 h.p.	XST458	458	.030	w/Kohler 8 h.p.	XST458	458	.025
w/Tec. 4.5 h.p.	XST2976	2976	.030	w/Kohler 10 h.p.	----	216	.030
w/Tec. 5, 5.5 & 6.5 h.p. OHV	XST4055	4055 ⁸²⁴⁸	.030	w/Kohler 12.5 h.p. OHV	XST3924	3924	.030
w/Tec. 8 h.p.	XST458	458	.030	w/Tec. 5.5 h.p. OHV	XST4055	4055 ⁸²⁴⁸	.030
BREW T				CAM SPRAY			
Air Compressors				High Pressure Washers			
w/Honda 4 & 8 h.p. OHV	XST4265	4265 ⁸²⁴⁸	.030	w/B&S Intek OHV Eng.	XST3924	3924	.030
BRIGGS & STRATTON				w/B&S Vanguard Eng.	XST3924	3924	.030
Compressors				w/Honda OHV Eng.	XST4265	4265 ⁸²⁴⁸	.030
w/B&S 6.5 h.p.	XST458	458	.030	w/Robin 13 h.p. OHV	XS63 ⁸²⁵²	4263	.025
High Pressure Washers				Water & Trash Pumps			
w/B&S 3.75, 4.5, 6.5, 6.75 h.p.	XST458	458	.030	w/B&S 5.5 h.p. Intek OHV	XST3924	3924	.030
w/B&S 7, 7.75, 9 & 11.5 h.p. OHV ...	XST3924	3924	.030	w/Honda 5.5 h.p. OHV	XST4265	4265 ⁸²⁴⁸	.030
w/B&S 6.5, 6.75, 8 & 10 h.p. Intek OHV	XST3924	3924	.030	CARVER			
w/B&S 9, 13 & 19 h.p. Vanguard OHV	XST3924	3924	.030	Pumps			
Water Pumps				KN2H, KN2L, KN3H, KN3L, KN3YL ..	----	386	.025
w/B&S Fource 0.75 h.p.	XST2554	2554	.030	KN4H, KN4L, KN4M, KN8L, KN10L ..	----	386	.025
w/B&S 5.5 & 6.5 h.p. OHV	XST3924	3924	.030	KN11/2, KN6M	XST458	295	.025
BRISTER'S THUNDERWASH				w/B&S One-Cyl. Eng.	XST458	458	.030
High Pressure Washers				w/Chry. 7-263	XST254	303	.025
w/B&S 5 h.p.	XST458	458	.030	w/Chry. 56	----	4056 ⁸²⁴⁸	.025
w/Honda 5, 8 & 11 h.p. OHV	XST4265	4265 ⁸²⁴⁸	.030	w/Clinton A-2100	----	216	.025
BRUNER				w/Clinton D-700-900	XST458	295	.025
All Models				w/Cont. Eng.	----	386	.025
XST458	458	.030	w/Ford 134 cid Eng.	----	216	.025	
BRUTE				w/Ford 215 & 254 cid Eng.	----	216	.025
High Pressure Washers				w/Ford 223 cid Eng.	AP124 ⁸²⁴⁹	124	.025
w/B&S 550 & 675 Series Eng.	XST458	458	.030	w/IHC UD-6, UD-264	----	386	.025
w/B&S 7.75 & 8.75 h.p. OHV	XST3924	3924	.030	w/LeRoi D-140 14mm Heads	XST458	295	.025
w/Honda 5.5 h.p. OHV	XST4265	4265 ⁸²⁴⁸	.030	w/LeRoi D-140 18mm Heads	----	386	.025
w/Honda 6 h.p. OHC	XS63 ⁸²⁵²	4263	.030	w/LeRoi D-201	XST458	295	.025
BUHL				w/Wisc. Eng.	----	386	.025
Air Compressors				CAT PUMPS			
Hercules JXC, OOB	----	3076	.025	High Pressure Washers			
Hercules JXB	XST254	303	.025	w/Honda 5.5, 9, 11 & 13 h.p. OHV ...	XST4265	4265 ⁸²⁴⁸	.030
Wisc. Eng. w/18mm Threads	----	386	.025	w/Honda 18 h.p. (V-Twin)	XST4265	4265 ⁸²⁴⁸	.030
Wisc. Eng. w/7/8"-18 Threads	----	3076	.025	CAUFFIEL			
All Other Models	----	3076	.025	Air Compressors			
CAIRNS MFG.				Series 8000	XST458	295	.025
High Pressure Washers				CENTRAL MACHINERY			
w/Kawasaki 5 & 11 h.p. OHV	XST4265	4265 ⁸²⁴⁸	.030	Pumps			
CAMPBELL				w/B&S One-Cyl. Eng.	XST458	458	.030
All Models	XST458	295	.025	CHAMPION			
High Pressure Washers				14mm Heads	XST458	295	.025
All Models				18mm Heads	----	386	.025



Se Section 9 pour les remarques en français en bas de page. Ver Section 9 para las páginas de notas de pie de página en español. ⁸²⁴⁸ Tapered electrode design ⁸²⁴⁹ Single Platinum ⁸²⁵² Xtreme Sport

Small Engine - Pumps

	XTREME START™	STANDARD STANDARD ESTANDAR	GAP ENCARTMENT ESPACIO		XTREME START™	STANDARD STANDARD ESTANDAR	GAP ENCARTMENT ESPACIO
CHICAGO PNEUMATIC (C-P)				COMPRESSOR WORLD (Cont'd)			
Air Compressors				Air Compressors (Cont'd)			
60, 85, 105, 160, 210, 210RG-2, 219, 315	----	3076	.025	w/Kohler 12 h.p. Command Pro			
85RG-1, 160RG-1, 175	----	386	.025	OHV	XST3924	3924	.040
125RG-1, 125RG-2, 185GZ-1, 25ORG-2	XST458	295	.025	CONCORD			
RCP-930G	XS63 ⁸²⁵²	4263 ⁸²⁴⁸	.025	Pumps			
RCP-1030G	XST3924	3924	.030	F-30	----	3095	.025
RCP-1230G	XST3924	3924	.040	KN4S	XST458	295	.025
RCP-1130G, RCP-1330G	XST4265	4265 ⁸²⁴⁸	.030	All Other Models	----	3076	.025
CHORE MASTER				CONTREE			
High Pressure Washers				w/B&S 5 h.p. XST458 458 .030			
w/Honda 5.5 h.p. OHC	XST4265	4265 ⁸²⁴⁸	.030	w/Honda 5.5 & 8 h.p. OHV	XST4265	4265 ⁸²⁴⁸	.030
CITATION				w/Tec. 5.5 h.p. OHV			
w/Honda 13 h.p. OHV	XST4265	4265 ⁸²⁴⁸	.030	XST4055	4055 ⁸²⁴⁸	.030	
CLARKE				COOL DRIVE			
Centrifugal Pumps, High Pressure Washers & Trash Pumps				High Pressure Washers			
w/B&S 3, 3.5 & 5 h.p.	XST458	458	.030	w/Honda 13 h.p. OHV	XST4265	4265 ⁸²⁴⁸	.030
w/Honda 5 & 8 h.p. OHV	XST4265	4265 ⁸²⁴⁸	.030	COPELAND			
CLARKE DELCO				w/B&S One-Cyl. Engs.			
w/B&S 2, 5, 7, 8.5, 9 & 10 h.p.	XST458	458	.030	XST458	458	.030	
w/B&S 9 h.p. Vanguard OHV	XST3924	3924	.030	CORNELIUS			
w/B&S 14 & 16 h.p. Vanguard (V-Twin)	XST3926	3926	.030	Air Compressors			
CLICK				130 R1405, 32-1505			
Hot High Pressure Washers				130 R1411, 3790109			
w/Honda 6.5 h.p. OHV	XST4265	4265 ⁸²⁴⁸	.030	130 R1409, 130 R1412	----	2244	.025
CLINTON				COULTER-AUTOMATIC			
404T, 500P	----	216	.025	All Models w/7/8"-18 Threads	----	3076	.025
492T	XST458	295	.025	All Models w/1/2"-14 Pipe Heads ...	----	3095	.025
CMC				CRAFTSMAN			
High Pressure Washers				High Pressure Washers			
w/Honda 4, 5, 5.5, 6.5, 9, 11 & 13 h.p. OHV	XST4265	4265 ⁸²⁴⁸	.030	w/B&S "L" Head Engs.	XST458	458	.030
w/Honda 20 & 24 h.p. OHV (V-Twin) .	XST4265	4265 ⁸²⁴⁸	.030	w/B&S 500 & 675 Series Engs.	XST458	458	.030
COLEMAN				w/B&S Intek OHV Engs.			
Air Compressors/Generators				w/B&S 850 & 875 Series OHV Engs.			
w/Honda 11 h.p. OHV	XST4265	4265 ⁸²⁴⁸	.030	w/B&S 850 & 900 Series Intek OHV Engs.	XST3924	3924	.030
High Pressure Washers				w/Honda 5.5, 6.5 & 13 h.p. OHV			
w/B&S "L" Head Engs.	XST458	458	.030	XST4265	4265 ⁸²⁴⁸	.030	
w/B&S 6.5 h.p. Intek OHV	XST3924	3924	.030	CUB CADET			
w/Honda 5 & 5.5 h.p. OHC	XST4265	4265 ⁸²⁴⁸	.030	w/B&S 6 h.p.	XST458	458	.030
w/Honda 5, 5.5, 8 & 13 h.p. OHV	XST4265	4265 ⁸²⁴⁸	.030	w/Kohler 6 h.p. CS	XST4265	4265 ⁸²⁴⁸	.040
w/Tec. 6 h.p.	XST458	458	.030	w/Kohler 10 h.p.	----	216	.030
COMET				w/Kohler 6 & 10 h.p. OHV			
w/Honda 6.5, 9, 11 & 13 h.p. OHV ...	XST4265	4265 ⁸²⁴⁸	.030	XST3924	3924	.040	
COMPRESSOR WORLD				CURTIS-TOLEDO			
Air Compressors				Air Compressors			
w/Honda 13 h.p. OHV	XST4265	4265 ⁸²⁴⁸	.030	w/B&S Engs. 14mm Heads	XST458	458	.030
DAVEY				w/B&S Engs. 18mm Heads			
Air Compressors				w/Kohler 10 h.p.			
GO198A	XST458	295	.025	w/Wisc. Engs.	----	386	.025
w/B&S Engs. 18mm Heads	----	386	.025	Refrigerator Compressors			
COMPRESSOR WORLD				All Models			
Air Compressors				----			
w/Honda 13 h.p. OHV	XST4265	4265 ⁸²⁴⁸	.030	386 .025			



Se Section 9 pour les remarques en français en bas de page. Ver Seccion 9 para las páginas de notas de pie de página en español. ⁸²⁴⁸ Tapered electrode design ⁸²⁵² Xtreme Sport

Small Engine - Pumps

	XTREME START™	STANDARD ESTANDAR	GAP ENCARTMENT ESPACIO		XTREME START™	STANDARD ESTANDAR	GAP ENCARTMENT ESPACIO
DAVEY (Cont'd)				DE WALT			
Air Compressors (Cont'd)				Air Compressors			
w/Cont. Engs.	----	386	.025	D55250, D55251, D55270, D55271 .	XST4265	4265 ⁸²⁴⁸	.030
w/Herc. HXC, HXE, JXD, RXC, RXLD	----	3076	.025	D55273, D55275, D55276, D55390 .	XST4265	4265 ⁸²⁴⁸	.030
w/Herc. IXB, JXLD, QXB, QXLD	XST258	308	.025	D55690, D55695, D55684, D55672 .	XST4265	4265 ⁸²⁴⁸	.030
w/IHC UD-14A, UD-18A (Unshielded)	----	3077	.025	High Pressure Washers			
w/Kiekhaefer Engs.	XST458	295	.030	w/Honda 13 h.p. OHV	XST4265	4265 ⁸²⁴⁸	.030
w/Wisc. VE4, VP4, ABND	----	386	.025	DIAMER			
Pumps				w/Kohler 6.5 h.p. Courage OHV			
w/B&S 6 & 9 h.p. Vanguard OHV	XST3924	3924	.030	w/Kohler Command Pro CS OHV . . .	XST4265	4265 ⁸²⁴⁸	.020
DAYTON				w/Kohler 13 h.p. Command			
Air Compressors				w/Kohler 18 & 20 h.p. LPG (V-Twin) .			
w/Honda OHV Engs.	XST4265	4265 ⁸²⁴⁸	.030	DIRT KILLER			
w/Kohler 13 h.p. OHV	XST3924	3924	.040	w/Honda 5.5, 6.5, 11 & 13 h.p. OHV .	XST4265	4265 ⁸²⁴⁸	.030
Pumps				DOBBINS			
w/B&S 3.5 h.p.	XST458	295	.025	Power Sprayers			
w/B&S 6.5 & 8 h.p. OHV	XST3924	3924	.030	w/B&S "L" Head Engs.	XST458	458	.030
w/B&S 8 h.p. Intek OHV	XST3924	3924	.030	DOLMAR			
w/B&S 13 h.p. Vanguard OHV	XST3924	3924	.030	High Pressure Washers			
w/B&S 16 & 18 h.p. Vanguard (V-Twin)	XST3924	3924	.030	HP450	XST2974	2974	.030
w/Honda 1 h.p. OHC	----	4194	.030	DORMAN			
w/Honda 4, 5, 5.5, 8, 9, 11 & 13 h.p. OHV	XST4265	4265 ⁸²⁴⁸	.030	3-DAG, 4-DAG, 6-DAG	----	4054 ⁸²⁴⁸	.018
w/Kohler 27 h.p. (V-Twin)	XST3924	3924	.040	12S, 12STCWG, 12STCAG	----	373	.015
w/Robin 4.5, 6 & 9 h.p. OHC	XS4093 ⁸²⁵²	4093 ⁸²⁴⁸	.025	DR			
w/Robin 11.5 h.p. OHV	XS63 ⁸²⁵²	4263	.025	High Pressure Washers			
DELCO				w/B&S 5.5, 6.5 & 8 h.p. Intek OHV . .			
High Pressure Washers				DUCAR			
w/B&S 9 & 14 h.p. Vanguard OHV . .	XST3924	3924	.030	DQ16B, DQ18B, DQ24B	XST4055	4055 ⁸²⁴⁸	.030
w/B&S 16 & 18 h.p. Vanguard (V-Twin)	XST3926	3926	.030	Water Pumps			
w/Honda 6.5, 9 & 13 h.p. OHV	XST4265	4265 ⁸²⁴⁸	.030	DS10, DS15	XST2974	2974	.030
DEMCO				DS20, DS30, DS40			
Centrifugal & Roller Pumps				DS20H, DS30W, DX50			
w/B&S 3, 3.5, 5 & 8 h.p.	XST458	458	.030	DULTMEIER			
w/Honda 4, 5, 5.5 & 8 h.p. OHV	XST4265	4265 ⁸²⁴⁸	.030	High Pressure Washers			
DEVILBISS				w/Honda 5, 5.5, 6.5, 8, 11 & 13 h.p. OHV			
Air Compressors				w/Honda 18 & 20 h.p. (V-Twin)			
PLE-501EG, PME-501EG	XST255	255	.025	Sprayers			
PLE-502EG, PME-502EG	XST255	255	.025	w/B&S 3 & 5 h.p.	XST458	458	.030
TAPE-5031EG	AP425 ⁸²⁴⁹	425	.025	w/Honda 5, 5.5 & 8 h.p. OHV	XST4265	4265 ⁸²⁴⁸	.030
UALE-5030EG	XST255	255	.025	w/Honda 18 h.p. (V-Twin)	XST4265	4265 ⁸²⁴⁸	.030
UANE-5031EG	XST458	295	.025	DURABELT			
UC-524EG, USC-521EG	XST458	295	.025	High Pressure Washers			
VAPE-5030EG	AP425 ⁸²⁴⁹	425	.025	w/Honda 13 h.p. OHV	XST4265	4265 ⁸²⁴⁸	.030
Ranger 503 w/Honda G-200 Engs. . . .	AP425 ⁸²⁴⁹	425	.025	DYNABLAST			
Wrangler PG-D 503	AP425 ⁸²⁴⁹	425	.025	w/Honda 5.5, 6.5, 11 & 13 h.p. OHV .	XST4265	4265 ⁸²⁴⁸	.030
w/B&S One-Cyl. Engs.	XST458	458	.030	w/Honda 20 & 24 h.p. (V-Twin)	XST4265	4265 ⁸²⁴⁸	.030
w/Kohler 10 h.p.	----	216	.025	w/Robin 18 h.p. (V-Twin) OHV	XST4265	4265 ⁸²⁴⁸	.030
w/Kohler 8 & 24 h.p.	XST458	458	.025	EAGLE			
w/Wisc. Engs.	----	386	.025	w/Honda OHV Engs.	XST4265	4265 ⁸²⁴⁸	.030
High Pressure Washers							
w/B&S 5.5 h.p. Intek OHV	XST3924	3924	.030				
w/Honda 4.5, 5 & 5.5 h.p. OHC	XST4265	4265 ⁸²⁴⁸	.030				
w/Honda 5.5, 8, 9, 11 & 13 h.p. OHV .	XST4265	4265 ⁸²⁴⁸	.030				
w/Kohler 6 & 8.5 h.p. CS OHV	XST4265	4265 ⁸²⁴⁸	.040				
w/Kohler 15 h.p. OHV	XST3924	3924	.040				



Se Section 9 pour les remarques en français en bas de page. Ver Section 9 para las páginas de notas de pie de página en español. ⁸²⁴⁸ Tapered electrode design ⁸²⁴⁹ Single Platinum ⁸²⁵² Xtreme Sport

Small Engine - Pumps

	XTRME START™	STANDARD STANDARD ESTANDAR	GAP ENCARTMENT ESPACIO		XTRME START™	STANDARD STANDARD ESTANDAR	GAP ENCARTMENT ESPACIO
EAGLE (Cont'd)				ENDURANCE MARINE			
Compressors				Fire Fighting Pumps			
w/Honda 5.5, 9, 11 & 13 h.p. OHV	XST4265	4265 ⁸²⁴⁸	.030	EFP1.5HBS w/B&S 6.5 h.p. OHV	XST3924	3924	.030
EARTHQUAKE				EPPS			
Pumps				Hot & Cold High Pressure Washers			
WP6520, WP6530 w/Viper 196cc				w/B&S 13 h.p. Vanguard OHV	XST3924	3924	.030
Engs.	XS63 ⁸²⁵²	63	.030	w/B&S 16 h.p. Vanguard (V-Twin)	XST3926	3926	.030
WP4310 w/Viper 43cc Engs.	XST255	255	.025	w/Honda 4, 5, 5.5, 6, 6.5, 11 & 13 h.p. OHV	XST4265	4265 ⁸²⁴⁸	.030
EASTERN TOOLS				w/Honda 20 & 24 h.p. (V-Twin)			
Air Compressors				XST4265			
TA011	XST4265	65	.028	w/Kohler 15 h.p. OHV	XST3924	3924	.040
Chemical Pumps				EVINRUDE			
TP2200C-1	XST4265	65	.028	Centrifugal & Light Pressure Pumps			
Compressors				All Models w/18mm Threads			
DA011E	XST4265	65	.028			386	.025
Fire Pumps				EX-CELL			
TPI.5200CH-3	XST4265	65	.028	High Pressure Washers			
High Pressure Washers				w/B&S 5, 6 & 10 h.p.			
TK003	XST4265	65	.028	w/B&S 16 h.p. Vanguard (V-Twin)	XST3926	3926	.030
Trash Pumps				w/Honda 5 h.p. OHC			
TP3200C-4, TP3200CL-4	XST4265	65	.028	w/Honda 6.5 & 13 h.p. OHV	XST4265	4265 ⁸²⁴⁸	.030
Water Pumps				w/Honda 6.5 & 13 h.p. OHV			
TP2200C, TP2200C-4	XST4265	65	.028			4265 ⁸²⁴⁸	.030
EASY KLEEN				E-Z WASHER			
High Pressure Washers				w/B&S "L" Head Engs.			
w/Honda 5.5 & 13 h.p. OHV	XST4265	4265 ⁸²⁴⁸	.030		XST458	458	.030
w/Honda 20 & 24 h.p. (V-Twin)	XST4265	4265 ⁸²⁴⁸	.030	FARM N' FIELD			
w/Lifan 6.5 h.p. OHV	XST4055	4055 ⁸²⁴⁸	.030	w/Power Prod. Engs.			
ECHO				XST258			
High Pressure Washers & Pumps				FORD			
HDTP2001, TP2001, HDTP3001	AP425 ⁸²⁴⁹	425	.025	CH-4000 w/B&S 4 h.p.			
TP3000, TP3001	AP425 ⁸²⁴⁹	425	.025	SP-150 w/B&S 3 h.p.			
WP1000, WP1500	XST2974	2974	.025	SP-200 w/Kohler 4 h.p.			
WP2000, WP2001, WP3000	AP425 ⁸²⁴⁹	425	.025		XST458	458	.030
ECONOMAX				FUEL-A-PLANE			
High Pressure Washers				Pumps			
w/Honda 5 h.p. OHC	XST4265	4265 ⁸²⁴⁸	.030	All Models			
w/Honda 6.5 & 11 h.p. OHV	XST4265	4265 ⁸²⁴⁸	.030			216	.025
EDSON				GARDNER-DENVER			
Pumps				Air Compressors			
w/B&S 3 & 9 h.p.	XST458	458	.030	w/B&S One-Cyl. Engs.			
ELECTRO-MAGIC				w/Buda 6M0-779			
High Pressure Washers				w/Buda GF6, GF638, K325, K369			
4700GED, 1800-5, 2000-6	XST255	255	.025	w/Buda K393, K428, L468, L525			
ELITE				w/Buda 14mm Heads			
w/B&S 13 & 16 h.p. Vanguard				XST458			
	XST3924	3924	.030	w/Buda 18mm Heads			
EMGLO				w/Buda 7/8" Heads			
Diving System Compressors				w/Buda 7/8"-18mm Heads			
w/Honda 5 & 8 h.p. OHV	XST4265	4265 ⁸²⁴⁸	.030	w/Caterpillar 18mm Heads			
ENDURANCE MARINE				w/Caterpillar 7/8"-18 Heads			
Fire Fighting Pumps				w/Chry. Engs.			
EFP1.5HBS w/B&S 6.5 h.p. OHV				XST458			
EPPS				w/Climax Engs.			
Hot & Cold High Pressure Washers				w/Clinton Engs.			
w/B&S 13 h.p. Vanguard OHV				XST458			
w/B&S 16 h.p. Vanguard (V-Twin)				w/Cont. F-162, F-163, F-226, F-227			
w/Honda 4, 5, 5.5, 6, 6.5, 11 & 13 h.p. OHV				w/Cushman 18mm Heads			
w/Honda 20 & 24 h.p. (V-Twin)				w/Cushman 7/8"-18 Heads			
w/Kohler 15 h.p. OHV				w/Ford V104			
EVINRUDE				w/Ford 240 & 300 cid Engs.			
Centrifugal & Light Pressure Pumps				w/Ford V-8 Engs.			
All Models w/18mm Threads				w/H&H Engs.			
----				XST458			
EX-CELL				w/Herc. HXB, HXC, HXE			
High Pressure Washers				w/Herc. 14mm Heads			
w/B&S 5, 6 & 10 h.p.				XST254			
w/B&S 16 h.p. Vanguard (V-Twin)				----			
w/Honda 5 h.p. OHC				3076			
w/Honda 6.5 & 13 h.p. OHV				4263 ⁸²⁴⁸			
E-Z WASHER				45			
w/B&S "L" Head Engs.				216			
XST458				3076			
458				303			
FARM N' FIELD				3076			
w/Power Prod. Engs.				3076			
XST258				3076			
308				3076			
FORD				3076			
CH-4000 w/B&S 4 h.p.				3076			
SP-150 w/B&S 3 h.p.				3076			
SP-200 w/Kohler 4 h.p.				3076			
XST458				3076			
458				3076			
FUEL-A-PLANE				3076			
Pumps				3076			
All Models				3076			
----				3076			
216				3076			
GARDNER-DENVER				3076			
Air Compressors				3076			
w/B&S One-Cyl. Engs.				3076			
w/Buda 6M0-779				3076			
w/Buda GF6, GF638, K325, K369				3076			
w/Buda K393, K428, L468, L525				3076			
w/Buda 14mm Heads				3076			
w/Buda 18mm Heads				3076			
w/Buda 7/8" Heads				3076			
w/Caterpillar 18mm Heads				3076			
w/Caterpillar 7/8"-18 Heads				3076			
w/Chry. Engs.				3076			
w/Climax Engs.				3076			
w/Clinton Engs.				3076			
w/Cont. F-162, F-163, F-226, F-227				3076			
w/Cushman 18mm Heads				3076			
w/Cushman 7/8"-18 Heads				3076			
w/Ford V104				3076			
w/Ford 240 & 300 cid Engs.				3076			
w/Ford V-8 Engs.				3076			
w/H&H Engs.				3076			
w/Herc. HXB, HXC, HXE				3076			
w/Herc. 14mm Heads				3076			
All Other Herc. 7/8"-18 Heads				3076			



Se Section 9 pour les remarques en français en bas de page. Ver Section 9 para las páginas de notas de pie de página en español. ⁸²⁴⁸ Tapered electrode design ⁸²⁴⁹ Single Platinum ⁸²⁵² Xtreme Sport

Small Engine - Pumps

	XTREME START™	STANDARD STANDARD ESTANDAR	GAP ENCARTMENT ESPACIO		XTREME START™	STANDARD STANDARD ESTANDAR	GAP ENCARTMENT ESPACIO
GARDNER-DENVER (Cont'd)				GOODWAY			
Air Compressors (Cont'd)				High Pressure Washers			
w/IHC UC-135B	----	3116	.025	w/B&S 6.5 h.p. Intek OHV	XST458	458	.030
w/Wauk. 155	----	386	.025	w/B&S 13 & 14 h.p. Vanguard OHV	XST3924	3924	.030
w/Wisc. Engs.	----	386	.025	w/Honda 13 h.p. OHV	XST4265	4265 ⁸²⁴⁸	.030
GASPORTER				GORDON SMITH			
Pumps				Air Compressors			
All Models	----	306	.032	45, 125	----	386	.035
GENERAC				70 w/Converted Wisconsin V-465D			
Air Compressors				XST4265			
AP Series w/One-Cyl. Engs.	XST458	458	.030	75	XST258	308	.035
AP Series w/OHV Engs.	XST3926	3926	.030	90	AP45 ⁸²⁴⁹	45	.035
MC1009	XST458	458	.030	100 w/Converted Ford 302 cid Engs.	XP24 ⁸²⁵⁰	24	.035
MC1259	XST3924	3924	.030	150 w/Converted Ford 460 cid Engs.	XP24 ⁸²⁵⁰	24	.035
w/B&S One-Cyl. Engs.	XST458	458	.030	160	----	373	.025
w/B&S Vanguard OHV Engs.	XST3924	3924	.030	w/Ford 400 cid Engs.	XP24 ⁸²⁵⁰	24	.035
w/B&S Vanguard Engs. (V-Twin)	XST3926	3926	.030	GORMAN-RUPP			
Centrifugal Pumps				Pumps			
WP2	XST458	458	.030	w/B&S One-Cyl. Engs.	XST458	458	.030
WP2T, WP3	XST3924	3924	.030	w/B&S 5.5 h.p. Intek OHV	XST3924	3924	.030
w/B&S One-Cyl. Engs.	XST458	458	.030	w/B&S Vanguard Engs. (V-Twin)	XST3926	3926	.030
w/B&S Vanguard OHV Engs.	XST3924	3924	.030	w/Chry. 82003	XS4093 ⁸²⁵²	4093 ⁸²⁴⁸	.025
High Pressure Washers				w/Ford 104 cid			
CP Series w/B&S 1-Cyl. Engs.	XST458	458	.030	w/Ford 140 cid	XST4265	4265 ⁸²⁴⁸	.025
CP Series w/B&S 6 h.p. Intek OHV	XST3924	3924	.030	w/Ford 172 cid	XP104 ⁸²⁵⁰	104	.035
CP Series w/B&S Vanguard OHV Engs.	XST3924	3924	.030	w/Ford 172 cid (Gasoline)	----	216	.030
CP Series w/OHV Tec. Engs.	XST4055	4055 ⁸²⁴⁸	.030	w/Ford 172 cid (LPG)	----	216	.020
MC Series	XST3924	3924	.030	w/Ford 200 cid	AP45 ⁸²⁴⁹	45	.050
w/B&S One-Cyl. Engs.	XST458	458	.030	w/Ford 240, 300 & 330 cid (Gasoline)	AP124 ⁸²⁴⁹	124	.030
w/B&S 6 h.p. OHV	XST3924	3924	.030	w/Ford 240 & 300 cid (LPG)	AP124 ⁸²⁴⁹	124	.020
w/B&S 6.5 h.p. Intek OHV	XST3924	3924	.030	w/Ford 361 cid (Gasoline)	----	216	.030
w/B&S Vanguard Engs. OHV	XST3924	3924	.030	w/Ford 361 cid (LPG)	----	216	.020
w/Honda 5 h.p. OHC	XST4265	4265 ⁸²⁴⁸	.030	w/Ford 370 cid	XP24 ⁸²⁵⁰	24	.035
w/Honda 5, 9 & 13 h.p. OHV	XST4265	4265 ⁸²⁴⁸	.030	w/Honda 5.5, 8 & 13 h.p. OHV	XST4265	4265 ⁸²⁴⁸	.030
w/Tec. Engs.	XST458	458	.030	w/IHC UB-264 & UV-549	XST254	303	.025
w/Tec. OHV Engs.	XST4055	4055 ⁸²⁴⁸	.030	w/Kohler 4 & 7 h.p.	XST458	458	.030
GENERAL EQUIPMENT				w/Kohler 8, 12 & 14 h.p.			
w/Chry. 82005	XS4093 ⁸²⁵²	4093 ⁸²⁴⁸	.025	w/Kohler 20 h.p. (Twin)	XP26 ⁸²⁵⁰	26	.025
GENERAL PUMP				w/Onan CCKB			
High Pressure Washers				w/West Bend 820			
w/Honda 6.5, 11 & 13 h.p. OHV	XST4265	4265 ⁸²⁴⁸	.030	w/Wisc. S7D, S8D, S10D, S12D, TJD	AP425 ⁸²⁴⁹	425	.030
w/Honda 24 h.p. (V-Twin)	XST4265	4265 ⁸²⁴⁸	.030	w/Wisc. BKND, AENLD, THD Eng.	----	386	.030
GIANT				w/Wisc. V461D, V465D			
w/Honda 13 h.p. OHV	XST4265	4265 ⁸²⁴⁸	.030	w/Wisc. VE4D, VF4D, VG4D, VH4D	XST4265	65	.025
GLOBAL MARINE PUMPOUT				w/Wisc. VE4D, VF4D, VG4D, VH4D			
Marine Waste Pumps				GOULD			
w/Honda 2.5 h.p.	XST258	258	.030	w/B&S "L" Head Engs.	XST458	458	.030
GOLDEN STAR				GRACO			
All Models	XST255	255	.025	High Pressure Washers			
GOODALL				w/B&S OHV (V-Twin) Engs.			
Porta Pumps	XST458	295	.025	w/Honda OHV Engs.	XST4265	4265 ⁸²⁴⁸	.030
GREEN MACHINE				GRIMMER-SCHMIDT			
Port-a-Flo				w/Ford 302cid Engs.			
XST255				XP25 ⁸²⁵⁰			
255				25			
.025				w/Ford 351 cid Engs.			
HALE FIRE PUMPS				XP24 ⁸²⁵⁰			
15B, 15TA-B6, 20TA-B8, 20GA-B8				24			
XST255				.035			
255				.035			
.025							


Se Section 9 pour les remarques en français en bas de page. Ver Section 9 para las páginas de notas de pie de página en español. ⁸²⁴⁸ Tapered electrode design ⁸²⁴⁹ Single Platinum ⁸²⁵⁰ Xtreme Performance ⁸²⁵² Xtreme Sport


Small Engine - Pumps

	XTREME START™	STANDARD STANDARD ESTANDAR	GAP ENCARTMENT ESPACIO		XTREME START™	STANDARD STANDARD ESTANDAR	GAP ENCARTMENT ESPACIO
HALE FIRE PUMPS (Cont'd)				HOMELITE (Cont'd)			
15FD-B23, 25FA-B23, 25FZZ-B23 ..	XST255	255	.025	High Pressure Washers & Pumps (Cont'd)			
20FS-C225, 30FS-C225	XST4265	65	.025	AP315, AP320, AP520	XST458	458	.025
20FS-WVG4, 30FS-WG4	----	386	.025	CC200, CC205	XST458	458	.025
20GP-B8, 30GA-B8, 30GP-B8	XST255	255	.025	CBWPW2800, CBPW3000,			
20TM-WS7, 40FC9-WVH4	----	386	.025	CPW2000	XST4265	4265 ⁸²⁴⁸	.030
20TN-B13, 40GC-B19, 15FC-B23 ..	XST255	255	.025	CPW2800, CBPW2500, CBPW3000	XST4265	4265 ⁸²⁴⁸	.030
25FA-WAENL, 25FZZ-WAENL	----	386	.025	FP150	XST254	254	.025
30FC9-WTJ, 40TA-WVH4	----	386	.025	FP250, HAC500B	XST458	458	.025
30FZA-B23, 30TA-B23, 20FD-B32 ..	XST255	255	.025	HC-320, HC-520	XST458	458	.025
30FZA-WAENL, 30TA-WAENL	----	386	.025	HCP420, HCP630	XST4265	4265 ⁸²⁴⁸	.030
30SA-W512, 20FD-WTJ,				HDP2, HDP3,HPW305H, HTP2,			
25FR-WTJ	----	386	.025	HTP3	XST4265	4265 ⁸²⁴⁸	.030
40FA-C318, 45FA-C318	XST4265	4265 ⁸²⁴⁸	.025	HPW1200B, HPW1550B	XST458	458	.025
40FC-F250, 40FA-F250	AP124 ⁸²⁴⁹	124	.025	HPW2000B, HPW2250V	XST458	458	.025
40FC9-C225, 50FB2-C225	XST4265	65	.025	HPW3000B	XST3926	3926	.025
45FA-C413, 50FR-C413	----	4056 ⁸²⁴⁸	.025	HST-320, HST-520	XST458	458	.025
50FA-F250	AP124 ⁸²⁴⁹	124	.025	P-100, Waterbug	XST2956	2956	.025
50FB3-C318, 60FBI-C318	XST4265	4265 ⁸²⁴⁸	.025	PW1500, PW1750, PW2200	XST458	458	.025
50FB3-C440, 60FBI-C440	XS85 ⁸²⁵²	85	.025	XLS1-1/2-1, XLS1-1/2-1H, VTP4 ..	XST255	255	.025
50FR-C318, 60FR-C318	XST4265	4265 ⁸²⁴⁸	.025	w/B&S One-Cyl. Eng.	XST458	458	.030
60FR-C413	----	4056 ⁸²⁴⁸	.025	w/B&S Vanguard Eng. (V-Twin) ...	XST3926	3926	.030
FA50-C225, FB50-C225	XST4265	65	.025	w/Honda OHV Eng.	XST4265	4265 ⁸²⁴⁸	.030
FA50-C318, FB50-C318	XST4265	4265 ⁸²⁴⁸	.025	w/Robin Eng.	AP425 ⁸²⁴⁹	425	.025
FB75-C318	XST4265	4265 ⁸²⁴⁸	.025				
FB75-C440, FB100-C440	XS85 ⁸²⁵²	85	.025				
w/Wisc. V465D	XST4265	65	.025				
HANDY				HONDA			
High Pressure Washers				Water & Trash Pumps			
w/Honda 5, 11 & 13 h.p. OHV	XST4265	4265 ⁸²⁴⁸	.030	WA15, WB15K2	XST258	258	.030
HERO				WA20K1, WB20T, WA30, WB30T,			
Airless Sprayers				WT20, WT30	AP425 ⁸²⁴⁹	425	.030
w/Honda 4 h.p. OHV	XST4265	4265 ⁸²⁴⁸	.030	WA20X, WA30X	XST4265	4265 ⁸²⁴⁸	.030
High Pressure Washers				WB20, WB20TDR, WB20XK1,			
w/Honda 5.5, 6.5, 9, 11 & 13 h.p.				WB20XK2	XST4265	4265 ⁸²⁴⁸	.030
OHV	XST4265	4265 ⁸²⁴⁸	.030	WB30, WB30TDR, WB30XK1,			
HMC				WB30XK2	XST4265	4265 ⁸²⁴⁸	.030
w/Zenoah Eng.	XST255	255	.025	WD20XK1, WD20XK1C1, WD30X,			
HOFFCO				WD30XK1, WD30XK1C1	XST4265	4265 ⁸²⁴⁸	.030
w/Fuji Eng.	XS4093 ⁸²⁵²	4093 ⁸²⁴⁸	.025	WDP20X, WDP30, WDP30X,			
HOMART (Sears)				WDP30XTA, WDP30XK1AT	XST4265	4265 ⁸²⁴⁸	.030
Pumps				WH15, WH15XK1, WH15XK1C1,			
w/B&S One-Cyl. Eng.	XST458	458	.030	WH20	XST4265	4265 ⁸²⁴⁸	.030
w/Lauson Eng.	XST458	295	.025	WH20X, WH20XK1, WH20XK1A,			
w/Wisc. Eng.	----	386	.025	WH20XK1C1	XST4265	4265 ⁸²⁴⁸	.030
HOMELITE				WMP20, WMP20X, WMP20XA,			
High Pressure Washers & Pumps				WMP20XA1, WN20A, WN30A ...	XST4265	4265 ⁸²⁴⁸	.030
8S, 20DPS-1, 20S1-1/2-1A, 250S2,				WP20X, WP20XCF6, WP30X,			
250TP2	XST458	295	.025	WP30XACF6	XST4265	4265 ⁸²⁴⁸	.030
9S3-1, 36S, 37S, 250DP3	XST258	308	.025	WT3XK1, WT3XK2, WT20, WT20X,			
110SU1.5, 111B1, 111S1.5	XST458	458	.025	WT20XK1	XST4265	4265 ⁸²⁴⁸	.030
111DP2-1A, 111DP3-1A	XST458	458	.025	WT20XK2, WT20XK2C, WT20XK3A,			
111S2, 120S3, 221432	XST458	458	.025	WT20XK3C	XST4265	4265 ⁸²⁴⁸	.030
120TP3, 121TP2-1C	XST458	458	.025	WT30, WT30X, WT30XK1,			
160TP4-1C	XST3926	3926	.025	WT30XK2, WT30XK3A	XST4265	4265 ⁸²⁴⁸	.030
270S2-1, 270S2-1P, 270TP2-1	XST255	255	.025	WT30XK2C, WT30XK3C, WT40,			
AP120, MB-1000	XST2554	2554	.025	WT40XK1	XST4265	4265 ⁸²⁴⁸	.030
AP125, AP215, AP220C	XST458	458	.025	WT40XK1C, WT40XK2A,			
				WT40XK2C, WT40XK21	XST4265	4265 ⁸²⁴⁸	.030
				WX10, WX10A2, WX10A4,			
				WX10K1A, WX15, WX15AX2	----	4194 ⁸²⁴⁸	.030
				W/Honda 1.5 h.p. Mini 4-Stroke	----	4194 ⁸²⁴⁸	.030
				w/Honda 2.2 & 2.5 h.p. (2-Stroke) ...	XST258	258	.030
				w/Honda OHC Eng.	XST4265	4265 ⁸²⁴⁸	.030
				w/Honda OHV Eng.	XST4265	4265 ⁸²⁴⁸	.030
				HOT AND MIGHTY			
				High Pressure Washers			
				w/Honda 24 h.p. (V-Twin)	XST4265	4265 ⁸²⁴⁸	.030

Se Section 9 pour les remarques en français en bas de page. Ver Seccion 9 para las páginas de notas de pie de página en español. ⁸²⁴⁸ Tapered electrode design ⁸²⁴⁹ Single Platinum ⁸²⁵² Xtreme Sport



Small Engine - Pumps

	XTREME START™	STANDARD ESTANDAR	GAP ENCARTMENT ESPACIO
HOT AND MIGHTY (Cont'd)			
High Pressure Washers (Cont'd)			
w/Kohler 18 h.p. (V-Twin)	XST3924	3924	.030
HOTSYS			
w/B&S 16 h.p. Vanguard (V-Twin) ...	XST3926	3926	.030
w/Honda 5.5, 6.5, 9, 11 & 13 h.p. OHV	XST4265	4265 ⁸²⁴⁸	.030
w/Honda 20 h.p. (V-Twin)	XST4265	4265 ⁸²⁴⁸	.030
HURRICANE			
w/Honda 5 h.p. OHC	XST4265	4265 ⁸²⁴⁸	.030
w/Honda 5.5, 9, 11 & 13 h.p. OHV ...	XST4265	4265 ⁸²⁴⁸	.030
w/Tec. 10 h.p.	XST458	458	.030
HUSQVARNA			
w/Honda 5.5 h.p. OHC	XST4265	4265 ⁸²⁴⁸	.030
w/Honda 5.5, 9 & 13 h.p. OHV	XST4265	4265 ⁸²⁴⁸	.030
w/Robin 6 h.p. OHV	----	4123 ⁸²⁴⁸	.025
w/Robin 9 h.p. OHV	XS63 ⁸²⁵²	4263	.025
HYDRA STORM			
w/B&S 5 & 11 h.p.	XST458	458	.030
w/B&S 5.5 h.p. Intek OHV	XST3924	3924	.030
w/B&S 9 & 13 h.p. Vanguard OHV ...	XST3924	3924	.030
w/Honda OHV Eng.	XST4265	4265 ⁸²⁴⁸	.030
w/Tec. 3.5, 8 & 10 h.p.	XST458	458	.030
w/Tec. 5.5 h.p. OHV	XST4055	4055 ⁸²⁴⁸	.030
HYDROBLASTER			
Hot & Cold High Pressure Washers			
w/Honda 20 h.p. (V-Twin)	XST4265	4265 ⁸²⁴⁸	.030
w/Kohler 13 h.p. OHV	XST3924	3924	.040
w/Kohler 18 & 25 h.p. (V-Twin)	XST3924	3924	.030
HYDRO TEK			
w/B&S 6 h.p. Vanguard OHV	XST3924	3924	.030
w/B&S 14, 16, 21, 25 & 29 h.p. Vanguard (V-Twin)	XST3926	3926	.030
w/Honda 24 & 25 h.p. (V-Twin)	XST4265	4265 ⁸²⁴⁸	.030
w/Kohler 8.5 h.p. Command Pro CS OHV	XST4265	4265 ⁸²⁴⁸	.040
w/Kohler 12 & 15 h.p. OHV	XST3924	3924	.040
w/Kohler 18, 20 & 25 h.p. (V-Twin) ..	XST3924	3924	.030
HYPRO			
Pumps			
w/B&S 3 h.p. thru 14 h.p.	XST458	458	.030
w/B&S 18 h.p. (Twin)	XST458	458	.030
w/Honda OHV Eng.	XST4265	4265 ⁸²⁴⁸	.030
IMC			
Air Compressors			
w/B&S 9 h.p. Vanguard	XST3924	3924	.030
w/B&S 10 h.p. Intek OHV	XST3924	3924	.030
w/Honda 5, 5.5, 8, 11 & 13 h.p. OHV .	XST4265	4265 ⁸²⁴⁸	.030
w/Kohler 10 & 12 h.p. OHV	XST3924	3924	.030
INDIANA			
Pumps			
All Models	----	3076	.025

	XTREME START™	STANDARD ESTANDAR	GAP ENCARTMENT ESPACIO
INDUSTRIAL ENGINEERING (Canada)			
VA, VM High Pressure	XST254	303	.025
INGERSOLL-RAND			
Air Compressors			
12, 16A, 18, 24, 55, K500, MF185, T40	----	386	.025
2420F11G w/Kohler Eng.	----	216	.025
257511GH	XST4265	4265 ⁸²⁴⁸	.030
2475F12.5G, 2475X12.5G	XST3924	3924	.040
2475F11GKA, 2475F13GH, 2475X13GH	XST4265	4265 ⁸²⁴⁸	.030
2475F12.5G	XST458	458	.030
3-R-30, 3-R-36	XST458	295	.025
CR125, ER210, D60	----	386	.025
D85	----	3076	.025
G125, GRR150 w/IHC UC-200	----	3116	.025
G150, G175, GRR160	----	3116	.025
G175 w/IHC UC-200	----	3116	.025
GH160 w/IHC C196	XS85 ⁸²⁵²	85	.025
GH85, GRRH85	XST254	303	.025
GIH160	XST4265	4265 ⁸²⁴⁸	.030
GK, GKA160, GKA210, GKA315 ...	----	386	.025
GK105, GKRC8	----	3076	.025
GKA500, GKAC, GKRC, GKRC16 ..	----	386	.025
GR250 w/Wauk. WAKO	----	386	.025
GR85, GR105, 315 w/Wauk. 140GS	----	386	.025
GRA125, GRB125	XST458	295	.025
GRR160 w/White-Herc. G2300	XST254	303	.025
GRR160, G175 w/IHC UC-200	----	3116	.025
GRR85 w/IHC UC-135B	----	3116	.025
GRR85 w/White-Herc. G1600	XST254	303	.025
GXL175	XST254	303	.025
IK315, IKA210, IKA315, IKA500, IKQ	----	3077	.035
P100WF w/Ford 2.3L Eng.	XP104 ⁸²⁵⁰	104	.044
P-100-W-W, P-175-W-W	XST458	295	.030
P-125-W-W w/White G1600	XST458	295	.030
SS358B	XST3924	3924	.030
SS358H, SS3J5.5GHWB	XST4265	4265 ⁸²⁴⁸	.030
XL-SPL w/Wauk. WAKO	----	386	.025
w/B&S "L" Head Eng.	XST458	458	.030
w/B&S 5.5 h.p. Intek OHV	XST3924	3924	.030
w/Honda 5.5, 11 & 13 h.p. OHV	XST4265	4265 ⁸²⁴⁸	.030
w/Kawasaki 11.5 h.p. OHV	XST4265	4265 ⁸²⁴⁸	.030
w/Kohler 12.5 h.p.	XST458	458	.030
w/Kohler 12 h.p. Command Pro OHV	XST3924	3924	.040
IPT			
High Pressure Washers & Trash Pumps			
w/B&S 5 h.p.	XST458	458	.030
w/B&S 5.5 & 6.5 h.p. Intek OHV	XST3924	3924	.030
w/Honda 5.5 & 13 h.p. OHV	XST4265	4265 ⁸²⁴⁸	.030
w/Honda 21 h.p. (V-Twin)	XST4265	4265 ⁸²⁴⁸	.030
IRON HORSE			
Compressors			
w/ Robin 6 & 9 h.p. OHV	XS4093 ⁸²⁵²	4093 ⁸²⁴⁸	.025
JACUZZI			
Contractors Pumps			
5M, 8M, 10M, 15M	XST255	255	.025
20M, 25M, 30M	----	386	.025



Se Section 9 pour les remarques en français en bas de page. Ver Section 9 para las páginas de notas de pie de página en español. ⁸²⁴⁸ Tapered electrode design ⁸²⁵⁰ Xtreme Performance ⁸²⁵² Xtreme Sport

Small Engine - Pumps

	XTRME START™	STANDARD STANDARD ESTANDAR	GAP ENCARTMENT ESPACIO		XTRME START™	STANDARD STANDARD ESTANDAR	GAP ENCARTMENT ESPACIO
JACUZZI (Cont'd)				JOHN DEERE (Cont'd)			
Jet Pumps				High Pressure Washers (Cont'd)			
1ZRM2, 15ZJH	XST255	255	.025	PR-3000GH, PR-3400GH, PR-4000GH	XST4265	4265 ⁸²⁴⁸	.030
Series ZJY, ZJS				PR-3000GS, PR-3400GS	XS4093 ⁸²⁵²	4093 ⁸²⁴⁸	.025
w/B&S One-Cyl. Engs.	XST458	458	.030	PR-4000GS	XS63 ⁸²⁵²	4263 ⁸²⁴⁸	.025
w/Wisc. S8D	----	386	.025	Pumps, Compressors & Compresserators			
Series TZ, FTZ				15, 20 Portable Pumps	XST458	295	.025
w/Wisc. S10D, THD	----	386	.025	235AP, 235CP, 235CT, 250AP	XST458	458	.030
Air Compressors				A300 Compressor	XST255	255	.025
w/B&S One-Cyl. Engs.	XST458	458	.030	AC1-CG16H, AC2-CG35H-P	XST4265	4265 ⁸²⁴⁸	.030
JAEGER				AC1-5G, AC1-5GH, AC1-8G	XST4265	4265 ⁸²⁴⁸	.030
14mm Heads	XST258	308	.025	AC1-5GR, AC1-5GS, AC1-8GR	XS4093 ⁸²⁵²	4093 ⁸²⁴⁸	.025
w/Stover Engs.	----	386	.025	AC1-8GH, AC2-8G, AC2-8GH	XST4265	4265 ⁸²⁴⁸	.030
w/Wisc. AG, AGH, VE4	----	386	.030	AC1-8GS, AC2-8GR, AC2-8GS	XS4093 ⁸²⁵²	4093 ⁸²⁴⁸	.025
JENNY				AC1-20G, AC2-20G, AC1-20GH	XST4265	4265 ⁸²⁴⁸	.030
Air Compressors				AC1-20GR, AC1-20GS, AC2-20GR	XS4093 ⁸²⁵²	4093 ⁸²⁴⁸	.025
w/Honda OHV Engs.	XST4265	4265 ⁸²⁴⁸	.030	AC2-20GH, AC2-20GHS, AC2-20GS	XST4265	4265 ⁸²⁴⁸	.030
w/Honda (V-Twin) Engs.	XST4265	4265 ⁸²⁴⁸	.030	AC2-20GS, AC2-20GRS, AC2-20GSS	XS4093 ⁸²⁵²	4093 ⁸²⁴⁸	.025
High Pressure Washers & Steam Cleaners				AC-CP2GH, AC-CP3GH, AC- SP2GH, AC-SP3GH	XST4265	4265 ⁸²⁴⁸	.030
Series 900, 1200, 1800, 3000	XST458	458	.030	AC-CP2GS, AC-CP3GS, AC-SP2GS, AC-SP3GS	XS4093 ⁸²⁵²	4093 ⁸²⁴⁸	.025
w/B&S One-Cyl. Engs.	XST458	458	.030	TA92	----	216	.025
w/Kohler 4 h.p.	XST458	458	.030	JOHNSON			
w/Kohler 14 h.p.	----	216	.030	Pumps			
w/Kohler 6, 11, 13 & 15 h.p. OHV	XST3924	3924	.040	HOK	----	373	.025
w/Kohler 18, 20 & 25 h.p. (V-Twin)	XST3924	3924	.030	JONSERED			
JEONIL				WP25	XST2974	2974	.030
Air Compressors				JORDAN			
w/Honda 5.5 h.p. OHV	XST4265	4265 ⁸²⁴⁸	.030	High Pressure Washers			
JIANDONG				w/Honda OHV Engs.	XST4265	4265 ⁸²⁴⁸	.030
High Pressure Washers				w/Kohler OHV Engs.	XST3924	3924	.030
JDCM-120, JDCM-170 w/5.5 h.p.	XS63 ⁸²⁵²	4263 ⁸²⁴⁸	.030	JOY			
Jiandong Engs.	XS63 ⁸²⁵²	4263 ⁸²⁴⁸	.030	w/Buda 4B-182, 6B-273	XST458	295	.025
JDCM-200 w/6.5 h.p. Jiandong	XS63 ⁸²⁵²	4263 ⁸²⁴⁸	.030	w/Buda BT, ET-350, JK-4, JL-877	----	3076	.025
Engs.	XS63 ⁸²⁵²	4263 ⁸²⁴⁸	.030	w/Buda H-173, HP-205 14mm	XST258	308	.025
Water Pumps				Heads	XST258	308	.025
HP15 w/5.5 h.p. Jiandong Engs.	XS63 ⁸²⁵²	4263 ⁸²⁴⁸	.030	w/Buda H-173, HP-205 18mm	----	386	.025
HP20 w/6.5 h.p. Jiandong Engs.	XS63 ⁸²⁵²	4263 ⁸²⁴⁸	.030	Heads	----	386	.025
WP20 w/5.5 h.p. Jiandong Engs.	XS63 ⁸²⁵²	4263 ⁸²⁴⁸	.030	w/Buda HP-351	----	386	.025
WP30 w/6.5 h.p. Jiandong Engs.	XS63 ⁸²⁵²	4263 ⁸²⁴⁸	.030	w/Buda JV-4, JV-6	----	3076	.025
JOHN BLUE				w/Buda K-428, HP-217, HP-234	----	388	.025
w/Honda 5.5 h.p. OHV	XST4265	4265 ⁸²⁴⁸	.030	w/Buda LO-525 14mm Heads	XST458	295	.025
JOHN DEERE				w/Buda LO-525 18mm Heads	----	388	.025
High Pressure Washers				All Other Buda Engs.	----	3076	.025
AC-2000G, AC-2400G, AC-2500G, AC-2500GH	XST4265	4265 ⁸²⁴⁸	.030	w/Case SE 14mm Heads	XST258	308	.025
AC-2700G, AC-2700GH, AC-3300G, AC-3300GH	XST4265	4265 ⁸²⁴⁸	.030	w/Case SE 18mm Heads	----	386	.025
AC-3500GH, AC-3500GHH, AC- 3500GSH	XST4265	4265 ⁸²⁴⁸	.030	w/Cont. Engs.	----	386	.025
AC-2400GR, AC-2700GR, CA-2700GS	XS4093 ⁸²⁵²	4093 ⁸²⁴⁸	.025	w/Herc. GO-339, G-3400	XST254	303	.025
AC-3000GR, AC-3000GS	XS4093 ⁸²⁵²	4093 ⁸²⁴⁸	.025	w/Herc. HXE	----	3076	.025
GP-2700GH, GP-3000GH	XST4265	4265 ⁸²⁴⁸	.030	w/IHC UD-9, UD-16	----	386	.025
GP-2700GS, GP-3000GS	XS4093 ⁸²⁵²	4093 ⁸²⁴⁸	.025	w/IHC UD-18A, UD-24, UD-1091	----	3077	.025
HR-2400G, HR-2410GH, HR- 2500GH, HR-2700GH	XST4265	4265 ⁸²⁴⁸	.030	KAESER			
LP020297, LP020298	XST4265	4265 ⁸²⁴⁸	.030	Air Compressors			
				w/Honda OHV Engs.	XST4265	4265 ⁸²⁴⁸	.030



Se Section 9 pour les remarques en français en bas de page. Ver Seccion 9 para las páginas de notas de pie de página en español. ⁸²⁴⁸ Tapered electrode design ⁸²⁵² Xtreme Sport

Small Engine - Pumps

	XTREME START™	STANDARD STANDARD ESTANDAR	GAP ENCARTMENT ESPACIO		XTREME START™	STANDARD STANDARD ESTANDAR	GAP ENCARTMENT ESPACIO
KARCHER				KUBOTA (Cont'd)			
High Pressure Washers				Pumps (Cont'd)			
w/B&S One-Cyl. Engs.	XST458	458	.030	KVP20, KVP20S, KVP30, KVP30,			
w/B&S 6 h.p. Intek OHV	XST3924	3924	.030	KVP40	----	275	.025
w/B&S 9 h.p. Vanguard OHV	XST3924	3924	.030	KVP20T, KVP30T, KVP40T	----	275	.025
w/B&S 16 h.p. Vanguard (V-Twin) ...	XST3926	3926	.030	<hr/>			
w/Honda 5, 6, 6.5, 9, 11 & 13 h.p. OHV	XST4265	4265 ⁸²⁴⁸	.030	KUKER			
w/Kawasaki 3 h.p.	XST255	255	.030	Sprayers			
w/Kohler 13 h.p. OHV	XST3924	3924	.030	w/B&S "L" Head Engs.	XST458	458	.030
w/Robin 6 h.p. OHV	----	4123 ⁸²⁴⁸	.025	w/Tec. Engs.	XST458	458	.030
w/Robin 7 & 9 h.p. OHC	XS4093 ⁸²⁵²	4093 ⁸²⁴⁸	.025	<hr/>			
w/Tec. 3.8 h.p.	XST458	458	.030	L & A PRODUCTS			
w/Tec. 5 h.p. OHV	XST4055	4055 ⁸²⁴⁸	.030	Steam Cleaners			
<hr/>				w/B&S 16 h.p.	XST458	458	.030
KAWASAKI				w/Kohler 8 h.p.	XST458	295	.025
Trash & Water Pumps				w/Kohler 10 h.p.	----	216	.025
KWN20A, KWN30A, KWT20A, KWT30A, KWT40A	XST4265	4265 ⁸²⁴⁸	.030	<hr/>			
KWS20A, KWS30A	XST4265	4265 ⁸²⁴⁸	.030	LANCASTER			
w/Kawasaki 4, 5.5, 8 & 9.5 h.p. OHV	XST4265	4265 ⁸²⁴⁸	.030	Pumps			
<hr/>				Mini-Pump	XST258	258	.025
KECO				All Other Models	XST458	295	.025
Marine Waste Pumps				<hr/>			
Pump-A-Head Jr. w/B&S 3 & 3.5 h.p.	XST458	458	.030	LANDA			
<hr/>				High Pressure Washers			
K.E.W.				w/B&S One-Cyl. Engs.	XST458	458	.030
High Pressure Washers				w/B&S Vanguard OHV	XST3924	3924	.030
3002KB, 4203KB	----	275	.025	w/B&S Vanguard (V-Twin)	XST3926	3926	.030
<hr/>				w/Honda OHV Engs.	XST4265	4265 ⁸²⁴⁸	.030
KMI				w/Honda OHV (V-Twin) Engs.	XST4265	4265 ⁸²⁴⁸	.030
w/B&S 5, 10 & 11 h.p.	XST458	458	.030	w/Kawasaki 27 h.p. (V-Twin)	XST4265	4265 ⁸²⁴⁸	.030
w/Honda 9, 11 & 13 h.p. OHV	XST4265	4265 ⁸²⁴⁸	.030	w/Onan 24 h.p. (Twin)	AP106 ⁸²⁴⁹	106	.025
w/Robin 4.8, 8 & 11 h.p.	AP425 ⁸²⁴⁹	425	.025	w/Robin 6 & 7 h.p. OHC	XS4093 ⁸²⁵²	4093 ⁸²⁴⁸	.025
<hr/>				LARGO			
KODIAK				w/B&S 11 & 14 h.p. Vanguard	XST3924	3924	.030
High Pressure Washers & Water Pumps				w/B&S 16 & 18 h.p. Vanguard (V-Twin)	XST3926	3926	.030
w/B&S 4 & 4.75 h.p.	XST458	458	.030	w/Honda 11 & 13 h.p. OHV	XST4265	4265 ⁸²⁴⁸	.030
w/Honda 1 h.p. OHC	----	4194	.030	<hr/>			
w/Honda 4, 4.5, 5, 5.5, 6, 6.5, 8, 11 & 13 h.p. OHV	XST4265	4265 ⁸²⁴⁸	.030	LAUNTOP			
w/Robin 7 & 14 h.p. OHC	XS4093 ⁸²⁵²	4093 ⁸²⁴⁸	.025	High Pressure Pumps			
<hr/>				LTF40C, LTF40C-2, LTF50C	XS63 ⁸²⁵²	63	.030
KOSHIN				High Pressure Washers			
Water Pumps				LTS22W, LTS28W	XS63 ⁸²⁵²	63	.030
w/Honda 1 h.p. OHC	----	4194	.030	Trash Pumps			
w/Honda 4 h.p. OHC	XST4265	4265 ⁸²⁴⁸	.030	LTWT80C	XS63 ⁸²⁵²	63	.030
w/Honda 4, 5.5, 8 & 11 h.p. OHV	XST4265	4265 ⁸²⁴⁸	.030	Water Pumps			
w/Mitsubishi 0.8 h.p.	XST2974	2974	.025	LTP50C, LTP80C, LTP100C	XS63 ⁸²⁵²	63	.030
w/Robin 4.5 & 6 h.p. OHC	XS4093 ⁸²⁵²	4093 ⁸²⁴⁸	.025	<hr/>			
w/Robin 7.5 h.p. OHV	AP425 ⁸²⁴⁹	2656	.025	LAWTON			
w/B&S 4 h.p. OHV Vanguard	XST3924	3924	.030	Air Compressors			
<hr/>				All Models	----	3076	.025
KRANZLE USA				<hr/>			
High Pressure Washers				LE ROI			
w/Honda 5.5, 6.5, 11 & 13 h.p. OHV .	XST4265	4265 ⁸²⁴⁸	.030	100RG1, 130RG1, 160RG1	----	3116	.025
<hr/>				105G1, 105G1T, 105G1U, 105G2 w/Mag. Ign.	XST258	308	.025
KUBOTA				125G1, 125G2, 125TA 3/8" Rch. w/ Dist. Ign.	AP86 ⁸²⁴⁹	86	.025
Pumps				125G1, 125G2, 125TA 3/8" Rch. w/ Mag. Ign.	XST258	308	.025
GS200, GS288, GS130	----	275	.025	125G1, 125TA, 125RG2 3/4" Reach .	----	4056 ⁸²⁴⁸	.025
KGP15, KGP20, KGP30, KGP40 ...	----	275	.025	<hr/>			
KGP20T, KGP30T, KGP30	----	275	.025	Se Section 9 pour les remarques en français en bas de page. Ver Seccion 9 para las páginas de notas de pie de página en español.			



⁸²⁴⁸ Tapered electrode design ⁸²⁴⁹ Single Platinum ⁸²⁵² Xtreme Sport

Small Engine - Pumps

	XTREME START™	STANDARD STANDARD ESTANDAR	GAP ÉNCARTMENT ESPACIO		XTREME START™	STANDARD STANDARD ESTANDAR	GAP ÉNCARTMENT ESPACIO
LE ROI (Cont'd)				MARLOW (Cont'd)			
125RG-1 w/18mm Heads	----	386	.025	Pumps (Cont'd)			
125RG-1 w/Ford Eng.	----	216	.025	All Models w/18mm Threads (Gasket Seat)			
125RG-1 w/LeRoi Eng.	----	4056 ⁸²⁴⁸	.025	----	386	.025	
150RG1, 175SG1, 250RG2	----	3116	.025	All Models w/18mm Threads (Tapered Seat)			
150RG2	----	4056 ⁸²⁴⁸	.025	AP45 ⁸²⁴⁹	45	.025	
60G1 w/Mag. Ign.	XST258	308	.025	All Models w/7/8"-18 Threads			
75RG1	----	386	.025	----	3076	.025	
85G1, 150RG2 3/4" Reach	----	4056 ⁸²⁴⁸	.025	MARUYAMA			
85G1, 150RG2 3/8" Rch. w/Dist. Ign.	AP86 ⁸²⁴⁹	86	.025	Water Pumps			
85G1, 150RG2 3/8" Rch. w/Mag. Ign.	XST258	308	.025	ML23P, MP2532E2, MP2531CE-1	XST2976	2976	.030
85RG1	----	386	.025	MP2500E2, MP2520E2M	XST255	255	.030
w/Kohler 10 & 12 h.p.	----	216	.025	MP2530CE, MP2530CE-1	----	4194 ⁸²⁴⁸	.030
w/Onan NH, NHCV	----	216	.025	MP4020E, MP5020E	----	275	.025
w/Wisc. VH4D	----	386	.025	MP4020EH, MP4030EH, MP5020EH	XST4265	4265 ⁸²⁴⁸	.030
Pumps				MP5030EH, MP8010EH, MP802EH	XST4265	4265 ⁸²⁴⁸	.030
A114	----	306	.025	Power Sprayers			
LESCO				MS046, MS056, MS045D, MS055D, MS055ED	XST2976	2976	.025
High Pressure Washers				MS153EMH	XST258	258	.030
w/B&S 5 h.p.	XST458	458	.030	MS253ECKFR	----	275	.025
LIFAN				MS153-50T	XST258	258	.030
Water Pumps				MS154ECH, MS154EMH, MS154PS50	XST258	258	.030
25ZB15-0.7Q	----	4194 ⁸²⁴⁸	.030	MS253-50T	----	275	.030
40ZB60-4.8Q	XST4055	4055 ⁸²⁴⁸	.030	MS253ECH, MS330ECH, MS330EMH, MS330PS100	XST4265	4265 ⁸²⁴⁸	.030
50ZB26-4Q	XST4055	4055 ⁸²⁴⁸	.030	MS410EMH, MS410PS200, MS413ECH, MS413-220P	XST4265	4265 ⁸²⁴⁸	.030
50ZB60-4.8Q	XST4055	4055 ⁸²⁴⁸	.030	MS410EC-2MR	XST255	255	.030
80ZB30-4.8Q	XST4055	4055 ⁸²⁴⁸	.030	MASTER			
100ZB26-5.8Q	XST4055	4055 ⁸²⁴⁸	.030	10M, 17M, 30M, 40M, ML4014	----	386	.025
RB50-24	XST4055	4055 ⁸²⁴⁸	.030	20M	----	386	.025
LINCOLN				40MW	----	216	.025
Air Compressors				90MW w/Ford 240 cid Eng.	AP124 ⁸²⁴⁹	124	.025
w/B&S One-Cyl. Eng.	XST458	458	.030	90MW w/Ford 256 cid Eng.	----	4056 ⁸²⁴⁸	.025
w/Cont. Eng.	----	386	.025	MK70, ML153, ML203, ML305	XST458	295	.025
w/Wisc. Eng.	----	386	.025	ML307, ML309	XST458	295	.025
LINDSAY				MR2D1, MR3D1, 5M	XST458	295	.025
All Models	----	386	.025	MAURY			
MAKITA				Hot & Cold High Pressure Washers			
Centrifugal & Trash Pumps				w/B&S 25 h.p. Vanguard (V-Twin) ...	XST3926	3926	.030
DBC340, EHW120	XST2974	2974	.025	w/Honda 5.5 h.p. OHC	XST4265	4265 ⁸²⁴⁸	.030
EW100R	XST2976	2976	.025	w/Honda 5.5, 6.5, 9, 11 & 13 h.p. OHV	XST4265	4265 ⁸²⁴⁸	.030
EW200R, EW300R, EW200TR, EW300TR	AP425 ⁸²⁴⁹	425	.025	w/Honda 18, 20 & 24 h.p. (V-Twin) ..	XST4265	4265 ⁸²⁴⁸	.030
EW400TR	----	4123 ⁸²⁴⁸	.025	w/Kohler 15 h.p. OHV	XST3924	3924	.040
MALL				w/Kohler 25 h.p. (V-Twin)	XST3924	3924	.030
Pumps				w/Robin 7.5 h.p.	AP425 ⁸²⁴⁹	2656	.025
w/2-Cycle Eng.	XST254	303	.025	Paint Sprayers			
w/4-Cycle Eng.	XST458	295	.025	w/Honda 4 & 5.5 h.p. OHV	XST4265	4265 ⁸²⁴⁸	.030
MARK				w/Kawasaki 3.7 h.p.	XST2976	2976	.030
QP-15, -20, -30, -40	AP425 ⁸²⁴⁹	425	.025	MAXair PREMIUM			
QP-60	XST458	295	.025	Compressors,			
MARLOW				w/Honda 5.5 & 9 h.p. OHV	XST4265	4265 ⁸²⁴⁸	.030
Pumps				MAXI-VAC			
All Models w/14mm Threads	XST458	295	.025	High Pressure Washers			
				w/B&S 5.5 Intek OHV	XST3924	3924	.030
				w/B&S 6 & 11 Vanguard OHV	XST3924	3924	.030



Se Section 9 pour les remarques en français en bas de page. Ver Seccion 9 para las páginas de notas de pie de página en español. ⁸²⁴⁸ Tapered electrode design ⁸²⁴⁹ Single Platinum

Small Engine - Pumps

	XTREME START™	STANDARD STANDARD ESTANDAR	GAP ENCARTMENT ESPACIO		XTREME START™	STANDARD STANDARD ESTANDAR	GAP ENCARTMENT ESPACIO
MAXUS				MI-T-M (Cont'd)			
w/Robin 7 h.p. OHC	XS4093 ⁸²⁵²	4093 ⁸²⁴⁸	.025	Hot & Cold High Pressure Washers			
w/Robin 9 h.p. OHV	XS63 ⁸²⁵²	4263 ⁸²⁴⁸	.025	w/B&S 3.75, 5 & 11 h.p.	XST458	458	.030
McCULLOCH				w/B&S 5.5, 9, 11 & 13 h.p. Vanguard OHV	XST3924	3924	.030
Pumps				w/B&S 14 & 16 h.p. Vanguard (V-Twin)	XST3926	3926	.030
Aqua Mac, Pro Deluxe 21.2cc	XST2956	2956	.025	w/Honda 5.5, 6.5, 9, 11 & 13 h.p. OHV	XST4265	4265 ⁸²⁴⁸	.030
Models 150, 200, 300, 400	XST458	295	.025	w/Honda 20 h.p. (V-Twin)	XST4265	4265 ⁸²⁴⁸	.030
All Other Models	XST254	303	.025	MITSUBISHI			
McDONALD				Trash & Water Pumps			
w/B&S 4, 5.5 & 6.5 h.p. Intek OHV	XST3924	3924	.030	GM131P, GM181P	XST4265	4265 ⁸²⁴⁸	.030
w/Honda 5.5, 8 & 13 h.p. OHV	XST4265	4265 ⁸²⁴⁸	.030	MP-25, MP-40, MP-50	XST255	255	.025
w/Kohler 13 h.p. OHV	XST3924	3924	.030	MP-80, MP-100	XST255	255	.025
w/Kohler 23 h.p. (V-Twin)	XST3924	3924	.030	MP050, MP080, MPT080, MPT100	XST4265	4265 ⁸²⁴⁸	.030
McGOWAN				MONARCH			
w/B&S One-Cyl. Engrs.	XST458	458	.030	ACG-4, ACG-5, ACG-6, AGG-4,			
w/Clinton Engrs.	XST458	295	.025	AGG-5	XST255	255	.025
w/Cont. Engrs.	----	386	.025	AGG-6, AOG-4, AOG-5, AOG-6	XST255	255	.025
w/Le Roi Engrs.	XST258	308	.025	BSG-4, BSG-5, BSG-6, BSG-8	XST255	255	.025
w/Wisc. Engrs.	----	386	.025	BSGF-6, BSGF-8, 5BSGF-8	XST255	255	.025
MCS				BVG-4, BVG-5, BVG-6, BVG-8	XST255	255	.025
Chemical Sprayers				E17MG, 20MGS, 20MGA, E20MGS, E20MGA	----	386	.025
w/Honda 5 h.p. OHC	XST4265	4265 ⁸²⁴⁸	.030	FFN20, E773GA, E773GBS, E773GBA	----	386	.025
High Pressure Washers				E774GTJ, E774GV, E774GVB, E774GVB	----	386	.025
w/Honda 5, 5.5, 6, 6.5, 9, 11 & 13 h.p. OHV	XST4265	4265 ⁸²⁴⁸	.030	EFFN30	----	386	.025
w/Honda 20 & 24 h.p. OHV (V-Twin)	XST4265	4265 ⁸²⁴⁸	.030	EFFN40, ENG9W, FFS20, E773GVB	----	386	.025
w/Kohler 25 h.p. (V-Twin)	XST3924	3924	.030	FFN30, FFN40, 40MGTJ	----	386	.025
Water Pumps				FFN30, FFN40, 40MGTJ	----	386	.025
w/Honda 5 h.p. OHC	XST4265	4265 ⁸²⁴⁸	.030	NG1.5L8S, NG5B, 8MG	XST255	255	.025
METALWELD-WORTHINGTON (See Worthington)				NG2.5M9S w/Robin EY21W	XST458	295	.025
MICHIGAN POWER CLEANING				NG2.5M9S w/Wisc. S14D	----	386	.025
High Pressure Washers				NG2L8S, NG2.5L8S, NSPG8W, NG3L11S	----	386	.025
w/Honda 13 h.p. OHV	XST4265	4265 ⁸²⁴⁸	.030	NG4L13S, ENSPG8W, NG8W, ENG8W, NG9W	----	386	.025
w/Honda 18 h.p. LPG (V-Twin)	XST4265	4265 ⁸²⁴⁸	.020	ENG8W, NG9W	----	386	.025
w/Kohler 20 h.p. (V-Twin)	XST3924	3924	.030	NG16R	XST458	295	.025
w/Kohler 18 & 20 h.p. LPG (V-Twin)	XST3924	3924	.020	NG30W, ENG30W, NG37W, ENG37W	----	386	.025
Pumps				NGSF-5H, NGSF-8H	XST4265	4265 ⁸²⁴⁸	.030
w/B&S 9 & 11 h.p.	XST458	458	.030	NSPG5B, FFN25, FFS15, PBG-6, PBG-8	XST255	255	.025
w/B&S 5.5 h.p. Vanguard OHV	XST3924	3924	.030	PBG-12, PBGF-6, PBGF-8, PBGF-12	XST255	255	.025
w/B&S 16, & 18 h.p. Vanguard (V-Twin)	XST3926	3926	.030	2JG, 2JAG, 3JG, 3JAG	XST255	255	.025
w/Honda 5.5, 11 & 13 h.p. OHV	XST4265	4265 ⁸²⁴⁸	.030	5ACGF-6, 5ACGF-8	XST255	255	.025
w/Honda 18 & 20 h.p. (V-Twin)	XST4265	4265 ⁸²⁴⁸	.030	10MG, BSG8R	AP425 ⁸²⁴⁹	425	.025
MIDCO PUMPS				12MG, 12MGW, E12MG, 17MG, 40MGV, E40MGTJ	----	386	.025
All Models	XST458	295	.025	E40MGV, 73-2PWF, 74-2PWF, 74-2PWF	----	386	.025
MI-T-M				73EDF, 73EDB, 73-2PWF, 90MG, 776G	----	386	.025
Air Compressors				90MGV, 776GV	XST4265	65	.025
w/B&S 5.5 & 10 h.p. Intek OHV	XST3924	3924	.030	772G, 772GW, 773GA, 773GBS, 773GBA	----	386	.025
w/B&S 6 & 9 h.p. Vanguard OHV	XST3924	3924	.030	774GTJ, 774GV, E772G, E772GW	----	386	.025
w/Honda 4, 5.5, 6.5, 8, 11 & 13 h.p. OHV	XST4265	4265 ⁸²⁴⁸	.030	MOR POWER			
w/Kohler 12 h.p. Command Pro CS OHV	XST4265	4265 ⁸²⁴⁸	.040	High Pressure Washers			
w/Robin 4.5, 6, 7 & 9 h.p. OHC	XS4093 ⁸²⁵²	4093 ⁸²⁴⁸	.025	w/B&S "L" Head Engrs.	XST458	458	.030
				w/B&S 5.5 h.p. Intek OHV	XST3924	3924	.030



Se Section 9 pour les remarques en français en bas de page. Ver Section 9 para las páginas de notas de pie de página en español. ⁸²⁴⁸ Tapered electrode design ⁸²⁴⁹ Single Platinum ⁸²⁵² Xtreme Sport

Small Engine - Pumps

	XTREME START™	STANDARD STANDARD ESTANDAR	GAP ENCARTMENT ESPACIO		XTREME START™	STANDARD STANDARD ESTANDAR	GAP ENCARTMENT ESPACIO
MOR POWER (Cont'd)				NOVO (Cont'd)			
High Pressure Washers (Cont'd)				AU Pressure --- 386 .025			
w/Honda 5, 6.5, 9 & 13 h.p. OHV ...	XST4265	4265 ⁸²⁴⁸	.030	BA-23	XST254	303	.025
w/Tec. 6.5 h.p.	XST458	458	.030	CW Series 33, 47, 66, 95, 133	---	386	.025
MOTOR GUARD				CWR Series 47, 66, 95, 133			
w/B&S 6, 6.5 & 10 h.p. OHV	XST3924	3924	.030	DA-33 w/14mm Heads	XST458	295	.025
MP PUMPS				DA-33 w/18mm Heads			
Centrifugal, Diaphragm & Trash Pumps				DV, DW Pressure			
w/B&S 6.5 h.p. Intek OHV	XST3924	3924	.020	L10M-2, L15M-3, L20M-3 Pronto	---	386	.025
w/Honda 5, 5.5, 8 & 11 h.p. OHV	XST4265	4265 ⁸²⁴⁸	.030	Prime	---	386	.025
w/Tec. 3.5, 3.8 & 8 h.p.	XST458	458	.030	L30M-4, L40M-4N Pronto Prime	---	386	.025
w/Tec. 5 h.p. OHV	XST4055	4055 ⁸²⁴⁸	.030	L3M-11/2	XST458	295	.025
MQ POWER				L7M-2 Pronto Prime			
w/Honda 3.5, 4, 5, 5.5, 8 & 11 h.p.	---	---	---	L9M-6C Pronto Pump	XST458	295	.025
OHV	XST4265	4265 ⁸²⁴⁸	.030	OHLER			
w/Robin EY-28W, EY-44W	AP425 ⁸²⁴⁹	425	.025	w/B&S One-Cyl. Engs.	XST458	458	.030
w/Robin 4 h.p. OHV	XST4055	4055 ⁸²⁴⁸	.025	w/Ciinton Engs.	XST458	458	.030
w/Robin 6 h.p. OHV	---	4123 ⁸²⁴⁸	.025	w/Wisc. Engs.	---	386	.025
w/Wisc. 3.5 & 4.6 h.p.	AP425 ⁸²⁴⁹	425	.025	O.K.			
MTA				Air Compressors			
Air Compressors & High Pressure Washers				All Models w/14mm Threads			
w/Honda 5.5, 9, 11 & 13 h.p. OHV ...	XST4265	4265 ⁸²⁴⁸	.030	All Models w/7/8"-18 Threads	---	3076	.025
w/Honda 18 h.p. (V-Twin)	XST4265	4265 ⁸²⁴⁸	.030	OLYMPIA ROSS			
NILFISK-ADVANCE				Fire Pump Type-D			
High Pressure Washers				---			
w/B&S "L" Head Engs.	XST458	458	.030	OLYMPYK			
w/B&S 9.5 h.p. Vanguard OHV	XST3924	3924	.030	Water Pumps			
NORTHEAST				PA1030, PA1040, PA1100H			
w/B&S 5.5 h.p. Vanguard OHV	XST3924	3924	.030	SA18, SA30, SA45	XST2974	2974	.025
w/B&S 18 h.p. (Twin)	XST458	458	.030	O.M.C.			
w/Honda 5.5, 6.5, 8, 11 & 13 h.p.	XST4265	4265 ⁸²⁴⁸	.030	Pumps			
w/Honda 18 h.p. (V-Twin)	XST4265	4265 ⁸²⁴⁸	.030	Single & Twin	AP46 ⁸²⁴⁹	46	.025
NORTHERN INDUSTRIAL				ONAN			
Pumps				Air Compressors			
w/31cc Engs.	XST2974	2974	.025	AJ-MC, CCK-MC, LK-MC,	---	216	.025
NORTH STAR				J60-13-MCHV			
Compressors, High Pressure Washers & Pumps				OTTERBINE			
w/B&S One-Cyl. Engs.	XST458	458	.030	Pumps			
w/B&S 9 & 13 h.p. Vanguard OHV ...	XST3924	3924	.030	w/B&S 8 h.p.	XST458	458	.030
w/B&S 16 h.p. Vanguard (V-Twin) ...	XST3926	3926	.030	O & R			
w/Honda 4 & 5 h.p. OHC	XST4265	4265 ⁸²⁴⁸	.030	All Models	XST255	255	.025
w/Honda 4, 5, 5.5, 6.5, 8, 9, 11 & 13	---	---	---	PACER			
h.p. OHV	XST4265	4265 ⁸²⁴⁸	.030	Pumps			
w/Honda 18 h.p. (V-Twin)	XST4265	4265 ⁸²⁴⁸	.030	w/B&S 3, 3.5, 5 & 8 h.p.	XST458	295	.030
w/Kohler 18 & 25 h.p. (V-Twin)	XST3924	3924	.030	w/B&S 5.5, 6 & 8 h.p. Intek OHV	XST3924	3924	.030
w/Mitsubishi 0.8 h.p.	XST2974	2974	.025	w/B&S 5.5 & 9 h.p. Vanguard OHV ..	XST3924	3924	.030
w/Robin Engs.	AP425 ⁸²⁴⁹	425	.025	w/Honda 5 h.p. OHC	XST4265	4265 ⁸²⁴⁸	.030
w/Tec. 4, 5, 6, 8 & 10 h.p.	XST458	458	.030	w/Honda 5.5 & 8 h.p. OHV	XST4265	4265 ⁸²⁴⁸	.030
w/Tec. 5.5 h.p. OHV	XST4055	4055 ⁸²⁴⁸	.030	w/Kohler 8.5 h.p. Command Pro CS	---	---	---
NOVO				OHV			
3W2, 4W, 4W2, AD3W Diaphragm ..	---	386	.025	XST4265	4265 ⁸²⁴⁸	.040	
A-16, CA-33 w/18mm Heads	---	386	.025	w/Tec. 7 & 8 h.p.	XST458	458	.030
All 1/2"-14 Pipe Heads	---	3095	.025				



Se Section 9 pour les remarques en français en bas de page. Ver Seccion 9 para las páginas de notas de pie de página en español. ⁸²⁴⁸ Tapered electrode design ⁸²⁴⁹ Single Platinum

Small Engine - Pumps

	XTREME START™	STANDARD STANDARD ESTANDAR	GAP ENCARTMENT ESPACIO		XTREME START™	STANDARD STANDARD ESTANDAR	GAP ENCARTMENT ESPACIO
PACIFIC HYDROSTAR				POWER CLEAN (Cont'd)			
High Pressure Washers				Hot & Cold High Pressure Washers (Cont'd)			
w/B&S 5 & 11 h.p.	XST458	295	.030	w/Honda 4, 5, 5.5, 6.5, 9, 11 & 13 h.p.			
w/B&S 5.5 h.p. Intek OHV	XST3924	3924	.030	OHV	XST4265	4265 ⁸²⁴⁸	.030
w/B&S 16 h.p. Vanguard (V-Twin) ...	XST3926	3926	.030	w/Honda 20 & 24 h.p. OHV (V-Twin) .	XST4265	4265 ⁸²⁴⁸	.030
w/Honda 5.5, 11 & 13 h.p. OHV	XST4265	4265 ⁸²⁴⁸	.030	Water & Trash Pumps			
				w/Honda 4, 5.5 & 8 h.p. OHV	XST4265	4265 ⁸²⁴⁸	.030
PACIFIC MARINE				POWER EAGLE			
Pumps				High Pressure Washers			
5A, BE, S	XST458	295	.025	w/B&S 18 h.p. Vanguard (V-Twin) ...	XST3924	3924	.030
6Y-8	XST258	308	.025	w/Honda 9 & 13 h.p. OHV	XST4265	4265 ⁸²⁴⁸	.030
A w/18mm Heads	----	373	.025	POWER EASE			
GA, MK-1	XST254	303	.025	w/B&S 6.5 h.p. Intek OHV	XST3924	3924	.030
MK-2, MK-2M, MK-25, MK-3, MK-75	----	373	.025	w/Honda 4 & 5 h.p. OHC	XST4265	4265 ⁸²⁴⁸	.030
MK-26	XS4093 ⁸²⁵²	4093 ⁸²⁴⁸	.025	w/Honda 5.5, 6.5, 9, 11 & 13 h.p.			
N, NY, U, Y, YB	----	373	.025	OHV	XST4265	4265 ⁸²⁴⁸	.030
TSA-8, WA, WX	----	386	.030	w/Honda 20 h.p. OHV (V-Twin)	XST4265	4265 ⁸²⁴⁸	.030
w/B&S One-Cyl. Engs.	XST458	458	.030	POWERHORSE			
w/Wisc. Engs.	----	386	.030	Air Compressors			
WGC-4, TSA-8, TJD-14S	----	386	.025	All Models	XS63 ⁸²⁵²	63	.030
Z w/14mm Threads	XST254	303	.025	High Pressure Washers			
Z w/18mm Threads	----	373	.025	All Models	XS63 ⁸²⁵²	63	.030
Z w/7/8"-18 Threads	----	3076	.025	Pumps			
				All Models	XS63 ⁸²⁵²	63	.030
PARAMOUNT				POWERHOUSE			
Cub	----	216	.025	High Pressure Washers			
				w/6.5, 9 & 11 h.p. Engs.	XS63 ⁸²⁵²	63	.030
PLUS POWER				POWER LINE			
Air Compressors & Pumps				High Pressure Washers			
DEP5013, DEP8018, 1040W,				w/B&S 16, 18 & 21 h.p. Vanguard			
4090W	AP425 ⁸²⁴⁹	425	.025	(V-Twin)	XST3924	3924	.030
w/Wisc. 3, 5 & 8 h.p.	AP425 ⁸²⁴⁹	425	.025	w/Honda 20 h.p. OHV (V-Twin)	XST4265	4265 ⁸²⁴⁸	.030
				w/Kohler 25 h.p. (V-Twin)	XST3924	3924	.030
POLARIS				POWERMATE			
Pumps				Air Compressors			
PP101	----	4123 ⁸²⁴⁸	.025	w/Honda OHV Engs.	XST4265	4265 ⁸²⁴⁸	.030
PPS109	XST255	255	.025	POWER MAX			
PP205, PPS205T, PPS305,				High Pressure Washers			
PPS305T	XS4093 ⁸²⁵²	4093 ⁸²⁴⁸	.025	w/B&S 5.5 h.p. Intek OHV	XST3924	3924	.030
PPS305D	----	4056 ⁸²⁴⁸	.025	w/B&S 6 & 11 h.p. Vanguard OHV ...	XST3924	3924	.030
PORTO-PUMP				POWER-PAK			
Standard & Camel Models	----	386	.025	Pumps			
				All Models	XST258	308	.025
PORTER CABLE				POWER TRAIN			
High Pressure Washers				Air Compressors			
w/Honda 5 & 5.5 h.p. OHC	XST4265	4265 ⁸²⁴⁸	.030	PT5508G	XST3924	3924	.030
w/Honda 6.5 & 13 h.p. OHV	XST4265	4265 ⁸²⁴⁸	.030	PT6508GE	XST3924	3924	.030
				PT9020G	XST3924	3924	.030
POULAN PUMPS				Water & Trash Pumps			
Pumps				High Pressure Washers			
3H-5M, 3H-8M, 5H-10M	XST255	255	.025	PTTP300	XST3924	3924	.030
3H-151, 5H-173, 5H-212T	XST255	255	.025	PTWP300	XST3924	3924	.030
				PTWP400	XST3924	3924	.030
POWER BOSS				POWER CLEAN			
High Pressure Washers				Hot & Cold High Pressure Washers			
w/B&S "L" Head Engs.	XST458	458	.030	w/Honda 4 & 5 h.p. OHC	XST4265	4265 ⁸²⁴⁸	.030
w/Honda OHV Engs.	XST4265	4265 ⁸²⁴⁸	.030				



Se Section 9 pour les remarques en français en bas de page. Ver Seccion 9 para las páginas de notas de pie de página en español. ⁸²⁴⁸ Tapered electrode design ⁸²⁴⁹ Single Platinum ⁸²⁵² Xtreme Sport

Small Engine - Pumps

	XTREME START™	STANDARD STANDARD ESTANDAR	GAP ENCARTMENT ESPACIO		XTREME START™	STANDARD STANDARD ESTANDAR	GAP ENCARTMENT ESPACIO
PRAMAC				RIGID (Cont'd)			
High Pressure Washers				High Pressure Washers			
w/Honda 5.5 & 9 h.p. OHV	XST4265	4265 ⁸²⁴⁸	.030	w/Robin 5.7 & 7 h.p. OHC	XS4093 ⁸²⁵²	4093 ⁸²⁴⁸	.025
PRAMAC LIFTER				ROBCO			
Centrifugal Pumps				Rascal			
MP600FHHPI-0000Z,					XST254	303	.025
MP1000FHHPI-0000Z	XST4265	4265 ⁸²⁴⁸	.030	ROBIN SUBARU			
High Pressure Washers				Water & Trash Pumps			
LD30HHPBA0Z, LD35HHPBA0Z,				EC041ETR, EC04ER, SDE041	XST2976	2976	.025
LD35HEPBA0Z	XST4265	4265 ⁸²⁴⁸	.030	EC025GR, PTG109	AP425 ⁸²⁴⁹	425	.025
PRESSURE-PRO				PKV101, PKV110			
w/B&S 16, 18 & 21 h.p. Vanguard				PKX201, PKX201H, PKX201T,	XST255	255	.030
(V-Twin)	XST3926	3926	.030	PKX201ST	XS4093 ⁸²⁵²	4093 ⁸²⁴⁸	.025
w/Honda 5 h.p. OHC	XST4265	4265 ⁸²⁴⁸	.030	PKX301, PKX301ST, PKX301T,			
w/Honda 5, 5.5, 6.5, 9, 11 & 13 h.p.				PKX401	XS4093 ⁸²⁵²	4093 ⁸²⁴⁸	.025
OHV	XST4265	4265 ⁸²⁴⁸	.030	PKV401T	XS63 ⁸²⁵²	4263 ⁸²⁴⁸	.025
w/Honda 18, 20 & 24 h.p. (V-Twin) ..	XST4265	4265 ⁸²⁴⁸	.030	PTV205, PTV205ST, PTV305D	XST4055	4055 ⁸²⁴⁸	.025
w/Kohler 25 & 27 h.p. (V-Twin)	XST3924	3924	.030	PTV205H, PTV205T, PTV305	----	4123 ⁸²⁴⁸	.025
w/Robin 6 & 9 h.p. OHC	XS4093 ⁸²⁵²	4093 ⁸²⁴⁸	.025	PTV305D	XST4055	4055 ⁸²⁴⁸	.025
PRESSURE QUEEN				PTV305ST, PT305T, PTV305T,			
Air Compressors				PTV405			
All Models	XST258	308	.025	PTV405T	XS63 ⁸²⁵²	4263 ⁸²⁴⁸	.025
PSC CLEANING SYSTEMS				PTX201D, PTX301D			
High Pressure Washers				SD04, SD04-2B			
w/Honda 5.5, 9, 11 & 13 h.p. OHV ...	XST4265	4265 ⁸²⁴⁸	.030	SD06, SD06-B, SP06B	AP425 ⁸²⁴⁹	425	.025
PUMPS & PRESSURE				SDT250, SDT400			
w/B&S 5.5 h.p. Intek Pro OHV	XST3924	3924	.030		XST255	255	.025
w/B&S 11 & 13 h.p. Vanguard OHV ..	XST3924	3924	.030	ROILINE			
w/B&S 16 & 20 Vanguard (V-Twin) ..	XST3926	3926	.030	Pumps			
PUMPTEC				A114			
Self-priming Pumps							
w/Tec. 3.5 & 3.8 h.p.	XST458	458	.030		XST258	308	.025
RAMTEQ				ROL-AIR			
High Pressure Washers				Compressors			
w/B&S 11 & 13 Vanguard OHV	XST3924	3924	.030	w/Honda OHV Eng.	XST4265	4265 ⁸²⁴⁸	.030
w/B&S 16 & 20 h.p. Vanguard				ROPER			
(V-Twin)	XST3926	3926	.030	Pumps			
w/Honda 9, 11 & 13 h.p. OHV	XST4265	4265 ⁸²⁴⁸	.030	w/B&S 5 h.p.	XST458	458	.030
w/Kohler 25 h.p. (V-Twin)	XST3924	3924	.030	w/Honda 8 & 13 h.p. OHV	XST4265	4265 ⁸²⁴⁸	.030
REDLINE				SANBORN			
SA18, SA30				w/B&S One-Cyl. Eng.			
	XST2974	2974	.030		XST458	458	.030
SA45	XST255	255	.030	SCHRAMM			
REMINGTON				Air Compressors			
Pumps				20, 35, 40 Pneumapower			
All Models	XST254	303	.025	60, 75, 80, 85, 100 Pneumapower ..			
REX				105 w/Buda HP217			
40MW w/Cont. Eng.	----	386	.025	105 w/IHC U-6			
RIGID				125 Pneumapower (Diesel)			
Air Compressors				125 Pneumapower (Gasoline)			
w/Honda 5.5 h.p. OHV	XST4265	4265 ⁸²⁴⁸	.030	125 w/GOH			
ROILINE				125, 160 Pneumapower			
Pumps				210 w/Buda LS-525			
A114				210 w/IHC UD-14A			
				250 (Diesel)			
				250 Pneumatractor (Diesel)			
				250 Unistage (Gasoline)			
				315 w/Buda MS-766			
				315 w/IHC UD-18A, PD-40, PD-80 ..			
				600 w/IHC UD-24A, UD-1091			
				600TC			
				Fordair			



Se Section 9 pour les remarques en français en bas de page. Ver Sección 9 para las páginas de notas de pie de página en español. ⁸²⁴⁸ Tapered electrode design ⁸²⁴⁹ Single Platinum ⁸²⁵² Xtreme Sport

Small Engine - Pumps

	XTREME START™	STANDARD ESTANDAR	GAP ENCARTMENT ESPACIO		XTREME START™	STANDARD ESTANDAR	GAP ENCARTMENT ESPACIO
SCORPION				SNAPPER (Cont'd)			
Pumps				High Pressure Washers (Cont'd)			
w/B&S One-Cyl. Engs.	XST458	458	.030	w/B&S 9 h.p. OHV	XST3924	3924	.030
w/Honda 4 & 5.5 h.p. OHV	XST4265	4265 ⁸²⁴⁸	.030	w/B&S 7.5 & 13 h.p. Vanguard	XST3924	3924	.030
SEAMAN-UNIFLOW				SOLO			
All Models w/14mm Threads	----	306	.025	Floating Pump 830	AP425 ⁸²⁴⁹	425	.025
All Models w/18mm Threads	----	386	.025	SPARTAN			
All Models w/7/8"-18 Threads	----	3095	.025	SP30	XST254	254	.025
SHARK				SPRAK			
High Pressure Washers				High Pressure Washers			
w/B&S One-Cyl. Engs.	XST458	458	.030	w/B&S 5, 8 & 11 h.p.	XST458	458	.030
w/B&S 16 h.p. Vanguard (V-Twin) ...	XST3926	3926	.030	w/B&S 9 & 13 h.p. Vanguard OHV ..	XST3924	3924	.030
w/Honda 5, 5.5, 6.5, 9, 11 & 13 h.p. OHV	XST4265	4265 ⁸²⁴⁸	.030	w/B&S 16 h.p. Vanguard (V-Twin) ...	XST3926	3926	.030
w/Honda 20 & 24 h.p. OHV (V-Twin) .	XST4265	4265 ⁸²⁴⁸	.030	w/B&S 18 h.p. (Twin)	XST458	458	.030
w/Robin 6 & 7 h.p. OHC	XS4093 ⁸²⁵²	4093 ⁸²⁴⁸	.025	w/Honda 5, 5.5, 8, 11 & 13 h.p. OHV .	XST4265	4265 ⁸²⁴⁸	.030
SHARPE				SPRAY CLEAN			
w/Wisc. Engs.	----	386	.025	w/B&S 3.75 h.p.	XST458	458	.030
All Other Models	XST458	295	.025	SPEEDAIRE			
SHINDAIWA				Air Compressors			
Water Pumps				w/Honda OHV Engs.			
GP25, GP45, GP450	XST255	255	.025		XST4265	4265 ⁸²⁴⁸	.030
GP344, GP3410	----	4194 ⁸²⁴⁸	.030	SPEEDWAY			
SILVER EAGLE				Drain Cleaning Jets			
High Pressure Washers				w/B&S 16 h.p. Vanguard OHV			
w/B&S Vanguard (V-Twin) Engs.	XST3926	3926	.030		XST3924	3924	.030
w/Kohler 6 & 15 h.p. OHV	XST3924	3924	.040	w/Honda 5.5 & 13 h.p. OHV	XST4265	4265 ⁸²⁴⁸	.030
w/Kohler OHV (V-Twin) Engs.	XST3924	3924	.030	STERLING			
w/Kohler OHV LPG (V-Twin) Engs. ...	XST3924	3924	.020	Pumps			
SIMPSON				All Models w/18mm Threads			
High Pressure Washers & Sand Blasters							
w/B&S 5, 8, 9, & 11 h.p.	XST458	458	.030	All Models w/7/8"-18 Threads	----	3076	.025
w/B&S 5.5 & 9 h.p. Vanguard OHV ..	XST3924	3924	.030	STIHL			
w/B&S 13 h.p. Vanguard OHV	XST3924	3924	.030	High Pressure Washers & Pumps			
w/B&S 16, 18 & 20 h.p. Vanguard (V-Twin)	XST3926	3926	.030	P840	AP425 ⁸²⁴⁹	425	.030
w/Honda 5.5, 6.5, 9, 11 & 13 h.p. OHV	XST4265	4265 ⁸²⁴⁸	.030	RB220K, RB400K	XS63 ⁸²⁵²	4263 ⁸²⁴⁸	.030
w/Honda 18 & 20 h.p. (V-Twin)	XST4265	4265 ⁸²⁴⁸	.030	STOW			
w/Kohler 16 & 20 h.p. (Twin)	XP26 ⁸²⁵⁰	26	.025	Centrifugal, Diaphragm & Trash Pumps			
w/Kohler 20 & 22 h.p. (V-Twin)	XST3924	3924	.030	w/B&S 5 & 8 h.p.	XST458	458	.030
w/Robin W1-185, W1-390	AP425 ⁸²⁴⁹	425	.025	w/Honda 4, 5.5 & 8 h.p. OHV	XST4265	4265 ⁸²⁴⁸	.030
w/Robin W1-280	----	4123 ⁸²⁴⁸	.025	STRUNK			
SMITH				w/B&S 3.75 h.p.			
w/Chry. 8, 15, 16, 16A, 22, 22A, 32 ..	XST258	308	.025		XST458	458	.030
w/Cont. B-427, F-227, F-427	----	386	.025	SULLIVAN			
w/Cont. R-602	----	373	.025	Air Compressors			
w/Ford 254 cid Engs.	----	216	.025	All Models w/14mm Threads	----	306	.025
w/Ford 302 cid Engs.	AP124 ⁸²⁴⁹	124	.025	All Models w/18mm Threads	----	386	.025
w/Herc. RXC	XST458	295	.025	All Models w/7/8"-18 Threads	----	3076	.025
w/Wisc. VG4D	----	386	.025	SNAPPER			
High Pressure Washers				High Pressure Washers			
w/B&S One-Cyl. Engs.	XST458	458	.030	w/B&S One-Cyl. Engs.	XST458	458	.030
w/B&S 6, 6.75 & 7 h.p. Intek OHV ...	XST3924	3924	.030	w/B&S 6, 6.75 & 7 h.p. Intek OHV ...	XST3924	3924	.030



Se Section 9 pour les remarques en français en bas de page. Ver Seccion 9 para las páginas de notas de pie de página en español. ⁸²⁴⁸ Tapered electrode design ⁸²⁴⁹ Single Platinum ⁸²⁵⁰ Xtreme Performance ⁸²⁵² Xtreme Sport

Small Engine - Pumps

	XTRME START™	STANDARD STANDARD ESTANDAR	GAP ENCARTMENT ESPACIO		XTRME START™	STANDARD STANDARD ESTANDAR	GAP ENCARTMENT ESPACIO
SUNSET				TROY-BILT			
Waste Pumps				High Pressure Washers			
w/B&S 5 h.p.	XST458	458	.030	w/B&S 4 h.p.	XST458	458	.030
SWISHER				w/B&S 6, 7.75 & 8.75 h.p. OHV			
Water Pumps				w/B&S 6.75 h.p. Intek OHV			
E4-W4000	----	4194	.030	w/Honda 5 h.p. OHC	XST4265	4265 ⁸²⁴⁸	.030
TANAKA				w/Honda 5 & 13 h.p. OHV			
JP-25, MCP-50, PCP-3	XST254	303	.025	TRU-KOOLER			
QCP-12, QCP-121	XST255	255	.025	Refrigeration Units			
TCP-38, TCP-381	XST458	295	.025	w/Wisc. Engs.			
TCP-210	XST2976	2976	.025	----			
TCP-381	XST458	295	.025	TSURUMI PUMP			
TCP-500, TCP-600	AP425 ⁸²⁴⁹	425	.025	Centrifugal, Diaphragm & Trash Pumps			
TARGET				w/Honda 4, 5.5, 8 & 11 h.p. OHV			
High Pressure Washers				XST4265			
w/Honda 5.5, 8 & 13 h.p. OHV	XST4265	4265 ⁸²⁴⁸	.030	3926			
w/Wisc. 5 & 11 h.p.	AP425 ⁸²⁴⁹	425	.025	w/B&S 16 & 21 Vanguard (V-Twin) ..			
w/Wisc. 7.5 h.p.	----	4123 ⁸²⁴⁸	.025	w/Honda 5, 5.5, 6.5, 9, 11 & 13 h.p.			
TAS (See Tanaka)				OHV			
TELEDYNE				w/Honda 20 & 24 h.p. OHV (V-Twin) .			
THE AIR LINE				w/Robin 7.5 h.p.			
Underwater Breathing Supply				XST458			
w/Honda 2.5 & 3 h.p. OHV	----	4194 ⁸²⁴⁸	.030	458			
w/Honda 4 & 5.5 h.p. OHV	XST4265	4265 ⁸²⁴⁸	.030	ULTIMATE WASHER			
THERMO-KING				w/B&S 6.5 h.p. Intek OHV			
AM, HK, KW, KL, ROL, UK, XKL,	----	216	.025	w/B&S 14 & 16 h.p. Vanguard			
XROL	----	386	.025	(V-Twin)			
MWC, NWG (Gasoline)	----	386	.015	w/Honda 4 & 5 h.p. OHC			
NWG (LPG)	----	2224	.025	w/Honda 5.5, 6.5, 9, 11 & 13 h.p.			
SROL	----	4056 ⁸²⁴⁸	.025	OHV			
w/Onan NHA	----	4056 ⁸²⁴⁸	.025	w/Robin 6 & 9 h.p. OHC			
THOMAS				Sewer Jetters			
3052, 3062, T4100	XST458	295	.025	w/B&S 23 h.p. Vanguard (V-Twin) ...			
T4200, T8200	XST255	255	.025	w/Honda 5.5, 6.5, 9 & 13 h.p. OHV ..			
TITAN				w/Honda 24 h.p. (V-Twin)			
Air Compressors				UNIVERSAL			
TAC-2T w/6 h.p. Engs.	XS63 ⁸²⁵²	4263 ⁸²⁴⁸	.030	Pumps			
High Pressure Washers				Aquamaster			
TPW-2200 w/6 h.p. Engs.	XS63 ⁸²⁵²	4263 ⁸²⁴⁸	.030	XST255			
w/B&S 5 & 10 h.p.	XST458	458	.030	U.S.A.			
w/Honda 4, 5.5 & 11 h.p. OHV	XST4265	4265 ⁸²⁴⁸	.030	High Pressure Washers			
Trash Pumps				w/B&S 3.75 h.p.			
TTP-300 2x3 w/6 h.p. Engs.	XS63 ⁸²⁵²	4263 ⁸²⁴⁸	.030	XST458			
TRANSIT				U.S. MOTORS			
Pumps				USM-100-2 (2" Pump)			
6"x9" Vertical (4-Cycle)	----	3076	.025	XST255			
23"x36" Double. Acting Stationary ...	----	3076	.025	VACUBOAT			
TROY-BILT				Marine Waste Pumps			
High Pressure Washers				w/Honda 2.5 h.p.			
w/B&S 4 h.p.				XST258			
w/B&S 6, 7.75 & 8.75 h.p. OHV				258			
w/B&S 6.75 h.p. Intek OHV				w/Honda 5.5 h.p. OHV			
w/Honda 5 h.p. OHC				XST4265			
w/Honda 5 & 13 h.p. OHV				4265 ⁸²⁴⁸			
TRU-KOOLER				VALLEY INDUSTRIES			
Refrigeration Units				Diaphragm Pumps			
w/Wisc. Engs.				w/Honda OHV Engs.			
----				XST4265			
386				4265 ⁸²⁴⁸			
.025				.030			

Se Section 9 pour les remarques en français en bas de page. Ver Seccion 9 para las páginas de notas de pie de página en español. ⁸²⁴⁸ Tapered electrode design ⁸²⁴⁹ Single Platinum ⁸²⁵² Xtreme Sport

Small Engine - Pumps

	XTREME START™	STANDARD STANDARD ESTANDAR	GAP ÉNCARTMENT ESPACIO		XTREME START™	STANDARD STANDARD ESTANDAR	GAP ÉNCARTMENT ESPACIO
VARITECH				WORTHINGTON			
Anti-Ice Sprayers				Air Compressors & Pumps			
w/Honda 5.5 h.p. OHV	XST4265	4265 ⁸²⁴⁸	.030	NP w/B&S Engs.	XST458	458	.030
				w/Caterpillar Starting Engs.	----	386	.022
				w/Clinton 700	XST258	308	.025
				w/Cont. B-427, F-124, F-226, M-330, Y-91	----	386	.025
				w/Cont. G-193	AP45 ⁸²⁴⁹	45	.025
				w/Cont. R-602	----	373	.025
				All Other Cont. Engs.	----	3076	.025
				w/Ford 172 cid Engs.	----	216	.025
				w/Herc. G2300	XST254	303	.025
				w/Herc. HXA, HXB, HXD, HXE	----	3076	.025
				w/Herc. HXE	----	3076	.025
				w/Herc. IXB, IXB-3, QXC, YXC-2	----	3076	.025
				w/Herc. JX4D, JX4D3	XST458	295	.025
				w/Herc. JXC, JXD 14mm Heads	XST254	303	.025
				w/Herc. JXC, JXD 7/8"-18 Heads	----	3076	.025
				w/Herc. QXB, QXC, QXD, RXLD	----	3076	.025
				w/Herc. ZXB	----	216	.025
				w/Herc. Starting Engs.	----	216	.025
				All Other Herc. Engs.	----	3076	.025
				w/IHC UD-6, UD-6A, UD-9, UD-9A	----	386	.025
				w/IHC UD-14, UD-14A, UD-18	----	3077	.025
				w/IHC UD-18A, UD-24, UD-1091	----	3077	.025
				w/IHC UD-264, UD-350	----	386	.025
				w/LeRoi B-45, D-91, D-140	----	386	.025
				w/Wisc. 3AG	----	373	.025
				w/Wisc. 7AG, 10AG, 20AG, 30 AG, 40AG	----	386	.025
				w/Wisc. AK, TF	----	386	.030
				w/Wisc. B-3, K	----	3076	.030
				All Other Wisc. Engs.	----	386	.030
VIGOR				YAMAHA			
Water & Trash Pumps				Water & Trash Pumps			
w/VG139F Engs.	----	4194 ⁸²⁴⁸	.030	YP20, YP30, YP20G, YP20GA,			
w/VG152F Engs.	XST2974	2974	.030	YP20NT	----	4123 ⁸²⁴⁸	.025
w/VG168F, VG168F-1 & VG177F Engs.	XST4055	4055 ⁸²⁴⁸	.030	YP20GN, YBP801ST	----	275	.025
w/VG1E40F-B & VG1E43F Engs.	----	275	.030	YP30G, YP30GA, YP30NT	----	4123 ⁸²⁴⁸	.025
				YP20GX, YP20TA, YP30GX,			
				YP30TA, YP40TA	XST4265	65	.025
				YBP401D, YBP501ST	----	275	.025
				w/Kubota Engs.	----	275	.040
VIPER				ZENOAH			
Air Compressors				Water Pumps			
w/Kohler 25 h.p. (V-Twin)	XST3924	3924	.040	PE25	XST254	254	.025
				PE40	AP425 ⁸²⁴⁹	425	.025
VOX							
High Pressure Washers							
w/Honda 6.5 & 13 h.p. OHV	XST4265	4265 ⁸²⁴⁸	.030				
WACKER							
Centrifugal, Diaphragm & Trash Pumps							
PG2, PG2A, PG3, PG3A w/Honda OHV Engs.	XST4265	4265 ⁸²⁴⁸	.030				
PG2, PG3, PG4 w/Robin Engs.	AP425 ⁸²⁴⁹	425	.025				
PD3A, PT2A, PT3A	XST4265	4265 ⁸²⁴⁸	.030				
PD2B, PD3B, PT2B, PT3B, PT4B	XST458	458	.030				
PT2R, PT3R	AP425 ⁸²⁴⁹	425	.025				
PT3V	XST3926	3926	.030				
PTS4V	XST3926	3926	.030				
WAJAX (Canada)							
Pumps							
BE	XST458	295	.025				
MK-1	XST254	303	.025				
MK-2, MK-2M, MK-25, MK-3, MK-75	----	373	.025				
MK-26	XS4093 ⁸²⁵²	4093 ⁸²⁴⁸	.025				
WA-7, WA-7S, TSA-8, WGC-4, WX	----	386	.025				
Typhon Ice Pump	XS4093 ⁸²⁵²	4093 ⁸²⁴⁸	.025				
w/Lauson Engs.	XST458	295	.025				
w/Wajax Engs.	----	3076	.025				
WAMBO							
D200, P35, S170	AP425 ⁸²⁴⁹	425	.035				
WATEROUS							
Pumps							
w/B&S 11 & 18 h.p.	XST458	458	.030				
w/Chry. 82011, 82029	XS4093 ⁸²⁵²	4093 ⁸²⁴⁸	.025				
WAUBAUSHENE							
Waste Pumps							
w/Honda 2.2 & 2.5 h.p.	XST258	258	.030				
WAYNE							
Pumps							
All Models	XST458	295	.025				
WESTWARD							
Air Compressors							
w/B&S 5.5 h.p. OHV	XST3924	3924	.020				

Se Section 9 pour les remarques en français en bas de page. Ver Section 9 para las páginas de notas de pie de página en español. ⁸²⁴⁸ Tapered electrode design ⁸²⁴⁹ Single Platinum ⁸²⁵² Xtreme Sport